Selected Canadian Airports
Altitude Correction Tables
Off-Standard Atmosphere Approximated

Revision Date: June 1, 2017

Stefano M Rapisarda

Flight Deck Engineering

1.1 Abstract

Most aviation authorities' procedures and regulations require or recommend that pilots apply corrections to minimum instrument approach altitudes during periods of very cold weather conditions, or cold weather conditions in combination with terrain. The purpose of this document is to provide means to implement the cold temperature altitude corrections recommended by International Civil Aviation Organization (ICAO) in document PANS OPS Doc 8168 [1].

ICAO document PANS OPS Doc 8168 [1] recommends the use of three different formulas. These formulas provide altitude corrections with different degrees of approximation for an Off-ISA Atmosphere, which is an atmosphere with the same characteristic of the International Standard Atmosphere but whose temperature profile differs from ISA by a constant temperature offset.

The first formula, called "Sea Level Approximation" is the same used to calculate the well-known ICAO Cold Temperature Altitude Correction Table. It is the least accurate of the three formulas, as it assumes that the airport/station is located at sea level.

The second formula, called "Off-Standard Atmosphere Approximated" still includes approximations, yet it is more accurate than the first one, as it takes into account the airport/station elevation.

The third formula, called "Off-Standard Atmosphere" includes only minor approximations, providing the most accurate corrections.

This document provides Cold Temperature Altitude Correction Tables for a selected number of Canadian Airports.

The formula used is the second of those recommended by International Civil Aviation Organization (ICAO) in document PANS OPS Doc 8168 [1], the so called "Off-Standard Atmosphere Approximated".

1.2 Disclaimer

These notes were produced to improve understanding of cold temperature correction and promote situational awareness. The content of this document should not be used for navigation and the user should always refer to current published approved documents and charts.

The pilot in command of an aircraft is ultimately responsible for its operation and safety during flight.

In these notes, the term "corrected altitude" is used with the intended meaning of "altitude corrected for non-standard temperature".

1.3 Further Information

Photos, tables and graphics in this document are protected by copyright. Unless otherwise noted, Flight Deck Engineering is the owner of the intellectual property rights.

With the exception of photos and graphics to which a third party holds copyright, this publication is licensed under a Creative Commons Attribution 4.0 International License.

This means that it is allowed to copy and redistribute the material in any medium or format, and adapt, remix, transform, and build upon the material of this publication for any purpose, even commercially, provided that you attribute the work.

You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.

Flight Deck Engineering preference is that you attribute this publication using the following wording: "Source: Flight Deck Engineering, http://flightdeckengineering.com".

Where it is noted in the document that a third party holds copyright to photos, tables, graphics or other material, that party's consent is needed for reuse of the material.

The author is reachable at stefano.rapisarda@flightdeckengineering.com.

1.4 Table of Contents

1.1 ABSTRACT 1

1.2 DISCLAIMER 2

1.3 FURTHER INFORMATION 2

1.4 TABLE OF CONTENTS 3

2 ALBERTA AIRPORTS 7

2.1 CYEG - EDMONTON, AB, CANADA 8

2.2 CYMM - FORT MCMURRAY, AB, CANADA 12

2.3 CYQF - RED DEER, AB, CANADA 16

2.4 CYQL - LETHBRIDGE, AB, CANADA 20

2.5 CYQU - GRANDE PRAIRIE, AB, CANADA 24

2.6 CYXH - MEDICINE HAT, AB, CANADA 28

2.7 CYYC - CALGARY, AB, CANADA 32

3 BRITISH COLUMBIA AIRPORTS 36

3.1 CYBL - CAMPBELL RIVER, BC, CANADA 37

3.2 CYCD - NANAIMO, BC, CANADA 41

3.3 CYCG - CASTLEGAR, BC, CANADA 45

3.4 CYKA - KAMLOOPS, BC, CANADA 49

3.5 CYLW - KELOWNA, BC, CANADA 53

3.6 CYPR - PRINCE RUPERT, BC, CANADA 57

3.7 CYQQ - COMOX, BC, CANADA 61

3.8 CYQZ - QUESNEL, BC, CANADA 65

3.9 CYVR - VANCOUVER, BC, CANADA 69

3.10 CYWL - WILLIAMS LAKE, BC, CANADA 73

3.11 CYXC - CRANBROOK, BC, CANADA 77

3.12 CYXJ - FORT ST. JOHN, BC, CANADA 81

3.13 CYXS - PRINCE GEORGE, BC, CANADA 85
3.14 CYXT - TERRACE, BC, CANADA 89
3.15 CYXX - ABBOTSFORD, BC, CANADA 93
3.16 CYYD - SMITHERS, BC, CANADA 97
3.17 CYYF - PENTICTON, BC, CANADA 101
3.18 CYYJ - VICTORIA, BC, CANADA 105
3.19 CYZP - SANDSPIT, BC, CANADA 109
4 MANITOBA AIRPORTS 113
4.1 CYWG - WINNIPEG, MB, CANADA 114
5 NEW BRUNSWICK AIRPORTS 118
5.1 CYFC - FREDERICTON, NB, CANADA 119
5.2 CYQM - MONCTON, NB, CANADA 123
5.3 CYSJ - SAINT JOHN, NB, CANADA 127
5.4 CZBF - BATHURST, NB, CANADA 131
6 NEWFOUNDLAND AND LABRADOR AIRPORTS 135
6.1 CYDF - DEER LAKE, NL, CANADA 136
6.2 CYQX - GANDER, NL, CANADA 140
6.3 CYWK - WABUSH, NL, CANADA 144
6.4 CYYR - GOOSE BAY, NL, CANADA 148
6.5 CYYT - ST JOHN'S, NL, CANADA 152
7 NORTHWEST TERRITORIES AIRPORTS 156
7.1 CYZF - YELLOWKNIFE, NT, CANADA 157
8 NOVA SCOTIA AIRPORTS 161
8.1 CYHZ - HALIFAX, NS, CANADA 162
8.2 CYQY - SYDNEY, NS, CANADA 166
9 NUNAVUT AIRPORTS 170

9.1 CYFB - IQALUIT, NU, CANADA 171

10 ONTARIO AIRPORTS 175

10.1 CYAM - SAULT STE. MARIE, ON, CANADA 176

10.2 CYGK - KINGSTON, ON, CANADA 180

10.3 CYKF - KITCHENER, ON, CANADA 184

10.4 CYOW - OTTAWA, ON, CANADA 188

10.5 CYQT - THUNDER BAY, ON, CANADA 192

10.6 CYSB - SUDBURY, ON, CANADA 196

10.7 CYTS - TIMMINS, ON, CANADA 200

10.8 CYXU - LONDON, ON, CANADA 204

10.9 CYYB - NORTH BAY, ON, CANADA 208

10.10 CYYZ - TORONTO, ON, CANADA 212

10.11 CYZR - SARNIA, ON, CANADA 216

11 PRINCE EDWARD ISLAND AIRPORTS 220

11.1 CYYG - CHARLOTTETOWN, PE, CANADA 221

12 QUEBEC AIRPORTS 225

12.1 CYBC - BAIE COMEAU, QC, CANADA 226

12.2 CYBG - BAGOTVILLE, QC, CANADA 230

12.3 CYFJ - MONT TREMBLANT, QC, CANADA 234

12.4 CYGP - GASPE, QC, CANADA 238

12.5 CYGR - ILES DE LA MADELEINE, QC, CANADA 242

12.6 CYQB - QUEBEC, QC, CANADA 246

12.7 CYUL - MONTREAL, QC, CANADA 250

12.8 CYUY - ROUYN-NORANDA, QC, CANADA 254

12.9 CYVO - VAL D'OR, QC, CANADA 258

12.10 CYYY - MONT JOLI, QC, CANADA 262

12.11 CYZV - SEPT-ILES, QC, CANADA 266

13 SASKATCHEWAN AIRPORTS 270

13.1 CYQR - REGINA, SK, CANADA 271

13.2 CYXE - SASKATOON, SK, CANADA 275

14 YUKON AIRPORTS 279

14.1 CYXY - WHITEHORSE, YT, CANADA 280

15 BIBLIOGRAPHY 284

2 Alberta Airports

2.1 CYEG - EDMONTON, AB, CANADA 8

2.2 CYMM - FORT MCMURRAY, AB, CANADA 12

2.3 CYQF - RED DEER, AB, CANADA 16

2.4 CYQL - LETHBRIDGE, AB, CANADA 20

2.5 CYQU - GRANDE PRAIRIE, AB, CANADA 24

2.6 CYXH - MEDICINE HAT, AB, CANADA 28

2.7 CYYC - CALGARY, AB, CANADA 32

CYEG - Edmonton, AB, CANADA

Station Elevation: 2373 feet. ISA Standard Temperature: 10.3°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+4)	13°C (ISA+2)	11°C (ISA+0)	9°C (ISA-2)	7°C (ISA-4)	5°C (ISA-6)	3°C (ISA-8)	1°C (ISA-10)	-1°C (ISA-12)
2373ft [0ft]	---	---	2380	2380	2380	2380	2380	2380	2380
2400ft [27ft]	---	---	2400	2410	2410	2410	2410	2410	2410
2500ft [127ft]	---	---	2500	2510	2510	2510	2510	2510	2510
2600ft [227ft]	---	---	2600	2610	2610	2610	2610	2610	2610
2700ft [327ft]	---	---	2700	2710	2710	2710	2710	2720	2720
2800ft [427ft]	---	---	2800	2810	2810	2810	2820	2820	2820
2900ft [527ft]	---	---	2900	2910	2910	2910	2920	2920	2930
3000ft [627ft]	---	---	3000	3010	3010	3020	3020	3030	3030
3100ft [727ft]	---	---	3100	3110	3110	3120	3120	3130	3140
3200ft [827ft]	---	---	3200	3210	3210	3220	3230	3230	3240
3300ft [927ft]	---	---	3300	3310	3320	3320	3330	3340	3340
3400ft [1027ft]	---	---	3400	3410	3420	3420	3430	3440	3450
3500ft [1127ft]	---	---	3500	3510	3520	3530	3530	3540	3550
3600ft [1227ft]	---	---	3600	3610	3620	3630	3640	3650	3660
3700ft [1327ft]	---	---	3700	3710	3720	3730	3740	3750	3760
3800ft [1427ft]	---	---	3800	3810	3820	3830	3840	3850	3860
3900ft [1527ft]	---	---	3900	3910	3920	3930	3950	3960	3970
4000ft [1627ft]	---	---	4000	4010	4020	4040	4050	4060	4070
4100ft [1727ft]	---	---	4100	4110	4130	4140	4150	4160	4180
4200ft [1827ft]	---	---	4200	4210	4230	4240	4250	4270	4280
4300ft [1927ft]	---	---	4300	4310	4330	4340	4360	4370	4380
4400ft [2027ft]	---	---	4400	4410	4430	4440	4460	4470	4490
4500ft [2127ft]	---	---	4500	4510	4530	4550	4560	4580	4590
4600ft [2227ft]	---	---	4600	4620	4630	4650	4660	4680	4700
4700ft [2327ft]	---	---	4700	4720	4730	4750	4770	4780	4800
4800ft [2427ft]	---	---	4800	4820	4830	4850	4870	4890	4910
4900ft [2527ft]	---	---	4900	4920	4930	4950	4970	4990	5010
5000ft [2627ft]	---	---	5000	5020	5040	5060	5070	5090	5110
5100ft [2727ft]	---	---	5100	5120	5140	5160	5180	5200	5220
5200ft [2827ft]	---	---	5200	5220	5240	5260	5280	5300	5320
5300ft [2927ft]	---	---	5300	5320	5340	5360	5380	5400	5430
5400ft [3027ft]	---	---	5400	5420	5440	5460	5490	5510	5530
5500ft [3127ft]	---	---	5500	5520	5540	5560	5590	5610	5640
5600ft [3227ft]	---	---	5600	5620	5640	5670	5690	5710	5740
5700ft [3327ft]	---	---	5700	5720	5740	5770	5790	5820	5840
5800ft [3427ft]	---	---	5800	5820	5850	5870	5900	5920	5950
5900ft [3527ft]	---	---	5900	5920	5950	5970	6000	6030	6050
6000ft [3627ft]	---	---	6000	6020	6050	6070	6100	6130	6160
6100ft [3727ft]	---	---	6100	6120	6150	6180	6200	6230	6260
6200ft [3827ft]	---	---	6200	6220	6250	6280	6310	6340	6360
6300ft [3927ft]	---	---	6300	6320	6350	6380	6410	6440	6470
6400ft [4027ft]	---	---	6400	6420	6450	6480	6510	6540	6570
6500ft [4127ft]	---	---	6500	6520	6550	6580	6610	6650	6680
6600ft [4227ft]	---	---	6600	6620	6660	6690	6720	6750	6780
6700ft [4327ft]	---	---	6700	6730	6760	6790	6820	6850	6890
6800ft [4427ft]	---	---	6800	6830	6860	6890	6920	6960	6990
6900ft [4527ft]	---	---	6900	6930	6960	6990	7030	7060	7090
7000ft [4627ft]	---	---	7000	7030	7060	7090	7130	7160	7200
7100ft [4727ft]	---	---	7100	7130	7160	7200	7230	7270	7300
7200ft [4827ft]	---	---	7200	7230	7260	7300	7330	7370	7410
7300ft [4927ft]	---	---	7300	7330	7360	7400	7440	7470	7510
7373ft [5000ft]	---	---	7373	7400	7440	7470	7510	7550	7590

Stefano M. RAPISARDA - flightdeckengineering.com

CYEG - Edmonton, AB, CANADA

Station Elevation: 2373 feet. ISA Standard Temperature: 10.3°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-12)	-3°C (ISA-14)	-5°C (ISA-16)	-7°C (ISA-18)	-9°C (ISA-20)	-11°C (ISA-22)	-13°C (ISA-24)	-15°C (ISA-26)	-17°C (ISA-28)
2373ft [0ft]	2380	2380	2380	2380	2380	2380	2380	2380	2380
2400ft [27ft]	2410	2410	2410	2410	2410	2410	2410	2410	2410
2500ft [127ft]	2510	2510	2510	2510	2510	2520	2520	2520	2520
2600ft [227ft]	2610	2620	2620	2620	2620	2620	2630	2630	2630
2700ft [327ft]	2720	2720	2720	2730	2730	2730	2730	2740	2740
2800ft [427ft]	2820	2830	2830	2830	2840	2840	2840	2850	2850
2900ft [527ft]	2930	2930	2930	2940	2940	2950	2950	2960	2960
3000ft [627ft]	3030	3040	3040	3050	3050	3060	3060	3070	3070
3100ft [727ft]	3140	3140	3150	3150	3160	3160	3170	3180	3180
3200ft [827ft]	3240	3250	3250	3260	3270	3270	3280	3290	3290
3300ft [927ft]	3340	3350	3360	3360	3370	3380	3390	3400	3400
3400ft [1027ft]	3450	3460	3460	3470	3480	3490	3500	3510	3510
3500ft [1127ft]	3550	3560	3570	3580	3590	3600	3610	3610	3620
3600ft [1227ft]	3660	3670	3670	3680	3690	3700	3710	3720	3740
3700ft [1327ft]	3760	3770	3780	3790	3800	3810	3820	3830	3850
3800ft [1427ft]	3860	3880	3890	3900	3910	3920	3930	3940	3960
3900ft [1527ft]	3970	3980	3990	4000	4020	4030	4040	4050	4070
4000ft [1627ft]	4070	4080	4100	4110	4120	4140	4150	4160	4180
4100ft [1727ft]	4180	4190	4200	4220	4230	4250	4260	4270	4290
4200ft [1827ft]	4280	4290	4310	4320	4340	4350	4370	4380	4400
4300ft [1927ft]	4380	4400	4410	4430	4450	4460	4480	4490	4510
4400ft [2027ft]	4490	4500	4520	4540	4550	4570	4590	4600	4620
4500ft [2127ft]	4590	4610	4630	4640	4660	4680	4700	4710	4730
4600ft [2227ft]	4700	4710	4730	4750	4770	4790	4800	4820	4840
4700ft [2327ft]	4800	4820	4840	4860	4880	4890	4910	4930	4950
4800ft [2427ft]	4910	4920	4940	4960	4980	5000	5020	5040	5060
4900ft [2527ft]	5010	5030	5050	5070	5090	5110	5130	5150	5170
5000ft [2627ft]	5110	5130	5160	5180	5200	5220	5240	5260	5290
5100ft [2727ft]	5220	5240	5260	5280	5300	5330	5350	5370	5400
5200ft [2827ft]	5320	5340	5370	5390	5410	5440	5460	5480	5510
5300ft [2927ft]	5430	5450	5470	5500	5520	5540	5570	5590	5620
5400ft [3027ft]	5530	5550	5580	5600	5630	5650	5680	5700	5730
5500ft [3127ft]	5640	5660	5680	5710	5730	5760	5790	5810	5840
5600ft [3227ft]	5740	5760	5790	5820	5840	5870	5900	5920	5950
5700ft [3327ft]	5840	5870	5900	5920	5950	5980	6000	6030	6060
5800ft [3427ft]	5950	5970	6000	6030	6060	6080	6110	6140	6170
5900ft [3527ft]	6050	6080	6110	6140	6160	6190	6220	6250	6280
6000ft [3627ft]	6160	6180	6210	6240	6270	6300	6330	6360	6390
6100ft [3727ft]	6260	6290	6320	6350	6380	6410	6440	6470	6500
6200ft [3827ft]	6360	6390	6420	6460	6490	6520	6550	6580	6620
6300ft [3927ft]	6470	6500	6530	6560	6590	6630	6660	6690	6730
6400ft [4027ft]	6570	6600	6640	6670	6700	6730	6770	6800	6840
6500ft [4127ft]	6680	6710	6740	6780	6810	6840	6880	6910	6950
6600ft [4227ft]	6780	6810	6850	6880	6920	6950	6990	7020	7060
6700ft [4327ft]	6890	6920	6950	6990	7020	7060	7100	7130	7170
6800ft [4427ft]	6990	7020	7060	7100	7130	7170	7200	7240	7280
6900ft [4527ft]	7090	7130	7170	7200	7240	7280	7310	7350	7390
7000ft [4627ft]	7200	7230	7270	7310	7350	7380	7420	7460	7500
7100ft [4727ft]	7300	7340	7380	7420	7450	7490	7530	7570	7610
7200ft [4827ft]	7410	7440	7480	7520	7560	7600	7640	7680	7720
7300ft [4927ft]	7510	7550	7590	7630	7670	7710	7750	7790	7840
7373ft [5000ft]	7590	7630	7670	7710	7750	7790	7830	7870	7920

Stefano M. RAPISARDA - flightdeckengineering.com

CYEG - Edmonton, AB, CANADA

Station Elevation: 2373 feet. ISA Standard Temperature: 10.3°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-28)	-19°C (ISA-30)	-21°C (ISA-32)	-23°C (ISA-34)	-25°C (ISA-36)	-27°C (ISA-38)	-29°C (ISA-40)	-31°C (ISA-42)	-33°C (ISA-44)
2373ft [0ft]	2380	2380	2380	2380	2380	2380	2380	2380	2380
2400ft [27ft]	2410	2410	2410	2410	2410	2410	2410	2410	2410
2500ft [127ft]	2520	2520	2520	2520	2520	2520	2530	2530	2530
2600ft [227ft]	2630	2630	2630	2630	2640	2640	2640	2640	2650
2700ft [327ft]	2740	2740	2750	2750	2750	2750	2760	2760	2760
2800ft [427ft]	2850	2850	2860	2860	2870	2870	2870	2880	2880
2900ft [527ft]	2960	2970	2970	2970	2980	2980	2990	2990	3000
3000ft [627ft]	3070	3080	3080	3090	3090	3100	3110	3110	3120
3100ft [727ft]	3180	3190	3190	3200	3210	3210	3220	3230	3240
3200ft [827ft]	3290	3300	3310	3310	3320	3330	3340	3350	3350
3300ft [927ft]	3400	3410	3420	3430	3440	3440	3450	3460	3470
3400ft [1027ft]	3510	3520	3530	3540	3550	3560	3570	3580	3590
3500ft [1127ft]	3620	3630	3640	3650	3660	3680	3690	3700	3710
3600ft [1227ft]	3740	3750	3760	3770	3780	3790	3800	3810	3830
3700ft [1327ft]	3850	3860	3870	3880	3890	3910	3920	3930	3940
3800ft [1427ft]	3960	3970	3980	3990	4010	4020	4030	4050	4060
3900ft [1527ft]	4070	4080	4090	4110	4120	4140	4150	4160	4180
4000ft [1627ft]	4180	4190	4210	4220	4240	4250	4270	4280	4300
4100ft [1727ft]	4290	4300	4320	4330	4350	4370	4380	4400	4420
4200ft [1827ft]	4400	4420	4430	4450	4460	4480	4500	4520	4530
4300ft [1927ft]	4510	4530	4540	4560	4580	4600	4610	4630	4650
4400ft [2027ft]	4620	4640	4660	4670	4690	4710	4730	4750	4770
4500ft [2127ft]	4730	4750	4770	4790	4810	4830	4850	4870	4890
4600ft [2227ft]	4840	4860	4880	4900	4920	4940	4960	4980	5010
4700ft [2327ft]	4950	4970	4990	5010	5040	5060	5080	5100	5120
4800ft [2427ft]	5060	5080	5110	5130	5150	5170	5200	5220	5240
4900ft [2527ft]	5170	5200	5220	5240	5260	5290	5310	5340	5360
5000ft [2627ft]	5290	5310	5330	5360	5380	5400	5430	5450	5480
5100ft [2727ft]	5400	5420	5440	5470	5490	5520	5540	5570	5600
5200ft [2827ft]	5510	5530	5560	5580	5610	5630	5660	5690	5720
5300ft [2927ft]	5620	5640	5670	5700	5720	5750	5780	5810	5830
5400ft [3027ft]	5730	5760	5780	5810	5840	5870	5890	5920	5950
5500ft [3127ft]	5840	5870	5890	5920	5950	5980	6010	6040	6070
5600ft [3227ft]	5950	5980	6010	6040	6070	6100	6130	6160	6190
5700ft [3327ft]	6060	6090	6120	6150	6180	6210	6240	6270	6310
5800ft [3427ft]	6170	6200	6230	6260	6290	6330	6360	6390	6430
5900ft [3527ft]	6280	6310	6350	6380	6410	6440	6480	6510	6540
6000ft [3627ft]	6390	6430	6460	6490	6520	6560	6590	6630	6660
6100ft [3727ft]	6500	6540	6570	6600	6640	6670	6710	6740	6780
6200ft [3827ft]	6620	6650	6680	6720	6750	6790	6820	6860	6900
6300ft [3927ft]	6730	6760	6800	6830	6870	6900	6940	6980	7020
6400ft [4027ft]	6840	6870	6910	6940	6980	7020	7060	7100	7140
6500ft [4127ft]	6950	6980	7020	7060	7100	7140	7170	7210	7250
6600ft [4227ft]	7060	7100	7130	7170	7210	7250	7290	7330	7370
6700ft [4327ft]	7170	7210	7250	7290	7330	7370	7410	7450	7490
6800ft [4427ft]	7280	7320	7360	7400	7440	7480	7520	7570	7610
6900ft [4527ft]	7390	7430	7470	7510	7550	7600	7640	7680	7730
7000ft [4627ft]	7500	7540	7580	7630	7670	7710	7760	7800	7850
7100ft [4727ft]	7610	7660	7700	7740	7780	7830	7870	7920	7970
7200ft [4827ft]	7720	7770	7810	7850	7900	7940	7990	8040	8080
7300ft [4927ft]	7840	7880	7920	7970	8010	8060	8110	8150	8200
7373ft [5000ft]	7920	7960	8010	8050	8100	8140	8190	8240	8290

Stefano M. RAPISARDA - flightdeckengineering.com

CYEG - Edmonton, AB, CANADA

Station Elevation: 2373 feet. ISA Standard Temperature: 10.3°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-44)	-35°C (ISA-46)	-37°C (ISA-48)	-39°C (ISA-50)	-41°C (ISA-52)	-43°C (ISA-54)	-45°C (ISA-56)	-47°C (ISA-58)	-50°C (ISA-61)
2373ft [0ft]	2380	2380	2380	2380	2380	2380	2380	2380	2380
2400ft [27ft]	2410	2410	2410	2410	2410	2410	2410	2410	2410
2500ft [127ft]	2530	2530	2530	2530	2530	2530	2540	2540	2540
2600ft [227ft]	2650	2650	2650	2650	2650	2660	2660	2660	2670
2700ft [327ft]	2760	2770	2770	2770	2780	2780	2780	2790	2790
2800ft [427ft]	2880	2890	2890	2890	2900	2900	2910	2910	2920
2900ft [527ft]	3000	3000	3010	3020	3020	3030	3030	3040	3050
3000ft [627ft]	3120	3120	3130	3140	3140	3150	3160	3160	3170
3100ft [727ft]	3240	3240	3250	3260	3260	3270	3280	3290	3300
3200ft [827ft]	3350	3360	3370	3380	3390	3400	3400	3410	3430
3300ft [927ft]	3470	3480	3490	3500	3510	3520	3530	3540	3550
3400ft [1027ft]	3590	3600	3610	3620	3630	3640	3650	3660	3680
3500ft [1127ft]	3710	3720	3730	3740	3750	3760	3780	3790	3810
3600ft [1227ft]	3830	3840	3850	3860	3870	3890	3900	3910	3940
3700ft [1327ft]	3940	3960	3970	3980	4000	4010	4030	4040	4060
3800ft [1427ft]	4060	4080	4090	4100	4120	4130	4150	4170	4190
3900ft [1527ft]	4180	4190	4210	4230	4240	4260	4270	4290	4320
4000ft [1627ft]	4300	4310	4330	4350	4360	4380	4400	4420	4440
4100ft [1727ft]	4420	4430	4450	4470	4490	4500	4520	4540	4570
4200ft [1827ft]	4530	4550	4570	4590	4610	4630	4650	4670	4700
4300ft [1927ft]	4650	4670	4690	4710	4730	4750	4770	4790	4820
4400ft [2027ft]	4770	4790	4810	4830	4850	4870	4900	4920	4950
4500ft [2127ft]	4890	4910	4930	4950	4970	5000	5020	5040	5080
4600ft [2227ft]	5010	5030	5050	5070	5100	5120	5140	5170	5210
4700ft [2327ft]	5120	5150	5170	5200	5220	5240	5270	5290	5330
4800ft [2427ft]	5240	5270	5290	5320	5340	5370	5390	5420	5460
4900ft [2527ft]	5360	5390	5410	5440	5460	5490	5520	5550	5590
5000ft [2627ft]	5480	5510	5530	5560	5590	5610	5640	5670	5720
5100ft [2727ft]	5600	5620	5650	5680	5710	5740	5770	5800	5840
5200ft [2827ft]	5720	5740	5770	5800	5830	5860	5890	5920	5970
5300ft [2927ft]	5830	5860	5890	5920	5950	5980	6020	6050	6100
5400ft [3027ft]	5950	5980	6010	6040	6080	6110	6140	6170	6230
5500ft [3127ft]	6070	6100	6130	6170	6200	6230	6270	6300	6350
5600ft [3227ft]	6190	6220	6250	6290	6320	6360	6390	6430	6480
5700ft [3327ft]	6310	6340	6370	6410	6440	6480	6520	6550	6610
5800ft [3427ft]	6430	6460	6490	6530	6570	6600	6640	6680	6740
5900ft [3527ft]	6540	6580	6620	6650	6690	6730	6760	6800	6860
6000ft [3627ft]	6660	6700	6740	6770	6810	6850	6890	6930	6990
6100ft [3727ft]	6780	6820	6860	6890	6930	6970	7010	7060	7120
6200ft [3827ft]	6900	6940	6980	7020	7060	7100	7140	7180	7250
6300ft [3927ft]	7020	7060	7100	7140	7180	7220	7260	7310	7370
6400ft [4027ft]	7140	7180	7220	7260	7300	7340	7390	7430	7500
6500ft [4127ft]	7250	7300	7340	7380	7420	7470	7510	7560	7630
6600ft [4227ft]	7370	7420	7460	7500	7550	7590	7640	7690	7760
6700ft [4327ft]	7490	7540	7580	7620	7670	7720	7760	7810	7890
6800ft [4427ft]	7610	7650	7700	7750	7790	7840	7890	7940	8010
6900ft [4527ft]	7730	7770	7820	7870	7920	7960	8010	8060	8140
7000ft [4627ft]	7850	7890	7940	7990	8040	8090	8140	8190	8270
7100ft [4727ft]	7970	8010	8060	8110	8160	8210	8260	8320	8400
7200ft [4827ft]	8080	8130	8180	8230	8280	8340	8390	8440	8520
7300ft [4927ft]	8200	8250	8300	8350	8410	8460	8510	8570	8650
7373ft [5000ft]	8290	8340	8390	8440	8500	8550	8600	8660	8750

Stefano M. RAPISARDA - flightdeckengineering.com

CYMM - Fort McMurray, AB, CANADA

Station Elevation: 1211 feet. ISA Standard Temperature: 12.6°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+2)	13°C (ISA+0)	11°C (ISA-2)	9°C (ISA-4)	7°C (ISA-6)	5°C (ISA-8)	3°C (ISA-10)	1°C (ISA-12)	-1°C (ISA-14)
1211ft [0ft]	---	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [89ft]	---	1300	1310	1310	1310	1310	1310	1310	1310
1400ft [189ft]	---	1400	1410	1410	1410	1410	1410	1410	1410
1500ft [289ft]	---	1500	1510	1510	1510	1510	1520	1520	1520
1600ft [389ft]	---	1600	1610	1610	1610	1620	1620	1620	1620
1700ft [489ft]	---	1700	1710	1710	1710	1720	1720	1730	1730
1800ft [589ft]	---	1800	1810	1810	1820	1820	1830	1830	1830
1900ft [689ft]	---	1900	1910	1910	1920	1920	1930	1930	1940
2000ft [789ft]	---	2000	2010	2020	2020	2030	2030	2040	2040
2100ft [889ft]	---	2100	2110	2120	2120	2130	2140	2140	2150
2200ft [989ft]	---	2200	2210	2220	2220	2230	2240	2250	2250
2300ft [1089ft]	---	2300	2310	2320	2330	2330	2340	2350	2360
2400ft [1189ft]	---	2400	2410	2420	2430	2440	2450	2460	2460
2500ft [1289ft]	---	2500	2510	2520	2530	2540	2550	2560	2570
2600ft [1389ft]	---	2600	2610	2620	2630	2640	2650	2660	2670
2700ft [1489ft]	---	2700	2710	2720	2730	2750	2760	2770	2780
2800ft [1589ft]	---	2800	2810	2830	2840	2850	2860	2870	2880
2900ft [1689ft]	---	2900	2910	2930	2940	2950	2960	2980	2990
3000ft [1789ft]	---	3000	3020	3030	3040	3050	3070	3080	3090
3100ft [1889ft]	---	3100	3120	3130	3140	3160	3170	3190	3200
3200ft [1989ft]	---	3200	3220	3230	3240	3260	3270	3290	3300
3300ft [2089ft]	---	3300	3320	3330	3350	3360	3380	3390	3410
3400ft [2189ft]	---	3400	3420	3430	3450	3470	3480	3500	3510
3500ft [2289ft]	---	3500	3520	3530	3550	3570	3580	3600	3620
3600ft [2389ft]	---	3600	3620	3640	3650	3670	3690	3710	3720
3700ft [2489ft]	---	3700	3720	3740	3760	3770	3790	3810	3830
3800ft [2589ft]	---	3800	3820	3840	3860	3880	3900	3920	3940
3900ft [2689ft]	---	3900	3920	3940	3960	3980	4000	4020	4040
4000ft [2789ft]	---	4000	4020	4040	4060	4080	4100	4120	4150
4100ft [2889ft]	---	4100	4120	4140	4160	4180	4210	4230	4250
4200ft [2989ft]	---	4200	4220	4240	4270	4290	4310	4330	4360
4300ft [3089ft]	---	4300	4320	4340	4370	4390	4410	4440	4460
4400ft [3189ft]	---	4400	4420	4450	4470	4490	4520	4540	4570
4500ft [3289ft]	---	4500	4520	4550	4570	4600	4620	4650	4670
4600ft [3389ft]	---	4600	4620	4650	4670	4700	4720	4750	4780
4700ft [3489ft]	---	4700	4720	4750	4780	4800	4830	4850	4880
4800ft [3589ft]	---	4800	4830	4850	4880	4900	4930	4960	4990
4900ft [3689ft]	---	4900	4930	4950	4980	5010	5030	5060	5090
5000ft [3789ft]	---	5000	5030	5050	5080	5110	5140	5170	5200
5100ft [3889ft]	---	5100	5130	5160	5180	5210	5240	5270	5300
5200ft [3989ft]	---	5200	5230	5260	5290	5320	5350	5380	5410
5300ft [4089ft]	---	5300	5330	5360	5390	5420	5450	5480	5510
5400ft [4189ft]	---	5400	5430	5460	5490	5520	5550	5580	5620
5500ft [4289ft]	---	5500	5530	5560	5590	5620	5660	5690	5720
5600ft [4389ft]	---	5600	5630	5660	5690	5730	5760	5790	5830
5700ft [4489ft]	---	5700	5730	5760	5800	5830	5860	5900	5930
5800ft [4589ft]	---	5800	5830	5860	5900	5930	5970	6000	6040
5900ft [4689ft]	---	5900	5930	5970	6000	6030	6070	6110	6140
6000ft [4789ft]	---	6000	6030	6070	6100	6140	6170	6210	6250
6100ft [4889ft]	---	6100	6130	6170	6200	6240	6280	6310	6350
6200ft [4989ft]	---	6200	6230	6270	6310	6340	6380	6420	6460
6211ft [5000ft]	---	6211	6240	6280	6320	6350	6390	6430	6470

Stefano M. RAPISARDA - flightdeckengineering.com

CYMM - Fort McMurray, AB, CANADA

Station Elevation: 1211 feet. ISA Standard Temperature: 12.6°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-14)	-3°C (ISA-16)	-5°C (ISA-18)	-7°C (ISA-20)	-9°C (ISA-22)	-11°C (ISA-24)	-13°C (ISA-26)	-15°C (ISA-28)	-17°C (ISA-30)
1211ft [0ft]	1220	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [89ft]	1310	1310	1310	1310	1310	1310	1310	1310	1320
1400ft [189ft]	1410	1420	1420	1420	1420	1420	1420	1430	1430
1500ft [289ft]	1520	1520	1520	1530	1530	1530	1530	1540	1540
1600ft [389ft]	1620	1630	1630	1630	1640	1640	1640	1650	1650
1700ft [489ft]	1730	1730	1740	1740	1740	1750	1750	1760	1760
1800ft [589ft]	1830	1840	1840	1850	1850	1860	1860	1870	1870
1900ft [689ft]	1940	1940	1950	1960	1960	1970	1970	1980	1980
2000ft [789ft]	2040	2050	2060	2060	2070	2080	2080	2090	2100
2100ft [889ft]	2150	2160	2160	2170	2180	2180	2190	2200	2210
2200ft [989ft]	2250	2260	2270	2280	2290	2290	2300	2310	2320
2300ft [1089ft]	2360	2370	2380	2390	2390	2400	2410	2420	2430
2400ft [1189ft]	2460	2470	2480	2490	2500	2510	2520	2530	2540
2500ft [1289ft]	2570	2580	2590	2600	2610	2620	2630	2640	2650
2600ft [1389ft]	2670	2690	2700	2710	2720	2730	2740	2750	2770
2700ft [1489ft]	2780	2790	2800	2810	2830	2840	2850	2860	2880
2800ft [1589ft]	2880	2900	2910	2920	2940	2950	2960	2980	2990
2900ft [1689ft]	2990	3000	3020	3030	3040	3060	3070	3090	3100
3000ft [1789ft]	3090	3110	3120	3140	3150	3170	3180	3200	3210
3100ft [1889ft]	3200	3210	3230	3240	3260	3280	3290	3310	3320
3200ft [1989ft]	3300	3320	3340	3350	3370	3380	3400	3420	3440
3300ft [2089ft]	3410	3430	3440	3460	3480	3490	3510	3530	3550
3400ft [2189ft]	3510	3530	3550	3570	3580	3600	3620	3640	3660
3500ft [2289ft]	3620	3640	3660	3670	3690	3710	3730	3750	3770
3600ft [2389ft]	3720	3740	3760	3780	3800	3820	3840	3860	3880
3700ft [2489ft]	3830	3850	3870	3890	3910	3930	3950	3970	3990
3800ft [2589ft]	3940	3960	3980	4000	4020	4040	4060	4080	4110
3900ft [2689ft]	4040	4060	4080	4100	4130	4150	4170	4190	4220
4000ft [2789ft]	4150	4170	4190	4210	4230	4260	4280	4310	4330
4100ft [2889ft]	4250	4270	4300	4320	4340	4370	4390	4420	4440
4200ft [2989ft]	4360	4380	4400	4430	4450	4480	4500	4530	4550
4300ft [3089ft]	4460	4480	4510	4530	4560	4590	4610	4640	4660
4400ft [3189ft]	4570	4590	4620	4640	4670	4690	4720	4750	4780
4500ft [3289ft]	4670	4700	4720	4750	4780	4800	4830	4860	4890
4600ft [3389ft]	4780	4800	4830	4860	4880	4910	4940	4970	5000
4700ft [3489ft]	4880	4910	4940	4960	4990	5020	5050	5080	5110
4800ft [3589ft]	4990	5010	5040	5070	5100	5130	5160	5190	5220
4900ft [3689ft]	5090	5120	5150	5180	5210	5240	5270	5300	5340
5000ft [3789ft]	5200	5230	5260	5290	5320	5350	5380	5410	5450
5100ft [3889ft]	5300	5330	5360	5390	5430	5460	5490	5530	5560
5200ft [3989ft]	5410	5440	5470	5500	5530	5570	5600	5640	5670
5300ft [4089ft]	5510	5540	5580	5610	5640	5680	5710	5750	5780
5400ft [4189ft]	5620	5650	5680	5720	5750	5790	5820	5860	5890
5500ft [4289ft]	5720	5760	5790	5820	5860	5900	5930	5970	6010
5600ft [4389ft]	5830	5860	5900	5930	5970	6010	6040	6080	6120
5700ft [4489ft]	5930	5970	6000	6040	6080	6110	6150	6190	6230
5800ft [4589ft]	6040	6070	6110	6150	6190	6220	6260	6300	6340
5900ft [4689ft]	6140	6180	6220	6260	6290	6330	6370	6410	6450
6000ft [4789ft]	6250	6290	6320	6360	6400	6440	6480	6520	6570
6100ft [4889ft]	6350	6390	6430	6470	6510	6550	6590	6640	6680
6200ft [4989ft]	6460	6500	6540	6580	6620	6660	6700	6750	6790
6211ft [5000ft]	6470	6510	6550	6590	6630	6670	6720	6760	6800

Stefano M. RAPISARDA - flightdeckengineering.com

CYMM - Fort McMurray, AB, CANADA

Station Elevation: 1211 feet. ISA Standard Temperature: 12.6°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-30)	-19°C (ISA-32)	-21°C (ISA-34)	-23°C (ISA-36)	-25°C (ISA-38)	-27°C (ISA-40)	-29°C (ISA-42)	-31°C (ISA-44)	-33°C (ISA-46)
1211ft [0ft]	1220	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [89ft]	1320	1320	1320	1320	1320	1320	1320	1320	1320
1400ft [189ft]	1430	1430	1430	1430	1430	1440	1440	1440	1440
1500ft [289ft]	1540	1540	1540	1550	1550	1550	1550	1560	1560
1600ft [389ft]	1650	1650	1660	1660	1660	1670	1670	1670	1680
1700ft [489ft]	1760	1770	1770	1770	1780	1780	1790	1790	1800
1800ft [589ft]	1870	1880	1880	1890	1890	1900	1910	1910	1920
1900ft [689ft]	1980	1990	2000	2000	2010	2020	2020	2030	2040
2000ft [789ft]	2100	2100	2110	2120	2120	2130	2140	2150	2150
2100ft [889ft]	2210	2220	2220	2230	2240	2250	2260	2260	2270
2200ft [989ft]	2320	2330	2340	2350	2350	2360	2370	2380	2390
2300ft [1089ft]	2430	2440	2450	2460	2470	2480	2490	2500	2510
2400ft [1189ft]	2540	2550	2560	2570	2590	2600	2610	2620	2630
2500ft [1289ft]	2650	2670	2680	2690	2700	2710	2720	2740	2750
2600ft [1389ft]	2770	2780	2790	2800	2820	2830	2840	2860	2870
2700ft [1489ft]	2880	2890	2900	2920	2930	2940	2960	2970	2990
2800ft [1589ft]	2990	3000	3020	3030	3050	3060	3080	3090	3110
2900ft [1689ft]	3100	3120	3130	3150	3160	3180	3190	3210	3230
3000ft [1789ft]	3210	3230	3240	3260	3280	3290	3310	3330	3350
3100ft [1889ft]	3320	3340	3360	3370	3390	3410	3430	3450	3460
3200ft [1989ft]	3440	3450	3470	3490	3510	3530	3550	3560	3580
3300ft [2089ft]	3550	3570	3580	3600	3620	3640	3660	3680	3700
3400ft [2189ft]	3660	3680	3700	3720	3740	3760	3780	3800	3820
3500ft [2289ft]	3770	3790	3810	3830	3850	3880	3900	3920	3940
3600ft [2389ft]	3880	3900	3930	3950	3970	3990	4010	4040	4060
3700ft [2489ft]	3990	4020	4040	4060	4080	4110	4130	4160	4180
3800ft [2589ft]	4110	4130	4150	4180	4200	4220	4250	4270	4300
3900ft [2689ft]	4220	4240	4270	4290	4320	4340	4370	4390	4420
4000ft [2789ft]	4330	4350	4380	4400	4430	4460	4480	4510	4540
4100ft [2889ft]	4440	4470	4490	4520	4550	4570	4600	4630	4660
4200ft [2989ft]	4550	4580	4610	4630	4660	4690	4720	4750	4780
4300ft [3089ft]	4660	4690	4720	4750	4780	4810	4840	4870	4900
4400ft [3189ft]	4780	4800	4830	4860	4890	4920	4950	4980	5020
4500ft [3289ft]	4890	4920	4950	4980	5010	5040	5070	5100	5140
4600ft [3389ft]	5000	5030	5060	5090	5120	5160	5190	5220	5250
4700ft [3489ft]	5110	5140	5170	5210	5240	5270	5310	5340	5370
4800ft [3589ft]	5220	5260	5290	5320	5350	5390	5420	5460	5490
4900ft [3689ft]	5340	5370	5400	5440	5470	5500	5540	5580	5610
5000ft [3789ft]	5450	5480	5520	5550	5590	5620	5660	5690	5730
5100ft [3889ft]	5560	5590	5630	5660	5700	5740	5780	5810	5850
5200ft [3989ft]	5670	5710	5740	5780	5820	5850	5890	5930	5970
5300ft [4089ft]	5780	5820	5860	5890	5930	5970	6010	6050	6090
5400ft [4189ft]	5890	5930	5970	6010	6050	6090	6130	6170	6210
5500ft [4289ft]	6010	6050	6080	6120	6160	6200	6250	6290	6330
5600ft [4389ft]	6120	6160	6200	6240	6280	6320	6360	6410	6450
5700ft [4489ft]	6230	6270	6310	6350	6390	6440	6480	6520	6570
5800ft [4589ft]	6340	6380	6430	6470	6510	6550	6600	6640	6690
5900ft [4689ft]	6450	6500	6540	6580	6630	6670	6720	6760	6810
6000ft [4789ft]	6570	6610	6650	6700	6740	6790	6830	6880	6930
6100ft [4889ft]	6680	6720	6770	6810	6860	6900	6950	7000	7050
6200ft [4989ft]	6790	6830	6880	6930	6970	7020	7070	7120	7170
6211ft [5000ft]	6800	6850	6890	6940	6990	7030	7080	7130	7180

Stefano M. RAPISARDA - flightdeckengineering.com

CYMM - Fort McMurray, AB, CANADA

Station Elevation: 1211 feet. ISA Standard Temperature: 12.6°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-46)	-35°C (ISA-48)	-37°C (ISA-50)	-39°C (ISA-52)	-41°C (ISA-54)	-43°C (ISA-56)	-45°C (ISA-58)	-47°C (ISA-60)	-50°C (ISA-63)
1211ft [0ft]	1220	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [89ft]	1320	1320	1320	1320	1330	1330	1330	1330	1330
1400ft [189ft]	1440	1440	1440	1450	1450	1450	1450	1450	1460
1500ft [289ft]	1560	1560	1570	1570	1570	1570	1580	1580	1590
1600ft [389ft]	1680	1680	1690	1690	1690	1700	1700	1710	1710
1700ft [489ft]	1800	1800	1810	1810	1820	1820	1830	1830	1840
1800ft [589ft]	1920	1920	1930	1930	1940	1950	1950	1960	1970
1900ft [689ft]	2040	2040	2050	2060	2060	2070	2080	2090	2100
2000ft [789ft]	2150	2160	2170	2180	2190	2200	2200	2210	2230
2100ft [889ft]	2270	2280	2290	2300	2310	2320	2330	2340	2350
2200ft [989ft]	2390	2400	2410	2420	2430	2440	2450	2470	2480
2300ft [1089ft]	2510	2520	2530	2550	2560	2570	2580	2590	2610
2400ft [1189ft]	2630	2640	2650	2670	2680	2690	2710	2720	2740
2500ft [1289ft]	2750	2760	2780	2790	2800	2820	2830	2850	2870
2600ft [1389ft]	2870	2880	2900	2910	2930	2940	2960	2970	3000
2700ft [1489ft]	2990	3000	3020	3030	3050	3070	3080	3100	3120
2800ft [1589ft]	3110	3120	3140	3160	3170	3190	3210	3220	3250
2900ft [1689ft]	3230	3240	3260	3280	3300	3310	3330	3350	3380
3000ft [1789ft]	3350	3360	3380	3400	3420	3440	3460	3480	3510
3100ft [1889ft]	3460	3480	3500	3520	3540	3560	3580	3600	3640
3200ft [1989ft]	3580	3600	3620	3650	3670	3690	3710	3730	3770
3300ft [2089ft]	3700	3720	3750	3770	3790	3810	3830	3860	3890
3400ft [2189ft]	3820	3840	3870	3890	3910	3940	3960	3980	4020
3500ft [2289ft]	3940	3960	3990	4010	4040	4060	4090	4110	4150
3600ft [2389ft]	4060	4090	4110	4130	4160	4190	4210	4240	4280
3700ft [2489ft]	4180	4210	4230	4260	4280	4310	4340	4370	4410
3800ft [2589ft]	4300	4330	4350	4380	4410	4430	4460	4490	4540
3900ft [2689ft]	4420	4450	4470	4500	4530	4560	4590	4620	4660
4000ft [2789ft]	4540	4570	4600	4620	4650	4680	4710	4750	4790
4100ft [2889ft]	4660	4690	4720	4750	4780	4810	4840	4870	4920
4200ft [2989ft]	4780	4810	4840	4870	4900	4930	4970	5000	5050
4300ft [3089ft]	4900	4930	4960	4990	5020	5060	5090	5130	5180
4400ft [3189ft]	5020	5050	5080	5110	5150	5180	5220	5250	5310
4500ft [3289ft]	5140	5170	5200	5240	5270	5310	5340	5380	5440
4600ft [3389ft]	5250	5290	5320	5360	5400	5430	5470	5510	5570
4700ft [3489ft]	5370	5410	5450	5480	5520	5560	5600	5630	5690
4800ft [3589ft]	5490	5530	5570	5600	5640	5680	5720	5760	5820
4900ft [3689ft]	5610	5650	5690	5730	5770	5810	5850	5890	5950
5000ft [3789ft]	5730	5770	5810	5850	5890	5930	5970	6020	6080
5100ft [3889ft]	5850	5890	5930	5970	6010	6060	6100	6140	6210
5200ft [3989ft]	5970	6010	6050	6100	6140	6180	6230	6270	6340
5300ft [4089ft]	6090	6130	6170	6220	6260	6310	6350	6400	6470
5400ft [4189ft]	6210	6250	6300	6340	6390	6430	6480	6520	6600
5500ft [4289ft]	6330	6370	6420	6460	6510	6560	6600	6650	6730
5600ft [4389ft]	6450	6490	6540	6590	6630	6680	6730	6780	6850
5700ft [4489ft]	6570	6620	6660	6710	6760	6810	6860	6910	6980
5800ft [4589ft]	6690	6740	6780	6830	6880	6930	6980	7030	7110
5900ft [4689ft]	6810	6860	6910	6950	7000	7060	7110	7160	7240
6000ft [4789ft]	6930	6980	7030	7080	7130	7180	7230	7290	7370
6100ft [4889ft]	7050	7100	7150	7200	7250	7310	7360	7420	7500
6200ft [4989ft]	7170	7220	7270	7320	7380	7430	7490	7540	7630
6211ft [5000ft]	7180	7230	7280	7340	7390	7440	7500	7560	7640

Stefano M. RAPISARDA - flightdeckengineering.com

CYQF - Red Deer, AB, CANADA

Station Elevation: 2968 feet. ISA Standard Temperature: 9.12°C (rounded to 10°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+4)	12°C (ISA+2)	10°C (ISA+0)	8°C (ISA-2)	6°C (ISA-4)	4°C (ISA-6)	2°C (ISA-8)	0°C (ISA-10)	-2°C (ISA-12)
2968ft [0ft]	---	---	2970	2970	2970	2970	2970	2970	2970
3000ft [32ft]	---	---	3000	3010	3010	3010	3010	3010	3010
3100ft [132ft]	---	---	3100	3110	3110	3110	3110	3110	3110
3200ft [232ft]	---	---	3200	3210	3210	3210	3210	3210	3210
3300ft [332ft]	---	---	3300	3310	3310	3310	3310	3320	3320
3400ft [432ft]	---	---	3400	3410	3410	3410	3420	3420	3420
3500ft [532ft]	---	---	3500	3510	3510	3510	3520	3520	3530
3600ft [632ft]	---	---	3600	3610	3610	3620	3620	3630	3630
3700ft [732ft]	---	---	3700	3710	3710	3720	3720	3730	3730
3800ft [832ft]	---	---	3800	3810	3810	3820	3830	3830	3840
3900ft [932ft]	---	---	3900	3910	3920	3920	3930	3940	3940
4000ft [1032ft]	---	---	4000	4010	4020	4020	4030	4040	4050
4100ft [1132ft]	---	---	4100	4110	4120	4130	4130	4140	4150
4200ft [1232ft]	---	---	4200	4210	4220	4230	4240	4250	4260
4300ft [1332ft]	---	---	4300	4310	4320	4330	4340	4350	4360
4400ft [1432ft]	---	---	4400	4410	4420	4430	4440	4450	4460
4500ft [1532ft]	---	---	4500	4510	4520	4530	4540	4560	4570
4600ft [1632ft]	---	---	4600	4610	4620	4640	4650	4660	4670
4700ft [1732ft]	---	---	4700	4710	4720	4740	4750	4760	4780
4800ft [1832ft]	---	---	4800	4810	4830	4840	4850	4870	4880
4900ft [1932ft]	---	---	4900	4910	4930	4940	4950	4970	4980
5000ft [2032ft]	---	---	5000	5010	5030	5040	5060	5070	5090
5100ft [2132ft]	---	---	5100	5110	5130	5140	5160	5180	5190
5200ft [2232ft]	---	---	5200	5210	5230	5250	5260	5280	5300
5300ft [2332ft]	---	---	5300	5310	5330	5350	5370	5380	5400
5400ft [2432ft]	---	---	5400	5410	5430	5450	5470	5490	5500
5500ft [2532ft]	---	---	5500	5520	5530	5550	5570	5590	5610
5600ft [2632ft]	---	---	5600	5620	5630	5650	5670	5690	5710
5700ft [2732ft]	---	---	5700	5720	5740	5760	5780	5800	5820
5800ft [2832ft]	---	---	5800	5820	5840	5860	5880	5900	5920
5900ft [2932ft]	---	---	5900	5920	5940	5960	5980	6000	6030
6000ft [3032ft]	---	---	6000	6020	6040	6060	6080	6110	6130
6100ft [3132ft]	---	---	6100	6120	6140	6160	6190	6210	6230
6200ft [3232ft]	---	---	6200	6220	6240	6260	6290	6310	6340
6300ft [3332ft]	---	---	6300	6320	6340	6370	6390	6420	6440
6400ft [3432ft]	---	---	6400	6420	6440	6470	6490	6520	6550
6500ft [3532ft]	---	---	6500	6520	6540	6570	6600	6620	6650
6600ft [3632ft]	---	---	6600	6620	6650	6670	6700	6730	6750
6700ft [3732ft]	---	---	6700	6720	6750	6770	6800	6830	6860
6800ft [3832ft]	---	---	6800	6820	6850	6880	6900	6930	6960
6900ft [3932ft]	---	---	6900	6920	6950	6980	7010	7040	7070
7000ft [4032ft]	---	---	7000	7020	7050	7080	7110	7140	7170
7100ft [4132ft]	---	---	7100	7120	7150	7180	7210	7240	7280
7200ft [4232ft]	---	---	7200	7220	7250	7280	7320	7350	7380
7300ft [4332ft]	---	---	7300	7320	7350	7390	7420	7450	7480
7400ft [4432ft]	---	---	7400	7420	7450	7490	7520	7550	7590
7500ft [4532ft]	---	---	7500	7520	7560	7590	7620	7660	7690
7600ft [4632ft]	---	---	7600	7620	7660	7690	7730	7760	7800
7700ft [4732ft]	---	---	7700	7720	7760	7790	7830	7860	7900
7800ft [4832ft]	---	---	7800	7820	7860	7890	7930	7970	8000
7900ft [4932ft]	---	---	7900	7920	7960	8000	8030	8070	8110
7968ft [5000ft]	---	---	7968	7990	8030	8070	8100	8140	8180

Stefano M. RAPISARDA - flightdeckengineering.com

CYQF - Red Deer, AB, CANADA

Station Elevation: 2968 feet. ISA Standard Temperature: 9.12°C (rounded to 10°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-12)	-4°C (ISA-14)	-6°C (ISA-16)	-8°C (ISA-18)	-10°C (ISA-20)	-12°C (ISA-22)	-14°C (ISA-24)	-16°C (ISA-26)	-18°C (ISA-28)
2968ft [0ft]	2970	2970	2970	2970	2970	2970	2970	2970	2970
3000ft [32ft]	3010	3010	3010	3010	3010	3010	3010	3010	3010
3100ft [132ft]	3110	3110	3110	3110	3110	3120	3120	3120	3120
3200ft [232ft]	3210	3220	3220	3220	3220	3220	3230	3230	3230
3300ft [332ft]	3320	3320	3320	3330	3330	3330	3330	3340	3340
3400ft [432ft]	3420	3430	3430	3430	3440	3440	3440	3450	3450
3500ft [532ft]	3530	3530	3530	3540	3540	3550	3550	3560	3560
3600ft [632ft]	3630	3640	3640	3650	3650	3660	3660	3670	3670
3700ft [732ft]	3730	3740	3750	3750	3760	3760	3770	3780	3780
3800ft [832ft]	3840	3850	3850	3860	3860	3870	3880	3890	3890
3900ft [932ft]	3940	3950	3960	3960	3970	3980	3990	4000	4000
4000ft [1032ft]	4050	4050	4060	4070	4080	4090	4100	4110	4110
4100ft [1132ft]	4150	4160	4170	4180	4190	4200	4210	4210	4220
4200ft [1232ft]	4260	4260	4270	4280	4290	4300	4310	4320	4340
4300ft [1332ft]	4360	4370	4380	4390	4400	4410	4420	4430	4450
4400ft [1432ft]	4460	4470	4490	4500	4510	4520	4530	4540	4560
4500ft [1532ft]	4570	4580	4590	4600	4620	4630	4640	4650	4670
4600ft [1632ft]	4670	4680	4700	4710	4720	4740	4750	4760	4780
4700ft [1732ft]	4780	4790	4800	4820	4830	4840	4860	4870	4890
4800ft [1832ft]	4880	4890	4910	4920	4940	4950	4970	4980	5000
4900ft [1932ft]	4980	5000	5010	5030	5040	5060	5080	5090	5110
5000ft [2032ft]	5090	5100	5120	5140	5150	5170	5190	5200	5220
5100ft [2132ft]	5190	5210	5230	5240	5260	5280	5290	5310	5330
5200ft [2232ft]	5300	5310	5330	5350	5370	5390	5400	5420	5440
5300ft [2332ft]	5400	5420	5440	5460	5470	5490	5510	5530	5550
5400ft [2432ft]	5500	5520	5540	5560	5580	5600	5620	5640	5660
5500ft [2532ft]	5610	5630	5650	5670	5690	5710	5730	5750	5770
5600ft [2632ft]	5710	5730	5750	5770	5800	5820	5840	5860	5880
5700ft [2732ft]	5820	5840	5860	5880	5900	5930	5950	5970	6000
5800ft [2832ft]	5920	5940	5970	5990	6010	6030	6060	6080	6110
5900ft [2932ft]	6030	6050	6070	6090	6120	6140	6170	6190	6220
6000ft [3032ft]	6130	6150	6180	6200	6230	6250	6280	6300	6330
6100ft [3132ft]	6230	6260	6280	6310	6330	6360	6380	6410	6440
6200ft [3232ft]	6340	6360	6390	6410	6440	6470	6490	6520	6550
6300ft [3332ft]	6440	6470	6490	6520	6550	6570	6600	6630	6660
6400ft [3432ft]	6550	6570	6600	6630	6650	6680	6710	6740	6770
6500ft [3532ft]	6650	6680	6710	6730	6760	6790	6820	6850	6880
6600ft [3632ft]	6750	6780	6810	6840	6870	6900	6930	6960	6990
6700ft [3732ft]	6860	6890	6920	6950	6980	7010	7040	7070	7100
6800ft [3832ft]	6960	6990	7020	7050	7080	7120	7150	7180	7210
6900ft [3932ft]	7070	7100	7130	7160	7190	7220	7260	7290	7320
7000ft [4032ft]	7170	7200	7230	7270	7300	7330	7370	7400	7440
7100ft [4132ft]	7280	7310	7340	7370	7410	7440	7480	7510	7550
7200ft [4232ft]	7380	7410	7450	7480	7510	7550	7580	7620	7660
7300ft [4332ft]	7480	7520	7550	7590	7620	7660	7690	7730	7770
7400ft [4432ft]	7590	7620	7660	7690	7730	7770	7800	7840	7880
7500ft [4532ft]	7690	7730	7760	7800	7840	7870	7910	7950	7990
7600ft [4632ft]	7800	7830	7870	7910	7940	7980	8020	8060	8100
7700ft [4732ft]	7900	7940	7970	8010	8050	8090	8130	8170	8210
7800ft [4832ft]	8000	8040	8080	8120	8160	8200	8240	8280	8320
7900ft [4932ft]	8110	8150	8190	8230	8270	8310	8350	8390	8430
7968ft [5000ft]	8180	8220	8260	8300	8340	8380	8420	8470	8510

Stefano M. RAPISARDA - flightdeckengineering.com

CYQF - Red Deer, AB, CANADA

Station Elevation: 2968 feet. ISA Standard Temperature: 9.12°C (rounded to 10°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-28)	-20°C (ISA-30)	-22°C (ISA-32)	-24°C (ISA-34)	-26°C (ISA-36)	-28°C (ISA-38)	-30°C (ISA-40)	-32°C (ISA-42)	-34°C (ISA-44)
2968ft [0ft]	2970	2970	2970	2970	2970	2970	2970	2970	2970
3000ft [32ft]	3010	3010	3010	3010	3010	3010	3010	3010	3010
3100ft [132ft]	3120	3120	3120	3120	3120	3120	3130	3130	3130
3200ft [232ft]	3230	3230	3230	3240	3240	3240	3240	3240	3250
3300ft [332ft]	3340	3340	3350	3350	3350	3350	3360	3360	3360
3400ft [432ft]	3450	3450	3460	3460	3470	3470	3470	3480	3480
3500ft [532ft]	3560	3570	3570	3580	3580	3580	3590	3590	3600
3600ft [632ft]	3670	3680	3680	3690	3690	3700	3710	3710	3720
3700ft [732ft]	3780	3790	3790	3800	3810	3810	3820	3830	3840
3800ft [832ft]	3890	3900	3910	3910	3920	3930	3940	3950	3950
3900ft [932ft]	4000	4010	4020	4030	4040	4050	4050	4060	4070
4000ft [1032ft]	4110	4120	4130	4140	4150	4160	4170	4180	4190
4100ft [1132ft]	4220	4230	4240	4250	4260	4280	4290	4300	4310
4200ft [1232ft]	4340	4350	4360	4370	4380	4390	4400	4410	4430
4300ft [1332ft]	4450	4460	4470	4480	4490	4510	4520	4530	4540
4400ft [1432ft]	4560	4570	4580	4590	4610	4620	4630	4650	4660
4500ft [1532ft]	4670	4680	4690	4710	4720	4740	4750	4760	4780
4600ft [1632ft]	4780	4790	4810	4820	4840	4850	4870	4880	4900
4700ft [1732ft]	4890	4900	4920	4930	4950	4970	4980	5000	5020
4800ft [1832ft]	5000	5010	5030	5050	5060	5080	5100	5120	5130
4900ft [1932ft]	5110	5130	5140	5160	5180	5200	5210	5230	5250
5000ft [2032ft]	5220	5240	5260	5270	5290	5310	5330	5350	5370
5100ft [2132ft]	5330	5350	5370	5390	5410	5430	5450	5470	5490
5200ft [2232ft]	5440	5460	5480	5500	5520	5540	5560	5580	5610
5300ft [2332ft]	5550	5570	5590	5610	5640	5660	5680	5700	5720
5400ft [2432ft]	5660	5680	5710	5730	5750	5770	5800	5820	5840
5500ft [2532ft]	5770	5800	5820	5840	5860	5890	5910	5940	5960
5600ft [2632ft]	5880	5910	5930	5950	5980	6000	6030	6050	6080
5700ft [2732ft]	6000	6020	6040	6070	6090	6120	6140	6170	6200
5800ft [2832ft]	6110	6130	6160	6180	6210	6230	6260	6290	6320
5900ft [2932ft]	6220	6240	6270	6290	6320	6350	6380	6410	6430
6000ft [3032ft]	6330	6350	6380	6410	6440	6460	6490	6520	6550
6100ft [3132ft]	6440	6470	6490	6520	6550	6580	6610	6640	6670
6200ft [3232ft]	6550	6580	6610	6640	6660	6700	6730	6760	6790
6300ft [3332ft]	6660	6690	6720	6750	6780	6810	6840	6870	6910
6400ft [3432ft]	6770	6800	6830	6860	6890	6930	6960	6990	7030
6500ft [3532ft]	6880	6910	6940	6980	7010	7040	7070	7110	7140
6600ft [3632ft]	6990	7020	7060	7090	7120	7160	7190	7230	7260
6700ft [3732ft]	7100	7140	7170	7200	7240	7270	7310	7340	7380
6800ft [3832ft]	7210	7250	7280	7320	7350	7390	7420	7460	7500
6900ft [3932ft]	7320	7360	7390	7430	7470	7500	7540	7580	7620
7000ft [4032ft]	7440	7470	7510	7540	7580	7620	7660	7700	7740
7100ft [4132ft]	7550	7580	7620	7660	7700	7730	7770	7810	7850
7200ft [4232ft]	7660	7690	7730	7770	7810	7850	7890	7930	7970
7300ft [4332ft]	7770	7810	7840	7880	7920	7960	8010	8050	8090
7400ft [4432ft]	7880	7920	7960	8000	8040	8080	8120	8170	8210
7500ft [4532ft]	7990	8030	8070	8110	8150	8200	8240	8280	8330
7600ft [4632ft]	8100	8140	8180	8230	8270	8310	8360	8400	8450
7700ft [4732ft]	8210	8250	8300	8340	8380	8430	8470	8520	8560
7800ft [4832ft]	8320	8370	8410	8450	8500	8540	8590	8640	8680
7900ft [4932ft]	8430	8480	8520	8570	8610	8660	8710	8750	8800
7968ft [5000ft]	8510	8550	8600	8640	8690	8740	8780	8830	8880

Stefano M. RAPISARDA - flightdeckengineering.com

CYQF - Red Deer, AB, CANADA

Station Elevation: 2968 feet. ISA Standard Temperature: 9.12°C (rounded to 10°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-44)	-36°C (ISA-46)	-38°C (ISA-48)	-40°C (ISA-50)	-42°C (ISA-52)	-44°C (ISA-54)	-46°C (ISA-56)	-48°C (ISA-58)	-50°C (ISA-60)
2968ft [0ft]	2970	2970	2970	2970	2970	2970	2970	2970	2970
3000ft [32ft]	3010	3010	3010	3010	3010	3010	3010	3010	3010
3100ft [132ft]	3130	3130	3130	3130	3130	3140	3140	3140	3140
3200ft [232ft]	3250	3250	3250	3250	3260	3260	3260	3260	3270
3300ft [332ft]	3360	3370	3370	3370	3380	3380	3380	3390	3390
3400ft [432ft]	3480	3490	3490	3500	3500	3500	3510	3510	3520
3500ft [532ft]	3600	3610	3610	3620	3620	3630	3630	3640	3640
3600ft [632ft]	3720	3720	3730	3740	3740	3750	3760	3760	3770
3700ft [732ft]	3840	3840	3850	3860	3870	3870	3880	3890	3900
3800ft [832ft]	3950	3960	3970	3980	3990	4000	4010	4010	4020
3900ft [932ft]	4070	4080	4090	4100	4110	4120	4130	4140	4150
4000ft [1032ft]	4190	4200	4210	4220	4230	4240	4250	4260	4280
4100ft [1132ft]	4310	4320	4330	4340	4350	4370	4380	4390	4400
4200ft [1232ft]	4430	4440	4450	4460	4480	4490	4500	4520	4530
4300ft [1332ft]	4540	4560	4570	4580	4600	4610	4630	4640	4660
4400ft [1432ft]	4660	4680	4690	4700	4720	4730	4750	4770	4780
4500ft [1532ft]	4780	4790	4810	4830	4840	4860	4870	4890	4910
4600ft [1632ft]	4900	4910	4930	4950	4960	4980	5000	5020	5040
4700ft [1732ft]	5020	5030	5050	5070	5090	5100	5120	5140	5160
4800ft [1832ft]	5130	5150	5170	5190	5210	5230	5250	5270	5290
4900ft [1932ft]	5250	5270	5290	5310	5330	5350	5370	5390	5410
5000ft [2032ft]	5370	5390	5410	5430	5450	5470	5500	5520	5540
5100ft [2132ft]	5490	5510	5530	5550	5580	5600	5620	5640	5670
5200ft [2232ft]	5610	5630	5650	5670	5700	5720	5750	5770	5790
5300ft [2332ft]	5720	5750	5770	5800	5820	5840	5870	5900	5920
5400ft [2432ft]	5840	5870	5890	5920	5940	5970	5990	6020	6050
5500ft [2532ft]	5960	5990	6010	6040	6060	6090	6120	6150	6170
5600ft [2632ft]	6080	6110	6130	6160	6190	6210	6240	6270	6300
5700ft [2732ft]	6200	6220	6250	6280	6310	6340	6370	6400	6430
5800ft [2832ft]	6320	6340	6370	6400	6430	6460	6490	6520	6560
5900ft [2932ft]	6430	6460	6490	6520	6550	6580	6620	6650	6680
6000ft [3032ft]	6550	6580	6610	6640	6680	6710	6740	6770	6810
6100ft [3132ft]	6670	6700	6730	6770	6800	6830	6870	6900	6940
6200ft [3232ft]	6790	6820	6850	6890	6920	6960	6990	7030	7060
6300ft [3332ft]	6910	6940	6970	7010	7040	7080	7120	7150	7190
6400ft [3432ft]	7030	7060	7090	7130	7170	7200	7240	7280	7320
6500ft [3532ft]	7140	7180	7210	7250	7290	7330	7360	7400	7440
6600ft [3632ft]	7260	7300	7340	7370	7410	7450	7490	7530	7570
6700ft [3732ft]	7380	7420	7460	7490	7530	7570	7610	7660	7700
6800ft [3832ft]	7500	7540	7580	7620	7660	7700	7740	7780	7820
6900ft [3932ft]	7620	7660	7700	7740	7780	7820	7860	7910	7950
7000ft [4032ft]	7740	7780	7820	7860	7900	7940	7990	8030	8080
7100ft [4132ft]	7850	7900	7940	7980	8020	8070	8110	8160	8210
7200ft [4232ft]	7970	8010	8060	8100	8150	8190	8240	8290	8330
7300ft [4332ft]	8090	8130	8180	8220	8270	8320	8360	8410	8460
7400ft [4432ft]	8210	8250	8300	8350	8390	8440	8490	8540	8590
7500ft [4532ft]	8330	8370	8420	8470	8510	8560	8610	8660	8710
7600ft [4632ft]	8450	8490	8540	8590	8640	8690	8740	8790	8840
7700ft [4732ft]	8560	8610	8660	8710	8760	8810	8860	8920	8970
7800ft [4832ft]	8680	8730	8780	8830	8880	8930	8990	9040	9100
7900ft [4932ft]	8800	8850	8900	8950	9010	9060	9110	9170	9220
7968ft [5000ft]	8880	8930	8980	9040	9090	9140	9200	9250	9310

Stefano M. RAPISARDA - flightdeckengineering.com

CYQL - Lethbridge, AB, CANADA

Station Elevation: 3130 feet. ISA Standard Temperature: 8.8°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+6)	13°C (ISA+4)	11°C (ISA+2)	9°C (ISA+0)	7°C (ISA-2)	5°C (ISA-4)	3°C (ISA-6)	1°C (ISA-8)	-1°C (ISA-10)
3130ft [0ft]	---	---	---	3130	3130	3130	3130	3130	3130
3200ft [70ft]	---	---	---	3200	3210	3210	3210	3210	3210
3300ft [170ft]	---	---	---	3300	3310	3310	3310	3310	3310
3400ft [270ft]	---	---	---	3400	3410	3410	3410	3410	3410
3500ft [370ft]	---	---	---	3500	3510	3510	3510	3520	3520
3600ft [470ft]	---	---	---	3600	3610	3610	3610	3620	3620
3700ft [570ft]	---	---	---	3700	3710	3710	3720	3720	3730
3800ft [670ft]	---	---	---	3800	3810	3810	3820	3820	3830
3900ft [770ft]	---	---	---	3900	3910	3920	3920	3930	3930
4000ft [870ft]	---	---	---	4000	4010	4020	4020	4030	4040
4100ft [970ft]	---	---	---	4100	4110	4120	4130	4130	4140
4200ft [1070ft]	---	---	---	4200	4210	4220	4230	4240	4240
4300ft [1170ft]	---	---	---	4300	4310	4320	4330	4340	4350
4400ft [1270ft]	---	---	---	4400	4410	4420	4430	4440	4450
4500ft [1370ft]	---	---	---	4500	4510	4520	4530	4540	4550
4600ft [1470ft]	---	---	---	4600	4610	4620	4640	4650	4660
4700ft [1570ft]	---	---	---	4700	4720	4730	4740	4750	4760
4800ft [1670ft]	---	---	---	4800	4820	4830	4840	4850	4860
4900ft [1770ft]	---	---	---	4900	4920	4930	4940	4960	4970
5000ft [1870ft]	---	---	---	5000	5020	5030	5040	5060	5070
5100ft [1970ft]	---	---	---	5100	5120	5130	5150	5160	5180
5200ft [2070ft]	---	---	---	5200	5220	5230	5250	5260	5280
5300ft [2170ft]	---	---	---	5300	5320	5330	5350	5370	5380
5400ft [2270ft]	---	---	---	5400	5420	5440	5450	5470	5490
5500ft [2370ft]	---	---	---	5500	5520	5540	5550	5570	5590
5600ft [2470ft]	---	---	---	5600	5620	5640	5660	5680	5690
5700ft [2570ft]	---	---	---	5700	5720	5740	5760	5780	5800
5800ft [2670ft]	---	---	---	5800	5820	5840	5860	5880	5900
5900ft [2770ft]	---	---	---	5900	5920	5940	5960	5980	6000
6000ft [2870ft]	---	---	---	6000	6020	6040	6070	6090	6110
6100ft [2970ft]	---	---	---	6100	6120	6150	6170	6190	6210
6200ft [3070ft]	---	---	---	6200	6220	6250	6270	6290	6320
6300ft [3170ft]	---	---	---	6300	6330	6350	6370	6400	6420
6400ft [3270ft]	---	---	---	6400	6430	6450	6470	6500	6520
6500ft [3370ft]	---	---	---	6500	6530	6550	6580	6600	6630
6600ft [3470ft]	---	---	---	6600	6630	6650	6680	6700	6730
6700ft [3570ft]	---	---	---	6700	6730	6750	6780	6810	6830
6800ft [3670ft]	---	---	---	6800	6830	6860	6880	6910	6940
6900ft [3770ft]	---	---	---	6900	6930	6960	6980	7010	7040
7000ft [3870ft]	---	---	---	7000	7030	7060	7090	7120	7140
7100ft [3970ft]	---	---	---	7100	7130	7160	7190	7220	7250
7200ft [4070ft]	---	---	---	7200	7230	7260	7290	7320	7350
7300ft [4170ft]	---	---	---	7300	7330	7360	7390	7420	7460
7400ft [4270ft]	---	---	---	7400	7430	7460	7500	7530	7560
7500ft [4370ft]	---	---	---	7500	7530	7560	7600	7630	7660
7600ft [4470ft]	---	---	---	7600	7630	7670	7700	7730	7770
7700ft [4570ft]	---	---	---	7700	7730	7770	7800	7840	7870
7800ft [4670ft]	---	---	---	7800	7840	7870	7900	7940	7970
7900ft [4770ft]	---	---	---	7900	7940	7970	8010	8040	8080
8000ft [4870ft]	---	---	---	8000	8040	8070	8110	8140	8180
8100ft [4970ft]	---	---	---	8100	8140	8170	8210	8250	8290
8130ft [5000ft]	---	---	---	8130	8170	8200	8240	8280	8320

Stefano M. RAPISARDA - flightdeckengineering.com

CYQL - Lethbridge, AB, CANADA

Station Elevation: 3130 feet. ISA Standard Temperature: 8.8°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-10)	-3°C (ISA-12)	-5°C (ISA-14)	-7°C (ISA-16)	-9°C (ISA-18)	-11°C (ISA-20)	-13°C (ISA-22)	-15°C (ISA-24)	-17°C (ISA-26)
3130ft [0ft]	3130	3130	3130	3130	3130	3130	3130	3130	3130
3200ft [70ft]	3210	3210	3210	3210	3210	3210	3210	3210	3210
3300ft [170ft]	3310	3310	3310	3310	3320	3320	3320	3320	3320
3400ft [270ft]	3410	3420	3420	3420	3420	3430	3430	3430	3430
3500ft [370ft]	3520	3520	3520	3530	3530	3530	3540	3540	3540
3600ft [470ft]	3620	3630	3630	3630	3640	3640	3640	3650	3650
3700ft [570ft]	3730	3730	3730	3740	3740	3750	3750	3760	3760
3800ft [670ft]	3830	3830	3840	3840	3850	3860	3860	3870	3870
3900ft [770ft]	3930	3940	3940	3950	3960	3960	3970	3980	3980
4000ft [870ft]	4040	4040	4050	4060	4060	4070	4080	4080	4090
4100ft [970ft]	4140	4150	4150	4160	4170	4180	4190	4190	4200
4200ft [1070ft]	4240	4250	4260	4270	4280	4290	4290	4300	4310
4300ft [1170ft]	4350	4360	4360	4370	4380	4390	4400	4410	4420
4400ft [1270ft]	4450	4460	4470	4480	4490	4500	4510	4520	4530
4500ft [1370ft]	4550	4560	4580	4590	4600	4610	4620	4630	4640
4600ft [1470ft]	4660	4670	4680	4690	4700	4720	4730	4740	4750
4700ft [1570ft]	4760	4770	4790	4800	4810	4820	4840	4850	4860
4800ft [1670ft]	4860	4880	4890	4900	4920	4930	4940	4960	4970
4900ft [1770ft]	4970	4980	5000	5010	5020	5040	5050	5070	5080
5000ft [1870ft]	5070	5090	5100	5120	5130	5150	5160	5180	5190
5100ft [1970ft]	5180	5190	5210	5220	5240	5250	5270	5290	5300
5200ft [2070ft]	5280	5300	5310	5330	5340	5360	5380	5400	5410
5300ft [2170ft]	5380	5400	5420	5430	5450	5470	5490	5500	5520
5400ft [2270ft]	5490	5500	5520	5540	5560	5580	5590	5610	5630
5500ft [2370ft]	5590	5610	5630	5650	5660	5680	5700	5720	5740
5600ft [2470ft]	5690	5710	5730	5750	5770	5790	5810	5830	5850
5700ft [2570ft]	5800	5820	5840	5860	5880	5900	5920	5940	5960
5800ft [2670ft]	5900	5920	5940	5960	5980	6010	6030	6050	6070
5900ft [2770ft]	6000	6030	6050	6070	6090	6110	6140	6160	6180
6000ft [2870ft]	6110	6130	6150	6180	6200	6220	6250	6270	6290
6100ft [2970ft]	6210	6230	6260	6280	6310	6330	6350	6380	6400
6200ft [3070ft]	6320	6340	6360	6390	6410	6440	6460	6490	6510
6300ft [3170ft]	6420	6440	6470	6490	6520	6540	6570	6600	6620
6400ft [3270ft]	6520	6550	6570	6600	6630	6650	6680	6710	6730
6500ft [3370ft]	6630	6650	6680	6710	6730	6760	6790	6820	6840
6600ft [3470ft]	6730	6760	6780	6810	6840	6870	6900	6930	6960
6700ft [3570ft]	6830	6860	6890	6920	6950	6980	7000	7030	7070
6800ft [3670ft]	6940	6970	6990	7020	7050	7080	7110	7140	7180
6900ft [3770ft]	7040	7070	7100	7130	7160	7190	7220	7250	7290
7000ft [3870ft]	7140	7170	7200	7240	7270	7300	7330	7360	7400
7100ft [3970ft]	7250	7280	7310	7340	7370	7410	7440	7470	7510
7200ft [4070ft]	7350	7380	7420	7450	7480	7510	7550	7580	7620
7300ft [4170ft]	7460	7490	7520	7550	7590	7620	7660	7690	7730
7400ft [4270ft]	7560	7590	7630	7660	7690	7730	7760	7800	7840
7500ft [4370ft]	7660	7700	7730	7770	7800	7840	7870	7910	7950
7600ft [4470ft]	7770	7800	7840	7870	7910	7940	7980	8020	8060
7700ft [4570ft]	7870	7910	7940	7980	8010	8050	8090	8130	8170
7800ft [4670ft]	7970	8010	8050	8080	8120	8160	8200	8240	8280
7900ft [4770ft]	8080	8110	8150	8190	8230	8270	8310	8350	8390
8000ft [4870ft]	8180	8220	8260	8300	8340	8380	8420	8460	8500
8100ft [4970ft]	8290	8320	8360	8400	8440	8480	8520	8570	8610
8130ft [5000ft]	8320	8350	8390	8430	8470	8520	8560	8600	8640

Stefano M. RAPISARDA - flightdeckengineering.com

CYQL - Lethbridge, AB, CANADA

Station Elevation: 3130 feet. ISA Standard Temperature: 8.8°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-26)	-19°C (ISA-28)	-21°C (ISA-30)	-23°C (ISA-32)	-25°C (ISA-34)	-27°C (ISA-36)	-29°C (ISA-38)	-31°C (ISA-40)	-33°C (ISA-42)
3130ft [0ft]	3130	3130	3130	3130	3130	3130	3130	3130	3130
3200ft [70ft]	3210	3210	3210	3210	3210	3220	3220	3220	3220
3300ft [170ft]	3320	3320	3320	3330	3330	3330	3330	3330	3330
3400ft [270ft]	3430	3430	3440	3440	3440	3440	3450	3450	3450
3500ft [370ft]	3540	3550	3550	3550	3550	3560	3560	3570	3570
3600ft [470ft]	3650	3660	3660	3660	3670	3670	3680	3680	3690
3700ft [570ft]	3760	3770	3770	3780	3780	3790	3790	3800	3800
3800ft [670ft]	3870	3880	3880	3890	3900	3900	3910	3910	3920
3900ft [770ft]	3980	3990	4000	4000	4010	4020	4020	4030	4040
4000ft [870ft]	4090	4100	4110	4110	4120	4130	4140	4150	4160
4100ft [970ft]	4200	4210	4220	4230	4240	4240	4250	4260	4270
4200ft [1070ft]	4310	4320	4330	4340	4350	4360	4370	4380	4390
4300ft [1170ft]	4420	4430	4440	4450	4460	4470	4480	4500	4510
4400ft [1270ft]	4530	4540	4550	4570	4580	4590	4600	4610	4620
4500ft [1370ft]	4640	4650	4670	4680	4690	4700	4720	4730	4740
4600ft [1470ft]	4750	4760	4780	4790	4800	4820	4830	4850	4860
4700ft [1570ft]	4860	4880	4890	4900	4920	4930	4950	4960	4980
4800ft [1670ft]	4970	4990	5000	5020	5030	5050	5060	5080	5090
4900ft [1770ft]	5080	5100	5110	5130	5140	5160	5180	5190	5210
5000ft [1870ft]	5190	5210	5230	5240	5260	5280	5290	5310	5330
5100ft [1970ft]	5300	5320	5340	5350	5370	5390	5410	5430	5450
5200ft [2070ft]	5410	5430	5450	5470	5490	5500	5520	5540	5560
5300ft [2170ft]	5520	5540	5560	5580	5600	5620	5640	5660	5680
5400ft [2270ft]	5630	5650	5670	5690	5710	5730	5760	5780	5800
5500ft [2370ft]	5740	5760	5780	5810	5830	5850	5870	5890	5920
5600ft [2470ft]	5850	5870	5900	5920	5940	5960	5990	6010	6030
5700ft [2570ft]	5960	5990	6010	6030	6050	6080	6100	6130	6150
5800ft [2670ft]	6070	6100	6120	6140	6170	6190	6220	6240	6270
5900ft [2770ft]	6180	6210	6230	6260	6280	6310	6330	6360	6390
6000ft [2870ft]	6290	6320	6340	6370	6400	6420	6450	6480	6500
6100ft [2970ft]	6400	6430	6460	6480	6510	6540	6560	6590	6620
6200ft [3070ft]	6510	6540	6570	6600	6620	6650	6680	6710	6740
6300ft [3170ft]	6620	6650	6680	6710	6740	6770	6800	6830	6860
6400ft [3270ft]	6730	6760	6790	6820	6850	6880	6910	6940	6970
6500ft [3370ft]	6840	6870	6900	6930	6960	7000	7030	7060	7090
6600ft [3470ft]	6960	6990	7020	7050	7080	7110	7140	7180	7210
6700ft [3570ft]	7070	7100	7130	7160	7190	7230	7260	7290	7330
6800ft [3670ft]	7180	7210	7240	7270	7310	7340	7370	7410	7450
6900ft [3770ft]	7290	7320	7350	7390	7420	7450	7490	7530	7560
7000ft [3870ft]	7400	7430	7460	7500	7530	7570	7610	7640	7680
7100ft [3970ft]	7510	7540	7580	7610	7650	7680	7720	7760	7800
7200ft [4070ft]	7620	7650	7690	7720	7760	7800	7840	7880	7920
7300ft [4170ft]	7730	7760	7800	7840	7880	7910	7950	7990	8030
7400ft [4270ft]	7840	7870	7910	7950	7990	8030	8070	8110	8150
7500ft [4370ft]	7950	7990	8020	8060	8100	8140	8190	8230	8270
7600ft [4470ft]	8060	8100	8140	8180	8220	8260	8300	8340	8390
7700ft [4570ft]	8170	8210	8250	8290	8330	8370	8420	8460	8510
7800ft [4670ft]	8280	8320	8360	8400	8450	8490	8530	8580	8620
7900ft [4770ft]	8390	8430	8470	8520	8560	8600	8650	8690	8740
8000ft [4870ft]	8500	8540	8580	8630	8670	8720	8760	8810	8860
8100ft [4970ft]	8610	8650	8700	8740	8790	8830	8880	8930	8980
8130ft [5000ft]	8640	8690	8730	8780	8820	8870	8920	8960	9010

Stefano M. RAPISARDA - flightdeckengineering.com

CYQL - Lethbridge, AB, CANADA

Station Elevation: 3130 feet. ISA Standard Temperature: 8.8°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-42)	-35°C (ISA-44)	-37°C (ISA-46)	-39°C (ISA-48)	-41°C (ISA-50)	-43°C (ISA-52)	-45°C (ISA-54)	-47°C (ISA-56)	-50°C (ISA-59)
3130ft [0ft]	3130	3130	3130	3130	3130	3130	3130	3130	3130
3200ft [70ft]	3220	3220	3220	3220	3220	3220	3220	3220	3220
3300ft [170ft]	3330	3340	3340	3340	3340	3340	3340	3350	3350
3400ft [270ft]	3450	3450	3460	3460	3460	3470	3470	3470	3480
3500ft [370ft]	3570	3570	3580	3580	3580	3590	3590	3600	3600
3600ft [470ft]	3690	3690	3700	3700	3700	3710	3710	3720	3730
3700ft [570ft]	3800	3810	3810	3820	3830	3830	3840	3840	3850
3800ft [670ft]	3920	3930	3930	3940	3950	3950	3960	3970	3980
3900ft [770ft]	4040	4050	4050	4060	4070	4080	4080	4090	4110
4000ft [870ft]	4160	4160	4170	4180	4190	4200	4210	4220	4230
4100ft [970ft]	4270	4280	4290	4300	4310	4320	4330	4340	4360
4200ft [1070ft]	4390	4400	4410	4420	4430	4440	4460	4470	4480
4300ft [1170ft]	4510	4520	4530	4540	4550	4570	4580	4590	4610
4400ft [1270ft]	4620	4640	4650	4660	4680	4690	4700	4720	4740
4500ft [1370ft]	4740	4760	4770	4780	4800	4810	4830	4840	4860
4600ft [1470ft]	4860	4870	4890	4900	4920	4930	4950	4970	4990
4700ft [1570ft]	4980	4990	5010	5020	5040	5060	5070	5090	5120
4800ft [1670ft]	5090	5110	5130	5140	5160	5180	5200	5210	5240
4900ft [1770ft]	5210	5230	5250	5260	5280	5300	5320	5340	5370
5000ft [1870ft]	5330	5350	5370	5380	5400	5420	5440	5460	5500
5100ft [1970ft]	5450	5470	5490	5510	5530	5550	5570	5590	5620
5200ft [2070ft]	5560	5580	5600	5630	5650	5670	5690	5710	5750
5300ft [2170ft]	5680	5700	5720	5750	5770	5790	5810	5840	5870
5400ft [2270ft]	5800	5820	5840	5870	5890	5910	5940	5960	6000
5500ft [2370ft]	5920	5940	5960	5990	6010	6040	6060	6090	6130
5600ft [2470ft]	6030	6060	6080	6110	6130	6160	6190	6210	6250
5700ft [2570ft]	6150	6180	6200	6230	6260	6280	6310	6340	6380
5800ft [2670ft]	6270	6300	6320	6350	6380	6410	6430	6460	6510
5900ft [2770ft]	6390	6410	6440	6470	6500	6530	6560	6590	6630
6000ft [2870ft]	6500	6530	6560	6590	6620	6650	6680	6710	6760
6100ft [2970ft]	6620	6650	6680	6710	6740	6770	6810	6840	6890
6200ft [3070ft]	6740	6770	6800	6830	6860	6900	6930	6960	7010
6300ft [3170ft]	6860	6890	6920	6950	6990	7020	7050	7090	7140
6400ft [3270ft]	6970	7010	7040	7070	7110	7140	7180	7210	7270
6500ft [3370ft]	7090	7130	7160	7190	7230	7260	7300	7340	7390
6600ft [3470ft]	7210	7240	7280	7310	7350	7390	7420	7460	7520
6700ft [3570ft]	7330	7360	7400	7440	7470	7510	7550	7590	7650
6800ft [3670ft]	7450	7480	7520	7560	7590	7630	7670	7710	7770
6900ft [3770ft]	7560	7600	7640	7680	7720	7760	7800	7840	7900
7000ft [3870ft]	7680	7720	7760	7800	7840	7880	7920	7960	8030
7100ft [3970ft]	7800	7840	7880	7920	7960	8000	8050	8090	8160
7200ft [4070ft]	7920	7960	8000	8040	8080	8130	8170	8210	8280
7300ft [4170ft]	8030	8080	8120	8160	8200	8250	8290	8340	8410
7400ft [4270ft]	8150	8190	8240	8280	8330	8370	8420	8460	8540
7500ft [4370ft]	8270	8310	8360	8400	8450	8490	8540	8590	8660
7600ft [4470ft]	8390	8430	8480	8520	8570	8620	8670	8720	8790
7700ft [4570ft]	8510	8550	8600	8640	8690	8740	8790	8840	8920
7800ft [4670ft]	8620	8670	8720	8770	8810	8860	8910	8970	9040
7900ft [4770ft]	8740	8790	8840	8890	8940	8990	9040	9090	9170
8000ft [4870ft]	8860	8910	8960	9010	9060	9110	9160	9220	9300
8100ft [4970ft]	8980	9030	9080	9130	9180	9230	9290	9340	9430
8130ft [5000ft]	9010	9060	9110	9160	9220	9270	9320	9380	9460

Stefano M. RAPISARDA - flightdeckengineering.com

CYQU - Grande Prairie, AB, CANADA

Station Elevation: 2196 feet. ISA Standard Temperature: 10.65°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+4)	13°C (ISA+2)	11°C (ISA+0)	9°C (ISA-2)	7°C (ISA-4)	5°C (ISA-6)	3°C (ISA-8)	1°C (ISA-10)	-1°C (ISA-12)
2196ft [0ft]	---	---	2200	2200	2200	2200	2200	2200	2200
2200ft [4ft]	---	---	2200	2210	2210	2210	2210	2210	2210
2300ft [104ft]	---	---	2300	2310	2310	2310	2310	2310	2310
2400ft [204ft]	---	---	2400	2410	2410	2410	2410	2410	2410
2500ft [304ft]	---	---	2500	2510	2510	2510	2510	2520	2520
2600ft [404ft]	---	---	2600	2610	2610	2610	2620	2620	2620
2700ft [504ft]	---	---	2700	2710	2710	2720	2720	2720	2730
2800ft [604ft]	---	---	2800	2810	2810	2820	2820	2830	2830
2900ft [704ft]	---	---	2900	2910	2910	2920	2920	2930	2930
3000ft [804ft]	---	---	3000	3010	3020	3020	3030	3030	3040
3100ft [904ft]	---	---	3100	3110	3120	3120	3130	3140	3140
3200ft [1004ft]	---	---	3200	3210	3220	3230	3230	3240	3250
3300ft [1104ft]	---	---	3300	3310	3320	3330	3340	3340	3350
3400ft [1204ft]	---	---	3400	3410	3420	3430	3440	3450	3460
3500ft [1304ft]	---	---	3500	3510	3520	3530	3540	3550	3560
3600ft [1404ft]	---	---	3600	3610	3620	3630	3640	3650	3660
3700ft [1504ft]	---	---	3700	3710	3720	3740	3750	3760	3770
3800ft [1604ft]	---	---	3800	3810	3830	3840	3850	3860	3870
3900ft [1704ft]	---	---	3900	3910	3930	3940	3950	3960	3980
4000ft [1804ft]	---	---	4000	4020	4030	4040	4050	4070	4080
4100ft [1904ft]	---	---	4100	4120	4130	4140	4160	4170	4190
4200ft [2004ft]	---	---	4200	4220	4230	4250	4260	4280	4290
4300ft [2104ft]	---	---	4300	4320	4330	4350	4360	4380	4400
4400ft [2204ft]	---	---	4400	4420	4430	4450	4470	4480	4500
4500ft [2304ft]	---	---	4500	4520	4540	4550	4570	4590	4600
4600ft [2404ft]	---	---	4600	4620	4640	4650	4670	4690	4710
4700ft [2504ft]	---	---	4700	4720	4740	4760	4770	4790	4810
4800ft [2604ft]	---	---	4800	4820	4840	4860	4880	4900	4920
4900ft [2704ft]	---	---	4900	4920	4940	4960	4980	5000	5020
5000ft [2804ft]	---	---	5000	5020	5040	5060	5080	5100	5130
5100ft [2904ft]	---	---	5100	5120	5140	5160	5190	5210	5230
5200ft [3004ft]	---	---	5200	5220	5240	5270	5290	5310	5330
5300ft [3104ft]	---	---	5300	5320	5350	5370	5390	5410	5440
5400ft [3204ft]	---	---	5400	5420	5450	5470	5490	5520	5540
5500ft [3304ft]	---	---	5500	5520	5550	5570	5600	5620	5650
5600ft [3404ft]	---	---	5600	5620	5650	5670	5700	5730	5750
5700ft [3504ft]	---	---	5700	5730	5750	5780	5800	5830	5860
5800ft [3604ft]	---	---	5800	5830	5850	5880	5910	5930	5960
5900ft [3704ft]	---	---	5900	5930	5950	5980	6010	6040	6060
6000ft [3804ft]	---	---	6000	6030	6050	6080	6110	6140	6170
6100ft [3904ft]	---	---	6100	6130	6160	6180	6210	6240	6270
6200ft [4004ft]	---	---	6200	6230	6260	6290	6320	6350	6380
6300ft [4104ft]	---	---	6300	6330	6360	6390	6420	6450	6480
6400ft [4204ft]	---	---	6400	6430	6460	6490	6520	6550	6590
6500ft [4304ft]	---	---	6500	6530	6560	6590	6630	6660	6690
6600ft [4404ft]	---	---	6600	6630	6660	6700	6730	6760	6800
6700ft [4504ft]	---	---	6700	6730	6760	6800	6830	6860	6900
6800ft [4604ft]	---	---	6800	6830	6870	6900	6930	6970	7000
6900ft [4704ft]	---	---	6900	6930	6970	7000	7040	7070	7110
7000ft [4804ft]	---	---	7000	7030	7070	7100	7140	7180	7210
7100ft [4904ft]	---	---	7100	7130	7170	7210	7240	7280	7320
7196ft [5000ft]	---	---	7196	7230	7270	7300	7340	7380	7420

Stefano M. RAPISARDA - flightdeckengineering.com

CYQU - Grande Prairie, AB, CANADA

Station Elevation: 2196 feet. ISA Standard Temperature: 10.65°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-12)	-3°C (ISA-14)	-5°C (ISA-16)	-7°C (ISA-18)	-9°C (ISA-20)	-11°C (ISA-22)	-13°C (ISA-24)	-15°C (ISA-26)	-17°C (ISA-28)
2196ft [0ft]	2200	2200	2200	2200	2200	2200	2200	2200	2200
2200ft [4ft]	2210	2210	2210	2210	2210	2210	2210	2210	2210
2300ft [104ft]	2310	2310	2310	2310	2310	2310	2310	2320	2320
2400ft [204ft]	2410	2420	2420	2420	2420	2420	2420	2430	2430
2500ft [304ft]	2520	2520	2520	2530	2530	2530	2530	2540	2540
2600ft [404ft]	2620	2630	2630	2630	2630	2640	2640	2640	2650
2700ft [504ft]	2730	2730	2730	2740	2740	2750	2750	2750	2760
2800ft [604ft]	2830	2840	2840	2840	2850	2850	2860	2860	2870
2900ft [704ft]	2930	2940	2950	2950	2960	2960	2970	2970	2980
3000ft [804ft]	3040	3050	3050	3060	3060	3070	3080	3080	3090
3100ft [904ft]	3140	3150	3160	3160	3170	3180	3190	3190	3200
3200ft [1004ft]	3250	3260	3260	3270	3280	3290	3300	3300	3310
3300ft [1104ft]	3350	3360	3370	3380	3390	3400	3400	3410	3420
3400ft [1204ft]	3460	3470	3480	3480	3490	3500	3510	3520	3530
3500ft [1304ft]	3560	3570	3580	3590	3600	3610	3620	3630	3650
3600ft [1404ft]	3660	3680	3690	3700	3710	3720	3730	3740	3760
3700ft [1504ft]	3770	3780	3790	3800	3820	3830	3840	3850	3870
3800ft [1604ft]	3870	3890	3900	3910	3920	3940	3950	3960	3980
3900ft [1704ft]	3980	3990	4000	4020	4030	4050	4060	4070	4090
4000ft [1804ft]	4080	4100	4110	4120	4140	4150	4170	4180	4200
4100ft [1904ft]	4190	4200	4220	4230	4250	4260	4280	4290	4310
4200ft [2004ft]	4290	4310	4320	4340	4350	4370	4390	4400	4420
4300ft [2104ft]	4400	4410	4430	4440	4460	4480	4500	4510	4530
4400ft [2204ft]	4500	4520	4530	4550	4570	4590	4610	4620	4640
4500ft [2304ft]	4600	4620	4640	4660	4680	4700	4710	4730	4750
4600ft [2404ft]	4710	4730	4750	4760	4780	4800	4820	4840	4860
4700ft [2504ft]	4810	4830	4850	4870	4890	4910	4930	4950	4980
4800ft [2604ft]	4920	4940	4960	4980	5000	5020	5040	5060	5090
4900ft [2704ft]	5020	5040	5060	5080	5110	5130	5150	5170	5200
5000ft [2804ft]	5130	5150	5170	5190	5210	5240	5260	5280	5310
5100ft [2904ft]	5230	5250	5270	5300	5320	5350	5370	5390	5420
5200ft [3004ft]	5330	5360	5380	5400	5430	5450	5480	5500	5530
5300ft [3104ft]	5440	5460	5490	5510	5540	5560	5590	5610	5640
5400ft [3204ft]	5540	5570	5590	5620	5640	5670	5700	5720	5750
5500ft [3304ft]	5650	5670	5700	5730	5750	5780	5810	5830	5860
5600ft [3404ft]	5750	5780	5800	5830	5860	5890	5920	5940	5970
5700ft [3504ft]	5860	5880	5910	5940	5970	6000	6030	6060	6090
5800ft [3604ft]	5960	5990	6020	6050	6070	6100	6130	6170	6200
5900ft [3704ft]	6060	6090	6120	6150	6180	6210	6240	6280	6310
6000ft [3804ft]	6170	6200	6230	6260	6290	6320	6350	6390	6420
6100ft [3904ft]	6270	6300	6330	6370	6400	6430	6460	6500	6530
6200ft [4004ft]	6380	6410	6440	6470	6510	6540	6570	6610	6640
6300ft [4104ft]	6480	6510	6550	6580	6610	6650	6680	6720	6750
6400ft [4204ft]	6590	6620	6650	6690	6720	6760	6790	6830	6860
6500ft [4304ft]	6690	6720	6760	6790	6830	6860	6900	6940	6970
6600ft [4404ft]	6800	6830	6860	6900	6940	6970	7010	7050	7080
6700ft [4504ft]	6900	6930	6970	7010	7040	7080	7120	7160	7200
6800ft [4604ft]	7000	7040	7080	7110	7150	7190	7230	7270	7310
6900ft [4704ft]	7110	7140	7180	7220	7260	7300	7340	7380	7420
7000ft [4804ft]	7210	7250	7290	7330	7370	7410	7450	7490	7530
7100ft [4904ft]	7320	7360	7390	7430	7470	7510	7560	7600	7640
7196ft [5000ft]	7420	7460	7500	7540	7580	7620	7660	7700	7750

Stefano M. RAPISARDA - flightdeckengineering.com

CYQU - Grande Prairie, AB, CANADA

Station Elevation: 2196 feet. ISA Standard Temperature: 10.65°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-28)	-19°C (ISA-30)	-21°C (ISA-32)	-23°C (ISA-34)	-25°C (ISA-36)	-27°C (ISA-38)	-29°C (ISA-40)	-31°C (ISA-42)	-33°C (ISA-44)
2196ft [0ft]	2200	2200	2200	2200	2200	2200	2200	2200	2200
2200ft [4ft]	2210	2210	2210	2210	2210	2210	2210	2210	2210
2300ft [104ft]	2320	2320	2320	2320	2320	2320	2320	2320	2320
2400ft [204ft]	2430	2430	2430	2430	2430	2440	2440	2440	2440
2500ft [304ft]	2540	2540	2540	2550	2550	2550	2550	2560	2560
2600ft [404ft]	2650	2650	2660	2660	2660	2670	2670	2670	2680
2700ft [504ft]	2760	2760	2770	2770	2780	2780	2790	2790	2800
2800ft [604ft]	2870	2880	2880	2890	2890	2900	2900	2910	2910
2900ft [704ft]	2980	2990	2990	3000	3010	3010	3020	3030	3030
3000ft [804ft]	3090	3100	3110	3110	3120	3130	3130	3140	3150
3100ft [904ft]	3200	3210	3220	3230	3230	3240	3250	3260	3270
3200ft [1004ft]	3310	3320	3330	3340	3350	3360	3370	3380	3390
3300ft [1104ft]	3420	3430	3440	3450	3460	3470	3480	3490	3500
3400ft [1204ft]	3530	3540	3560	3570	3580	3590	3600	3610	3620
3500ft [1304ft]	3650	3660	3670	3680	3690	3700	3720	3730	3740
3600ft [1404ft]	3760	3770	3780	3790	3810	3820	3830	3850	3860
3700ft [1504ft]	3870	3880	3890	3910	3920	3930	3950	3960	3980
3800ft [1604ft]	3980	3990	4010	4020	4040	4050	4070	4080	4100
3900ft [1704ft]	4090	4100	4120	4130	4150	4170	4180	4200	4210
4000ft [1804ft]	4200	4220	4230	4250	4260	4280	4300	4310	4330
4100ft [1904ft]	4310	4330	4340	4360	4380	4400	4410	4430	4450
4200ft [2004ft]	4420	4440	4460	4470	4490	4510	4530	4550	4570
4300ft [2104ft]	4530	4550	4570	4590	4610	4630	4650	4670	4690
4400ft [2204ft]	4640	4660	4680	4700	4720	4740	4760	4780	4810
4500ft [2304ft]	4750	4770	4790	4820	4840	4860	4880	4900	4920
4600ft [2404ft]	4860	4890	4910	4930	4950	4970	5000	5020	5040
4700ft [2504ft]	4980	5000	5020	5040	5070	5090	5110	5140	5160
4800ft [2604ft]	5090	5110	5130	5160	5180	5200	5230	5250	5280
4900ft [2704ft]	5200	5220	5250	5270	5290	5320	5350	5370	5400
5000ft [2804ft]	5310	5330	5360	5380	5410	5440	5460	5490	5520
5100ft [2904ft]	5420	5440	5470	5500	5520	5550	5580	5610	5630
5200ft [3004ft]	5530	5560	5580	5610	5640	5670	5690	5720	5750
5300ft [3104ft]	5640	5670	5700	5720	5750	5780	5810	5840	5870
5400ft [3204ft]	5750	5780	5810	5840	5870	5900	5930	5960	5990
5500ft [3304ft]	5860	5890	5920	5950	5980	6010	6040	6080	6110
5600ft [3404ft]	5970	6000	6030	6070	6100	6130	6160	6190	6230
5700ft [3504ft]	6090	6120	6150	6180	6210	6240	6280	6310	6350
5800ft [3604ft]	6200	6230	6260	6290	6330	6360	6390	6430	6460
5900ft [3704ft]	6310	6340	6370	6410	6440	6480	6510	6550	6580
6000ft [3804ft]	6420	6450	6490	6520	6560	6590	6630	6660	6700
6100ft [3904ft]	6530	6560	6600	6630	6670	6710	6740	6780	6820
6200ft [4004ft]	6640	6680	6710	6750	6780	6820	6860	6900	6940
6300ft [4104ft]	6750	6790	6820	6860	6900	6940	6980	7020	7060
6400ft [4204ft]	6860	6900	6940	6980	7010	7050	7090	7130	7180
6500ft [4304ft]	6970	7010	7050	7090	7130	7170	7210	7250	7290
6600ft [4404ft]	7080	7120	7160	7200	7240	7290	7330	7370	7410
6700ft [4504ft]	7200	7240	7280	7320	7360	7400	7440	7490	7530
6800ft [4604ft]	7310	7350	7390	7430	7470	7520	7560	7610	7650
6900ft [4704ft]	7420	7460	7500	7540	7590	7630	7680	7720	7770
7000ft [4804ft]	7530	7570	7610	7660	7700	7750	7790	7840	7890
7100ft [4904ft]	7640	7680	7730	7770	7820	7860	7910	7960	8010
7196ft [5000ft]	7750	7790	7840	7880	7930	7970	8020	8070	8120

Stefano M. RAPISARDA - flightdeckengineering.com

CYQU - Grande Prairie, AB, CANADA

Station Elevation: 2196 feet. ISA Standard Temperature: 10.65°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-44)	-35°C (ISA-46)	-37°C (ISA-48)	-39°C (ISA-50)	-41°C (ISA-52)	-43°C (ISA-54)	-45°C (ISA-56)	-47°C (ISA-58)	-50°C (ISA-61)
2196ft [0ft]	2200	2200	2200	2200	2200	2200	2200	2200	2200
2200ft [4ft]	2210	2210	2210	2210	2210	2210	2210	2210	2210
2300ft [104ft]	2320	2320	2330	2330	2330	2330	2330	2330	2330
2400ft [204ft]	2440	2440	2450	2450	2450	2450	2450	2460	2460
2500ft [304ft]	2560	2560	2570	2570	2570	2580	2580	2580	2590
2600ft [404ft]	2680	2680	2690	2690	2690	2700	2700	2710	2710
2700ft [504ft]	2800	2800	2810	2810	2820	2820	2830	2830	2840
2800ft [604ft]	2910	2920	2930	2930	2940	2940	2950	2960	2970
2900ft [704ft]	3030	3040	3050	3050	3060	3070	3080	3080	3100
3000ft [804ft]	3150	3160	3170	3170	3180	3190	3200	3210	3220
3100ft [904ft]	3270	3280	3290	3300	3310	3310	3320	3330	3350
3200ft [1004ft]	3390	3400	3410	3420	3430	3440	3450	3460	3480
3300ft [1104ft]	3500	3520	3530	3540	3550	3560	3570	3590	3600
3400ft [1204ft]	3620	3630	3650	3660	3670	3680	3700	3710	3730
3500ft [1304ft]	3740	3750	3770	3780	3790	3810	3820	3840	3860
3600ft [1404ft]	3860	3870	3890	3900	3920	3930	3950	3960	3990
3700ft [1504ft]	3980	3990	4010	4020	4040	4050	4070	4090	4110
3800ft [1604ft]	4100	4110	4130	4140	4160	4180	4200	4210	4240
3900ft [1704ft]	4210	4230	4250	4270	4280	4300	4320	4340	4370
4000ft [1804ft]	4330	4350	4370	4390	4410	4430	4440	4460	4490
4100ft [1904ft]	4450	4470	4490	4510	4530	4550	4570	4590	4620
4200ft [2004ft]	4570	4590	4610	4630	4650	4670	4690	4720	4750
4300ft [2104ft]	4690	4710	4730	4750	4770	4800	4820	4840	4880
4400ft [2204ft]	4810	4830	4850	4870	4900	4920	4940	4970	5000
4500ft [2304ft]	4920	4950	4970	4990	5020	5040	5070	5090	5130
4600ft [2404ft]	5040	5070	5090	5120	5140	5170	5190	5220	5260
4700ft [2504ft]	5160	5190	5210	5240	5260	5290	5320	5340	5390
4800ft [2604ft]	5280	5310	5330	5360	5390	5410	5440	5470	5510
4900ft [2704ft]	5400	5420	5450	5480	5510	5540	5570	5600	5640
5000ft [2804ft]	5520	5540	5570	5600	5630	5660	5690	5720	5770
5100ft [2904ft]	5630	5660	5690	5720	5750	5780	5820	5850	5900
5200ft [3004ft]	5750	5780	5810	5840	5880	5910	5940	5970	6020
5300ft [3104ft]	5870	5900	5930	5970	6000	6030	6070	6100	6150
5400ft [3204ft]	5990	6020	6050	6090	6120	6160	6190	6230	6280
5500ft [3304ft]	6110	6140	6180	6210	6240	6280	6320	6350	6410
5600ft [3404ft]	6230	6260	6300	6330	6370	6400	6440	6480	6540
5700ft [3504ft]	6350	6380	6420	6450	6490	6530	6570	6600	6660
5800ft [3604ft]	6460	6500	6540	6570	6610	6650	6690	6730	6790
5900ft [3704ft]	6580	6620	6660	6700	6730	6770	6810	6860	6920
6000ft [3804ft]	6700	6740	6780	6820	6860	6900	6940	6980	7050
6100ft [3904ft]	6820	6860	6900	6940	6980	7020	7060	7110	7170
6200ft [4004ft]	6940	6980	7020	7060	7100	7150	7190	7230	7300
6300ft [4104ft]	7060	7100	7140	7180	7230	7270	7320	7360	7430
6400ft [4204ft]	7180	7220	7260	7300	7350	7390	7440	7490	7560
6500ft [4304ft]	7290	7340	7380	7430	7470	7520	7570	7610	7690
6600ft [4404ft]	7410	7460	7500	7550	7590	7640	7690	7740	7810
6700ft [4504ft]	7530	7580	7620	7670	7720	7770	7820	7870	7940
6800ft [4604ft]	7650	7700	7740	7790	7840	7890	7940	7990	8070
6900ft [4704ft]	7770	7820	7860	7910	7960	8010	8070	8120	8200
7000ft [4804ft]	7890	7940	7990	8040	8090	8140	8190	8240	8330
7100ft [4904ft]	8010	8060	8110	8160	8210	8260	8320	8370	8450
7196ft [5000ft]	8120	8170	8220	8270	8330	8380	8440	8490	8580

Stefano M. RAPISARDA - flightdeckengineering.com

CYXH - Medicine Hat, AB, CANADA

Station Elevation: 2351 feet. ISA Standard Temperature: 10.34°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+4)	13°C (ISA+2)	11°C (ISA+0)	9°C (ISA-2)	7°C (ISA-4)	5°C (ISA-6)	3°C (ISA-8)	1°C (ISA-10)	-1°C (ISA-12)
2351ft [0ft]	---	---	2360	2360	2360	2360	2360	2360	2360
2400ft [49ft]	---	---	2400	2410	2410	2410	2410	2410	2410
2500ft [149ft]	---	---	2500	2510	2510	2510	2510	2510	2510
2600ft [249ft]	---	---	2600	2610	2610	2610	2610	2610	2620
2700ft [349ft]	---	---	2700	2710	2710	2710	2710	2720	2720
2800ft [449ft]	---	---	2800	2810	2810	2810	2820	2820	2820
2900ft [549ft]	---	---	2900	2910	2910	2920	2920	2920	2930
3000ft [649ft]	---	---	3000	3010	3010	3020	3020	3030	3030
3100ft [749ft]	---	---	3100	3110	3110	3120	3120	3130	3140
3200ft [849ft]	---	---	3200	3210	3220	3220	3230	3230	3240
3300ft [949ft]	---	---	3300	3310	3320	3320	3330	3340	3340
3400ft [1049ft]	---	---	3400	3410	3420	3430	3430	3440	3450
3500ft [1149ft]	---	---	3500	3510	3520	3530	3540	3540	3550
3600ft [1249ft]	---	---	3600	3610	3620	3630	3640	3650	3660
3700ft [1349ft]	---	---	3700	3710	3720	3730	3740	3750	3760
3800ft [1449ft]	---	---	3800	3810	3820	3830	3840	3850	3870
3900ft [1549ft]	---	---	3900	3910	3920	3930	3950	3960	3970
4000ft [1649ft]	---	---	4000	4010	4020	4040	4050	4060	4070
4100ft [1749ft]	---	---	4100	4110	4130	4140	4150	4160	4180
4200ft [1849ft]	---	---	4200	4210	4230	4240	4250	4270	4280
4300ft [1949ft]	---	---	4300	4310	4330	4340	4360	4370	4390
4400ft [2049ft]	---	---	4400	4410	4430	4440	4460	4470	4490
4500ft [2149ft]	---	---	4500	4520	4530	4550	4560	4580	4590
4600ft [2249ft]	---	---	4600	4620	4630	4650	4660	4680	4700
4700ft [2349ft]	---	---	4700	4720	4730	4750	4770	4790	4800
4800ft [2449ft]	---	---	4800	4820	4830	4850	4870	4890	4910
4900ft [2549ft]	---	---	4900	4920	4940	4950	4970	4990	5010
5000ft [2649ft]	---	---	5000	5020	5040	5060	5080	5100	5120
5100ft [2749ft]	---	---	5100	5120	5140	5160	5180	5200	5220
5200ft [2849ft]	---	---	5200	5220	5240	5260	5280	5300	5320
5300ft [2949ft]	---	---	5300	5320	5340	5360	5380	5410	5430
5400ft [3049ft]	---	---	5400	5420	5440	5460	5490	5510	5530
5500ft [3149ft]	---	---	5500	5520	5540	5570	5590	5610	5640
5600ft [3249ft]	---	---	5600	5620	5640	5670	5690	5720	5740
5700ft [3349ft]	---	---	5700	5720	5750	5770	5790	5820	5850
5800ft [3449ft]	---	---	5800	5820	5850	5870	5900	5920	5950
5900ft [3549ft]	---	---	5900	5920	5950	5970	6000	6030	6050
6000ft [3649ft]	---	---	6000	6020	6050	6080	6100	6130	6160
6100ft [3749ft]	---	---	6100	6120	6150	6180	6210	6230	6260
6200ft [3849ft]	---	---	6200	6220	6250	6280	6310	6340	6370
6300ft [3949ft]	---	---	6300	6320	6350	6380	6410	6440	6470
6400ft [4049ft]	---	---	6400	6420	6450	6480	6510	6540	6570
6500ft [4149ft]	---	---	6500	6520	6550	6590	6620	6650	6680
6600ft [4249ft]	---	---	6600	6630	6660	6690	6720	6750	6780
6700ft [4349ft]	---	---	6700	6730	6760	6790	6820	6850	6890
6800ft [4449ft]	---	---	6800	6830	6860	6890	6920	6960	6990
6900ft [4549ft]	---	---	6900	6930	6960	6990	7030	7060	7100
7000ft [4649ft]	---	---	7000	7030	7060	7100	7130	7160	7200
7100ft [4749ft]	---	---	7100	7130	7160	7200	7230	7270	7300
7200ft [4849ft]	---	---	7200	7230	7260	7300	7340	7370	7410
7300ft [4949ft]	---	---	7300	7330	7360	7400	7440	7480	7510
7351ft [5000ft]	---	---	7351	7380	7420	7450	7490	7530	7570

Stefano M. RAPISARDA - flightdeckengineering.com

CYXH - Medicine Hat, AB, CANADA

Station Elevation: 2351 feet. ISA Standard Temperature: 10.34°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-12)	-3°C (ISA-14)	-5°C (ISA-16)	-7°C (ISA-18)	-9°C (ISA-20)	-11°C (ISA-22)	-13°C (ISA-24)	-15°C (ISA-26)	-17°C (ISA-28)
2351ft [0ft]	2360	2360	2360	2360	2360	2360	2360	2360	2360
2400ft [49ft]	2410	2410	2410	2410	2410	2410	2410	2410	2410
2500ft [149ft]	2510	2510	2510	2510	2520	2520	2520	2520	2520
2600ft [249ft]	2620	2620	2620	2620	2620	2630	2630	2630	2630
2700ft [349ft]	2720	2720	2720	2730	2730	2730	2740	2740	2740
2800ft [449ft]	2820	2830	2830	2830	2840	2840	2850	2850	2850
2900ft [549ft]	2930	2930	2940	2940	2940	2950	2950	2960	2960
3000ft [649ft]	3030	3040	3040	3050	3050	3060	3060	3070	3070
3100ft [749ft]	3140	3140	3150	3150	3160	3170	3170	3180	3180
3200ft [849ft]	3240	3250	3250	3260	3270	3270	3280	3290	3300
3300ft [949ft]	3340	3350	3360	3370	3370	3380	3390	3400	3410
3400ft [1049ft]	3450	3460	3460	3470	3480	3490	3500	3510	3520
3500ft [1149ft]	3550	3560	3570	3580	3590	3600	3610	3620	3630
3600ft [1249ft]	3660	3670	3680	3690	3700	3710	3720	3730	3740
3700ft [1349ft]	3760	3770	3780	3790	3800	3810	3830	3840	3850
3800ft [1449ft]	3870	3880	3890	3900	3910	3920	3930	3950	3960
3900ft [1549ft]	3970	3980	3990	4010	4020	4030	4040	4060	4070
4000ft [1649ft]	4070	4090	4100	4110	4130	4140	4150	4170	4180
4100ft [1749ft]	4180	4190	4200	4220	4230	4250	4260	4280	4290
4200ft [1849ft]	4280	4300	4310	4330	4340	4360	4370	4390	4400
4300ft [1949ft]	4390	4400	4420	4430	4450	4460	4480	4500	4510
4400ft [2049ft]	4490	4510	4520	4540	4550	4570	4590	4610	4620
4500ft [2149ft]	4590	4610	4630	4640	4660	4680	4700	4720	4730
4600ft [2249ft]	4700	4720	4730	4750	4770	4790	4810	4830	4850
4700ft [2349ft]	4800	4820	4840	4860	4880	4900	4920	4940	4960
4800ft [2449ft]	4910	4930	4950	4960	4980	5000	5020	5050	5070
4900ft [2549ft]	5010	5030	5050	5070	5090	5110	5130	5160	5180
5000ft [2649ft]	5120	5140	5160	5180	5200	5220	5240	5270	5290
5100ft [2749ft]	5220	5240	5260	5280	5310	5330	5350	5380	5400
5200ft [2849ft]	5320	5350	5370	5390	5410	5440	5460	5490	5510
5300ft [2949ft]	5430	5450	5470	5500	5520	5550	5570	5600	5620
5400ft [3049ft]	5530	5560	5580	5600	5630	5650	5680	5710	5730
5500ft [3149ft]	5640	5660	5690	5710	5740	5760	5790	5820	5840
5600ft [3249ft]	5740	5770	5790	5820	5840	5870	5900	5930	5950
5700ft [3349ft]	5850	5870	5900	5920	5950	5980	6010	6040	6060
5800ft [3449ft]	5950	5980	6000	6030	6060	6090	6120	6150	6170
5900ft [3549ft]	6050	6080	6110	6140	6170	6200	6230	6260	6290
6000ft [3649ft]	6160	6190	6210	6240	6270	6300	6330	6370	6400
6100ft [3749ft]	6260	6290	6320	6350	6380	6410	6440	6480	6510
6200ft [3849ft]	6370	6400	6430	6460	6490	6520	6550	6590	6620
6300ft [3949ft]	6470	6500	6530	6560	6600	6630	6660	6700	6730
6400ft [4049ft]	6570	6610	6640	6670	6700	6740	6770	6810	6840
6500ft [4149ft]	6680	6710	6740	6780	6810	6850	6880	6920	6950
6600ft [4249ft]	6780	6820	6850	6880	6920	6950	6990	7030	7060
6700ft [4349ft]	6890	6920	6960	6990	7030	7060	7100	7140	7170
6800ft [4449ft]	6990	7030	7060	7100	7130	7170	7210	7250	7280
6900ft [4549ft]	7100	7130	7170	7200	7240	7280	7320	7360	7390
7000ft [4649ft]	7200	7240	7270	7310	7350	7390	7430	7470	7510
7100ft [4749ft]	7300	7340	7380	7420	7460	7500	7540	7580	7620
7200ft [4849ft]	7410	7450	7490	7520	7560	7600	7640	7690	7730
7300ft [4949ft]	7510	7550	7590	7630	7670	7710	7750	7800	7840
7351ft [5000ft]	7570	7610	7650	7690	7730	7770	7810	7850	7900

Stefano M. RAPISARDA - flightdeckengineering.com

CYXH - Medicine Hat, AB, CANADA

Station Elevation: 2351 feet. ISA Standard Temperature: 10.34°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-28)	-19°C (ISA-30)	-21°C (ISA-32)	-23°C (ISA-34)	-25°C (ISA-36)	-27°C (ISA-38)	-29°C (ISA-40)	-31°C (ISA-42)	-33°C (ISA-44)
2351ft [0ft]	2360	2360	2360	2360	2360	2360	2360	2360	2360
2400ft [49ft]	2410	2410	2410	2410	2410	2410	2410	2410	2410
2500ft [149ft]	2520	2520	2520	2520	2530	2530	2530	2530	2530
2600ft [249ft]	2630	2630	2640	2640	2640	2640	2640	2650	2650
2700ft [349ft]	2740	2750	2750	2750	2750	2760	2760	2760	2770
2800ft [449ft]	2850	2860	2860	2860	2870	2870	2880	2880	2890
2900ft [549ft]	2960	2970	2970	2980	2980	2990	2990	3000	3000
3000ft [649ft]	3070	3080	3090	3090	3100	3100	3110	3120	3120
3100ft [749ft]	3180	3190	3200	3200	3210	3220	3220	3230	3240
3200ft [849ft]	3300	3300	3310	3320	3330	3330	3340	3350	3360
3300ft [949ft]	3410	3410	3420	3430	3440	3450	3460	3470	3480
3400ft [1049ft]	3520	3530	3530	3540	3550	3560	3570	3580	3590
3500ft [1149ft]	3630	3640	3650	3660	3670	3680	3690	3700	3710
3600ft [1249ft]	3740	3750	3760	3770	3780	3790	3810	3820	3830
3700ft [1349ft]	3850	3860	3870	3880	3900	3910	3920	3930	3950
3800ft [1449ft]	3960	3970	3980	4000	4010	4020	4040	4050	4070
3900ft [1549ft]	4070	4080	4100	4110	4130	4140	4150	4170	4180
4000ft [1649ft]	4180	4190	4210	4220	4240	4250	4270	4290	4300
4100ft [1749ft]	4290	4310	4320	4340	4350	4370	4390	4400	4420
4200ft [1849ft]	4400	4420	4430	4450	4470	4490	4500	4520	4540
4300ft [1949ft]	4510	4530	4550	4560	4580	4600	4620	4640	4660
4400ft [2049ft]	4620	4640	4660	4680	4700	4720	4730	4750	4770
4500ft [2149ft]	4730	4750	4770	4790	4810	4830	4850	4870	4890
4600ft [2249ft]	4850	4860	4880	4900	4930	4950	4970	4990	5010
4700ft [2349ft]	4960	4980	5000	5020	5040	5060	5080	5110	5130
4800ft [2449ft]	5070	5090	5110	5130	5150	5180	5200	5220	5250
4900ft [2549ft]	5180	5200	5220	5250	5270	5290	5320	5340	5370
5000ft [2649ft]	5290	5310	5330	5360	5380	5410	5430	5460	5480
5100ft [2749ft]	5400	5420	5450	5470	5500	5520	5550	5580	5600
5200ft [2849ft]	5510	5530	5560	5590	5610	5640	5670	5690	5720
5300ft [2949ft]	5620	5650	5670	5700	5730	5750	5780	5810	5840
5400ft [3049ft]	5730	5760	5790	5810	5840	5870	5900	5930	5960
5500ft [3149ft]	5840	5870	5900	5930	5960	5980	6010	6040	6080
5600ft [3249ft]	5950	5980	6010	6040	6070	6100	6130	6160	6190
5700ft [3349ft]	6060	6090	6120	6150	6180	6220	6250	6280	6310
5800ft [3449ft]	6170	6210	6240	6270	6300	6330	6360	6400	6430
5900ft [3549ft]	6290	6320	6350	6380	6410	6450	6480	6510	6550
6000ft [3649ft]	6400	6430	6460	6490	6530	6560	6600	6630	6670
6100ft [3749ft]	6510	6540	6570	6610	6640	6680	6710	6750	6790
6200ft [3849ft]	6620	6650	6690	6720	6760	6790	6830	6870	6900
6300ft [3949ft]	6730	6760	6800	6830	6870	6910	6950	6980	7020
6400ft [4049ft]	6840	6880	6910	6950	6990	7020	7060	7100	7140
6500ft [4149ft]	6950	6990	7020	7060	7100	7140	7180	7220	7260
6600ft [4249ft]	7060	7100	7140	7180	7220	7250	7300	7340	7380
6700ft [4349ft]	7170	7210	7250	7290	7330	7370	7410	7450	7500
6800ft [4449ft]	7280	7320	7360	7400	7440	7490	7530	7570	7620
6900ft [4549ft]	7390	7430	7480	7520	7560	7600	7650	7690	7730
7000ft [4649ft]	7510	7550	7590	7630	7670	7720	7760	7810	7850
7100ft [4749ft]	7620	7660	7700	7740	7790	7830	7880	7920	7970
7200ft [4849ft]	7730	7770	7810	7860	7900	7950	7990	8040	8090
7300ft [4949ft]	7840	7880	7930	7970	8020	8060	8110	8160	8210
7351ft [5000ft]	7900	7940	7980	8030	8080	8120	8170	8220	8270

Stefano M. RAPISARDA - flightdeckengineering.com

CYXH - Medicine Hat, AB, CANADA

Station Elevation: 2351 feet. ISA Standard Temperature: 10.34°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-44)	-35°C (ISA-46)	-37°C (ISA-48)	-39°C (ISA-50)	-41°C (ISA-52)	-43°C (ISA-54)	-45°C (ISA-56)	-47°C (ISA-58)	-50°C (ISA-61)
2351ft [0ft]	2360	2360	2360	2360	2360	2360	2360	2360	2360
2400ft [49ft]	2410	2410	2410	2420	2420	2420	2420	2420	2420
2500ft [149ft]	2530	2530	2530	2540	2540	2540	2540	2540	2540
2600ft [249ft]	2650	2650	2650	2660	2660	2660	2660	2670	2670
2700ft [349ft]	2770	2770	2770	2780	2780	2790	2790	2790	2800
2800ft [449ft]	2890	2890	2890	2900	2900	2910	2910	2920	2930
2900ft [549ft]	3000	3010	3010	3020	3030	3030	3040	3040	3050
3000ft [649ft]	3120	3130	3130	3140	3150	3150	3160	3170	3180
3100ft [749ft]	3240	3250	3250	3260	3270	3280	3290	3290	3310
3200ft [849ft]	3360	3370	3370	3380	3390	3400	3410	3420	3430
3300ft [949ft]	3480	3480	3490	3500	3510	3520	3530	3540	3560
3400ft [1049ft]	3590	3600	3610	3620	3640	3650	3660	3670	3690
3500ft [1149ft]	3710	3720	3730	3750	3760	3770	3780	3790	3810
3600ft [1249ft]	3830	3840	3850	3870	3880	3890	3910	3920	3940
3700ft [1349ft]	3950	3960	3970	3990	4000	4020	4030	4050	4070
3800ft [1449ft]	4070	4080	4090	4110	4120	4140	4160	4170	4200
3900ft [1549ft]	4180	4200	4210	4230	4250	4260	4280	4300	4320
4000ft [1649ft]	4300	4320	4330	4350	4370	4390	4400	4420	4450
4100ft [1749ft]	4420	4440	4450	4470	4490	4510	4530	4550	4580
4200ft [1849ft]	4540	4560	4580	4590	4610	4630	4650	4670	4700
4300ft [1949ft]	4660	4680	4700	4720	4740	4760	4780	4800	4830
4400ft [2049ft]	4770	4790	4820	4840	4860	4880	4900	4920	4960
4500ft [2149ft]	4890	4910	4940	4960	4980	5000	5030	5050	5090
4600ft [2249ft]	5010	5030	5060	5080	5100	5130	5150	5180	5210
4700ft [2349ft]	5130	5150	5180	5200	5220	5250	5280	5300	5340
4800ft [2449ft]	5250	5270	5300	5320	5350	5370	5400	5430	5470
4900ft [2549ft]	5370	5390	5420	5440	5470	5500	5520	5550	5600
5000ft [2649ft]	5480	5510	5540	5560	5590	5620	5650	5680	5720
5100ft [2749ft]	5600	5630	5660	5690	5710	5740	5770	5800	5850
5200ft [2849ft]	5720	5750	5780	5810	5840	5870	5900	5930	5980
5300ft [2949ft]	5840	5870	5900	5930	5960	5990	6020	6060	6110
5400ft [3049ft]	5960	5990	6020	6050	6080	6110	6150	6180	6230
5500ft [3149ft]	6080	6110	6140	6170	6200	6240	6270	6310	6360
5600ft [3249ft]	6190	6230	6260	6290	6330	6360	6400	6430	6490
5700ft [3349ft]	6310	6350	6380	6410	6450	6490	6520	6560	6620
5800ft [3449ft]	6430	6470	6500	6540	6570	6610	6650	6680	6740
5900ft [3549ft]	6550	6580	6620	6660	6690	6730	6770	6810	6870
6000ft [3649ft]	6670	6700	6740	6780	6820	6860	6900	6940	7000
6100ft [3749ft]	6790	6820	6860	6900	6940	6980	7020	7060	7130
6200ft [3849ft]	6900	6940	6980	7020	7060	7100	7150	7190	7250
6300ft [3949ft]	7020	7060	7100	7140	7180	7230	7270	7310	7380
6400ft [4049ft]	7140	7180	7220	7260	7310	7350	7400	7440	7510
6500ft [4149ft]	7260	7300	7340	7390	7430	7470	7520	7570	7640
6600ft [4249ft]	7380	7420	7460	7510	7550	7600	7640	7690	7760
6700ft [4349ft]	7500	7540	7580	7630	7680	7720	7770	7820	7890
6800ft [4449ft]	7620	7660	7710	7750	7800	7850	7890	7940	8020
6900ft [4549ft]	7730	7780	7830	7870	7920	7970	8020	8070	8150
7000ft [4649ft]	7850	7900	7950	7990	8040	8090	8140	8200	8280
7100ft [4749ft]	7970	8020	8070	8120	8170	8220	8270	8320	8400
7200ft [4849ft]	8090	8140	8190	8240	8290	8340	8390	8450	8530
7300ft [4949ft]	8210	8260	8310	8360	8410	8470	8520	8580	8660
7351ft [5000ft]	8270	8320	8370	8420	8480	8530	8580	8640	8720

Stefano M. RAPISARDA - flightdeckengineering.com

CYYC - Calgary, AB, CANADA

Station Elevation: 3606 feet. ISA Standard Temperature: 7.85°C (rounded to 8°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+6)	12°C (ISA+4)	10°C (ISA+2)	8°C (ISA+0)	6°C (ISA-2)	4°C (ISA-4)	2°C (ISA-6)	0°C (ISA-8)	-2°C (ISA-10)
3606ft [0ft]	---	---	---	3610	3610	3610	3610	3610	3610
3700ft [94ft]	---	---	---	3700	3710	3710	3710	3710	3710
3800ft [194ft]	---	---	---	3800	3810	3810	3810	3810	3810
3900ft [294ft]	---	---	---	3900	3910	3910	3910	3910	3920
4000ft [394ft]	---	---	---	4000	4010	4010	4010	4020	4020
4100ft [494ft]	---	---	---	4100	4110	4110	4120	4120	4120
4200ft [594ft]	---	---	---	4200	4210	4210	4220	4220	4230
4300ft [694ft]	---	---	---	4300	4310	4310	4320	4320	4330
4400ft [794ft]	---	---	---	4400	4410	4420	4420	4430	4430
4500ft [894ft]	---	---	---	4500	4510	4520	4520	4530	4540
4600ft [994ft]	---	---	---	4600	4610	4620	4630	4630	4640
4700ft [1094ft]	---	---	---	4700	4710	4720	4730	4740	4740
4800ft [1194ft]	---	---	---	4800	4810	4820	4830	4840	4850
4900ft [1294ft]	---	---	---	4900	4910	4920	4930	4940	4950
5000ft [1394ft]	---	---	---	5000	5010	5020	5030	5040	5060
5100ft [1494ft]	---	---	---	5100	5110	5130	5140	5150	5160
5200ft [1594ft]	---	---	---	5200	5220	5230	5240	5250	5260
5300ft [1694ft]	---	---	---	5300	5320	5330	5340	5350	5370
5400ft [1794ft]	---	---	---	5400	5420	5430	5440	5460	5470
5500ft [1894ft]	---	---	---	5500	5520	5530	5550	5560	5570
5600ft [1994ft]	---	---	---	5600	5620	5630	5650	5660	5680
5700ft [2094ft]	---	---	---	5700	5720	5730	5750	5760	5780
5800ft [2194ft]	---	---	---	5800	5820	5840	5850	5870	5880
5900ft [2294ft]	---	---	---	5900	5920	5940	5950	5970	5990
6000ft [2394ft]	---	---	---	6000	6020	6040	6060	6070	6090
6100ft [2494ft]	---	---	---	6100	6120	6140	6160	6180	6200
6200ft [2594ft]	---	---	---	6200	6220	6240	6260	6280	6300
6300ft [2694ft]	---	---	---	6300	6320	6340	6360	6380	6400
6400ft [2794ft]	---	---	---	6400	6420	6440	6460	6490	6510
6500ft [2894ft]	---	---	---	6500	6520	6550	6570	6590	6610
6600ft [2994ft]	---	---	---	6600	6620	6650	6670	6690	6710
6700ft [3094ft]	---	---	---	6700	6730	6750	6770	6790	6820
6800ft [3194ft]	---	---	---	6800	6830	6850	6870	6900	6920
6900ft [3294ft]	---	---	---	6900	6930	6950	6980	7000	7020
7000ft [3394ft]	---	---	---	7000	7030	7050	7080	7100	7130
7100ft [3494ft]	---	---	---	7100	7130	7150	7180	7210	7230
7200ft [3594ft]	---	---	---	7200	7230	7250	7280	7310	7340
7300ft [3694ft]	---	---	---	7300	7330	7360	7380	7410	7440
7400ft [3794ft]	---	---	---	7400	7430	7460	7490	7510	7540
7500ft [3894ft]	---	---	---	7500	7530	7560	7590	7620	7650
7600ft [3994ft]	---	---	---	7600	7630	7660	7690	7720	7750
7700ft [4094ft]	---	---	---	7700	7730	7760	7790	7820	7850
7800ft [4194ft]	---	---	---	7800	7830	7860	7890	7930	7960
7900ft [4294ft]	---	---	---	7900	7930	7960	8000	8030	8060
8000ft [4394ft]	---	---	---	8000	8030	8070	8100	8130	8170
8100ft [4494ft]	---	---	---	8100	8130	8170	8200	8230	8270
8200ft [4594ft]	---	---	---	8200	8240	8270	8300	8340	8370
8300ft [4694ft]	---	---	---	8300	8340	8370	8410	8440	8480
8400ft [4794ft]	---	---	---	8400	8440	8470	8510	8540	8580
8500ft [4894ft]	---	---	---	8500	8540	8570	8610	8650	8680
8600ft [4994ft]	---	---	---	8600	8640	8670	8710	8750	8790
8606ft [5000ft]	---	---	---	8610	8640	8680	8720	8760	8790

Stefano M. RAPISARDA - flightdeckengineering.com

CYYC - Calgary, AB, CANADA

Station Elevation: 3606 feet. ISA Standard Temperature: 7.85°C (rounded to 8°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-10)	-4°C (ISA-12)	-6°C (ISA-14)	-8°C (ISA-16)	-10°C (ISA-18)	-12°C (ISA-20)	-14°C (ISA-22)	-16°C (ISA-24)	-18°C (ISA-26)
3606ft [0ft]	3610	3610	3610	3610	3610	3610	3610	3610	3610
3700ft [94ft]	3710	3710	3710	3710	3710	3710	3710	3710	3710
3800ft [194ft]	3810	3810	3810	3820	3820	3820	3820	3820	3820
3900ft [294ft]	3920	3920	3920	3920	3920	3930	3930	3930	3930
4000ft [394ft]	4020	4020	4030	4030	4030	4030	4040	4040	4040
4100ft [494ft]	4120	4130	4130	4130	4140	4140	4150	4150	4150
4200ft [594ft]	4230	4230	4240	4240	4240	4250	4250	4260	4260
4300ft [694ft]	4330	4340	4340	4350	4350	4360	4360	4370	4370
4400ft [794ft]	4430	4440	4450	4450	4460	4460	4470	4480	4480
4500ft [894ft]	4540	4540	4550	4560	4570	4570	4580	4590	4590
4600ft [994ft]	4640	4650	4660	4660	4670	4680	4690	4700	4700
4700ft [1094ft]	4740	4750	4760	4770	4780	4790	4800	4810	4810
4800ft [1194ft]	4850	4860	4870	4880	4890	4890	4900	4910	4920
4900ft [1294ft]	4950	4960	4970	4980	4990	5000	5010	5020	5040
5000ft [1394ft]	5060	5070	5080	5090	5100	5110	5120	5130	5150
5100ft [1494ft]	5160	5170	5180	5190	5210	5220	5230	5240	5260
5200ft [1594ft]	5260	5270	5290	5300	5310	5330	5340	5350	5370
5300ft [1694ft]	5370	5380	5390	5410	5420	5430	5450	5460	5480
5400ft [1794ft]	5470	5480	5500	5510	5530	5540	5560	5570	5590
5500ft [1894ft]	5570	5590	5600	5620	5630	5650	5660	5680	5700
5600ft [1994ft]	5680	5690	5710	5720	5740	5760	5770	5790	5810
5700ft [2094ft]	5780	5800	5810	5830	5850	5860	5880	5900	5920
5800ft [2194ft]	5880	5900	5920	5940	5950	5970	5990	6010	6030
5900ft [2294ft]	5990	6010	6020	6040	6060	6080	6100	6120	6140
6000ft [2394ft]	6090	6110	6130	6150	6170	6190	6210	6230	6250
6100ft [2494ft]	6200	6210	6230	6250	6270	6290	6310	6340	6360
6200ft [2594ft]	6300	6320	6340	6360	6380	6400	6420	6440	6470
6300ft [2694ft]	6400	6420	6440	6470	6490	6510	6530	6550	6580
6400ft [2794ft]	6510	6530	6550	6570	6590	6620	6640	6660	6690
6500ft [2894ft]	6610	6630	6650	6680	6700	6720	6750	6770	6800
6600ft [2994ft]	6710	6740	6760	6780	6810	6830	6860	6880	6910
6700ft [3094ft]	6820	6840	6870	6890	6910	6940	6970	6990	7020
6800ft [3194ft]	6920	6950	6970	7000	7020	7050	7070	7100	7130
6900ft [3294ft]	7020	7050	7080	7100	7130	7160	7180	7210	7240
7000ft [3394ft]	7130	7150	7180	7210	7240	7260	7290	7320	7350
7100ft [3494ft]	7230	7260	7290	7310	7340	7370	7400	7430	7460
7200ft [3594ft]	7340	7360	7390	7420	7450	7480	7510	7540	7570
7300ft [3694ft]	7440	7470	7500	7530	7560	7590	7620	7650	7680
7400ft [3794ft]	7540	7570	7600	7630	7660	7690	7730	7760	7790
7500ft [3894ft]	7650	7680	7710	7740	7770	7800	7830	7870	7900
7600ft [3994ft]	7750	7780	7810	7840	7880	7910	7940	7980	8010
7700ft [4094ft]	7850	7890	7920	7950	7980	8020	8050	8090	8120
7800ft [4194ft]	7960	7990	8020	8060	8090	8120	8160	8200	8230
7900ft [4294ft]	8060	8090	8130	8160	8200	8230	8270	8300	8340
8000ft [4394ft]	8170	8200	8230	8270	8300	8340	8380	8410	8450
8100ft [4494ft]	8270	8300	8340	8370	8410	8450	8490	8520	8560
8200ft [4594ft]	8370	8410	8440	8480	8520	8560	8590	8630	8670
8300ft [4694ft]	8480	8510	8550	8590	8620	8660	8700	8740	8780
8400ft [4794ft]	8580	8620	8650	8690	8730	8770	8810	8850	8890
8500ft [4894ft]	8680	8720	8760	8800	8840	8880	8920	8960	9000
8600ft [4994ft]	8790	8830	8870	8910	8950	8990	9030	9070	9110
8606ft [5000ft]	8790	8830	8870	8910	8950	8990	9040	9080	9120

Stefano M. RAPISARDA - flightdeckengineering.com

CYYC - Calgary, AB, CANADA

Station Elevation: 3606 feet. ISA Standard Temperature: 7.85°C (rounded to 8°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-26)	-20°C (ISA-28)	-22°C (ISA-30)	-24°C (ISA-32)	-26°C (ISA-34)	-28°C (ISA-36)	-30°C (ISA-38)	-32°C (ISA-40)	-34°C (ISA-42)
3606ft [0ft]	3610	3610	3610	3610	3610	3610	3610	3610	3610
3700ft [94ft]	3710	3720	3720	3720	3720	3720	3720	3720	3720
3800ft [194ft]	3820	3830	3830	3830	3830	3830	3830	3840	3840
3900ft [294ft]	3930	3940	3940	3940	3940	3950	3950	3950	3960
4000ft [394ft]	4040	4050	4050	4050	4060	4060	4070	4070	4070
4100ft [494ft]	4150	4160	4160	4170	4170	4180	4180	4190	4190
4200ft [594ft]	4260	4270	4270	4280	4290	4290	4300	4300	4310
4300ft [694ft]	4370	4380	4390	4390	4400	4410	4410	4420	4430
4400ft [794ft]	4480	4490	4500	4510	4510	4520	4530	4530	4540
4500ft [894ft]	4590	4600	4610	4620	4630	4630	4640	4650	4660
4600ft [994ft]	4700	4710	4720	4730	4740	4750	4760	4770	4780
4700ft [1094ft]	4810	4820	4830	4840	4850	4860	4870	4880	4890
4800ft [1194ft]	4920	4940	4950	4960	4970	4980	4990	5000	5010
4900ft [1294ft]	5040	5050	5060	5070	5080	5090	5100	5120	5130
5000ft [1394ft]	5150	5160	5170	5180	5190	5210	5220	5230	5250
5100ft [1494ft]	5260	5270	5280	5290	5310	5320	5340	5350	5360
5200ft [1594ft]	5370	5380	5390	5410	5420	5440	5450	5470	5480
5300ft [1694ft]	5480	5490	5500	5520	5540	5550	5570	5580	5600
5400ft [1794ft]	5590	5600	5620	5630	5650	5670	5680	5700	5720
5500ft [1894ft]	5700	5710	5730	5750	5760	5780	5800	5820	5830
5600ft [1994ft]	5810	5820	5840	5860	5880	5890	5910	5930	5950
5700ft [2094ft]	5920	5930	5950	5970	5990	6010	6030	6050	6070
5800ft [2194ft]	6030	6050	6060	6080	6100	6120	6140	6170	6190
5900ft [2294ft]	6140	6160	6180	6200	6220	6240	6260	6280	6300
6000ft [2394ft]	6250	6270	6290	6310	6330	6350	6380	6400	6420
6100ft [2494ft]	6360	6380	6400	6420	6450	6470	6490	6520	6540
6200ft [2594ft]	6470	6490	6510	6540	6560	6580	6610	6630	6660
6300ft [2694ft]	6580	6600	6620	6650	6670	6700	6720	6750	6770
6400ft [2794ft]	6690	6710	6740	6760	6790	6810	6840	6870	6890
6500ft [2894ft]	6800	6820	6850	6870	6900	6930	6950	6980	7010
6600ft [2994ft]	6910	6930	6960	6990	7010	7040	7070	7100	7130
6700ft [3094ft]	7020	7040	7070	7100	7130	7160	7190	7220	7250
6800ft [3194ft]	7130	7160	7180	7210	7240	7270	7300	7330	7360
6900ft [3294ft]	7240	7270	7300	7330	7360	7390	7420	7450	7480
7000ft [3394ft]	7350	7380	7410	7440	7470	7500	7530	7570	7600
7100ft [3494ft]	7460	7490	7520	7550	7580	7620	7650	7680	7720
7200ft [3594ft]	7570	7600	7630	7660	7700	7730	7760	7800	7830
7300ft [3694ft]	7680	7710	7740	7780	7810	7850	7880	7920	7950
7400ft [3794ft]	7790	7820	7860	7890	7930	7960	8000	8030	8070
7500ft [3894ft]	7900	7930	7970	8000	8040	8080	8110	8150	8190
7600ft [3994ft]	8010	8050	8080	8120	8150	8190	8230	8270	8310
7700ft [4094ft]	8120	8160	8190	8230	8270	8310	8340	8380	8420
7800ft [4194ft]	8230	8270	8300	8340	8380	8420	8460	8500	8540
7900ft [4294ft]	8340	8380	8420	8460	8500	8540	8580	8620	8660
8000ft [4394ft]	8450	8490	8530	8570	8610	8650	8690	8730	8780
8100ft [4494ft]	8560	8600	8640	8680	8720	8760	8810	8850	8890
8200ft [4594ft]	8670	8710	8750	8790	8840	8880	8920	8970	9010
8300ft [4694ft]	8780	8820	8870	8910	8950	8990	9040	9080	9130
8400ft [4794ft]	8890	8940	8980	9020	9070	9110	9160	9200	9250
8500ft [4894ft]	9000	9050	9090	9130	9180	9220	9270	9320	9370
8600ft [4994ft]	9110	9160	9200	9250	9290	9340	9390	9440	9480
8606ft [5000ft]	9120	9160	9210	9250	9300	9350	9390	9440	9490

Stefano M. RAPISARDA - flightdeckengineering.com

CYYC - Calgary, AB, CANADA

Station Elevation: 3606 feet. ISA Standard Temperature: 7.85°C (rounded to 8°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-42)	-36°C (ISA-44)	-38°C (ISA-46)	-40°C (ISA-48)	-42°C (ISA-50)	-44°C (ISA-52)	-46°C (ISA-54)	-48°C (ISA-56)	-50°C (ISA-58)
3606ft [0ft]	3610	3610	3610	3610	3610	3610	3610	3610	3610
3700ft [94ft]	3720	3720	3720	3720	3720	3730	3730	3730	3730
3800ft [194ft]	3840	3840	3840	3840	3850	3850	3850	3850	3850
3900ft [294ft]	3960	3960	3960	3960	3970	3970	3970	3980	3980
4000ft [394ft]	4070	4080	4080	4080	4090	4090	4100	4100	4110
4100ft [494ft]	4190	4200	4200	4210	4210	4220	4220	4230	4230
4200ft [594ft]	4310	4310	4320	4330	4330	4340	4340	4350	4360
4300ft [694ft]	4430	4430	4440	4450	4450	4460	4470	4480	4480
4400ft [794ft]	4540	4550	4560	4570	4570	4580	4590	4600	4610
4500ft [894ft]	4660	4670	4680	4690	4700	4710	4710	4720	4730
4600ft [994ft]	4780	4790	4800	4810	4820	4830	4840	4850	4860
4700ft [1094ft]	4890	4910	4920	4930	4940	4950	4960	4970	4990
4800ft [1194ft]	5010	5020	5040	5050	5060	5070	5090	5100	5110
4900ft [1294ft]	5130	5140	5160	5170	5180	5200	5210	5220	5240
5000ft [1394ft]	5250	5260	5270	5290	5300	5320	5330	5350	5360
5100ft [1494ft]	5360	5380	5390	5410	5420	5440	5460	5470	5490
5200ft [1594ft]	5480	5500	5510	5530	5550	5560	5580	5600	5610
5300ft [1694ft]	5600	5620	5630	5650	5670	5690	5700	5720	5740
5400ft [1794ft]	5720	5730	5750	5770	5790	5810	5830	5850	5870
5500ft [1894ft]	5830	5850	5870	5890	5910	5930	5950	5970	5990
5600ft [1994ft]	5950	5970	5990	6010	6030	6050	6070	6100	6120
5700ft [2094ft]	6070	6090	6110	6130	6150	6180	6200	6220	6240
5800ft [2194ft]	6190	6210	6230	6250	6280	6300	6320	6350	6370
5900ft [2294ft]	6300	6330	6350	6370	6400	6420	6450	6470	6500
6000ft [2394ft]	6420	6450	6470	6490	6520	6540	6570	6600	6620
6100ft [2494ft]	6540	6560	6590	6610	6640	6670	6690	6720	6750
6200ft [2594ft]	6660	6680	6710	6740	6760	6790	6820	6850	6870
6300ft [2694ft]	6770	6800	6830	6860	6880	6910	6940	6970	7000
6400ft [2794ft]	6890	6920	6950	6980	7010	7040	7070	7100	7130
6500ft [2894ft]	7010	7040	7070	7100	7130	7160	7190	7220	7250
6600ft [2994ft]	7130	7160	7190	7220	7250	7280	7310	7350	7380
6700ft [3094ft]	7250	7280	7310	7340	7370	7400	7440	7470	7510
6800ft [3194ft]	7360	7390	7430	7460	7490	7530	7560	7600	7630
6900ft [3294ft]	7480	7510	7550	7580	7610	7650	7690	7720	7760
7000ft [3394ft]	7600	7630	7670	7700	7740	7770	7810	7850	7880
7100ft [3494ft]	7720	7750	7790	7820	7860	7900	7930	7970	8010
7200ft [3594ft]	7830	7870	7910	7940	7980	8020	8060	8100	8140
7300ft [3694ft]	7950	7990	8030	8060	8100	8140	8180	8220	8260
7400ft [3794ft]	8070	8110	8150	8180	8220	8260	8310	8350	8390
7500ft [3894ft]	8190	8230	8270	8310	8350	8390	8430	8470	8520
7600ft [3994ft]	8310	8350	8390	8430	8470	8510	8550	8600	8640
7700ft [4094ft]	8420	8460	8510	8550	8590	8630	8680	8720	8770
7800ft [4194ft]	8540	8580	8630	8670	8710	8760	8800	8850	8900
7900ft [4294ft]	8660	8700	8750	8790	8830	8880	8930	8970	9020
8000ft [4394ft]	8780	8820	8870	8910	8960	9000	9050	9100	9150
8100ft [4494ft]	8890	8940	8990	9030	9080	9130	9180	9220	9280
8200ft [4594ft]	9010	9060	9110	9150	9200	9250	9300	9350	9400
8300ft [4694ft]	9130	9180	9230	9270	9320	9370	9420	9480	9530
8400ft [4794ft]	9250	9300	9350	9390	9440	9500	9550	9600	9660
8500ft [4894ft]	9370	9420	9470	9520	9570	9620	9670	9730	9780
8600ft [4994ft]	9480	9530	9590	9640	9690	9740	9800	9850	9910
8606ft [5000ft]	9490	9540	9590	9640	9700	9750	9800	9860	9920

Stefano M. RAPISARDA - flightdeckengineering.com

3 British Columbia Airports

3.1 CYBL - CAMPBELL RIVER, BC, CANADA 37

3.2 CYCD - NANAIMO, BC, CANADA 41

3.3 CYCG - CASTLEGAR, BC, CANADA 45

3.4 CYKA - KAMLOOPS, BC, CANADA 49

3.5 CYLW - KELOWNA, BC, CANADA 53

3.6 CYPR - PRINCE RUPERT, BC, CANADA 57

3.7 CYQQ - COMOX, BC, CANADA 61

3.8 CYQZ - QUESNEL, BC, CANADA 65

3.9 CYVR - VANCOUVER, BC, CANADA 69

3.10 CYWL - WILLIAMS LAKE, BC, CANADA 73

3.11 CYXC - CRANBROOK, BC, CANADA 77

3.12 CYXJ - FORT ST. JOHN, BC, CANADA 81

3.13 CYXS - PRINCE GEORGE, BC, CANADA 85

3.14 CYXT - TERRACE, BC, CANADA 89

3.15 CYXX - ABBOTSFORD, BC, CANADA 93

3.16 CYYD - SMITHERS, BC, CANADA 97

3.17 CYYF - PENTICTON, BC, CANADA 101

3.18 CYYJ - VICTORIA, BC, CANADA 105

3.19 CYZP - SANDSPIT, BC, CANADA 109

CYBL - Campbell River, BC, CANADA

Station Elevation: 357 feet. ISA Standard Temperature: 14.29°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
357ft [0ft]	360	360	360	360	360	360	360	360	360
400ft [43ft]	400	410	410	410	410	410	410	410	410
500ft [143ft]	500	510	510	510	510	510	510	510	510
600ft [243ft]	600	610	610	610	610	610	610	620	620
700ft [343ft]	700	710	710	710	710	720	720	720	720
800ft [443ft]	800	810	810	810	820	820	820	830	830
900ft [543ft]	900	910	910	920	920	920	930	930	940
1000ft [643ft]	1000	1010	1010	1020	1020	1030	1030	1040	1040
1100ft [743ft]	1100	1110	1110	1120	1120	1130	1140	1140	1150
1200ft [843ft]	1200	1210	1210	1220	1230	1230	1240	1250	1250
1300ft [943ft]	1300	1310	1320	1320	1330	1340	1340	1350	1360
1400ft [1043ft]	1400	1410	1420	1420	1430	1440	1450	1460	1460
1500ft [1143ft]	1500	1510	1520	1530	1530	1540	1550	1560	1570
1600ft [1243ft]	1600	1610	1620	1630	1640	1650	1660	1670	1680
1700ft [1343ft]	1700	1710	1720	1730	1740	1750	1760	1770	1780
1800ft [1443ft]	1800	1810	1820	1830	1840	1850	1860	1880	1890
1900ft [1543ft]	1900	1910	1920	1930	1950	1960	1970	1980	1990
2000ft [1643ft]	2000	2010	2020	2040	2050	2060	2070	2090	2100
2100ft [1743ft]	2100	2110	2130	2140	2150	2160	2180	2190	2200
2200ft [1843ft]	2200	2210	2230	2240	2250	2270	2280	2290	2310
2300ft [1943ft]	2300	2310	2330	2340	2360	2370	2380	2400	2410
2400ft [2043ft]	2400	2410	2430	2440	2460	2470	2490	2500	2520
2500ft [2143ft]	2500	2510	2530	2550	2560	2580	2590	2610	2630
2600ft [2243ft]	2600	2620	2630	2650	2660	2680	2700	2710	2730
2700ft [2343ft]	2700	2720	2730	2750	2770	2780	2800	2820	2840
2800ft [2443ft]	2800	2820	2830	2850	2870	2890	2910	2920	2940
2900ft [2543ft]	2900	2920	2930	2950	2970	2990	3010	3030	3050
3000ft [2643ft]	3000	3020	3040	3060	3070	3090	3110	3130	3150
3100ft [2743ft]	3100	3120	3140	3160	3180	3200	3220	3240	3260
3200ft [2843ft]	3200	3220	3240	3260	3280	3300	3320	3340	3370
3300ft [2943ft]	3300	3320	3340	3360	3380	3400	3430	3450	3470
3400ft [3043ft]	3400	3420	3440	3460	3490	3510	3530	3550	3580
3500ft [3143ft]	3500	3520	3540	3560	3590	3610	3630	3660	3680
3600ft [3243ft]	3600	3620	3640	3670	3690	3710	3740	3760	3790
3700ft [3343ft]	3700	3720	3740	3770	3790	3820	3840	3870	3900
3800ft [3443ft]	3800	3820	3850	3870	3900	3920	3950	3970	4000
3900ft [3543ft]	3900	3920	3950	3970	4000	4020	4050	4080	4110
4000ft [3643ft]	4000	4020	4050	4070	4100	4130	4160	4180	4210
4100ft [3743ft]	4100	4120	4150	4180	4200	4230	4260	4290	4320
4200ft [3843ft]	4200	4220	4250	4280	4310	4340	4360	4390	4420
4300ft [3943ft]	4300	4320	4350	4380	4410	4440	4470	4500	4530
4400ft [4043ft]	4400	4420	4450	4480	4510	4540	4570	4600	4640
4500ft [4143ft]	4500	4520	4550	4580	4610	4650	4680	4710	4740
4600ft [4243ft]	4600	4620	4650	4690	4720	4750	4780	4810	4850
4700ft [4343ft]	4700	4720	4760	4790	4820	4850	4890	4920	4950
4800ft [4443ft]	4800	4830	4860	4890	4920	4960	4990	5020	5060
4900ft [4543ft]	4900	4930	4960	4990	5030	5060	5090	5130	5160
5000ft [4643ft]	5000	5030	5060	5090	5130	5160	5200	5230	5270
5100ft [4743ft]	5100	5130	5160	5200	5230	5270	5300	5340	5380
5200ft [4843ft]	5200	5230	5260	5300	5330	5370	5410	5440	5480
5300ft [4943ft]	5300	5330	5360	5400	5440	5470	5510	5550	5590
5357ft [5000ft]	5357	5380	5420	5460	5490	5530	5570	5610	5650

Stefano M. RAPISARDA - flightdeckengineering.com

CYBL - Campbell River, BC, CANADA

Station Elevation: 357 feet. ISA Standard Temperature: 14.29°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
357ft [0ft]	360	360	360	360	360	360	360	360	360
400ft [43ft]	410	410	410	410	410	410	410	410	410
500ft [143ft]	510	510	520	520	520	520	520	520	520
600ft [243ft]	620	620	620	620	630	630	630	630	630
700ft [343ft]	720	730	730	730	740	740	740	740	750
800ft [443ft]	830	830	840	840	840	850	850	860	860
900ft [543ft]	940	940	940	950	950	960	960	970	970
1000ft [643ft]	1040	1050	1050	1060	1060	1070	1070	1080	1080
1100ft [743ft]	1150	1150	1160	1160	1170	1180	1180	1190	1200
1200ft [843ft]	1250	1260	1270	1270	1280	1290	1290	1300	1310
1300ft [943ft]	1360	1370	1370	1380	1390	1400	1400	1410	1420
1400ft [1043ft]	1460	1470	1480	1490	1500	1510	1510	1520	1530
1500ft [1143ft]	1570	1580	1590	1600	1610	1620	1630	1640	1650
1600ft [1243ft]	1680	1680	1690	1700	1720	1730	1740	1750	1760
1700ft [1343ft]	1780	1790	1800	1810	1820	1840	1850	1860	1870
1800ft [1443ft]	1890	1900	1910	1920	1930	1940	1960	1970	1980
1900ft [1543ft]	1990	2000	2020	2030	2040	2050	2070	2080	2090
2000ft [1643ft]	2100	2110	2120	2140	2150	2160	2180	2190	2210
2100ft [1743ft]	2200	2220	2230	2250	2260	2270	2290	2300	2320
2200ft [1843ft]	2310	2320	2340	2350	2370	2380	2400	2420	2430
2300ft [1943ft]	2410	2430	2450	2460	2480	2490	2510	2530	2540
2400ft [2043ft]	2520	2540	2550	2570	2590	2600	2620	2640	2660
2500ft [2143ft]	2630	2640	2660	2680	2700	2710	2730	2750	2770
2600ft [2243ft]	2730	2750	2770	2790	2800	2820	2840	2860	2880
2700ft [2343ft]	2840	2860	2870	2890	2910	2930	2950	2970	2990
2800ft [2443ft]	2940	2960	2980	3000	3020	3040	3060	3080	3110
2900ft [2543ft]	3050	3070	3090	3110	3130	3150	3170	3200	3220
3000ft [2643ft]	3150	3180	3200	3220	3240	3260	3280	3310	3330
3100ft [2743ft]	3260	3280	3300	3330	3350	3370	3400	3420	3440
3200ft [2843ft]	3370	3390	3410	3430	3460	3480	3510	3530	3560
3300ft [2943ft]	3470	3500	3520	3540	3570	3590	3620	3640	3670
3400ft [3043ft]	3580	3600	3630	3650	3680	3700	3730	3750	3780
3500ft [3143ft]	3680	3710	3730	3760	3790	3810	3840	3870	3890
3600ft [3243ft]	3790	3810	3840	3870	3890	3920	3950	3980	4010
3700ft [3343ft]	3900	3920	3950	3980	4000	4030	4060	4090	4120
3800ft [3443ft]	4000	4030	4060	4080	4110	4140	4170	4200	4230
3900ft [3543ft]	4110	4130	4160	4190	4220	4250	4280	4310	4340
4000ft [3643ft]	4210	4240	4270	4300	4330	4360	4390	4420	4460
4100ft [3743ft]	4320	4350	4380	4410	4440	4470	4500	4540	4570
4200ft [3843ft]	4420	4450	4490	4520	4550	4580	4610	4650	4680
4300ft [3943ft]	4530	4560	4590	4620	4660	4690	4720	4760	4790
4400ft [4043ft]	4640	4670	4700	4730	4770	4800	4840	4870	4910
4500ft [4143ft]	4740	4770	4810	4840	4880	4910	4950	4980	5020
4600ft [4243ft]	4850	4880	4910	4950	4980	5020	5060	5090	5130
4700ft [4343ft]	4950	4990	5020	5060	5090	5130	5170	5210	5240
4800ft [4443ft]	5060	5090	5130	5170	5200	5240	5280	5320	5360
4900ft [4543ft]	5160	5200	5240	5270	5310	5350	5390	5430	5470
5000ft [4643ft]	5270	5310	5340	5380	5420	5460	5500	5540	5580
5100ft [4743ft]	5380	5410	5450	5490	5530	5570	5610	5650	5690
5200ft [4843ft]	5480	5520	5560	5600	5640	5680	5720	5760	5810
5300ft [4943ft]	5590	5630	5670	5710	5750	5790	5830	5880	5920
5357ft [5000ft]	5650	5690	5730	5770	5810	5850	5900	5940	5980

Stefano M. RAPISARDA - flightdeckengineering.com

CYBL - Campbell River, BC, CANADA

Station Elevation: 357 feet. ISA Standard Temperature: 14.29°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
357ft [0ft]	360	360	360	360	360	360	360	360	360
400ft [43ft]	410	410	410	410	410	410	410	410	410
500ft [143ft]	520	520	530	530	530	530	530	530	530
600ft [243ft]	630	640	640	640	640	650	650	650	650
700ft [343ft]	750	750	750	760	760	760	770	770	770
800ft [443ft]	860	860	870	870	880	880	880	890	890
900ft [543ft]	970	980	980	990	990	1000	1000	1010	1010
1000ft [643ft]	1080	1090	1100	1100	1110	1110	1120	1130	1130
1100ft [743ft]	1200	1200	1210	1220	1220	1230	1240	1240	1250
1200ft [843ft]	1310	1320	1320	1330	1340	1350	1350	1360	1370
1300ft [943ft]	1420	1430	1440	1450	1450	1460	1470	1480	1490
1400ft [1043ft]	1530	1540	1550	1560	1570	1580	1590	1600	1610
1500ft [1143ft]	1650	1660	1670	1680	1690	1700	1710	1720	1730
1600ft [1243ft]	1760	1770	1780	1790	1800	1810	1830	1840	1850
1700ft [1343ft]	1870	1880	1890	1910	1920	1930	1940	1960	1970
1800ft [1443ft]	1980	1990	2010	2020	2030	2050	2060	2080	2090
1900ft [1543ft]	2090	2110	2120	2140	2150	2170	2180	2200	2210
2000ft [1643ft]	2210	2220	2240	2250	2270	2280	2300	2310	2330
2100ft [1743ft]	2320	2330	2350	2370	2380	2400	2420	2430	2450
2200ft [1843ft]	2430	2450	2460	2480	2500	2520	2530	2550	2570
2300ft [1943ft]	2540	2560	2580	2600	2610	2630	2650	2670	2690
2400ft [2043ft]	2660	2670	2690	2710	2730	2750	2770	2790	2810
2500ft [2143ft]	2770	2790	2810	2830	2850	2870	2890	2910	2930
2600ft [2243ft]	2880	2900	2920	2940	2960	2980	3010	3030	3050
2700ft [2343ft]	2990	3010	3040	3060	3080	3100	3120	3150	3170
2800ft [2443ft]	3110	3130	3150	3170	3200	3220	3240	3270	3290
2900ft [2543ft]	3220	3240	3260	3290	3310	3340	3360	3390	3410
3000ft [2643ft]	3330	3350	3380	3400	3430	3450	3480	3500	3530
3100ft [2743ft]	3440	3470	3490	3520	3540	3570	3600	3620	3650
3200ft [2843ft]	3560	3580	3610	3630	3660	3690	3710	3740	3770
3300ft [2943ft]	3670	3690	3720	3750	3780	3800	3830	3860	3890
3400ft [3043ft]	3780	3810	3840	3860	3890	3920	3950	3980	4010
3500ft [3143ft]	3890	3920	3950	3980	4010	4040	4070	4100	4130
3600ft [3243ft]	4010	4030	4060	4090	4120	4160	4190	4220	4250
3700ft [3343ft]	4120	4150	4180	4210	4240	4270	4310	4340	4370
3800ft [3443ft]	4230	4260	4290	4320	4360	4390	4420	4460	4490
3900ft [3543ft]	4340	4380	4410	4440	4470	4510	4540	4580	4610
4000ft [3643ft]	4460	4490	4520	4560	4590	4620	4660	4700	4730
4100ft [3743ft]	4570	4600	4640	4670	4710	4740	4780	4820	4850
4200ft [3843ft]	4680	4720	4750	4790	4820	4860	4900	4930	4970
4300ft [3943ft]	4790	4830	4870	4900	4940	4980	5010	5050	5090
4400ft [4043ft]	4910	4940	4980	5020	5060	5090	5130	5170	5210
4500ft [4143ft]	5020	5060	5090	5130	5170	5210	5250	5290	5330
4600ft [4243ft]	5130	5170	5210	5250	5290	5330	5370	5410	5450
4700ft [4343ft]	5240	5280	5320	5360	5400	5450	5490	5530	5580
4800ft [4443ft]	5360	5400	5440	5480	5520	5560	5610	5650	5700
4900ft [4543ft]	5470	5510	5550	5590	5640	5680	5720	5770	5820
5000ft [4643ft]	5580	5620	5670	5710	5750	5800	5840	5890	5940
5100ft [4743ft]	5690	5740	5780	5830	5870	5920	5960	6010	6060
5200ft [4843ft]	5810	5850	5900	5940	5990	6030	6080	6130	6180
5300ft [4943ft]	5920	5960	6010	6060	6100	6150	6200	6250	6300
5357ft [5000ft]	5980	6030	6080	6120	6170	6220	6270	6320	6370

Stefano M. RAPISARDA - flightdeckengineering.com

CYBL - Campbell River, BC, CANADA

Station Elevation: 357 feet. ISA Standard Temperature: 14.29°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
357ft [0ft]	360	360	360	360	360	360	360	360	360
400ft [43ft]	410	410	410	410	420	420	420	420	420
500ft [143ft]	530	530	540	540	540	540	540	540	550
600ft [243ft]	650	660	660	660	660	670	670	670	680
700ft [343ft]	770	780	780	780	790	790	790	800	800
800ft [443ft]	890	900	900	910	910	920	920	930	930
900ft [543ft]	1010	1020	1020	1030	1030	1040	1050	1050	1060
1000ft [643ft]	1130	1140	1140	1150	1160	1170	1170	1180	1190
1100ft [743ft]	1250	1260	1270	1270	1280	1290	1300	1310	1320
1200ft [843ft]	1370	1380	1390	1400	1410	1420	1420	1430	1450
1300ft [943ft]	1490	1500	1510	1520	1530	1540	1550	1560	1580
1400ft [1043ft]	1610	1620	1630	1640	1650	1670	1680	1690	1710
1500ft [1143ft]	1730	1740	1750	1770	1780	1790	1800	1820	1840
1600ft [1243ft]	1850	1860	1880	1890	1900	1920	1930	1940	1960
1700ft [1343ft]	1970	1980	2000	2010	2030	2040	2060	2070	2090
1800ft [1443ft]	2090	2110	2120	2140	2150	2170	2180	2200	2220
1900ft [1543ft]	2210	2230	2240	2260	2270	2290	2310	2330	2350
2000ft [1643ft]	2330	2350	2360	2380	2400	2420	2430	2450	2480
2100ft [1743ft]	2450	2470	2490	2500	2520	2540	2560	2580	2610
2200ft [1843ft]	2570	2590	2610	2630	2650	2670	2690	2710	2740
2300ft [1943ft]	2690	2710	2730	2750	2770	2790	2810	2840	2870
2400ft [2043ft]	2810	2830	2850	2870	2900	2920	2940	2960	3000
2500ft [2143ft]	2930	2950	2970	3000	3020	3040	3070	3090	3130
2600ft [2243ft]	3050	3070	3100	3120	3140	3170	3190	3220	3260
2700ft [2343ft]	3170	3190	3220	3240	3270	3290	3320	3350	3390
2800ft [2443ft]	3290	3320	3340	3370	3390	3420	3450	3470	3520
2900ft [2543ft]	3410	3440	3460	3490	3520	3540	3570	3600	3650
3000ft [2643ft]	3530	3560	3580	3610	3640	3670	3700	3730	3770
3100ft [2743ft]	3650	3680	3710	3740	3770	3800	3830	3860	3900
3200ft [2843ft]	3770	3800	3830	3860	3890	3920	3950	3980	4030
3300ft [2943ft]	3890	3920	3950	3980	4010	4050	4080	4110	4160
3400ft [3043ft]	4010	4040	4070	4110	4140	4170	4210	4240	4290
3500ft [3143ft]	4130	4160	4200	4230	4260	4300	4330	4370	4420
3600ft [3243ft]	4250	4280	4320	4350	4390	4420	4460	4500	4550
3700ft [3343ft]	4370	4410	4440	4480	4510	4550	4590	4620	4680
3800ft [3443ft]	4490	4530	4560	4600	4640	4670	4710	4750	4810
3900ft [3543ft]	4610	4650	4690	4720	4760	4800	4840	4880	4940
4000ft [3643ft]	4730	4770	4810	4850	4890	4930	4970	5010	5070
4100ft [3743ft]	4850	4890	4930	4970	5010	5050	5090	5140	5200
4200ft [3843ft]	4970	5010	5050	5090	5130	5180	5220	5260	5330
4300ft [3943ft]	5090	5130	5180	5220	5260	5300	5350	5390	5460
4400ft [4043ft]	5210	5260	5300	5340	5380	5430	5470	5520	5590
4500ft [4143ft]	5330	5380	5420	5460	5510	5550	5600	5650	5720
4600ft [4243ft]	5450	5500	5540	5590	5630	5680	5730	5780	5850
4700ft [4343ft]	5580	5620	5660	5710	5760	5810	5850	5900	5980
4800ft [4443ft]	5700	5740	5790	5830	5880	5930	5980	6030	6110
4900ft [4543ft]	5820	5860	5910	5960	6010	6060	6110	6160	6240
5000ft [4643ft]	5940	5980	6030	6080	6130	6180	6240	6290	6370
5100ft [4743ft]	6060	6110	6160	6210	6260	6310	6360	6420	6500
5200ft [4843ft]	6180	6230	6280	6330	6380	6440	6490	6540	6630
5300ft [4943ft]	6300	6350	6400	6450	6510	6560	6620	6670	6760
5357ft [5000ft]	6370	6420	6470	6520	6580	6630	6690	6750	6830

Stefano M. RAPISARDA - flightdeckengineering.com

CYCD - Nanaimo, BC, CANADA

Station Elevation: 92 feet. ISA Standard Temperature: 14.82°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
92ft [0ft]	100	100	100	100	100	100	100	100	100
100ft [8ft]	100	110	110	110	110	110	110	110	110
200ft [108ft]	200	210	210	210	210	210	210	210	210
300ft [208ft]	300	310	310	310	310	310	310	320	320
400ft [308ft]	400	410	410	410	410	420	420	420	420
500ft [408ft]	500	510	510	510	520	520	520	530	530
600ft [508ft]	600	610	610	620	620	620	630	630	630
700ft [608ft]	700	710	710	720	720	730	730	740	740
800ft [708ft]	800	810	810	820	820	830	840	840	850
900ft [808ft]	900	910	920	920	930	930	940	950	950
1000ft [908ft]	1000	1010	1020	1020	1030	1040	1040	1050	1060
1100ft [1008ft]	1100	1110	1120	1130	1130	1140	1150	1160	1160
1200ft [1108ft]	1200	1210	1220	1230	1240	1240	1250	1260	1270
1300ft [1208ft]	1300	1310	1320	1330	1340	1350	1360	1370	1380
1400ft [1308ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1408ft]	1500	1510	1520	1530	1540	1550	1570	1580	1590
1600ft [1508ft]	1600	1610	1630	1640	1650	1660	1670	1680	1690
1700ft [1608ft]	1700	1720	1730	1740	1750	1760	1770	1790	1800
1800ft [1708ft]	1800	1820	1830	1840	1850	1870	1880	1890	1900
1900ft [1808ft]	1900	1920	1930	1940	1960	1970	1980	2000	2010
2000ft [1908ft]	2000	2020	2030	2040	2060	2070	2090	2100	2120
2100ft [2008ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2200ft [2108ft]	2200	2220	2230	2250	2260	2280	2300	2310	2330
2300ft [2208ft]	2300	2320	2330	2350	2370	2380	2400	2420	2430
2400ft [2308ft]	2400	2420	2440	2450	2470	2490	2500	2520	2540
2500ft [2408ft]	2500	2520	2540	2560	2570	2590	2610	2630	2650
2600ft [2508ft]	2600	2620	2640	2660	2680	2690	2710	2730	2750
2700ft [2608ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2708ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2808ft]	2900	2920	2940	2960	2980	3010	3030	3050	3070
3000ft [2908ft]	3000	3020	3040	3070	3090	3110	3130	3150	3180
3100ft [3008ft]	3100	3120	3150	3170	3190	3210	3240	3260	3280
3200ft [3108ft]	3200	3220	3250	3270	3290	3320	3340	3360	3390
3300ft [3208ft]	3300	3330	3350	3370	3400	3420	3440	3470	3490
3400ft [3308ft]	3400	3430	3450	3470	3500	3520	3550	3570	3600
3500ft [3408ft]	3500	3530	3550	3580	3600	3630	3650	3680	3710
3600ft [3508ft]	3600	3630	3650	3680	3700	3730	3760	3780	3810
3700ft [3608ft]	3700	3730	3750	3780	3810	3830	3860	3890	3920
3800ft [3708ft]	3800	3830	3860	3880	3910	3940	3970	3990	4020
3900ft [3808ft]	3900	3930	3960	3980	4010	4040	4070	4100	4130
4000ft [3908ft]	4000	4030	4060	4090	4120	4140	4170	4200	4240
4100ft [4008ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4200ft [4108ft]	4200	4230	4260	4290	4320	4350	4380	4420	4450
4300ft [4208ft]	4300	4330	4360	4390	4420	4460	4490	4520	4550
4400ft [4308ft]	4400	4430	4460	4500	4530	4560	4590	4630	4660
4500ft [4408ft]	4500	4530	4570	4600	4630	4660	4700	4730	4770
4600ft [4508ft]	4600	4630	4670	4700	4730	4770	4800	4840	4870
4700ft [4608ft]	4700	4730	4770	4800	4840	4870	4910	4940	4980
4800ft [4708ft]	4800	4840	4870	4900	4940	4970	5010	5050	5080
4900ft [4808ft]	4900	4940	4970	5010	5040	5080	5110	5150	5190
5000ft [4908ft]	5000	5040	5070	5110	5140	5180	5220	5260	5300
5092ft [5000ft]	5092	5130	5170	5200	5240	5280	5310	5350	5390

Stefano M. RAPISARDA - flightdeckengineering.com

CYCD - Nanaimo, BC, CANADA

Station Elevation: 92 feet. ISA Standard Temperature: 14.82°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
92ft [0ft]	100	100	100	100	100	100	100	100	100
100ft [8ft]	110	110	110	110	110	110	110	110	110
200ft [108ft]	210	210	210	210	210	220	220	220	220
300ft [208ft]	320	320	320	320	320	330	330	330	330
400ft [308ft]	420	430	430	430	430	440	440	440	440
500ft [408ft]	530	530	540	540	540	550	550	550	560
600ft [508ft]	630	640	640	650	650	660	660	660	670
700ft [608ft]	740	750	750	750	760	770	770	780	780
800ft [708ft]	850	850	860	860	870	870	880	890	890
900ft [808ft]	950	960	960	970	980	980	990	1000	1010
1000ft [908ft]	1060	1070	1070	1080	1090	1090	1100	1110	1120
1100ft [1008ft]	1160	1170	1180	1190	1200	1200	1210	1220	1230
1200ft [1108ft]	1270	1280	1290	1300	1310	1310	1320	1330	1340
1300ft [1208ft]	1380	1390	1390	1400	1410	1420	1430	1450	1460
1400ft [1308ft]	1480	1490	1500	1510	1520	1530	1550	1560	1570
1500ft [1408ft]	1590	1600	1610	1620	1630	1640	1660	1670	1680
1600ft [1508ft]	1690	1710	1720	1730	1740	1750	1770	1780	1790
1700ft [1608ft]	1800	1810	1820	1840	1850	1860	1880	1890	1910
1800ft [1708ft]	1900	1920	1930	1950	1960	1970	1990	2000	2020
1900ft [1808ft]	2010	2030	2040	2050	2070	2080	2100	2120	2130
2000ft [1908ft]	2120	2130	2150	2160	2180	2190	2210	2230	2240
2100ft [2008ft]	2220	2240	2250	2270	2290	2300	2320	2340	2360
2200ft [2108ft]	2330	2350	2360	2380	2400	2410	2430	2450	2470
2300ft [2208ft]	2430	2450	2470	2490	2510	2520	2540	2560	2580
2400ft [2308ft]	2540	2560	2580	2600	2610	2630	2650	2670	2690
2500ft [2408ft]	2650	2670	2680	2700	2720	2740	2760	2790	2810
2600ft [2508ft]	2750	2770	2790	2810	2830	2850	2880	2900	2920
2700ft [2608ft]	2860	2880	2900	2920	2940	2960	2990	3010	3030
2800ft [2708ft]	2960	2990	3010	3030	3050	3070	3100	3120	3150
2900ft [2808ft]	3070	3090	3110	3140	3160	3180	3210	3230	3260
3000ft [2908ft]	3180	3200	3220	3250	3270	3290	3320	3340	3370
3100ft [3008ft]	3280	3310	3330	3350	3380	3400	3430	3460	3480
3200ft [3108ft]	3390	3410	3440	3460	3490	3510	3540	3570	3600
3300ft [3208ft]	3490	3520	3540	3570	3600	3620	3650	3680	3710
3400ft [3308ft]	3600	3630	3650	3680	3710	3730	3760	3790	3820
3500ft [3408ft]	3710	3730	3760	3790	3820	3850	3870	3900	3930
3600ft [3508ft]	3810	3840	3870	3900	3930	3960	3990	4020	4050
3700ft [3608ft]	3920	3950	3980	4000	4030	4070	4100	4130	4160
3800ft [3708ft]	4020	4050	4080	4110	4140	4180	4210	4240	4270
3900ft [3808ft]	4130	4160	4190	4220	4250	4290	4320	4350	4390
4000ft [3908ft]	4240	4270	4300	4330	4360	4400	4430	4460	4500
4100ft [4008ft]	4340	4370	4410	4440	4470	4510	4540	4580	4610
4200ft [4108ft]	4450	4480	4510	4550	4580	4620	4650	4690	4720
4300ft [4208ft]	4550	4590	4620	4660	4690	4730	4760	4800	4840
4400ft [4308ft]	4660	4690	4730	4760	4800	4840	4870	4910	4950
4500ft [4408ft]	4770	4800	4840	4870	4910	4950	4980	5020	5060
4600ft [4508ft]	4870	4910	4940	4980	5020	5060	5100	5130	5180
4700ft [4608ft]	4980	5010	5050	5090	5130	5170	5210	5250	5290
4800ft [4708ft]	5080	5120	5160	5200	5240	5280	5320	5360	5400
4900ft [4808ft]	5190	5230	5270	5310	5350	5390	5430	5470	5510
5000ft [4908ft]	5300	5330	5370	5410	5460	5500	5540	5580	5630
5092ft [5000ft]	5390	5430	5470	5510	5560	5600	5640	5690	5730

Stefano M. RAPISARDA - flightdeckengineering.com

CYCD - Nanaimo, BC, CANADA

Station Elevation: 92 feet. ISA Standard Temperature: 14.82°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
92ft [0ft]	100	100	100	100	100	100	100	100	100
100ft [8ft]	110	110	110	110	110	110	110	110	110
200ft [108ft]	220	220	220	220	220	220	220	230	230
300ft [208ft]	330	330	330	340	340	340	340	340	350
400ft [308ft]	440	450	450	450	450	460	460	460	470
500ft [408ft]	560	560	560	570	570	570	580	580	590
600ft [508ft]	670	670	680	680	690	690	700	700	710
700ft [608ft]	780	790	790	800	800	810	810	820	830
800ft [708ft]	890	900	910	910	920	930	930	940	950
900ft [808ft]	1010	1010	1020	1030	1040	1040	1050	1060	1070
1000ft [908ft]	1120	1130	1130	1140	1150	1160	1170	1180	1190
1100ft [1008ft]	1230	1240	1250	1260	1270	1280	1290	1300	1310
1200ft [1108ft]	1340	1350	1360	1370	1380	1390	1400	1420	1430
1300ft [1208ft]	1460	1470	1480	1490	1500	1510	1520	1530	1550
1400ft [1308ft]	1570	1580	1590	1600	1620	1630	1640	1650	1670
1500ft [1408ft]	1680	1690	1710	1720	1730	1750	1760	1770	1790
1600ft [1508ft]	1790	1810	1820	1830	1850	1860	1880	1890	1910
1700ft [1608ft]	1910	1920	1930	1950	1960	1980	2000	2010	2030
1800ft [1708ft]	2020	2030	2050	2070	2080	2100	2110	2130	2150
1900ft [1808ft]	2130	2150	2160	2180	2200	2210	2230	2250	2270
2000ft [1908ft]	2240	2260	2280	2300	2310	2330	2350	2370	2390
2100ft [2008ft]	2360	2370	2390	2410	2430	2450	2470	2490	2510
2200ft [2108ft]	2470	2490	2510	2530	2550	2570	2590	2610	2630
2300ft [2208ft]	2580	2600	2620	2640	2660	2680	2700	2730	2750
2400ft [2308ft]	2690	2710	2740	2760	2780	2800	2820	2850	2870
2500ft [2408ft]	2810	2830	2850	2870	2900	2920	2940	2970	2990
2600ft [2508ft]	2920	2940	2960	2990	3010	3040	3060	3080	3110
2700ft [2608ft]	3030	3060	3080	3100	3130	3150	3180	3200	3230
2800ft [2708ft]	3150	3170	3190	3220	3240	3270	3300	3320	3350
2900ft [2808ft]	3260	3280	3310	3330	3360	3390	3410	3440	3470
3000ft [2908ft]	3370	3400	3420	3450	3480	3500	3530	3560	3590
3100ft [3008ft]	3480	3510	3540	3570	3590	3620	3650	3680	3710
3200ft [3108ft]	3600	3620	3650	3680	3710	3740	3770	3800	3830
3300ft [3208ft]	3710	3740	3770	3800	3830	3860	3890	3920	3950
3400ft [3308ft]	3820	3850	3880	3910	3940	3970	4010	4040	4070
3500ft [3408ft]	3930	3960	4000	4030	4060	4090	4130	4160	4190
3600ft [3508ft]	4050	4080	4110	4140	4180	4210	4240	4280	4310
3700ft [3608ft]	4160	4190	4230	4260	4290	4330	4360	4400	4430
3800ft [3708ft]	4270	4310	4340	4370	4410	4440	4480	4520	4550
3900ft [3808ft]	4390	4420	4450	4490	4530	4560	4600	4640	4680
4000ft [3908ft]	4500	4530	4570	4610	4640	4680	4720	4760	4800
4100ft [4008ft]	4610	4650	4680	4720	4760	4800	4840	4880	4920
4200ft [4108ft]	4720	4760	4800	4840	4880	4910	4950	5000	5040
4300ft [4208ft]	4840	4870	4910	4950	4990	5030	5070	5120	5160
4400ft [4308ft]	4950	4990	5030	5070	5110	5150	5190	5230	5280
4500ft [4408ft]	5060	5100	5140	5180	5230	5270	5310	5350	5400
4600ft [4508ft]	5180	5220	5260	5300	5340	5390	5430	5470	5520
4700ft [4608ft]	5290	5330	5370	5410	5460	5500	5550	5590	5640
4800ft [4708ft]	5400	5440	5490	5530	5580	5620	5670	5710	5760
4900ft [4808ft]	5510	5560	5600	5650	5690	5740	5790	5830	5880
5000ft [4908ft]	5630	5670	5720	5760	5810	5860	5900	5950	6000
5092ft [5000ft]	5730	5780	5820	5870	5920	5960	6010	6060	6110

Stefano M. RAPISARDA - flightdeckengineering.com

CYCD - Nanaimo, BC, CANADA

Station Elevation: 92 feet. ISA Standard Temperature: 14.82°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
92ft [0ft]	100	100	100	100	100	100	100	100	100
100ft [8ft]	110	110	110	110	110	110	110	110	110
200ft [108ft]	230	230	230	230	230	230	230	230	240
300ft [208ft]	350	350	350	350	360	360	360	360	370
400ft [308ft]	470	470	470	480	480	480	490	490	490
500ft [408ft]	590	590	590	600	600	610	610	620	620
600ft [508ft]	710	710	720	720	730	730	740	740	750
700ft [608ft]	830	830	840	850	850	860	860	870	880
800ft [708ft]	950	950	960	970	980	980	990	1000	1010
900ft [808ft]	1070	1070	1080	1090	1100	1110	1120	1130	1140
1000ft [908ft]	1190	1200	1210	1210	1220	1230	1240	1250	1270
1100ft [1008ft]	1310	1320	1330	1340	1350	1360	1370	1380	1400
1200ft [1108ft]	1430	1440	1450	1460	1470	1480	1500	1510	1530
1300ft [1208ft]	1550	1560	1570	1580	1600	1610	1620	1640	1660
1400ft [1308ft]	1670	1680	1690	1710	1720	1740	1750	1760	1790
1500ft [1408ft]	1790	1800	1820	1830	1850	1860	1880	1890	1920
1600ft [1508ft]	1910	1920	1940	1950	1970	1990	2000	2020	2050
1700ft [1608ft]	2030	2040	2060	2080	2090	2110	2130	2150	2180
1800ft [1708ft]	2150	2160	2180	2200	2220	2240	2260	2280	2310
1900ft [1808ft]	2270	2290	2300	2320	2340	2360	2380	2400	2430
2000ft [1908ft]	2390	2410	2430	2450	2470	2490	2510	2530	2560
2100ft [2008ft]	2510	2530	2550	2570	2590	2610	2640	2660	2690
2200ft [2108ft]	2630	2650	2670	2690	2720	2740	2760	2790	2820
2300ft [2208ft]	2750	2770	2790	2820	2840	2870	2890	2910	2950
2400ft [2308ft]	2870	2890	2920	2940	2970	2990	3020	3040	3080
2500ft [2408ft]	2990	3010	3040	3060	3090	3120	3140	3170	3210
2600ft [2508ft]	3110	3140	3160	3190	3210	3240	3270	3300	3340
2700ft [2608ft]	3230	3260	3280	3310	3340	3370	3400	3430	3470
2800ft [2708ft]	3350	3380	3410	3430	3460	3490	3520	3550	3600
2900ft [2808ft]	3470	3500	3530	3560	3590	3620	3650	3680	3730
3000ft [2908ft]	3590	3620	3650	3680	3710	3740	3780	3810	3860
3100ft [3008ft]	3710	3740	3770	3810	3840	3870	3900	3940	3990
3200ft [3108ft]	3830	3860	3900	3930	3960	4000	4030	4070	4120
3300ft [3208ft]	3950	3990	4020	4050	4090	4120	4160	4190	4250
3400ft [3308ft]	4070	4110	4140	4180	4210	4250	4290	4320	4380
3500ft [3408ft]	4190	4230	4260	4300	4340	4370	4410	4450	4510
3600ft [3508ft]	4310	4350	4390	4420	4460	4500	4540	4580	4640
3700ft [3608ft]	4430	4470	4510	4550	4590	4630	4670	4710	4770
3800ft [3708ft]	4550	4590	4630	4670	4710	4750	4790	4840	4900
3900ft [3808ft]	4680	4710	4750	4790	4840	4880	4920	4960	5030
4000ft [3908ft]	4800	4840	4880	4920	4960	5000	5050	5090	5160
4100ft [4008ft]	4920	4960	5000	5040	5090	5130	5170	5220	5290
4200ft [4108ft]	5040	5080	5120	5170	5210	5260	5300	5350	5420
4300ft [4208ft]	5160	5200	5250	5290	5340	5380	5430	5480	5550
4400ft [4308ft]	5280	5320	5370	5410	5460	5510	5560	5610	5680
4500ft [4408ft]	5400	5440	5490	5540	5590	5630	5680	5730	5810
4600ft [4508ft]	5520	5570	5610	5660	5710	5760	5810	5860	5940
4700ft [4608ft]	5640	5690	5740	5790	5840	5890	5940	5990	6070
4800ft [4708ft]	5760	5810	5860	5910	5960	6010	6070	6120	6200
4900ft [4808ft]	5880	5930	5980	6030	6090	6140	6190	6250	6330
5000ft [4908ft]	6000	6050	6100	6160	6210	6260	6320	6380	6460
5092ft [5000ft]	6110	6170	6220	6270	6330	6380	6440	6490	6580

Stefano M. RAPISARDA - flightdeckengineering.com

CYCG - Castlegar, BC, CANADA

Station Elevation: 1626 feet. ISA Standard Temperature: 11.78°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+2)	12°C (ISA+0)	10°C (ISA-2)	8°C (ISA-4)	6°C (ISA-6)	4°C (ISA-8)	2°C (ISA-10)	0°C (ISA-12)	-2°C (ISA-14)
1626ft [0ft]	---	1630	1630	1630	1630	1630	1630	1630	1630
1700ft [74ft]	---	1700	1710	1710	1710	1710	1710	1710	1710
1800ft [174ft]	---	1800	1810	1810	1810	1810	1810	1810	1810
1900ft [274ft]	---	1900	1910	1910	1910	1910	1910	1920	1920
2000ft [374ft]	---	2000	2010	2010	2010	2020	2020	2020	2020
2100ft [474ft]	---	2100	2110	2110	2110	2120	2120	2130	2130
2200ft [574ft]	---	2200	2210	2210	2220	2220	2230	2230	2230
2300ft [674ft]	---	2300	2310	2310	2320	2320	2330	2330	2340
2400ft [774ft]	---	2400	2410	2420	2420	2430	2430	2440	2440
2500ft [874ft]	---	2500	2510	2520	2520	2530	2540	2540	2550
2600ft [974ft]	---	2600	2610	2620	2630	2630	2640	2650	2650
2700ft [1074ft]	---	2700	2710	2720	2730	2740	2740	2750	2760
2800ft [1174ft]	---	2800	2810	2820	2830	2840	2850	2860	2860
2900ft [1274ft]	---	2900	2910	2920	2930	2940	2950	2960	2970
3000ft [1374ft]	---	3000	3010	3020	3030	3040	3050	3060	3070
3100ft [1474ft]	---	3100	3110	3120	3140	3150	3160	3170	3180
3200ft [1574ft]	---	3200	3210	3230	3240	3250	3260	3270	3290
3300ft [1674ft]	---	3300	3320	3330	3340	3350	3360	3380	3390
3400ft [1774ft]	---	3400	3420	3430	3440	3450	3470	3480	3500
3500ft [1874ft]	---	3500	3520	3530	3540	3560	3570	3590	3600
3600ft [1974ft]	---	3600	3620	3630	3650	3660	3680	3690	3710
3700ft [2074ft]	---	3700	3720	3730	3750	3760	3780	3790	3810
3800ft [2174ft]	---	3800	3820	3830	3850	3870	3880	3900	3920
3900ft [2274ft]	---	3900	3920	3940	3950	3970	3990	4000	4020
4000ft [2374ft]	---	4000	4020	4040	4050	4070	4090	4110	4130
4100ft [2474ft]	---	4100	4120	4140	4160	4170	4190	4210	4230
4200ft [2574ft]	---	4200	4220	4240	4260	4280	4300	4320	4340
4300ft [2674ft]	---	4300	4320	4340	4360	4380	4400	4420	4440
4400ft [2774ft]	---	4400	4420	4440	4460	4480	4500	4530	4550
4500ft [2874ft]	---	4500	4520	4540	4560	4590	4610	4630	4650
4600ft [2974ft]	---	4600	4620	4650	4670	4690	4710	4730	4760
4700ft [3074ft]	---	4700	4720	4750	4770	4790	4810	4840	4860
4800ft [3174ft]	---	4800	4830	4850	4870	4890	4920	4940	4970
4900ft [3274ft]	---	4900	4930	4950	4970	5000	5020	5050	5070
5000ft [3374ft]	---	5000	5030	5050	5080	5100	5130	5150	5180
5100ft [3474ft]	---	5100	5130	5150	5180	5200	5230	5260	5280
5200ft [3574ft]	---	5200	5230	5250	5280	5310	5330	5360	5390
5300ft [3674ft]	---	5300	5330	5350	5380	5410	5440	5460	5490
5400ft [3774ft]	---	5400	5430	5460	5480	5510	5540	5570	5600
5500ft [3874ft]	---	5500	5530	5560	5590	5610	5640	5670	5700
5600ft [3974ft]	---	5600	5630	5660	5690	5720	5750	5780	5810
5700ft [4074ft]	---	5700	5730	5760	5790	5820	5850	5880	5910
5800ft [4174ft]	---	5800	5830	5860	5890	5920	5950	5990	6020
5900ft [4274ft]	---	5900	5930	5960	5990	6030	6060	6090	6120
6000ft [4374ft]	---	6000	6030	6060	6100	6130	6160	6200	6230
6100ft [4474ft]	---	6100	6130	6170	6200	6230	6270	6300	6330
6200ft [4574ft]	---	6200	6230	6270	6300	6330	6370	6400	6440
6300ft [4674ft]	---	6300	6330	6370	6400	6440	6470	6510	6550
6400ft [4774ft]	---	6400	6440	6470	6500	6540	6580	6610	6650
6500ft [4874ft]	---	6500	6540	6570	6610	6640	6680	6720	6760
6600ft [4974ft]	---	6600	6640	6670	6710	6750	6780	6820	6860
6626ft [5000ft]	---	6630	6660	6700	6740	6770	6810	6850	6890

Stefano M. RAPISARDA - flightdeckengineering.com

CYCG - Castlegar, BC, CANADA

Station Elevation: 1626 feet. ISA Standard Temperature: 11.78°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-14)	-4°C (ISA-16)	-6°C (ISA-18)	-8°C (ISA-20)	-10°C (ISA-22)	-12°C (ISA-24)	-14°C (ISA-26)	-16°C (ISA-28)	-18°C (ISA-30)
1626ft [0ft]	1630	1630	1630	1630	1630	1630	1630	1630	1630
1700ft [74ft]	1710	1710	1710	1710	1710	1710	1710	1710	1710
1800ft [174ft]	1810	1820	1820	1820	1820	1820	1820	1820	1830
1900ft [274ft]	1920	1920	1920	1930	1930	1930	1930	1930	1940
2000ft [374ft]	2020	2030	2030	2030	2040	2040	2040	2050	2050
2100ft [474ft]	2130	2130	2140	2140	2140	2150	2150	2160	2160
2200ft [574ft]	2230	2240	2240	2250	2250	2260	2260	2270	2270
2300ft [674ft]	2340	2340	2350	2360	2360	2370	2370	2380	2380
2400ft [774ft]	2440	2450	2460	2460	2470	2480	2480	2490	2500
2500ft [874ft]	2550	2560	2560	2570	2580	2580	2590	2600	2610
2600ft [974ft]	2650	2660	2670	2680	2690	2690	2700	2710	2720
2700ft [1074ft]	2760	2770	2780	2780	2790	2800	2810	2820	2830
2800ft [1174ft]	2860	2870	2880	2890	2900	2910	2920	2930	2940
2900ft [1274ft]	2970	2980	2990	3000	3010	3020	3030	3040	3050
3000ft [1374ft]	3070	3090	3100	3110	3120	3130	3140	3150	3170
3100ft [1474ft]	3180	3190	3200	3210	3230	3240	3250	3260	3280
3200ft [1574ft]	3290	3300	3310	3320	3340	3350	3360	3380	3390
3300ft [1674ft]	3390	3400	3420	3430	3440	3460	3470	3490	3500
3400ft [1774ft]	3500	3510	3520	3540	3550	3570	3580	3600	3610
3500ft [1874ft]	3600	3620	3630	3640	3660	3680	3690	3710	3720
3600ft [1974ft]	3710	3720	3740	3750	3770	3790	3800	3820	3840
3700ft [2074ft]	3810	3830	3840	3860	3880	3890	3910	3930	3950
3800ft [2174ft]	3920	3930	3950	3970	3990	4000	4020	4040	4060
3900ft [2274ft]	4020	4040	4060	4080	4090	4110	4130	4150	4170
4000ft [2374ft]	4130	4140	4160	4180	4200	4220	4240	4260	4280
4100ft [2474ft]	4230	4250	4270	4290	4310	4330	4350	4370	4390
4200ft [2574ft]	4340	4360	4380	4400	4420	4440	4460	4480	4510
4300ft [2674ft]	4440	4460	4480	4510	4530	4550	4570	4600	4620
4400ft [2774ft]	4550	4570	4590	4610	4640	4660	4680	4710	4730
4500ft [2874ft]	4650	4670	4700	4720	4740	4770	4790	4820	4840
4600ft [2974ft]	4760	4780	4800	4830	4850	4880	4900	4930	4950
4700ft [3074ft]	4860	4890	4910	4940	4960	4990	5010	5040	5070
4800ft [3174ft]	4970	4990	5020	5040	5070	5100	5120	5150	5180
4900ft [3274ft]	5070	5100	5120	5150	5180	5210	5230	5260	5290
5000ft [3374ft]	5180	5200	5230	5260	5290	5310	5340	5370	5400
5100ft [3474ft]	5280	5310	5340	5370	5390	5420	5450	5480	5510
5200ft [3574ft]	5390	5420	5440	5470	5500	5530	5560	5590	5630
5300ft [3674ft]	5490	5520	5550	5580	5610	5640	5670	5710	5740
5400ft [3774ft]	5600	5630	5660	5690	5720	5750	5780	5820	5850
5500ft [3874ft]	5700	5730	5770	5800	5830	5860	5890	5930	5960
5600ft [3974ft]	5810	5840	5870	5900	5940	5970	6000	6040	6070
5700ft [4074ft]	5910	5950	5980	6010	6050	6080	6110	6150	6190
5800ft [4174ft]	6020	6050	6090	6120	6150	6190	6220	6260	6300
5900ft [4274ft]	6120	6160	6190	6230	6260	6300	6330	6370	6410
6000ft [4374ft]	6230	6260	6300	6330	6370	6410	6440	6480	6520
6100ft [4474ft]	6330	6370	6410	6440	6480	6520	6560	6590	6630
6200ft [4574ft]	6440	6480	6510	6550	6590	6630	6670	6710	6750
6300ft [4674ft]	6550	6580	6620	6660	6700	6740	6780	6820	6860
6400ft [4774ft]	6650	6690	6730	6770	6810	6850	6890	6930	6970
6500ft [4874ft]	6760	6790	6830	6870	6910	6950	7000	7040	7080
6600ft [4974ft]	6860	6900	6940	6980	7020	7060	7110	7150	7190
6626ft [5000ft]	6890	6930	6970	7010	7050	7090	7140	7180	7220

Stefano M. RAPISARDA - flightdeckengineering.com

CYCG - Castlegar, BC, CANADA

Station Elevation: 1626 feet. ISA Standard Temperature: 11.78°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-30)	-20°C (ISA-32)	-22°C (ISA-34)	-24°C (ISA-36)	-26°C (ISA-38)	-28°C (ISA-40)	-30°C (ISA-42)	-32°C (ISA-44)	-34°C (ISA-46)
1626ft [0ft]	1630	1630	1630	1630	1630	1630	1630	1630	1630
1700ft [74ft]	1710	1710	1710	1720	1720	1720	1720	1720	1720
1800ft [174ft]	1830	1830	1830	1830	1830	1830	1830	1840	1840
1900ft [274ft]	1940	1940	1940	1940	1950	1950	1950	1950	1960
2000ft [374ft]	2050	2050	2060	2060	2060	2070	2070	2070	2080
2100ft [474ft]	2160	2160	2170	2170	2180	2180	2190	2190	2200
2200ft [574ft]	2270	2280	2280	2290	2290	2300	2300	2310	2310
2300ft [674ft]	2380	2390	2400	2400	2410	2410	2420	2430	2430
2400ft [774ft]	2500	2500	2510	2520	2520	2530	2540	2550	2550
2500ft [874ft]	2610	2610	2620	2630	2640	2650	2650	2660	2670
2600ft [974ft]	2720	2730	2740	2740	2750	2760	2770	2780	2790
2700ft [1074ft]	2830	2840	2850	2860	2870	2880	2890	2900	2910
2800ft [1174ft]	2940	2950	2960	2970	2980	3000	3010	3020	3030
2900ft [1274ft]	3050	3060	3080	3090	3100	3110	3120	3140	3150
3000ft [1374ft]	3170	3180	3190	3200	3210	3230	3240	3250	3270
3100ft [1474ft]	3280	3290	3300	3320	3330	3340	3360	3370	3390
3200ft [1574ft]	3390	3400	3420	3430	3450	3460	3480	3490	3510
3300ft [1674ft]	3500	3520	3530	3550	3560	3580	3590	3610	3630
3400ft [1774ft]	3610	3630	3640	3660	3680	3690	3710	3730	3740
3500ft [1874ft]	3720	3740	3760	3770	3790	3810	3830	3850	3860
3600ft [1974ft]	3840	3850	3870	3890	3910	3930	3940	3960	3980
3700ft [2074ft]	3950	3970	3980	4000	4020	4040	4060	4080	4100
3800ft [2174ft]	4060	4080	4100	4120	4140	4160	4180	4200	4220
3900ft [2274ft]	4170	4190	4210	4230	4250	4280	4300	4320	4340
4000ft [2374ft]	4280	4300	4330	4350	4370	4390	4410	4440	4460
4100ft [2474ft]	4390	4420	4440	4460	4480	4510	4530	4560	4580
4200ft [2574ft]	4510	4530	4550	4580	4600	4620	4650	4670	4700
4300ft [2674ft]	4620	4640	4670	4690	4720	4740	4770	4790	4820
4400ft [2774ft]	4730	4750	4780	4810	4830	4860	4880	4910	4940
4500ft [2874ft]	4840	4870	4890	4920	4950	4970	5000	5030	5060
4600ft [2974ft]	4950	4980	5010	5030	5060	5090	5120	5150	5180
4700ft [3074ft]	5070	5090	5120	5150	5180	5210	5240	5270	5300
4800ft [3174ft]	5180	5210	5230	5260	5290	5320	5350	5390	5420
4900ft [3274ft]	5290	5320	5350	5380	5410	5440	5470	5500	5540
5000ft [3374ft]	5400	5430	5460	5490	5520	5560	5590	5620	5660
5100ft [3474ft]	5510	5540	5580	5610	5640	5670	5710	5740	5780
5200ft [3574ft]	5630	5660	5690	5720	5760	5790	5820	5860	5900
5300ft [3674ft]	5740	5770	5800	5840	5870	5910	5940	5980	6010
5400ft [3774ft]	5850	5880	5920	5950	5990	6020	6060	6100	6130
5500ft [3874ft]	5960	6000	6030	6070	6100	6140	6180	6220	6250
5600ft [3974ft]	6070	6110	6140	6180	6220	6260	6290	6330	6370
5700ft [4074ft]	6190	6220	6260	6300	6330	6370	6410	6450	6490
5800ft [4174ft]	6300	6330	6370	6410	6450	6490	6530	6570	6610
5900ft [4274ft]	6410	6450	6490	6530	6570	6610	6650	6690	6730
6000ft [4374ft]	6520	6560	6600	6640	6680	6720	6770	6810	6850
6100ft [4474ft]	6630	6670	6710	6760	6800	6840	6880	6930	6970
6200ft [4574ft]	6750	6790	6830	6870	6910	6960	7000	7050	7090
6300ft [4674ft]	6860	6900	6940	6980	7030	7070	7120	7160	7210
6400ft [4774ft]	6970	7010	7060	7100	7140	7190	7240	7280	7330
6500ft [4874ft]	7080	7130	7170	7210	7260	7310	7350	7400	7450
6600ft [4974ft]	7190	7240	7280	7330	7380	7420	7470	7520	7570
6626ft [5000ft]	7220	7270	7310	7360	7410	7450	7500	7550	7600

Stefano M. RAPISARDA - flightdeckengineering.com

CYCG - Castlegar, BC, CANADA

Station Elevation: 1626 feet. ISA Standard Temperature: 11.78°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-46)	-36°C (ISA-48)	-38°C (ISA-50)	-40°C (ISA-52)	-42°C (ISA-54)	-44°C (ISA-56)	-46°C (ISA-58)	-48°C (ISA-60)	-50°C (ISA-62)
1626ft [0ft]	1630	1630	1630	1630	1630	1630	1630	1630	1630
1700ft [74ft]	1720	1720	1720	1720	1720	1720	1720	1720	1730
1800ft [174ft]	1840	1840	1840	1840	1850	1850	1850	1850	1850
1900ft [274ft]	1960	1960	1960	1970	1970	1970	1970	1980	1980
2000ft [374ft]	2080	2080	2080	2090	2090	2100	2100	2100	2110
2100ft [474ft]	2200	2200	2200	2210	2210	2220	2230	2230	2240
2200ft [574ft]	2310	2320	2330	2330	2340	2340	2350	2360	2360
2300ft [674ft]	2430	2440	2450	2450	2460	2470	2480	2480	2490
2400ft [774ft]	2550	2560	2570	2580	2580	2590	2600	2610	2620
2500ft [874ft]	2670	2680	2690	2700	2710	2720	2730	2740	2750
2600ft [974ft]	2790	2800	2810	2820	2830	2840	2850	2860	2870
2700ft [1074ft]	2910	2920	2930	2940	2950	2970	2980	2990	3000
2800ft [1174ft]	3030	3040	3050	3070	3080	3090	3100	3120	3130
2900ft [1274ft]	3150	3160	3170	3190	3200	3210	3230	3240	3260
3000ft [1374ft]	3270	3280	3300	3310	3320	3340	3350	3370	3390
3100ft [1474ft]	3390	3400	3420	3430	3450	3460	3480	3500	3510
3200ft [1574ft]	3510	3520	3540	3550	3570	3590	3610	3620	3640
3300ft [1674ft]	3630	3640	3660	3680	3690	3710	3730	3750	3770
3400ft [1774ft]	3740	3760	3780	3800	3820	3840	3860	3880	3900
3500ft [1874ft]	3860	3880	3900	3920	3940	3960	3980	4000	4020
3600ft [1974ft]	3980	4000	4020	4040	4070	4090	4110	4130	4150
3700ft [2074ft]	4100	4120	4150	4170	4190	4210	4230	4260	4280
3800ft [2174ft]	4220	4240	4270	4290	4310	4340	4360	4380	4410
3900ft [2274ft]	4340	4360	4390	4410	4440	4460	4490	4510	4540
4000ft [2374ft]	4460	4490	4510	4530	4560	4590	4610	4640	4660
4100ft [2474ft]	4580	4610	4630	4660	4680	4710	4740	4760	4790
4200ft [2574ft]	4700	4730	4750	4780	4810	4830	4860	4890	4920
4300ft [2674ft]	4820	4850	4870	4900	4930	4960	4990	5020	5050
4400ft [2774ft]	4940	4970	5000	5020	5050	5080	5110	5150	5180
4500ft [2874ft]	5060	5090	5120	5150	5180	5210	5240	5270	5310
4600ft [2974ft]	5180	5210	5240	5270	5300	5330	5370	5400	5430
4700ft [3074ft]	5300	5330	5360	5390	5430	5460	5490	5530	5560
4800ft [3174ft]	5420	5450	5480	5510	5550	5580	5620	5650	5690
4900ft [3274ft]	5540	5570	5600	5640	5670	5710	5740	5780	5820
5000ft [3374ft]	5660	5690	5720	5760	5800	5830	5870	5910	5950
5100ft [3474ft]	5780	5810	5850	5880	5920	5960	6000	6040	6080
5200ft [3574ft]	5900	5930	5970	6010	6040	6080	6120	6160	6200
5300ft [3674ft]	6010	6050	6090	6130	6170	6210	6250	6290	6330
5400ft [3774ft]	6130	6170	6210	6250	6290	6330	6370	6420	6460
5500ft [3874ft]	6250	6290	6330	6370	6420	6460	6500	6540	6590
5600ft [3974ft]	6370	6410	6460	6500	6540	6580	6630	6670	6720
5700ft [4074ft]	6490	6530	6580	6620	6660	6710	6750	6800	6850
5800ft [4174ft]	6610	6660	6700	6740	6790	6830	6880	6930	6970
5900ft [4274ft]	6730	6780	6820	6870	6910	6960	7010	7050	7100
6000ft [4374ft]	6850	6900	6940	6990	7040	7080	7130	7180	7230
6100ft [4474ft]	6970	7020	7060	7110	7160	7210	7260	7310	7360
6200ft [4574ft]	7090	7140	7190	7230	7280	7330	7380	7440	7490
6300ft [4674ft]	7210	7260	7310	7360	7410	7460	7510	7560	7620
6400ft [4774ft]	7330	7380	7430	7480	7530	7580	7640	7690	7750
6500ft [4874ft]	7450	7500	7550	7600	7660	7710	7760	7820	7870
6600ft [4974ft]	7570	7620	7670	7730	7780	7830	7890	7950	8000
6626ft [5000ft]	7600	7650	7710	7760	7810	7870	7920	7980	8040

Stefano M. RAPISARDA - flightdeckengineering.com

CYKA - Kamloops, BC, CANADA

Station Elevation: 1133 feet. ISA Standard Temperature: 12.75°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+2)	13°C (ISA+0)	11°C (ISA-2)	9°C (ISA-4)	7°C (ISA-6)	5°C (ISA-8)	3°C (ISA-10)	1°C (ISA-12)	-1°C (ISA-14)
1133ft [0ft]	---	1140	1140	1140	1140	1140	1140	1140	1140
1200ft [67ft]	---	1200	1210	1210	1210	1210	1210	1210	1210
1300ft [167ft]	---	1300	1310	1310	1310	1310	1310	1310	1310
1400ft [267ft]	---	1400	1410	1410	1410	1410	1410	1420	1420
1500ft [367ft]	---	1500	1510	1510	1510	1520	1520	1520	1520
1600ft [467ft]	---	1600	1610	1610	1610	1620	1620	1620	1630
1700ft [567ft]	---	1700	1710	1710	1720	1720	1720	1730	1730
1800ft [667ft]	---	1800	1810	1810	1820	1820	1830	1830	1840
1900ft [767ft]	---	1900	1910	1920	1920	1930	1930	1940	1940
2000ft [867ft]	---	2000	2010	2020	2020	2030	2040	2040	2050
2100ft [967ft]	---	2100	2110	2120	2120	2130	2140	2150	2150
2200ft [1067ft]	---	2200	2210	2220	2230	2230	2240	2250	2260
2300ft [1167ft]	---	2300	2310	2320	2330	2340	2350	2360	2360
2400ft [1267ft]	---	2400	2410	2420	2430	2440	2450	2460	2470
2500ft [1367ft]	---	2500	2510	2520	2530	2540	2550	2560	2570
2600ft [1467ft]	---	2600	2610	2620	2640	2650	2660	2670	2680
2700ft [1567ft]	---	2700	2710	2730	2740	2750	2760	2770	2780
2800ft [1667ft]	---	2800	2820	2830	2840	2850	2860	2880	2890
2900ft [1767ft]	---	2900	2920	2930	2940	2950	2970	2980	2990
3000ft [1867ft]	---	3000	3020	3030	3040	3060	3070	3090	3100
3100ft [1967ft]	---	3100	3120	3130	3150	3160	3170	3190	3200
3200ft [2067ft]	---	3200	3220	3230	3250	3260	3280	3290	3310
3300ft [2167ft]	---	3300	3320	3330	3350	3370	3380	3400	3410
3400ft [2267ft]	---	3400	3420	3440	3450	3470	3490	3500	3520
3500ft [2367ft]	---	3500	3520	3540	3550	3570	3590	3610	3630
3600ft [2467ft]	---	3600	3620	3640	3660	3670	3690	3710	3730
3700ft [2567ft]	---	3700	3720	3740	3760	3780	3800	3820	3840
3800ft [2667ft]	---	3800	3820	3840	3860	3880	3900	3920	3940
3900ft [2767ft]	---	3900	3920	3940	3960	3980	4000	4020	4050
4000ft [2867ft]	---	4000	4020	4040	4060	4090	4110	4130	4150
4100ft [2967ft]	---	4100	4120	4140	4170	4190	4210	4230	4260
4200ft [3067ft]	---	4200	4220	4250	4270	4290	4310	4340	4360
4300ft [3167ft]	---	4300	4320	4350	4370	4390	4420	4440	4470
4400ft [3267ft]	---	4400	4430	4450	4470	4500	4520	4550	4570
4500ft [3367ft]	---	4500	4530	4550	4570	4600	4620	4650	4680
4600ft [3467ft]	---	4600	4630	4650	4680	4700	4730	4750	4780
4700ft [3567ft]	---	4700	4730	4750	4780	4810	4830	4860	4890
4800ft [3667ft]	---	4800	4830	4850	4880	4910	4940	4960	4990
4900ft [3767ft]	---	4900	4930	4960	4980	5010	5040	5070	5100
5000ft [3867ft]	---	5000	5030	5060	5090	5110	5140	5170	5200
5100ft [3967ft]	---	5100	5130	5160	5190	5220	5250	5280	5310
5200ft [4067ft]	---	5200	5230	5260	5290	5320	5350	5380	5410
5300ft [4167ft]	---	5300	5330	5360	5390	5420	5450	5490	5520
5400ft [4267ft]	---	5400	5430	5460	5490	5530	5560	5590	5620
5500ft [4367ft]	---	5500	5530	5560	5600	5630	5660	5690	5730
5600ft [4467ft]	---	5600	5630	5670	5700	5730	5760	5800	5830
5700ft [4567ft]	---	5700	5730	5770	5800	5830	5870	5900	5940
5800ft [4667ft]	---	5800	5830	5870	5900	5940	5970	6010	6040
5900ft [4767ft]	---	5900	5930	5970	6000	6040	6080	6110	6150
6000ft [4867ft]	---	6000	6040	6070	6110	6140	6180	6220	6250
6100ft [4967ft]	---	6100	6140	6170	6210	6250	6280	6320	6360
6133ft [5000ft]	---	6133	6170	6210	6240	6280	6320	6360	6390

Stefano M. RAPISARDA - flightdeckengineering.com

CYKA - Kamloops, BC, CANADA

Station Elevation: 1133 feet. ISA Standard Temperature: 12.75°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-14)	-3°C (ISA-16)	-5°C (ISA-18)	-7°C (ISA-20)	-9°C (ISA-22)	-11°C (ISA-24)	-13°C (ISA-26)	-15°C (ISA-28)	-17°C (ISA-30)
1133ft [0ft]	1140	1140	1140	1140	1140	1140	1140	1140	1140
1200ft [67ft]	1210	1210	1210	1210	1210	1210	1210	1210	1210
1300ft [167ft]	1310	1310	1320	1320	1320	1320	1320	1320	1320
1400ft [267ft]	1420	1420	1420	1420	1430	1430	1430	1430	1440
1500ft [367ft]	1520	1530	1530	1530	1540	1540	1540	1540	1550
1600ft [467ft]	1630	1630	1640	1640	1640	1650	1650	1660	1660
1700ft [567ft]	1730	1740	1740	1750	1750	1760	1760	1770	1770
1800ft [667ft]	1840	1840	1850	1850	1860	1870	1870	1880	1880
1900ft [767ft]	1940	1950	1960	1960	1970	1970	1980	1990	1990
2000ft [867ft]	2050	2060	2060	2070	2080	2080	2090	2100	2110
2100ft [967ft]	2150	2160	2170	2180	2180	2190	2200	2210	2220
2200ft [1067ft]	2260	2270	2280	2280	2290	2300	2310	2320	2330
2300ft [1167ft]	2360	2370	2380	2390	2400	2410	2420	2430	2440
2400ft [1267ft]	2470	2480	2490	2500	2510	2520	2530	2540	2550
2500ft [1367ft]	2570	2580	2600	2610	2620	2630	2640	2650	2660
2600ft [1467ft]	2680	2690	2700	2710	2730	2740	2750	2760	2780
2700ft [1567ft]	2780	2800	2810	2820	2830	2850	2860	2870	2890
2800ft [1667ft]	2890	2900	2920	2930	2940	2960	2970	2980	3000
2900ft [1767ft]	2990	3010	3020	3040	3050	3070	3080	3100	3110
3000ft [1867ft]	3100	3110	3130	3140	3160	3170	3190	3210	3220
3100ft [1967ft]	3200	3220	3240	3250	3270	3280	3300	3320	3330
3200ft [2067ft]	3310	3330	3340	3360	3380	3390	3410	3430	3450
3300ft [2167ft]	3410	3430	3450	3470	3480	3500	3520	3540	3560
3400ft [2267ft]	3520	3540	3560	3570	3590	3610	3630	3650	3670
3500ft [2367ft]	3630	3640	3660	3680	3700	3720	3740	3760	3780
3600ft [2467ft]	3730	3750	3770	3790	3810	3830	3850	3870	3890
3700ft [2567ft]	3840	3860	3880	3900	3920	3940	3960	3980	4010
3800ft [2667ft]	3940	3960	3980	4000	4030	4050	4070	4090	4120
3900ft [2767ft]	4050	4070	4090	4110	4130	4160	4180	4200	4230
4000ft [2867ft]	4150	4170	4200	4220	4240	4270	4290	4320	4340
4100ft [2967ft]	4260	4280	4300	4330	4350	4380	4400	4430	4450
4200ft [3067ft]	4360	4390	4410	4430	4460	4490	4510	4540	4560
4300ft [3167ft]	4470	4490	4520	4540	4570	4590	4620	4650	4680
4400ft [3267ft]	4570	4600	4620	4650	4680	4700	4730	4760	4790
4500ft [3367ft]	4680	4700	4730	4760	4780	4810	4840	4870	4900
4600ft [3467ft]	4780	4810	4840	4860	4890	4920	4950	4980	5010
4700ft [3567ft]	4890	4920	4940	4970	5000	5030	5060	5090	5120
4800ft [3667ft]	4990	5020	5050	5080	5110	5140	5170	5200	5240
4900ft [3767ft]	5100	5130	5160	5190	5220	5250	5280	5310	5350
5000ft [3867ft]	5200	5230	5260	5300	5330	5360	5390	5430	5460
5100ft [3967ft]	5310	5340	5370	5400	5440	5470	5500	5540	5570
5200ft [4067ft]	5410	5440	5480	5510	5540	5580	5610	5650	5680
5300ft [4167ft]	5520	5550	5580	5620	5650	5690	5720	5760	5800
5400ft [4267ft]	5620	5660	5690	5730	5760	5800	5830	5870	5910
5500ft [4367ft]	5730	5760	5800	5830	5870	5910	5940	5980	6020
5600ft [4467ft]	5830	5870	5900	5940	5980	6020	6050	6090	6130
5700ft [4567ft]	5940	5970	6010	6050	6090	6120	6160	6200	6240
5800ft [4667ft]	6040	6080	6120	6160	6190	6230	6270	6310	6350
5900ft [4767ft]	6150	6190	6230	6260	6300	6340	6380	6430	6470
6000ft [4867ft]	6250	6290	6330	6370	6410	6450	6490	6540	6580
6100ft [4967ft]	6360	6400	6440	6480	6520	6560	6600	6650	6690
6133ft [5000ft]	6390	6430	6470	6510	6560	6600	6640	6680	6730

Stefano M. RAPISARDA - flightdeckengineering.com

CYKA - Kamloops, BC, CANADA

Station Elevation: 1133 feet. ISA Standard Temperature: 12.75°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-30)	-19°C (ISA-32)	-21°C (ISA-34)	-23°C (ISA-36)	-25°C (ISA-38)	-27°C (ISA-40)	-29°C (ISA-42)	-31°C (ISA-44)	-33°C (ISA-46)
1133ft [0ft]	1140	1140	1140	1140	1140	1140	1140	1140	1140
1200ft [67ft]	1210	1210	1210	1210	1220	1220	1220	1220	1220
1300ft [167ft]	1320	1330	1330	1330	1330	1330	1330	1340	1340
1400ft [267ft]	1440	1440	1440	1440	1450	1450	1450	1450	1460
1500ft [367ft]	1550	1550	1550	1560	1560	1560	1570	1570	1570
1600ft [467ft]	1660	1660	1670	1670	1680	1680	1680	1690	1690
1700ft [567ft]	1770	1780	1780	1790	1790	1800	1800	1810	1810
1800ft [667ft]	1880	1890	1890	1900	1910	1910	1920	1930	1930
1900ft [767ft]	1990	2000	2010	2010	2020	2030	2040	2040	2050
2000ft [867ft]	2110	2110	2120	2130	2140	2140	2150	2160	2170
2100ft [967ft]	2220	2230	2230	2240	2250	2260	2270	2280	2290
2200ft [1067ft]	2330	2340	2350	2360	2370	2380	2390	2400	2410
2300ft [1167ft]	2440	2450	2460	2470	2480	2490	2500	2520	2530
2400ft [1267ft]	2550	2560	2570	2590	2600	2610	2620	2630	2650
2500ft [1367ft]	2660	2680	2690	2700	2710	2730	2740	2750	2770
2600ft [1467ft]	2780	2790	2800	2820	2830	2840	2860	2870	2890
2700ft [1567ft]	2890	2900	2920	2930	2940	2960	2970	2990	3000
2800ft [1667ft]	3000	3010	3030	3040	3060	3070	3090	3110	3120
2900ft [1767ft]	3110	3130	3140	3160	3170	3190	3210	3230	3240
3000ft [1867ft]	3220	3240	3260	3270	3290	3310	3330	3340	3360
3100ft [1967ft]	3330	3350	3370	3390	3410	3420	3440	3460	3480
3200ft [2067ft]	3450	3460	3480	3500	3520	3540	3560	3580	3600
3300ft [2167ft]	3560	3580	3600	3620	3640	3660	3680	3700	3720
3400ft [2267ft]	3670	3690	3710	3730	3750	3770	3790	3820	3840
3500ft [2367ft]	3780	3800	3820	3850	3870	3890	3910	3940	3960
3600ft [2467ft]	3890	3920	3940	3960	3980	4010	4030	4050	4080
3700ft [2567ft]	4010	4030	4050	4070	4100	4120	4150	4170	4200
3800ft [2667ft]	4120	4140	4160	4190	4210	4240	4260	4290	4320
3900ft [2767ft]	4230	4250	4280	4300	4330	4360	4380	4410	4440
4000ft [2867ft]	4340	4370	4390	4420	4440	4470	4500	4530	4560
4100ft [2967ft]	4450	4480	4510	4530	4560	4590	4620	4650	4670
4200ft [3067ft]	4560	4590	4620	4650	4680	4700	4730	4760	4790
4300ft [3167ft]	4680	4700	4730	4760	4790	4820	4850	4880	4910
4400ft [3267ft]	4790	4820	4850	4880	4910	4940	4970	5000	5030
4500ft [3367ft]	4900	4930	4960	4990	5020	5050	5090	5120	5150
4600ft [3467ft]	5010	5040	5070	5110	5140	5170	5200	5240	5270
4700ft [3567ft]	5120	5160	5190	5220	5250	5290	5320	5360	5390
4800ft [3667ft]	5240	5270	5300	5330	5370	5400	5440	5470	5510
4900ft [3767ft]	5350	5380	5410	5450	5480	5520	5560	5590	5630
5000ft [3867ft]	5460	5490	5530	5560	5600	5640	5670	5710	5750
5100ft [3967ft]	5570	5610	5640	5680	5720	5750	5790	5830	5870
5200ft [4067ft]	5680	5720	5760	5790	5830	5870	5910	5950	5990
5300ft [4167ft]	5800	5830	5870	5910	5950	5990	6030	6070	6110
5400ft [4267ft]	5910	5950	5980	6020	6060	6100	6140	6190	6230
5500ft [4367ft]	6020	6060	6100	6140	6180	6220	6260	6310	6350
5600ft [4467ft]	6130	6170	6210	6250	6290	6340	6380	6420	6470
5700ft [4567ft]	6240	6280	6330	6370	6410	6450	6500	6540	6590
5800ft [4667ft]	6350	6400	6440	6480	6530	6570	6620	6660	6710
5900ft [4767ft]	6470	6510	6550	6600	6640	6690	6730	6780	6830
6000ft [4867ft]	6580	6620	6670	6710	6760	6800	6850	6900	6950
6100ft [4967ft]	6690	6740	6780	6830	6870	6920	6970	7020	7070
6133ft [5000ft]	6730	6770	6820	6860	6910	6960	7010	7060	7110

Stefano M. RAPISARDA - flightdeckengineering.com

CYKA - Kamloops, BC, CANADA

Station Elevation: 1133 feet. ISA Standard Temperature: 12.75°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-46)	-35°C (ISA-48)	-37°C (ISA-50)	-39°C (ISA-52)	-41°C (ISA-54)	-43°C (ISA-56)	-45°C (ISA-58)	-47°C (ISA-60)	-50°C (ISA-63)
1133ft [0ft]	1140	1140	1140	1140	1140	1140	1140	1140	1140
1200ft [67ft]	1220	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [167ft]	1340	1340	1340	1340	1340	1350	1350	1350	1350
1400ft [267ft]	1460	1460	1460	1460	1470	1470	1470	1480	1480
1500ft [367ft]	1570	1580	1580	1590	1590	1590	1600	1600	1610
1600ft [467ft]	1690	1700	1700	1710	1710	1720	1720	1730	1740
1700ft [567ft]	1810	1820	1820	1830	1840	1840	1850	1850	1860
1800ft [667ft]	1930	1940	1950	1950	1960	1970	1970	1980	1990
1900ft [767ft]	2050	2060	2070	2070	2080	2090	2100	2110	2120
2000ft [867ft]	2170	2180	2190	2200	2210	2210	2220	2230	2250
2100ft [967ft]	2290	2300	2310	2320	2330	2340	2350	2360	2380
2200ft [1067ft]	2410	2420	2430	2440	2450	2460	2480	2490	2510
2300ft [1167ft]	2530	2540	2550	2560	2580	2590	2600	2610	2630
2400ft [1267ft]	2650	2660	2670	2690	2700	2710	2730	2740	2760
2500ft [1367ft]	2770	2780	2790	2810	2820	2840	2850	2870	2890
2600ft [1467ft]	2890	2900	2910	2930	2950	2960	2980	2990	3020
2700ft [1567ft]	3000	3020	3040	3050	3070	3090	3100	3120	3150
2800ft [1667ft]	3120	3140	3160	3170	3190	3210	3230	3250	3280
2900ft [1767ft]	3240	3260	3280	3300	3320	3330	3350	3370	3400
3000ft [1867ft]	3360	3380	3400	3420	3440	3460	3480	3500	3530
3100ft [1967ft]	3480	3500	3520	3540	3560	3580	3610	3630	3660
3200ft [2067ft]	3600	3620	3640	3660	3690	3710	3730	3750	3790
3300ft [2167ft]	3720	3740	3760	3790	3810	3830	3860	3880	3920
3400ft [2267ft]	3840	3860	3890	3910	3930	3960	3980	4010	4050
3500ft [2367ft]	3960	3980	4010	4030	4060	4080	4110	4130	4170
3600ft [2467ft]	4080	4100	4130	4150	4180	4210	4230	4260	4300
3700ft [2567ft]	4200	4220	4250	4280	4300	4330	4360	4390	4430
3800ft [2667ft]	4320	4340	4370	4400	4430	4460	4490	4510	4560
3900ft [2767ft]	4440	4460	4490	4520	4550	4580	4610	4640	4690
4000ft [2867ft]	4560	4580	4610	4640	4670	4710	4740	4770	4820
4100ft [2967ft]	4670	4700	4740	4770	4800	4830	4860	4900	4950
4200ft [3067ft]	4790	4830	4860	4890	4920	4950	4990	5020	5080
4300ft [3167ft]	4910	4950	4980	5010	5050	5080	5110	5150	5200
4400ft [3267ft]	5030	5070	5100	5130	5170	5200	5240	5280	5330
4500ft [3367ft]	5150	5190	5220	5260	5290	5330	5370	5400	5460
4600ft [3467ft]	5270	5310	5340	5380	5420	5450	5490	5530	5590
4700ft [3567ft]	5390	5430	5460	5500	5540	5580	5620	5660	5720
4800ft [3667ft]	5510	5550	5590	5620	5660	5700	5740	5790	5850
4900ft [3767ft]	5630	5670	5710	5750	5790	5830	5870	5910	5980
5000ft [3867ft]	5750	5790	5830	5870	5910	5950	6000	6040	6110
5100ft [3967ft]	5870	5910	5950	5990	6040	6080	6120	6170	6240
5200ft [4067ft]	5990	6030	6070	6120	6160	6200	6250	6290	6360
5300ft [4167ft]	6110	6150	6190	6240	6280	6330	6370	6420	6490
5400ft [4267ft]	6230	6270	6320	6360	6410	6450	6500	6550	6620
5500ft [4367ft]	6350	6390	6440	6480	6530	6580	6630	6680	6750
5600ft [4467ft]	6470	6510	6560	6610	6650	6700	6750	6800	6880
5700ft [4567ft]	6590	6630	6680	6730	6780	6830	6880	6930	7010
5800ft [4667ft]	6710	6760	6800	6850	6900	6950	7010	7060	7140
5900ft [4767ft]	6830	6880	6930	6980	7030	7080	7130	7190	7270
6000ft [4867ft]	6950	7000	7050	7100	7150	7200	7260	7310	7400
6100ft [4967ft]	7070	7120	7170	7220	7270	7330	7380	7440	7530
6133ft [5000ft]	7110	7160	7210	7260	7320	7370	7430	7480	7570

Stefano M. RAPISARDA - flightdeckengineering.com

CYLW - Kelowna, BC, CANADA

Station Elevation: 1420 feet. ISA Standard Temperature: 12.19°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+2)	13°C (ISA+0)	11°C (ISA-2)	9°C (ISA-4)	7°C (ISA-6)	5°C (ISA-8)	3°C (ISA-10)	1°C (ISA-12)	-1°C (ISA-14)
1420ft [0ft]	---	1420	1420	1420	1420	1420	1420	1420	1420
1500ft [80ft]	---	1500	1510	1510	1510	1510	1510	1510	1510
1600ft [180ft]	---	1600	1610	1610	1610	1610	1610	1610	1610
1700ft [280ft]	---	1700	1710	1710	1710	1710	1710	1720	1720
1800ft [380ft]	---	1800	1810	1810	1810	1810	1820	1820	1820
1900ft [480ft]	---	1900	1910	1910	1910	1920	1920	1920	1930
2000ft [580ft]	---	2000	2010	2010	2020	2020	2020	2030	2030
2100ft [680ft]	---	2100	2110	2110	2120	2120	2130	2130	2140
2200ft [780ft]	---	2200	2210	2210	2220	2230	2230	2240	2240
2300ft [880ft]	---	2300	2310	2310	2320	2330	2330	2340	2350
2400ft [980ft]	---	2400	2410	2420	2420	2430	2440	2440	2450
2500ft [1080ft]	---	2500	2510	2520	2520	2530	2540	2550	2560
2600ft [1180ft]	---	2600	2610	2620	2630	2640	2640	2650	2660
2700ft [1280ft]	---	2700	2710	2720	2730	2740	2750	2760	2770
2800ft [1380ft]	---	2800	2810	2820	2830	2840	2850	2860	2870
2900ft [1480ft]	---	2900	2910	2920	2930	2940	2950	2970	2980
3000ft [1580ft]	---	3000	3010	3020	3030	3050	3060	3070	3080
3100ft [1680ft]	---	3100	3110	3120	3140	3150	3160	3170	3190
3200ft [1780ft]	---	3200	3210	3230	3240	3250	3260	3280	3290
3300ft [1880ft]	---	3300	3310	3330	3340	3350	3370	3380	3400
3400ft [1980ft]	---	3400	3410	3430	3440	3460	3470	3490	3500
3500ft [2080ft]	---	3500	3510	3530	3540	3560	3570	3590	3610
3600ft [2180ft]	---	3600	3610	3630	3650	3660	3680	3690	3710
3700ft [2280ft]	---	3700	3710	3730	3750	3760	3780	3800	3820
3800ft [2380ft]	---	3800	3810	3830	3850	3870	3880	3900	3920
3900ft [2480ft]	---	3900	3920	3930	3950	3970	3990	4010	4030
4000ft [2580ft]	---	4000	4020	4030	4050	4070	4090	4110	4130
4100ft [2680ft]	---	4100	4120	4140	4150	4170	4190	4210	4240
4200ft [2780ft]	---	4200	4220	4240	4260	4280	4300	4320	4340
4300ft [2880ft]	---	4300	4320	4340	4360	4380	4400	4420	4450
4400ft [2980ft]	---	4400	4420	4440	4460	4480	4500	4530	4550
4500ft [3080ft]	---	4500	4520	4540	4560	4590	4610	4630	4660
4600ft [3180ft]	---	4600	4620	4640	4660	4690	4710	4740	4760
4700ft [3280ft]	---	4700	4720	4740	4770	4790	4810	4840	4870
4800ft [3380ft]	---	4800	4820	4840	4870	4890	4920	4940	4970
4900ft [3480ft]	---	4900	4920	4940	4970	5000	5020	5050	5070
5000ft [3580ft]	---	5000	5020	5050	5070	5100	5130	5150	5180
5100ft [3680ft]	---	5100	5120	5150	5170	5200	5230	5260	5280
5200ft [3780ft]	---	5200	5220	5250	5280	5300	5330	5360	5390
5300ft [3880ft]	---	5300	5320	5350	5380	5410	5440	5460	5490
5400ft [3980ft]	---	5400	5420	5450	5480	5510	5540	5570	5600
5500ft [4080ft]	---	5500	5520	5550	5580	5610	5640	5670	5700
5600ft [4180ft]	---	5600	5620	5650	5680	5710	5750	5780	5810
5700ft [4280ft]	---	5700	5720	5750	5790	5820	5850	5880	5910
5800ft [4380ft]	---	5800	5820	5850	5890	5920	5950	5990	6020
5900ft [4480ft]	---	5900	5920	5960	5990	6020	6060	6090	6120
6000ft [4580ft]	---	6000	6020	6060	6090	6120	6160	6190	6230
6100ft [4680ft]	---	6100	6120	6160	6190	6230	6260	6300	6330
6200ft [4780ft]	---	6200	6230	6260	6290	6330	6370	6400	6440
6300ft [4880ft]	---	6300	6330	6360	6400	6430	6470	6510	6540
6400ft [4980ft]	---	6400	6430	6460	6500	6540	6570	6610	6650
6420ft [5000ft]	---	6420	6450	6480	6520	6560	6590	6630	6670

Stefano M. RAPISARDA - flightdeckengineering.com

CYLW - Kelowna, BC, CANADA

Station Elevation: 1420 feet. ISA Standard Temperature: 12.19°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-14)	-3°C (ISA-16)	-5°C (ISA-18)	-7°C (ISA-20)	-9°C (ISA-22)	-11°C (ISA-24)	-13°C (ISA-26)	-15°C (ISA-28)	-17°C (ISA-30)
1420ft [0ft]	1420	1420	1420	1420	1420	1420	1420	1420	1420
1500ft [80ft]	1510	1510	1510	1510	1510	1510	1510	1510	1510
1600ft [180ft]	1610	1620	1620	1620	1620	1620	1620	1620	1630
1700ft [280ft]	1720	1720	1720	1730	1730	1730	1730	1730	1740
1800ft [380ft]	1820	1830	1830	1830	1840	1840	1840	1840	1850
1900ft [480ft]	1930	1930	1940	1940	1940	1950	1950	1960	1960
2000ft [580ft]	2030	2040	2040	2050	2050	2060	2060	2070	2070
2100ft [680ft]	2140	2140	2150	2150	2160	2170	2170	2180	2180
2200ft [780ft]	2240	2250	2250	2260	2270	2270	2280	2290	2290
2300ft [880ft]	2350	2350	2360	2370	2380	2380	2390	2400	2410
2400ft [980ft]	2450	2460	2470	2480	2480	2490	2500	2510	2520
2500ft [1080ft]	2560	2570	2570	2580	2590	2600	2610	2620	2630
2600ft [1180ft]	2660	2670	2680	2690	2700	2710	2720	2730	2740
2700ft [1280ft]	2770	2780	2790	2800	2810	2820	2830	2840	2850
2800ft [1380ft]	2870	2880	2890	2900	2920	2930	2940	2950	2960
2900ft [1480ft]	2980	2990	3000	3010	3020	3040	3050	3060	3070
3000ft [1580ft]	3080	3090	3110	3120	3130	3140	3160	3170	3190
3100ft [1680ft]	3190	3200	3210	3230	3240	3250	3270	3280	3300
3200ft [1780ft]	3290	3310	3320	3330	3350	3360	3380	3390	3410
3300ft [1880ft]	3400	3410	3430	3440	3460	3470	3490	3500	3520
3400ft [1980ft]	3500	3520	3530	3550	3560	3580	3600	3610	3630
3500ft [2080ft]	3610	3620	3640	3660	3670	3690	3710	3720	3740
3600ft [2180ft]	3710	3730	3750	3760	3780	3800	3820	3840	3850
3700ft [2280ft]	3820	3830	3850	3870	3890	3910	3930	3950	3970
3800ft [2380ft]	3920	3940	3960	3980	4000	4020	4040	4060	4080
3900ft [2480ft]	4030	4050	4060	4080	4100	4130	4150	4170	4190
4000ft [2580ft]	4130	4150	4170	4190	4210	4230	4260	4280	4300
4100ft [2680ft]	4240	4260	4280	4300	4320	4340	4370	4390	4410
4200ft [2780ft]	4340	4360	4380	4410	4430	4450	4480	4500	4520
4300ft [2880ft]	4450	4470	4490	4510	4540	4560	4590	4610	4640
4400ft [2980ft]	4550	4570	4600	4620	4650	4670	4700	4720	4750
4500ft [3080ft]	4660	4680	4700	4730	4750	4780	4810	4830	4860
4600ft [3180ft]	4760	4790	4810	4840	4860	4890	4920	4940	4970
4700ft [3280ft]	4870	4890	4920	4940	4970	5000	5020	5050	5080
4800ft [3380ft]	4970	5000	5020	5050	5080	5110	5130	5160	5190
4900ft [3480ft]	5070	5100	5130	5160	5190	5220	5240	5270	5300
5000ft [3580ft]	5180	5210	5240	5270	5290	5320	5350	5390	5420
5100ft [3680ft]	5280	5310	5340	5370	5400	5430	5460	5500	5530
5200ft [3780ft]	5390	5420	5450	5480	5510	5540	5570	5610	5640
5300ft [3880ft]	5490	5530	5560	5590	5620	5650	5680	5720	5750
5400ft [3980ft]	5600	5630	5660	5690	5730	5760	5790	5830	5860
5500ft [4080ft]	5700	5740	5770	5800	5840	5870	5900	5940	5970
5600ft [4180ft]	5810	5840	5880	5910	5940	5980	6010	6050	6090
5700ft [4280ft]	5910	5950	5980	6020	6050	6090	6120	6160	6200
5800ft [4380ft]	6020	6050	6090	6120	6160	6200	6230	6270	6310
5900ft [4480ft]	6120	6160	6200	6230	6270	6310	6340	6380	6420
6000ft [4580ft]	6230	6270	6300	6340	6380	6420	6450	6490	6530
6100ft [4680ft]	6330	6370	6410	6450	6490	6520	6560	6600	6650
6200ft [4780ft]	6440	6480	6520	6550	6590	6630	6670	6720	6760
6300ft [4880ft]	6540	6580	6620	6660	6700	6740	6780	6830	6870
6400ft [4980ft]	6650	6690	6730	6770	6810	6850	6890	6940	6980
6420ft [5000ft]	6670	6710	6750	6790	6830	6870	6920	6960	7000

Stefano M. RAPISARDA - flightdeckengineering.com

CYLW - Kelowna, BC, CANADA

Station Elevation: 1420 feet. ISA Standard Temperature: 12.19°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-30)	-19°C (ISA-32)	-21°C (ISA-34)	-23°C (ISA-36)	-25°C (ISA-38)	-27°C (ISA-40)	-29°C (ISA-42)	-31°C (ISA-44)	-33°C (ISA-46)
1420ft [0ft]	1420	1420	1420	1420	1420	1420	1420	1420	1420
1500ft [80ft]	1510	1510	1520	1520	1520	1520	1520	1520	1520
1600ft [180ft]	1630	1630	1630	1630	1630	1630	1640	1640	1640
1700ft [280ft]	1740	1740	1740	1740	1750	1750	1750	1750	1760
1800ft [380ft]	1850	1850	1850	1860	1860	1870	1870	1870	1880
1900ft [480ft]	1960	1960	1970	1970	1980	1980	1990	1990	2000
2000ft [580ft]	2070	2080	2080	2090	2090	2100	2100	2110	2110
2100ft [680ft]	2180	2190	2190	2200	2210	2210	2220	2230	2230
2200ft [780ft]	2290	2300	2310	2310	2320	2330	2340	2340	2350
2300ft [880ft]	2410	2410	2420	2430	2440	2440	2450	2460	2470
2400ft [980ft]	2520	2530	2530	2540	2550	2560	2570	2580	2590
2500ft [1080ft]	2630	2640	2650	2660	2670	2680	2690	2700	2710
2600ft [1180ft]	2740	2750	2760	2770	2780	2790	2800	2820	2830
2700ft [1280ft]	2850	2860	2870	2890	2900	2910	2920	2930	2950
2800ft [1380ft]	2960	2970	2990	3000	3010	3020	3040	3050	3060
2900ft [1480ft]	3070	3090	3100	3110	3130	3140	3150	3170	3180
3000ft [1580ft]	3190	3200	3210	3230	3240	3260	3270	3290	3300
3100ft [1680ft]	3300	3310	3330	3340	3360	3370	3390	3410	3420
3200ft [1780ft]	3410	3420	3440	3460	3470	3490	3510	3520	3540
3300ft [1880ft]	3520	3540	3550	3570	3590	3610	3620	3640	3660
3400ft [1980ft]	3630	3650	3670	3680	3700	3720	3740	3760	3780
3500ft [2080ft]	3740	3760	3780	3800	3820	3840	3860	3880	3900
3600ft [2180ft]	3850	3870	3890	3910	3930	3950	3970	4000	4020
3700ft [2280ft]	3970	3990	4010	4030	4050	4070	4090	4110	4140
3800ft [2380ft]	4080	4100	4120	4140	4160	4190	4210	4230	4250
3900ft [2480ft]	4190	4210	4230	4260	4280	4300	4330	4350	4370
4000ft [2580ft]	4300	4320	4350	4370	4390	4420	4440	4470	4490
4100ft [2680ft]	4410	4440	4460	4480	4510	4530	4560	4590	4610
4200ft [2780ft]	4520	4550	4570	4600	4620	4650	4680	4700	4730
4300ft [2880ft]	4640	4660	4690	4710	4740	4770	4790	4820	4850
4400ft [2980ft]	4750	4770	4800	4830	4850	4880	4910	4940	4970
4500ft [3080ft]	4860	4890	4910	4940	4970	5000	5030	5060	5090
4600ft [3180ft]	4970	5000	5030	5060	5090	5120	5150	5180	5210
4700ft [3280ft]	5080	5110	5140	5170	5200	5230	5260	5290	5330
4800ft [3380ft]	5190	5220	5250	5280	5320	5350	5380	5410	5450
4900ft [3480ft]	5300	5340	5370	5400	5430	5460	5500	5530	5570
5000ft [3580ft]	5420	5450	5480	5510	5550	5580	5610	5650	5690
5100ft [3680ft]	5530	5560	5590	5630	5660	5700	5730	5770	5800
5200ft [3780ft]	5640	5670	5710	5740	5780	5810	5850	5890	5920
5300ft [3880ft]	5750	5790	5820	5860	5890	5930	5970	6000	6040
5400ft [3980ft]	5860	5900	5930	5970	6010	6050	6080	6120	6160
5500ft [4080ft]	5970	6010	6050	6090	6120	6160	6200	6240	6280
5600ft [4180ft]	6090	6120	6160	6200	6240	6280	6320	6360	6400
5700ft [4280ft]	6200	6240	6280	6310	6350	6390	6440	6480	6520
5800ft [4380ft]	6310	6350	6390	6430	6470	6510	6550	6600	6640
5900ft [4480ft]	6420	6460	6500	6540	6590	6630	6670	6710	6760
6000ft [4580ft]	6530	6570	6620	6660	6700	6740	6790	6830	6880
6100ft [4680ft]	6650	6690	6730	6770	6820	6860	6910	6950	7000
6200ft [4780ft]	6760	6800	6840	6890	6930	6980	7020	7070	7120
6300ft [4880ft]	6870	6910	6960	7000	7050	7090	7140	7190	7240
6400ft [4980ft]	6980	7030	7070	7120	7160	7210	7260	7310	7360
6420ft [5000ft]	7000	7050	7090	7140	7190	7230	7280	7330	7380

Stefano M. RAPISARDA - flightdeckengineering.com

CYLW - Kelowna, BC, CANADA

Station Elevation: 1420 feet. ISA Standard Temperature: 12.19°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-46)	-35°C (ISA-48)	-37°C (ISA-50)	-39°C (ISA-52)	-41°C (ISA-54)	-43°C (ISA-56)	-45°C (ISA-58)	-47°C (ISA-60)	-50°C (ISA-63)
1420ft [0ft]	1420	1420	1420	1420	1420	1420	1420	1420	1420
1500ft [80ft]	1520	1520	1520	1520	1520	1520	1520	1530	1530
1600ft [180ft]	1640	1640	1640	1640	1650	1650	1650	1650	1650
1700ft [280ft]	1760	1760	1760	1770	1770	1770	1770	1780	1780
1800ft [380ft]	1880	1880	1880	1890	1890	1900	1900	1900	1910
1900ft [480ft]	2000	2000	2000	2010	2010	2020	2020	2030	2040
2000ft [580ft]	2110	2120	2130	2130	2140	2140	2150	2160	2170
2100ft [680ft]	2230	2240	2250	2250	2260	2270	2280	2280	2290
2200ft [780ft]	2350	2360	2370	2380	2380	2390	2400	2410	2420
2300ft [880ft]	2470	2480	2490	2500	2510	2520	2530	2530	2550
2400ft [980ft]	2590	2600	2610	2620	2630	2640	2650	2660	2680
2500ft [1080ft]	2710	2720	2730	2740	2750	2760	2780	2790	2810
2600ft [1180ft]	2830	2840	2850	2860	2880	2890	2900	2910	2930
2700ft [1280ft]	2950	2960	2970	2980	3000	3010	3030	3040	3060
2800ft [1380ft]	3060	3080	3090	3110	3120	3140	3150	3170	3190
2900ft [1480ft]	3180	3200	3210	3230	3240	3260	3280	3290	3320
3000ft [1580ft]	3300	3320	3330	3350	3370	3380	3400	3420	3450
3100ft [1680ft]	3420	3440	3460	3470	3490	3510	3530	3550	3570
3200ft [1780ft]	3540	3560	3580	3590	3610	3630	3650	3670	3700
3300ft [1880ft]	3660	3680	3700	3720	3740	3760	3780	3800	3830
3400ft [1980ft]	3780	3800	3820	3840	3860	3880	3900	3920	3960
3500ft [2080ft]	3900	3920	3940	3960	3980	4010	4030	4050	4090
3600ft [2180ft]	4020	4040	4060	4080	4110	4130	4150	4180	4210
3700ft [2280ft]	4140	4160	4180	4210	4230	4250	4280	4300	4340
3800ft [2380ft]	4250	4280	4300	4330	4350	4380	4400	4430	4470
3900ft [2480ft]	4370	4400	4420	4450	4480	4500	4530	4560	4600
4000ft [2580ft]	4490	4520	4550	4570	4600	4630	4660	4680	4730
4100ft [2680ft]	4610	4640	4670	4690	4720	4750	4780	4810	4860
4200ft [2780ft]	4730	4760	4790	4820	4850	4880	4910	4940	4980
4300ft [2880ft]	4850	4880	4910	4940	4970	5000	5030	5060	5110
4400ft [2980ft]	4970	5000	5030	5060	5090	5120	5160	5190	5240
4500ft [3080ft]	5090	5120	5150	5180	5220	5250	5280	5320	5370
4600ft [3180ft]	5210	5240	5270	5310	5340	5370	5410	5440	5500
4700ft [3280ft]	5330	5360	5390	5430	5460	5500	5530	5570	5630
4800ft [3380ft]	5450	5480	5520	5550	5590	5620	5660	5700	5760
4900ft [3480ft]	5570	5600	5640	5670	5710	5750	5790	5820	5880
5000ft [3580ft]	5690	5720	5760	5800	5830	5870	5910	5950	6010
5100ft [3680ft]	5800	5840	5880	5920	5960	6000	6040	6080	6140
5200ft [3780ft]	5920	5960	6000	6040	6080	6120	6160	6210	6270
5300ft [3880ft]	6040	6080	6120	6160	6200	6250	6290	6330	6400
5400ft [3980ft]	6160	6200	6240	6290	6330	6370	6410	6460	6530
5500ft [4080ft]	6280	6320	6360	6410	6450	6500	6540	6590	6660
5600ft [4180ft]	6400	6440	6490	6530	6570	6620	6670	6710	6790
5700ft [4280ft]	6520	6560	6610	6650	6700	6740	6790	6840	6910
5800ft [4380ft]	6640	6680	6730	6780	6820	6870	6920	6970	7040
5900ft [4480ft]	6760	6800	6850	6900	6950	6990	7040	7090	7170
6000ft [4580ft]	6880	6930	6970	7020	7070	7120	7170	7220	7300
6100ft [4680ft]	7000	7050	7090	7140	7190	7240	7300	7350	7430
6200ft [4780ft]	7120	7170	7220	7270	7320	7370	7420	7480	7560
6300ft [4880ft]	7240	7290	7340	7390	7440	7490	7550	7600	7690
6400ft [4980ft]	7360	7410	7460	7510	7560	7620	7670	7730	7820
6420ft [5000ft]	7380	7430	7480	7540	7590	7640	7700	7760	7840

Stefano M. RAPISARDA - flightdeckengineering.com

CYPR - Prince Rupert, BC, CANADA

Station Elevation: 116 feet. ISA Standard Temperature: 14.77°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
116ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [84ft]	200	210	210	210	210	210	210	210	210
300ft [184ft]	300	310	310	310	310	310	310	310	320
400ft [284ft]	400	410	410	410	410	410	420	420	420
500ft [384ft]	500	510	510	510	520	520	520	520	530
600ft [484ft]	600	610	610	610	620	620	630	630	630
700ft [584ft]	700	710	710	720	720	730	730	730	740
800ft [684ft]	800	810	810	820	820	830	830	840	840
900ft [784ft]	900	910	920	920	930	930	940	940	950
1000ft [884ft]	1000	1010	1020	1020	1030	1040	1040	1050	1060
1100ft [984ft]	1100	1110	1120	1130	1130	1140	1150	1150	1160
1200ft [1084ft]	1200	1210	1220	1230	1240	1240	1250	1260	1270
1300ft [1184ft]	1300	1310	1320	1330	1340	1350	1360	1360	1370
1400ft [1284ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1384ft]	1500	1510	1520	1530	1540	1550	1560	1570	1590
1600ft [1484ft]	1600	1610	1620	1640	1650	1660	1670	1680	1690
1700ft [1584ft]	1700	1710	1730	1740	1750	1760	1770	1790	1800
1800ft [1684ft]	1800	1820	1830	1840	1850	1860	1880	1890	1900
1900ft [1784ft]	1900	1920	1930	1940	1950	1970	1980	2000	2010
2000ft [1884ft]	2000	2020	2030	2040	2060	2070	2090	2100	2110
2100ft [1984ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2200ft [2084ft]	2200	2220	2230	2250	2260	2280	2290	2310	2330
2300ft [2184ft]	2300	2320	2330	2350	2370	2380	2400	2420	2430
2400ft [2284ft]	2400	2420	2440	2450	2470	2490	2500	2520	2540
2500ft [2384ft]	2500	2520	2540	2550	2570	2590	2610	2630	2640
2600ft [2484ft]	2600	2620	2640	2660	2670	2690	2710	2730	2750
2700ft [2584ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2684ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2784ft]	2900	2920	2940	2960	2980	3000	3020	3050	3070
3000ft [2884ft]	3000	3020	3040	3060	3090	3110	3130	3150	3170
3100ft [2984ft]	3100	3120	3150	3170	3190	3210	3230	3260	3280
3200ft [3084ft]	3200	3220	3250	3270	3290	3310	3340	3360	3390
3300ft [3184ft]	3300	3320	3350	3370	3390	3420	3440	3470	3490
3400ft [3284ft]	3400	3430	3450	3470	3500	3520	3550	3570	3600
3500ft [3384ft]	3500	3530	3550	3580	3600	3630	3650	3680	3700
3600ft [3484ft]	3600	3630	3650	3680	3700	3730	3760	3780	3810
3700ft [3584ft]	3700	3730	3750	3780	3810	3830	3860	3890	3920
3800ft [3684ft]	3800	3830	3850	3880	3910	3940	3960	3990	4020
3900ft [3784ft]	3900	3930	3960	3980	4010	4040	4070	4100	4130
4000ft [3884ft]	4000	4030	4060	4090	4110	4140	4170	4200	4230
4100ft [3984ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4200ft [4084ft]	4200	4230	4260	4290	4320	4350	4380	4410	4450
4300ft [4184ft]	4300	4330	4360	4390	4420	4450	4490	4520	4550
4400ft [4284ft]	4400	4430	4460	4490	4530	4560	4590	4620	4660
4500ft [4384ft]	4500	4530	4560	4600	4630	4660	4690	4730	4760
4600ft [4484ft]	4600	4630	4670	4700	4730	4770	4800	4830	4870
4700ft [4584ft]	4700	4730	4770	4800	4830	4870	4900	4940	4980
4800ft [4684ft]	4800	4830	4870	4900	4940	4970	5010	5040	5080
4900ft [4784ft]	4900	4940	4970	5000	5040	5080	5110	5150	5190
5000ft [4884ft]	5000	5040	5070	5110	5140	5180	5220	5250	5290
5100ft [4984ft]	5100	5140	5170	5210	5250	5280	5320	5360	5400
5116ft [5000ft]	5120	5150	5190	5230	5260	5300	5340	5380	5420

Stefano M. RAPISARDA - flightdeckengineering.com

CYPR - Prince Rupert, BC, CANADA

Station Elevation: 116 feet. ISA Standard Temperature: 14.77°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
116ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [84ft]	210	210	210	210	210	210	210	210	220
300ft [184ft]	320	320	320	320	320	320	320	330	330
400ft [284ft]	420	420	430	430	430	430	440	440	440
500ft [384ft]	530	530	530	540	540	540	550	550	550
600ft [484ft]	630	640	640	640	650	650	660	660	670
700ft [584ft]	740	740	750	750	760	760	770	770	780
800ft [684ft]	840	850	860	860	870	870	880	880	890
900ft [784ft]	950	960	960	970	980	980	990	1000	1000
1000ft [884ft]	1060	1060	1070	1080	1080	1090	1100	1110	1120
1100ft [984ft]	1160	1170	1180	1190	1190	1200	1210	1220	1230
1200ft [1084ft]	1270	1280	1290	1290	1300	1310	1320	1330	1340
1300ft [1184ft]	1370	1380	1390	1400	1410	1420	1430	1440	1450
1400ft [1284ft]	1480	1490	1500	1510	1520	1530	1540	1550	1570
1500ft [1384ft]	1590	1600	1610	1620	1630	1640	1650	1670	1680
1600ft [1484ft]	1690	1700	1720	1730	1740	1750	1760	1780	1790
1700ft [1584ft]	1800	1810	1820	1840	1850	1860	1880	1890	1900
1800ft [1684ft]	1900	1920	1930	1940	1960	1970	1990	2000	2020
1900ft [1784ft]	2010	2020	2040	2050	2070	2080	2100	2110	2130
2000ft [1884ft]	2110	2130	2140	2160	2180	2190	2210	2220	2240
2100ft [1984ft]	2220	2240	2250	2270	2280	2300	2320	2340	2350
2200ft [2084ft]	2330	2340	2360	2380	2390	2410	2430	2450	2470
2300ft [2184ft]	2430	2450	2470	2490	2500	2520	2540	2560	2580
2400ft [2284ft]	2540	2560	2570	2590	2610	2630	2650	2670	2690
2500ft [2384ft]	2640	2660	2680	2700	2720	2740	2760	2780	2800
2600ft [2484ft]	2750	2770	2790	2810	2830	2850	2870	2890	2920
2700ft [2584ft]	2860	2880	2900	2920	2940	2960	2980	3010	3030
2800ft [2684ft]	2960	2980	3000	3030	3050	3070	3090	3120	3140
2900ft [2784ft]	3070	3090	3110	3140	3160	3180	3210	3230	3250
3000ft [2884ft]	3170	3200	3220	3240	3270	3290	3320	3340	3370
3100ft [2984ft]	3280	3300	3330	3350	3380	3400	3430	3450	3480
3200ft [3084ft]	3390	3410	3440	3460	3490	3510	3540	3560	3590
3300ft [3184ft]	3490	3520	3540	3570	3600	3620	3650	3680	3700
3400ft [3284ft]	3600	3620	3650	3680	3700	3730	3760	3790	3820
3500ft [3384ft]	3700	3730	3760	3790	3810	3840	3870	3900	3930
3600ft [3484ft]	3810	3840	3870	3890	3920	3950	3980	4010	4040
3700ft [3584ft]	3920	3940	3970	4000	4030	4060	4090	4120	4160
3800ft [3684ft]	4020	4050	4080	4110	4140	4170	4200	4240	4270
3900ft [3784ft]	4130	4160	4190	4220	4250	4280	4310	4350	4380
4000ft [3884ft]	4230	4260	4300	4330	4360	4390	4430	4460	4490
4100ft [3984ft]	4340	4370	4400	4440	4470	4500	4540	4570	4610
4200ft [4084ft]	4450	4480	4510	4540	4580	4610	4650	4680	4720
4300ft [4184ft]	4550	4580	4620	4650	4690	4720	4760	4800	4830
4400ft [4284ft]	4660	4690	4730	4760	4800	4830	4870	4910	4950
4500ft [4384ft]	4760	4800	4830	4870	4910	4940	4980	5020	5060
4600ft [4484ft]	4870	4900	4940	4980	5020	5050	5090	5130	5170
4700ft [4584ft]	4980	5010	5050	5090	5120	5160	5200	5240	5280
4800ft [4684ft]	5080	5120	5160	5190	5230	5270	5310	5360	5400
4900ft [4784ft]	5190	5230	5260	5300	5340	5380	5430	5470	5510
5000ft [4884ft]	5290	5330	5370	5410	5450	5490	5540	5580	5620
5100ft [4984ft]	5400	5440	5480	5520	5560	5600	5650	5690	5740
5116ft [5000ft]	5420	5460	5500	5540	5580	5620	5670	5710	5750

Stefano M. RAPISARDA - flightdeckengineering.com

CYPR - Prince Rupert, BC, CANADA

Station Elevation: 116 feet. ISA Standard Temperature: 14.77°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
116ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [84ft]	220	220	220	220	220	220	220	220	220
300ft [184ft]	330	330	330	330	330	340	340	340	340
400ft [284ft]	440	440	450	450	450	450	460	460	460
500ft [384ft]	550	560	560	560	570	570	570	580	580
600ft [484ft]	670	670	670	680	680	690	690	700	700
700ft [584ft]	780	780	790	790	800	800	810	820	820
800ft [684ft]	890	900	900	910	910	920	930	930	940
900ft [784ft]	1000	1010	1020	1020	1030	1040	1050	1050	1060
1000ft [884ft]	1120	1120	1130	1140	1150	1160	1160	1170	1180
1100ft [984ft]	1230	1240	1250	1250	1260	1270	1280	1290	1300
1200ft [1084ft]	1340	1350	1360	1370	1380	1390	1400	1410	1420
1300ft [1184ft]	1450	1460	1470	1480	1500	1510	1520	1530	1540
1400ft [1284ft]	1570	1580	1590	1600	1610	1620	1640	1650	1660
1500ft [1384ft]	1680	1690	1700	1720	1730	1740	1750	1770	1780
1600ft [1484ft]	1790	1800	1820	1830	1840	1860	1870	1890	1900
1700ft [1584ft]	1900	1920	1930	1950	1960	1980	1990	2010	2020
1800ft [1684ft]	2020	2030	2050	2060	2080	2090	2110	2130	2140
1900ft [1784ft]	2130	2140	2160	2180	2190	2210	2230	2240	2260
2000ft [1884ft]	2240	2260	2270	2290	2310	2330	2350	2360	2380
2100ft [1984ft]	2350	2370	2390	2410	2430	2440	2460	2480	2500
2200ft [2084ft]	2470	2480	2500	2520	2540	2560	2580	2600	2620
2300ft [2184ft]	2580	2600	2620	2640	2660	2680	2700	2720	2740
2400ft [2284ft]	2690	2710	2730	2750	2770	2800	2820	2840	2860
2500ft [2384ft]	2800	2820	2850	2870	2890	2910	2940	2960	2980
2600ft [2484ft]	2920	2940	2960	2980	3010	3030	3050	3080	3100
2700ft [2584ft]	3030	3050	3080	3100	3120	3150	3170	3200	3220
2800ft [2684ft]	3140	3170	3190	3210	3240	3270	3290	3320	3340
2900ft [2784ft]	3250	3280	3300	3330	3360	3380	3410	3440	3470
3000ft [2884ft]	3370	3390	3420	3450	3470	3500	3530	3560	3590
3100ft [2984ft]	3480	3510	3530	3560	3590	3620	3650	3680	3710
3200ft [3084ft]	3590	3620	3650	3680	3710	3730	3760	3800	3830
3300ft [3184ft]	3700	3730	3760	3790	3820	3850	3880	3910	3950
3400ft [3284ft]	3820	3850	3880	3910	3940	3970	4000	4030	4070
3500ft [3384ft]	3930	3960	3990	4020	4050	4090	4120	4150	4190
3600ft [3484ft]	4040	4070	4110	4140	4170	4200	4240	4270	4310
3700ft [3584ft]	4160	4190	4220	4250	4290	4320	4360	4390	4430
3800ft [3684ft]	4270	4300	4340	4370	4400	4440	4480	4510	4550
3900ft [3784ft]	4380	4420	4450	4490	4520	4560	4590	4630	4670
4000ft [3884ft]	4490	4530	4560	4600	4640	4670	4710	4750	4790
4100ft [3984ft]	4610	4640	4680	4720	4750	4790	4830	4870	4910
4200ft [4084ft]	4720	4760	4790	4830	4870	4910	4950	4990	5030
4300ft [4184ft]	4830	4870	4910	4950	4990	5030	5070	5110	5150
4400ft [4284ft]	4950	4980	5020	5060	5100	5140	5190	5230	5270
4500ft [4384ft]	5060	5100	5140	5180	5220	5260	5310	5350	5390
4600ft [4484ft]	5170	5210	5250	5290	5340	5380	5420	5470	5510
4700ft [4584ft]	5280	5330	5370	5410	5450	5500	5540	5590	5630
4800ft [4684ft]	5400	5440	5480	5530	5570	5620	5660	5710	5760
4900ft [4784ft]	5510	5550	5600	5640	5690	5730	5780	5830	5880
5000ft [4884ft]	5620	5670	5710	5760	5800	5850	5900	5950	6000
5100ft [4984ft]	5740	5780	5830	5870	5920	5970	6020	6070	6120
5116ft [5000ft]	5750	5800	5840	5890	5940	5990	6040	6090	6140

Stefano M. RAPISARDA - flightdeckengineering.com

CYPR - Prince Rupert, BC, CANADA

Station Elevation: 116 feet. ISA Standard Temperature: 14.77°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
116ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [84ft]	220	220	220	220	230	230	230	230	230
300ft [184ft]	340	340	350	350	350	350	350	360	360
400ft [284ft]	460	460	470	470	470	480	480	480	490
500ft [384ft]	580	590	590	590	600	600	610	610	620
600ft [484ft]	700	710	710	720	720	730	730	740	750
700ft [584ft]	820	830	830	840	850	850	860	860	870
800ft [684ft]	940	950	960	960	970	980	980	990	1000
900ft [784ft]	1060	1070	1080	1090	1090	1100	1110	1120	1130
1000ft [884ft]	1180	1190	1200	1210	1220	1230	1240	1250	1260
1100ft [984ft]	1300	1310	1320	1330	1340	1350	1360	1370	1390
1200ft [1084ft]	1420	1430	1440	1460	1470	1480	1490	1500	1520
1300ft [1184ft]	1540	1550	1570	1580	1590	1600	1620	1630	1650
1400ft [1284ft]	1660	1670	1690	1700	1720	1730	1740	1760	1780
1500ft [1384ft]	1780	1800	1810	1820	1840	1850	1870	1890	1910
1600ft [1484ft]	1900	1920	1930	1950	1960	1980	2000	2010	2040
1700ft [1584ft]	2020	2040	2050	2070	2090	2110	2120	2140	2170
1800ft [1684ft]	2140	2160	2180	2190	2210	2230	2250	2270	2300
1900ft [1784ft]	2260	2280	2300	2320	2340	2360	2380	2400	2430
2000ft [1884ft]	2380	2400	2420	2440	2460	2480	2500	2520	2560
2100ft [1984ft]	2500	2520	2540	2560	2590	2610	2630	2650	2690
2200ft [2084ft]	2620	2640	2670	2690	2710	2730	2760	2780	2820
2300ft [2184ft]	2740	2770	2790	2810	2830	2860	2880	2910	2950
2400ft [2284ft]	2860	2890	2910	2930	2960	2980	3010	3040	3070
2500ft [2384ft]	2980	3010	3030	3060	3080	3110	3140	3160	3200
2600ft [2484ft]	3100	3130	3160	3180	3210	3240	3260	3290	3330
2700ft [2584ft]	3220	3250	3280	3310	3330	3360	3390	3420	3460
2800ft [2684ft]	3340	3370	3400	3430	3460	3490	3520	3550	3590
2900ft [2784ft]	3470	3490	3520	3550	3580	3610	3640	3670	3720
3000ft [2884ft]	3590	3620	3650	3680	3710	3740	3770	3800	3850
3100ft [2984ft]	3710	3740	3770	3800	3830	3860	3900	3930	3980
3200ft [3084ft]	3830	3860	3890	3920	3960	3990	4020	4060	4110
3300ft [3184ft]	3950	3980	4010	4050	4080	4120	4150	4190	4240
3400ft [3284ft]	4070	4100	4140	4170	4210	4240	4280	4320	4370
3500ft [3384ft]	4190	4220	4260	4290	4330	4370	4400	4440	4500
3600ft [3484ft]	4310	4340	4380	4420	4450	4490	4530	4570	4630
3700ft [3584ft]	4430	4470	4500	4540	4580	4620	4660	4700	4760
3800ft [3684ft]	4550	4590	4630	4660	4700	4740	4790	4830	4890
3900ft [3784ft]	4670	4710	4750	4790	4830	4870	4910	4960	5020
4000ft [3884ft]	4790	4830	4870	4910	4950	5000	5040	5080	5150
4100ft [3984ft]	4910	4950	4990	5040	5080	5120	5170	5210	5280
4200ft [4084ft]	5030	5070	5120	5160	5200	5250	5290	5340	5410
4300ft [4184ft]	5150	5200	5240	5280	5330	5370	5420	5470	5540
4400ft [4284ft]	5270	5320	5360	5410	5450	5500	5550	5600	5670
4500ft [4384ft]	5390	5440	5480	5530	5580	5630	5680	5730	5800
4600ft [4484ft]	5510	5560	5610	5650	5700	5750	5800	5850	5930
4700ft [4584ft]	5630	5680	5730	5780	5830	5880	5930	5980	6060
4800ft [4684ft]	5760	5800	5850	5900	5950	6010	6060	6110	6190
4900ft [4784ft]	5880	5930	5980	6030	6080	6130	6190	6240	6320
5000ft [4884ft]	6000	6050	6100	6150	6200	6260	6310	6370	6450
5100ft [4984ft]	6120	6170	6220	6270	6330	6380	6440	6500	6580
5116ft [5000ft]	6140	6190	6240	6290	6350	6400	6460	6520	6610

Stefano M. RAPISARDA - flightdeckengineering.com

CYQQ - Comox, BC, CANADA

Station Elevation: 84 feet. ISA Standard Temperature: 14.83°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
84ft [0ft]	90	90	90	90	90	90	90	90	90
100ft [16ft]	100	110	110	110	110	110	110	110	110
200ft [116ft]	200	210	210	210	210	210	210	210	210
300ft [216ft]	300	310	310	310	310	310	310	320	320
400ft [316ft]	400	410	410	410	410	420	420	420	420
500ft [416ft]	500	510	510	510	520	520	520	530	530
600ft [516ft]	600	610	610	620	620	620	630	630	640
700ft [616ft]	700	710	710	720	720	730	730	740	740
800ft [716ft]	800	810	810	820	830	830	840	840	850
900ft [816ft]	900	910	920	920	930	930	940	950	950
1000ft [916ft]	1000	1010	1020	1020	1030	1040	1040	1050	1060
1100ft [1016ft]	1100	1110	1120	1130	1130	1140	1150	1160	1160
1200ft [1116ft]	1200	1210	1220	1230	1240	1240	1250	1260	1270
1300ft [1216ft]	1300	1310	1320	1330	1340	1350	1360	1370	1380
1400ft [1316ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1416ft]	1500	1510	1520	1530	1540	1560	1570	1580	1590
1600ft [1516ft]	1600	1610	1630	1640	1650	1660	1670	1680	1690
1700ft [1616ft]	1700	1720	1730	1740	1750	1760	1770	1790	1800
1800ft [1716ft]	1800	1820	1830	1840	1850	1870	1880	1890	1910
1900ft [1816ft]	1900	1920	1930	1940	1960	1970	1980	2000	2010
2000ft [1916ft]	2000	2020	2030	2040	2060	2070	2090	2100	2120
2100ft [2016ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2200ft [2116ft]	2200	2220	2230	2250	2260	2280	2300	2310	2330
2300ft [2216ft]	2300	2320	2340	2350	2370	2380	2400	2420	2440
2400ft [2316ft]	2400	2420	2440	2450	2470	2490	2510	2520	2540
2500ft [2416ft]	2500	2520	2540	2560	2570	2590	2610	2630	2650
2600ft [2516ft]	2600	2620	2640	2660	2680	2690	2710	2730	2750
2700ft [2616ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2716ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2816ft]	2900	2920	2940	2960	2980	3010	3030	3050	3070
3000ft [2916ft]	3000	3020	3040	3070	3090	3110	3130	3150	3180
3100ft [3016ft]	3100	3120	3150	3170	3190	3210	3240	3260	3280
3200ft [3116ft]	3200	3230	3250	3270	3290	3320	3340	3360	3390
3300ft [3216ft]	3300	3330	3350	3370	3400	3420	3440	3470	3490
3400ft [3316ft]	3400	3430	3450	3470	3500	3520	3550	3570	3600
3500ft [3416ft]	3500	3530	3550	3580	3600	3630	3650	3680	3710
3600ft [3516ft]	3600	3630	3650	3680	3700	3730	3760	3780	3810
3700ft [3616ft]	3700	3730	3750	3780	3810	3830	3860	3890	3920
3800ft [3716ft]	3800	3830	3860	3880	3910	3940	3970	4000	4020
3900ft [3816ft]	3900	3930	3960	3980	4010	4040	4070	4100	4130
4000ft [3916ft]	4000	4030	4060	4090	4120	4150	4180	4210	4240
4100ft [4016ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4200ft [4116ft]	4200	4230	4260	4290	4320	4350	4380	4420	4450
4300ft [4216ft]	4300	4330	4360	4390	4420	4460	4490	4520	4550
4400ft [4316ft]	4400	4430	4460	4500	4530	4560	4590	4630	4660
4500ft [4416ft]	4500	4530	4570	4600	4630	4660	4700	4730	4770
4600ft [4516ft]	4600	4630	4670	4700	4730	4770	4800	4840	4870
4700ft [4616ft]	4700	4740	4770	4800	4840	4870	4910	4940	4980
4800ft [4716ft]	4800	4840	4870	4900	4940	4970	5010	5050	5080
4900ft [4816ft]	4900	4940	4970	5010	5040	5080	5120	5150	5190
5000ft [4916ft]	5000	5040	5070	5110	5140	5180	5220	5260	5300
5084ft [5000ft]	5090	5120	5160	5190	5230	5270	5310	5350	5390

Stefano M. RAPISARDA - flightdeckengineering.com

CYQQ - Comox, BC, CANADA

Station Elevation: 84 feet. ISA Standard Temperature: 14.83°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
84ft [0ft]	90	90	90	90	90	90	90	90	90
100ft [16ft]	110	110	110	110	110	110	110	110	110
200ft [116ft]	210	210	210	210	220	220	220	220	220
300ft [216ft]	320	320	320	320	320	330	330	330	330
400ft [316ft]	420	430	430	430	430	440	440	440	440
500ft [416ft]	530	530	540	540	540	550	550	550	560
600ft [516ft]	640	640	640	650	650	660	660	660	670
700ft [616ft]	740	750	750	760	760	770	770	780	780
800ft [716ft]	850	850	860	860	870	880	880	890	890
900ft [816ft]	950	960	970	970	980	990	990	1000	1010
1000ft [916ft]	1060	1070	1070	1080	1090	1100	1100	1110	1120
1100ft [1016ft]	1160	1170	1180	1190	1200	1210	1210	1220	1230
1200ft [1116ft]	1270	1280	1290	1300	1310	1320	1320	1330	1340
1300ft [1216ft]	1380	1390	1400	1410	1420	1430	1440	1450	1460
1400ft [1316ft]	1480	1490	1500	1510	1520	1540	1550	1560	1570
1500ft [1416ft]	1590	1600	1610	1620	1630	1650	1660	1670	1680
1600ft [1516ft]	1690	1710	1720	1730	1740	1760	1770	1780	1790
1700ft [1616ft]	1800	1810	1830	1840	1850	1870	1880	1890	1910
1800ft [1716ft]	1910	1920	1930	1950	1960	1980	1990	2000	2020
1900ft [1816ft]	2010	2030	2040	2060	2070	2090	2100	2120	2130
2000ft [1916ft]	2120	2130	2150	2160	2180	2200	2210	2230	2240
2100ft [2016ft]	2220	2240	2260	2270	2290	2310	2320	2340	2360
2200ft [2116ft]	2330	2350	2360	2380	2400	2420	2430	2450	2470
2300ft [2216ft]	2440	2450	2470	2490	2510	2530	2540	2560	2580
2400ft [2316ft]	2540	2560	2580	2600	2620	2640	2660	2680	2700
2500ft [2416ft]	2650	2670	2690	2710	2730	2750	2770	2790	2810
2600ft [2516ft]	2750	2770	2790	2810	2830	2860	2880	2900	2920
2700ft [2616ft]	2860	2880	2900	2920	2940	2970	2990	3010	3030
2800ft [2716ft]	2960	2990	3010	3030	3050	3080	3100	3120	3150
2900ft [2816ft]	3070	3090	3120	3140	3160	3190	3210	3230	3260
3000ft [2916ft]	3180	3200	3220	3250	3270	3300	3320	3350	3370
3100ft [3016ft]	3280	3310	3330	3360	3380	3410	3430	3460	3480
3200ft [3116ft]	3390	3410	3440	3460	3490	3520	3540	3570	3600
3300ft [3216ft]	3490	3520	3550	3570	3600	3630	3650	3680	3710
3400ft [3316ft]	3600	3630	3650	3680	3710	3740	3760	3790	3820
3500ft [3416ft]	3710	3730	3760	3790	3820	3850	3880	3910	3940
3600ft [3516ft]	3810	3840	3870	3900	3930	3960	3990	4020	4050
3700ft [3616ft]	3920	3950	3980	4010	4040	4070	4100	4130	4160
3800ft [3716ft]	4020	4050	4080	4110	4150	4180	4210	4240	4270
3900ft [3816ft]	4130	4160	4190	4220	4250	4290	4320	4350	4390
4000ft [3916ft]	4240	4270	4300	4330	4360	4400	4430	4460	4500
4100ft [4016ft]	4340	4370	4410	4440	4470	4510	4540	4580	4610
4200ft [4116ft]	4450	4480	4510	4550	4580	4620	4650	4690	4720
4300ft [4216ft]	4550	4590	4620	4660	4690	4730	4760	4800	4840
4400ft [4316ft]	4660	4690	4730	4760	4800	4840	4870	4910	4950
4500ft [4416ft]	4770	4800	4840	4870	4910	4950	4990	5020	5060
4600ft [4516ft]	4870	4910	4940	4980	5020	5060	5100	5140	5180
4700ft [4616ft]	4980	5020	5050	5090	5130	5170	5210	5250	5290
4800ft [4716ft]	5080	5120	5160	5200	5240	5280	5320	5360	5400
4900ft [4816ft]	5190	5230	5270	5310	5350	5390	5430	5470	5520
5000ft [4916ft]	5300	5340	5380	5420	5460	5500	5540	5580	5630
5084ft [5000ft]	5390	5430	5470	5510	5550	5590	5630	5680	5720

Stefano M. RAPISARDA - flightdeckengineering.com

CYQQ - Comox, BC, CANADA

Station Elevation: 84 feet. ISA Standard Temperature: 14.83°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
84ft [0ft]	90	90	90	90	90	90	90	90	90
100ft [16ft]	110	110	110	110	110	110	110	110	110
200ft [116ft]	220	220	220	220	220	220	230	230	230
300ft [216ft]	330	330	340	340	340	340	340	350	350
400ft [316ft]	440	450	450	450	460	460	460	460	470
500ft [416ft]	560	560	560	570	570	580	580	580	590
600ft [516ft]	670	670	680	680	690	690	700	700	710
700ft [616ft]	780	790	790	800	800	810	820	820	830
800ft [716ft]	890	900	910	910	920	930	930	940	950
900ft [816ft]	1010	1010	1020	1030	1040	1040	1050	1060	1070
1000ft [916ft]	1120	1130	1140	1140	1150	1160	1170	1180	1190
1100ft [1016ft]	1230	1240	1250	1260	1270	1280	1290	1300	1310
1200ft [1116ft]	1340	1350	1360	1370	1380	1400	1410	1420	1430
1300ft [1216ft]	1460	1470	1480	1490	1500	1510	1520	1540	1550
1400ft [1316ft]	1570	1580	1590	1610	1620	1630	1640	1660	1670
1500ft [1416ft]	1680	1690	1710	1720	1730	1750	1760	1770	1790
1600ft [1516ft]	1790	1810	1820	1840	1850	1860	1880	1890	1910
1700ft [1616ft]	1910	1920	1940	1950	1970	1980	2000	2010	2030
1800ft [1716ft]	2020	2040	2050	2070	2080	2100	2120	2130	2150
1900ft [1816ft]	2130	2150	2160	2180	2200	2220	2230	2250	2270
2000ft [1916ft]	2240	2260	2280	2300	2320	2330	2350	2370	2390
2100ft [2016ft]	2360	2380	2390	2410	2430	2450	2470	2490	2510
2200ft [2116ft]	2470	2490	2510	2530	2550	2570	2590	2610	2630
2300ft [2216ft]	2580	2600	2620	2640	2660	2690	2710	2730	2750
2400ft [2316ft]	2700	2720	2740	2760	2780	2800	2820	2850	2870
2500ft [2416ft]	2810	2830	2850	2870	2900	2920	2940	2970	2990
2600ft [2516ft]	2920	2940	2970	2990	3010	3040	3060	3090	3110
2700ft [2616ft]	3030	3060	3080	3100	3130	3150	3180	3210	3230
2800ft [2716ft]	3150	3170	3200	3220	3250	3270	3300	3320	3350
2900ft [2816ft]	3260	3280	3310	3340	3360	3390	3420	3440	3470
3000ft [2916ft]	3370	3400	3420	3450	3480	3510	3530	3560	3590
3100ft [3016ft]	3480	3510	3540	3570	3600	3620	3650	3680	3710
3200ft [3116ft]	3600	3630	3650	3680	3710	3740	3770	3800	3830
3300ft [3216ft]	3710	3740	3770	3800	3830	3860	3890	3920	3950
3400ft [3316ft]	3820	3850	3880	3910	3940	3980	4010	4040	4070
3500ft [3416ft]	3940	3970	4000	4030	4060	4090	4130	4160	4200
3600ft [3516ft]	4050	4080	4110	4140	4180	4210	4250	4280	4320
3700ft [3616ft]	4160	4190	4230	4260	4290	4330	4360	4400	4440
3800ft [3716ft]	4270	4310	4340	4380	4410	4450	4480	4520	4560
3900ft [3816ft]	4390	4420	4460	4490	4530	4560	4600	4640	4680
4000ft [3916ft]	4500	4530	4570	4610	4640	4680	4720	4760	4800
4100ft [4016ft]	4610	4650	4690	4720	4760	4800	4840	4880	4920
4200ft [4116ft]	4720	4760	4800	4840	4880	4920	4960	5000	5040
4300ft [4216ft]	4840	4880	4910	4950	4990	5030	5080	5120	5160
4400ft [4316ft]	4950	4990	5030	5070	5110	5150	5190	5240	5280
4500ft [4416ft]	5060	5100	5140	5180	5230	5270	5310	5360	5400
4600ft [4516ft]	5180	5220	5260	5300	5340	5390	5430	5480	5520
4700ft [4616ft]	5290	5330	5370	5420	5460	5500	5550	5600	5640
4800ft [4716ft]	5400	5440	5490	5530	5580	5620	5670	5720	5760
4900ft [4816ft]	5520	5560	5600	5650	5690	5740	5790	5840	5880
5000ft [4916ft]	5630	5670	5720	5760	5810	5860	5910	5950	6000
5084ft [5000ft]	5720	5770	5810	5860	5910	5960	6010	6060	6110

Stefano M. RAPISARDA - flightdeckengineering.com

CYQQ - Comox, BC, CANADA

Station Elevation: 84 feet. ISA Standard Temperature: 14.83°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
84ft [0ft]	90	90	90	90	90	90	90	90	90
100ft [16ft]	110	110	110	110	110	110	110	110	110
200ft [116ft]	230	230	230	230	230	230	240	240	240
300ft [216ft]	350	350	350	350	360	360	360	360	370
400ft [316ft]	470	470	470	480	480	480	490	490	500
500ft [416ft]	590	590	600	600	610	610	610	620	630
600ft [516ft]	710	710	720	720	730	730	740	750	760
700ft [616ft]	830	830	840	850	850	860	870	870	880
800ft [716ft]	950	960	960	970	980	990	990	1000	1010
900ft [816ft]	1070	1080	1080	1090	1100	1110	1120	1130	1140
1000ft [916ft]	1190	1200	1210	1220	1230	1240	1250	1260	1270
1100ft [1016ft]	1310	1320	1330	1340	1350	1360	1370	1380	1400
1200ft [1116ft]	1430	1440	1450	1460	1470	1490	1500	1510	1530
1300ft [1216ft]	1550	1560	1570	1590	1600	1610	1630	1640	1660
1400ft [1316ft]	1670	1680	1700	1710	1720	1740	1750	1770	1790
1500ft [1416ft]	1790	1800	1820	1830	1850	1860	1880	1890	1920
1600ft [1516ft]	1910	1920	1940	1960	1970	1990	2010	2020	2050
1700ft [1616ft]	2030	2050	2060	2080	2100	2110	2130	2150	2180
1800ft [1716ft]	2150	2170	2180	2200	2220	2240	2260	2280	2310
1900ft [1816ft]	2270	2290	2310	2330	2350	2370	2390	2410	2440
2000ft [1916ft]	2390	2410	2430	2450	2470	2490	2510	2530	2570
2100ft [2016ft]	2510	2530	2550	2570	2590	2620	2640	2660	2700
2200ft [2116ft]	2630	2650	2670	2700	2720	2740	2770	2790	2830
2300ft [2216ft]	2750	2770	2800	2820	2840	2870	2890	2920	2960
2400ft [2316ft]	2870	2890	2920	2940	2970	2990	3020	3040	3090
2500ft [2416ft]	2990	3020	3040	3070	3090	3120	3150	3170	3210
2600ft [2516ft]	3110	3140	3160	3190	3220	3240	3270	3300	3340
2700ft [2616ft]	3230	3260	3290	3310	3340	3370	3400	3430	3470
2800ft [2716ft]	3350	3380	3410	3440	3470	3500	3530	3560	3600
2900ft [2816ft]	3470	3500	3530	3560	3590	3620	3650	3680	3730
3000ft [2916ft]	3590	3620	3650	3680	3720	3750	3780	3810	3860
3100ft [3016ft]	3710	3740	3780	3810	3840	3870	3910	3940	3990
3200ft [3116ft]	3830	3870	3900	3930	3960	4000	4030	4070	4120
3300ft [3216ft]	3950	3990	4020	4050	4090	4120	4160	4200	4250
3400ft [3316ft]	4070	4110	4140	4180	4210	4250	4290	4330	4380
3500ft [3416ft]	4200	4230	4270	4300	4340	4380	4410	4450	4510
3600ft [3516ft]	4320	4350	4390	4430	4460	4500	4540	4580	4640
3700ft [3616ft]	4440	4470	4510	4550	4590	4630	4670	4710	4770
3800ft [3716ft]	4560	4600	4630	4670	4710	4750	4800	4840	4900
3900ft [3816ft]	4680	4720	4760	4800	4840	4880	4920	4970	5030
4000ft [3916ft]	4800	4840	4880	4920	4960	5010	5050	5090	5160
4100ft [4016ft]	4920	4960	5000	5040	5090	5130	5180	5220	5290
4200ft [4116ft]	5040	5080	5120	5170	5210	5260	5300	5350	5420
4300ft [4216ft]	5160	5200	5250	5290	5340	5380	5430	5480	5550
4400ft [4316ft]	5280	5320	5370	5420	5460	5510	5560	5610	5680
4500ft [4416ft]	5400	5450	5490	5540	5590	5640	5690	5740	5810
4600ft [4516ft]	5520	5570	5620	5660	5710	5760	5810	5870	5940
4700ft [4616ft]	5640	5690	5740	5790	5840	5890	5940	5990	6070
4800ft [4716ft]	5760	5810	5860	5910	5960	6010	6070	6120	6200
4900ft [4816ft]	5880	5930	5980	6040	6090	6140	6200	6250	6340
5000ft [4916ft]	6000	6060	6110	6160	6210	6270	6320	6380	6470
5084ft [5000ft]	6110	6160	6210	6260	6320	6370	6430	6490	6580

Stefano M. RAPISARDA - flightdeckengineering.com

CYQZ - Quesnel, BC, CANADA

Station Elevation: 1788 feet. ISA Standard Temperature: 11.46°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+2)	12°C (ISA+0)	10°C (ISA-2)	8°C (ISA-4)	6°C (ISA-6)	4°C (ISA-8)	2°C (ISA-10)	0°C (ISA-12)	-2°C (ISA-14)
1788ft [0ft]	---	1790	1790	1790	1790	1790	1790	1790	1790
1800ft [12ft]	---	1800	1810	1810	1810	1810	1810	1810	1810
1900ft [112ft]	---	1900	1910	1910	1910	1910	1910	1910	1910
2000ft [212ft]	---	2000	2010	2010	2010	2010	2010	2010	2020
2100ft [312ft]	---	2100	2110	2110	2110	2110	2120	2120	2120
2200ft [412ft]	---	2200	2210	2210	2210	2220	2220	2220	2230
2300ft [512ft]	---	2300	2310	2310	2310	2320	2320	2330	2330
2400ft [612ft]	---	2400	2410	2410	2420	2420	2430	2430	2440
2500ft [712ft]	---	2500	2510	2510	2520	2520	2530	2530	2540
2600ft [812ft]	---	2600	2610	2610	2620	2630	2630	2640	2650
2700ft [912ft]	---	2700	2710	2720	2720	2730	2740	2740	2750
2800ft [1012ft]	---	2800	2810	2820	2820	2830	2840	2850	2860
2900ft [1112ft]	---	2900	2910	2920	2930	2930	2940	2950	2960
3000ft [1212ft]	---	3000	3010	3020	3030	3040	3050	3060	3070
3100ft [1312ft]	---	3100	3110	3120	3130	3140	3150	3160	3170
3200ft [1412ft]	---	3200	3210	3220	3230	3240	3250	3260	3280
3300ft [1512ft]	---	3300	3310	3320	3330	3350	3360	3370	3380
3400ft [1612ft]	---	3400	3410	3420	3440	3450	3460	3470	3480
3500ft [1712ft]	---	3500	3510	3530	3540	3550	3560	3580	3590
3600ft [1812ft]	---	3600	3610	3630	3640	3650	3670	3680	3690
3700ft [1912ft]	---	3700	3710	3730	3740	3760	3770	3790	3800
3800ft [2012ft]	---	3800	3820	3830	3840	3860	3870	3890	3900
3900ft [2112ft]	---	3900	3920	3930	3950	3960	3980	3990	4010
4000ft [2212ft]	---	4000	4020	4030	4050	4060	4080	4100	4120
4100ft [2312ft]	---	4100	4120	4130	4150	4170	4180	4200	4220
4200ft [2412ft]	---	4200	4220	4230	4250	4270	4290	4310	4330
4300ft [2512ft]	---	4300	4320	4340	4350	4370	4390	4410	4430
4400ft [2612ft]	---	4400	4420	4440	4460	4480	4500	4510	4540
4500ft [2712ft]	---	4500	4520	4540	4560	4580	4600	4620	4640
4600ft [2812ft]	---	4600	4620	4640	4660	4680	4700	4720	4750
4700ft [2912ft]	---	4700	4720	4740	4760	4780	4810	4830	4850
4800ft [3012ft]	---	4800	4820	4840	4860	4890	4910	4930	4960
4900ft [3112ft]	---	4900	4920	4940	4970	4990	5010	5040	5060
5000ft [3212ft]	---	5000	5020	5040	5070	5090	5120	5140	5170
5100ft [3312ft]	---	5100	5120	5150	5170	5190	5220	5240	5270
5200ft [3412ft]	---	5200	5220	5250	5270	5300	5320	5350	5380
5300ft [3512ft]	---	5300	5320	5350	5370	5400	5430	5450	5480
5400ft [3612ft]	---	5400	5420	5450	5480	5500	5530	5560	5590
5500ft [3712ft]	---	5500	5520	5550	5580	5610	5630	5660	5690
5600ft [3812ft]	---	5600	5620	5650	5680	5710	5740	5770	5800
5700ft [3912ft]	---	5700	5730	5750	5780	5810	5840	5870	5900
5800ft [4012ft]	---	5800	5830	5850	5880	5910	5940	5970	6010
5900ft [4112ft]	---	5900	5930	5960	5990	6020	6050	6080	6110
6000ft [4212ft]	---	6000	6030	6060	6090	6120	6150	6180	6220
6100ft [4312ft]	---	6100	6130	6160	6190	6220	6250	6290	6320
6200ft [4412ft]	---	6200	6230	6260	6290	6320	6360	6390	6430
6300ft [4512ft]	---	6300	6330	6360	6390	6430	6460	6500	6530
6400ft [4612ft]	---	6400	6430	6460	6500	6530	6570	6600	6640
6500ft [4712ft]	---	6500	6530	6560	6600	6630	6670	6700	6740
6600ft [4812ft]	---	6600	6630	6660	6700	6740	6770	6810	6850
6700ft [4912ft]	---	6700	6730	6770	6800	6840	6880	6910	6950
6788ft [5000ft]	---	6788	6820	6860	6890	6930	6970	7010	7040

Stefano M. RAPISARDA - flightdeckengineering.com

CYQZ - Quesnel, BC, CANADA

Station Elevation: 1788 feet. ISA Standard Temperature: 11.46°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-14)	-4°C (ISA-16)	-6°C (ISA-18)	-8°C (ISA-20)	-10°C (ISA-22)	-12°C (ISA-24)	-14°C (ISA-26)	-16°C (ISA-28)	-18°C (ISA-30)
1788ft [0ft]	1790	1790	1790	1790	1790	1790	1790	1790	1790
1800ft [12ft]	1810	1810	1810	1810	1810	1810	1810	1810	1810
1900ft [112ft]	1910	1910	1910	1910	1910	1920	1920	1920	1920
2000ft [212ft]	2020	2020	2020	2020	2020	2020	2030	2030	2030
2100ft [312ft]	2120	2120	2130	2130	2130	2130	2140	2140	2140
2200ft [412ft]	2230	2230	2230	2240	2240	2240	2250	2250	2250
2300ft [512ft]	2330	2330	2340	2340	2350	2350	2360	2360	2360
2400ft [612ft]	2440	2440	2440	2450	2450	2460	2460	2470	2480
2500ft [712ft]	2540	2550	2550	2560	2560	2570	2570	2580	2590
2600ft [812ft]	2650	2650	2660	2660	2670	2680	2680	2690	2700
2700ft [912ft]	2750	2760	2760	2770	2780	2790	2790	2800	2810
2800ft [1012ft]	2860	2860	2870	2880	2890	2900	2900	2910	2920
2900ft [1112ft]	2960	2970	2980	2990	3000	3000	3010	3020	3030
3000ft [1212ft]	3070	3070	3080	3090	3100	3110	3120	3130	3140
3100ft [1312ft]	3170	3180	3190	3200	3210	3220	3230	3240	3260
3200ft [1412ft]	3280	3290	3300	3310	3320	3330	3340	3360	3370
3300ft [1512ft]	3380	3390	3400	3420	3430	3440	3450	3470	3480
3400ft [1612ft]	3480	3500	3510	3520	3540	3550	3560	3580	3590
3500ft [1712ft]	3590	3600	3620	3630	3640	3660	3670	3690	3700
3600ft [1812ft]	3690	3710	3720	3740	3750	3770	3780	3800	3810
3700ft [1912ft]	3800	3810	3830	3850	3860	3880	3890	3910	3930
3800ft [2012ft]	3900	3920	3940	3950	3970	3990	4000	4020	4040
3900ft [2112ft]	4010	4030	4040	4060	4080	4100	4110	4130	4150
4000ft [2212ft]	4120	4130	4150	4170	4190	4200	4220	4240	4260
4100ft [2312ft]	4220	4240	4260	4280	4290	4310	4330	4350	4370
4200ft [2412ft]	4330	4340	4360	4380	4400	4420	4440	4460	4480
4300ft [2512ft]	4430	4450	4470	4490	4510	4530	4550	4570	4600
4400ft [2612ft]	4540	4560	4580	4600	4620	4640	4660	4680	4710
4500ft [2712ft]	4640	4660	4680	4700	4730	4750	4770	4800	4820
4600ft [2812ft]	4750	4770	4790	4810	4840	4860	4880	4910	4930
4700ft [2912ft]	4850	4870	4900	4920	4940	4970	4990	5020	5040
4800ft [3012ft]	4960	4980	5000	5030	5050	5080	5100	5130	5150
4900ft [3112ft]	5060	5080	5110	5130	5160	5190	5210	5240	5270
5000ft [3212ft]	5170	5190	5220	5240	5270	5300	5320	5350	5380
5100ft [3312ft]	5270	5300	5320	5350	5380	5400	5430	5460	5490
5200ft [3412ft]	5380	5400	5430	5460	5490	5510	5540	5570	5600
5300ft [3512ft]	5480	5510	5540	5560	5590	5620	5650	5680	5710
5400ft [3612ft]	5590	5610	5640	5670	5700	5730	5760	5790	5830
5500ft [3712ft]	5690	5720	5750	5780	5810	5840	5870	5900	5940
5600ft [3812ft]	5800	5830	5860	5890	5920	5950	5980	6020	6050
5700ft [3912ft]	5900	5930	5960	5990	6030	6060	6090	6130	6160
5800ft [4012ft]	6010	6040	6070	6100	6140	6170	6200	6240	6270
5900ft [4112ft]	6110	6140	6180	6210	6240	6280	6310	6350	6380
6000ft [4212ft]	6220	6250	6280	6320	6350	6390	6420	6460	6500
6100ft [4312ft]	6320	6360	6390	6420	6460	6500	6530	6570	6610
6200ft [4412ft]	6430	6460	6500	6530	6570	6610	6640	6680	6720
6300ft [4512ft]	6530	6570	6600	6640	6680	6710	6750	6790	6830
6400ft [4612ft]	6640	6670	6710	6750	6790	6820	6860	6900	6940
6500ft [4712ft]	6740	6780	6820	6850	6890	6930	6970	7010	7060
6600ft [4812ft]	6850	6880	6920	6960	7000	7040	7080	7130	7170
6700ft [4912ft]	6950	6990	7030	7070	7110	7150	7190	7240	7280
6788ft [5000ft]	7040	7080	7120	7160	7210	7250	7290	7330	7380

Stefano M. RAPISARDA - flightdeckengineering.com

CYQZ - Quesnel, BC, CANADA

Station Elevation: 1788 feet. ISA Standard Temperature: 11.46°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-30)	-20°C (ISA-32)	-22°C (ISA-34)	-24°C (ISA-36)	-26°C (ISA-38)	-28°C (ISA-40)	-30°C (ISA-42)	-32°C (ISA-44)	-34°C (ISA-46)
1788ft [0ft]	1790	1790	1790	1790	1790	1790	1790	1790	1790
1800ft [12ft]	1810	1810	1810	1810	1810	1810	1810	1810	1810
1900ft [112ft]	1920	1920	1920	1920	1920	1920	1920	1930	1930
2000ft [212ft]	2030	2030	2030	2030	2040	2040	2040	2040	2050
2100ft [312ft]	2140	2140	2150	2150	2150	2150	2160	2160	2160
2200ft [412ft]	2250	2260	2260	2260	2270	2270	2270	2280	2280
2300ft [512ft]	2360	2370	2370	2380	2380	2390	2390	2400	2400
2400ft [612ft]	2480	2480	2490	2490	2500	2500	2510	2510	2520
2500ft [712ft]	2590	2590	2600	2610	2610	2620	2630	2630	2640
2600ft [812ft]	2700	2710	2710	2720	2730	2740	2740	2750	2760
2700ft [912ft]	2810	2820	2830	2830	2840	2850	2860	2870	2880
2800ft [1012ft]	2920	2930	2940	2950	2960	2970	2980	2990	3000
2900ft [1112ft]	3030	3040	3050	3060	3070	3080	3090	3100	3120
3000ft [1212ft]	3140	3160	3170	3180	3190	3200	3210	3220	3230
3100ft [1312ft]	3260	3270	3280	3290	3300	3320	3330	3340	3350
3200ft [1412ft]	3370	3380	3390	3410	3420	3430	3450	3460	3470
3300ft [1512ft]	3480	3490	3510	3520	3530	3550	3560	3580	3590
3400ft [1612ft]	3590	3610	3620	3630	3650	3660	3680	3700	3710
3500ft [1712ft]	3700	3720	3730	3750	3760	3780	3800	3810	3830
3600ft [1812ft]	3810	3830	3850	3860	3880	3900	3910	3930	3950
3700ft [1912ft]	3930	3940	3960	3980	4000	4010	4030	4050	4070
3800ft [2012ft]	4040	4060	4070	4090	4110	4130	4150	4170	4190
3900ft [2112ft]	4150	4170	4190	4210	4230	4250	4270	4290	4310
4000ft [2212ft]	4260	4280	4300	4320	4340	4360	4380	4400	4430
4100ft [2312ft]	4370	4390	4410	4430	4460	4480	4500	4520	4550
4200ft [2412ft]	4480	4510	4530	4550	4570	4590	4620	4640	4660
4300ft [2512ft]	4600	4620	4640	4660	4690	4710	4730	4760	4780
4400ft [2612ft]	4710	4730	4750	4780	4800	4830	4850	4880	4900
4500ft [2712ft]	4820	4840	4870	4890	4920	4940	4970	5000	5020
4600ft [2812ft]	4930	4960	4980	5010	5030	5060	5090	5110	5140
4700ft [2912ft]	5040	5070	5090	5120	5150	5180	5200	5230	5260
4800ft [3012ft]	5150	5180	5210	5240	5260	5290	5320	5350	5380
4900ft [3112ft]	5270	5290	5320	5350	5380	5410	5440	5470	5500
5000ft [3212ft]	5380	5410	5440	5460	5490	5530	5560	5590	5620
5100ft [3312ft]	5490	5520	5550	5580	5610	5640	5670	5710	5740
5200ft [3412ft]	5600	5630	5660	5690	5730	5760	5790	5820	5860
5300ft [3512ft]	5710	5740	5780	5810	5840	5870	5910	5940	5980
5400ft [3612ft]	5830	5860	5890	5920	5960	5990	6030	6060	6100
5500ft [3712ft]	5940	5970	6000	6040	6070	6110	6140	6180	6220
5600ft [3812ft]	6050	6080	6120	6150	6190	6220	6260	6300	6340
5700ft [3912ft]	6160	6200	6230	6270	6300	6340	6380	6420	6460
5800ft [4012ft]	6270	6310	6340	6380	6420	6460	6500	6540	6580
5900ft [4112ft]	6380	6420	6460	6500	6530	6570	6610	6650	6690
6000ft [4212ft]	6500	6530	6570	6610	6650	6690	6730	6770	6810
6100ft [4312ft]	6610	6650	6690	6730	6770	6810	6850	6890	6930
6200ft [4412ft]	6720	6760	6800	6840	6880	6920	6970	7010	7050
6300ft [4512ft]	6830	6870	6910	6950	7000	7040	7080	7130	7170
6400ft [4612ft]	6940	6980	7030	7070	7110	7160	7200	7250	7290
6500ft [4712ft]	7060	7100	7140	7180	7230	7270	7320	7360	7410
6600ft [4812ft]	7170	7210	7250	7300	7340	7390	7440	7480	7530
6700ft [4912ft]	7280	7320	7370	7410	7460	7510	7550	7600	7650
6788ft [5000ft]	7380	7420	7470	7510	7560	7610	7660	7710	7760

Stefano M. RAPISARDA - flightdeckengineering.com

CYQZ - Quesnel, BC, CANADA

Station Elevation: 1788 feet. ISA Standard Temperature: 11.46°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-46)	-36°C (ISA-48)	-38°C (ISA-50)	-40°C (ISA-52)	-42°C (ISA-54)	-44°C (ISA-56)	-46°C (ISA-58)	-48°C (ISA-60)	-50°C (ISA-62)
1788ft [0ft]	1790	1790	1790	1790	1790	1790	1790	1790	1790
1800ft [12ft]	1810	1810	1810	1810	1810	1810	1810	1810	1810
1900ft [112ft]	1930	1930	1930	1930	1930	1930	1930	1930	1940
2000ft [212ft]	2050	2050	2050	2050	2050	2060	2060	2060	2060
2100ft [312ft]	2160	2170	2170	2170	2180	2180	2180	2190	2190
2200ft [412ft]	2280	2290	2290	2300	2300	2300	2310	2310	2320
2300ft [512ft]	2400	2410	2410	2420	2420	2430	2430	2440	2450
2400ft [612ft]	2520	2530	2530	2540	2550	2550	2560	2570	2570
2500ft [712ft]	2640	2650	2650	2660	2670	2680	2680	2690	2700
2600ft [812ft]	2760	2770	2780	2780	2790	2800	2810	2820	2830
2700ft [912ft]	2880	2890	2900	2910	2920	2930	2930	2950	2960
2800ft [1012ft]	3000	3010	3020	3030	3040	3050	3060	3070	3080
2900ft [1112ft]	3120	3130	3140	3150	3160	3170	3190	3200	3210
3000ft [1212ft]	3230	3250	3260	3270	3280	3300	3310	3320	3340
3100ft [1312ft]	3350	3370	3380	3390	3410	3420	3440	3450	3470
3200ft [1412ft]	3470	3490	3500	3520	3530	3550	3560	3580	3590
3300ft [1512ft]	3590	3610	3620	3640	3650	3670	3690	3700	3720
3400ft [1612ft]	3710	3730	3740	3760	3780	3800	3810	3830	3850
3500ft [1712ft]	3830	3850	3870	3880	3900	3920	3940	3960	3980
3600ft [1812ft]	3950	3970	3990	4010	4020	4040	4060	4080	4100
3700ft [1912ft]	4070	4090	4110	4130	4150	4170	4190	4210	4230
3800ft [2012ft]	4190	4210	4230	4250	4270	4290	4310	4340	4360
3900ft [2112ft]	4310	4330	4350	4370	4390	4420	4440	4460	4490
4000ft [2212ft]	4430	4450	4470	4490	4520	4540	4570	4590	4620
4100ft [2312ft]	4550	4570	4590	4620	4640	4670	4690	4720	4740
4200ft [2412ft]	4660	4690	4710	4740	4760	4790	4820	4840	4870
4300ft [2512ft]	4780	4810	4840	4860	4890	4920	4940	4970	5000
4400ft [2612ft]	4900	4930	4960	4980	5010	5040	5070	5100	5130
4500ft [2712ft]	5020	5050	5080	5110	5140	5160	5190	5220	5260
4600ft [2812ft]	5140	5170	5200	5230	5260	5290	5320	5350	5380
4700ft [2912ft]	5260	5290	5320	5350	5380	5410	5450	5480	5510
4800ft [3012ft]	5380	5410	5440	5470	5510	5540	5570	5610	5640
4900ft [3112ft]	5500	5530	5560	5600	5630	5660	5700	5730	5770
5000ft [3212ft]	5620	5650	5690	5720	5750	5790	5820	5860	5900
5100ft [3312ft]	5740	5770	5810	5840	5880	5910	5950	5990	6020
5200ft [3412ft]	5860	5890	5930	5960	6000	6040	6070	6110	6150
5300ft [3512ft]	5980	6010	6050	6090	6120	6160	6200	6240	6280
5400ft [3612ft]	6100	6130	6170	6210	6250	6290	6330	6370	6410
5500ft [3712ft]	6220	6250	6290	6330	6370	6410	6450	6490	6540
5600ft [3812ft]	6340	6370	6410	6450	6490	6540	6580	6620	6670
5700ft [3912ft]	6460	6500	6540	6580	6620	6660	6700	6750	6790
5800ft [4012ft]	6580	6620	6660	6700	6740	6790	6830	6880	6920
5900ft [4112ft]	6690	6740	6780	6820	6870	6910	6960	7000	7050
6000ft [4212ft]	6810	6860	6900	6940	6990	7040	7080	7130	7180
6100ft [4312ft]	6930	6980	7020	7070	7110	7160	7210	7260	7310
6200ft [4412ft]	7050	7100	7140	7190	7240	7290	7330	7380	7440
6300ft [4512ft]	7170	7220	7270	7310	7360	7410	7460	7510	7560
6400ft [4612ft]	7290	7340	7390	7440	7490	7540	7590	7640	7690
6500ft [4712ft]	7410	7460	7510	7560	7610	7660	7710	7770	7820
6600ft [4812ft]	7530	7580	7630	7680	7730	7790	7840	7890	7950
6700ft [4912ft]	7650	7700	7750	7800	7860	7910	7970	8020	8080
6788ft [5000ft]	7760	7810	7860	7910	7970	8020	8080	8130	8190

Stefano M. RAPISARDA - flightdeckengineering.com

CYVR - Vancouver, BC, CANADA

Station Elevation: 13 feet. ISA Standard Temperature: 14.97°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
13ft [0ft]	20	20	20	20	20	20	20	20	20
100ft [87ft]	100	110	110	110	110	110	110	110	110
200ft [187ft]	200	210	210	210	210	210	210	210	220
300ft [287ft]	300	310	310	310	310	320	320	320	320
400ft [387ft]	400	410	410	410	420	420	420	420	430
500ft [487ft]	500	510	510	520	520	520	530	530	530
600ft [587ft]	600	610	610	620	620	630	630	630	640
700ft [687ft]	700	710	710	720	720	730	730	740	750
800ft [787ft]	800	810	820	820	830	830	840	850	850
900ft [887ft]	900	910	920	920	930	940	940	950	960
1000ft [987ft]	1000	1010	1020	1030	1030	1040	1050	1060	1060
1100ft [1087ft]	1100	1110	1120	1130	1140	1140	1150	1160	1170
1200ft [1187ft]	1200	1210	1220	1230	1240	1250	1260	1270	1280
1300ft [1287ft]	1300	1310	1320	1330	1340	1350	1360	1370	1380
1400ft [1387ft]	1400	1410	1420	1430	1440	1460	1470	1480	1490
1500ft [1487ft]	1500	1520	1530	1540	1550	1560	1570	1580	1590
1600ft [1587ft]	1600	1620	1630	1640	1650	1660	1670	1690	1700
1700ft [1687ft]	1700	1720	1730	1740	1750	1770	1780	1790	1800
1800ft [1787ft]	1800	1820	1830	1840	1860	1870	1880	1900	1910
1900ft [1887ft]	1900	1920	1930	1950	1960	1970	1990	2000	2020
2000ft [1987ft]	2000	2020	2030	2050	2060	2080	2090	2110	2120
2100ft [2087ft]	2100	2120	2130	2150	2160	2180	2200	2210	2230
2200ft [2187ft]	2200	2220	2240	2250	2270	2280	2300	2320	2330
2300ft [2287ft]	2300	2320	2340	2350	2370	2390	2410	2420	2440
2400ft [2387ft]	2400	2420	2440	2460	2470	2490	2510	2530	2550
2500ft [2487ft]	2500	2520	2540	2560	2580	2600	2610	2630	2650
2600ft [2587ft]	2600	2620	2640	2660	2680	2700	2720	2740	2760
2700ft [2687ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2787ft]	2800	2820	2840	2860	2890	2910	2930	2950	2970
2900ft [2887ft]	2900	2930	2950	2970	2990	3010	3030	3050	3080
3000ft [2987ft]	3000	3030	3050	3070	3090	3110	3140	3160	3180
3100ft [3087ft]	3100	3130	3150	3170	3190	3220	3240	3260	3290
3200ft [3187ft]	3200	3230	3250	3270	3300	3320	3340	3370	3390
3300ft [3287ft]	3300	3330	3350	3380	3400	3420	3450	3470	3500
3400ft [3387ft]	3400	3430	3450	3480	3500	3530	3550	3580	3610
3500ft [3487ft]	3500	3530	3550	3580	3610	3630	3660	3690	3710
3600ft [3587ft]	3600	3630	3660	3680	3710	3740	3760	3790	3820
3700ft [3687ft]	3700	3730	3760	3780	3810	3840	3870	3900	3920
3800ft [3787ft]	3800	3830	3860	3890	3910	3940	3970	4000	4030
3900ft [3887ft]	3900	3930	3960	3990	4020	4050	4080	4110	4140
4000ft [3987ft]	4000	4030	4060	4090	4120	4150	4180	4210	4240
4100ft [4087ft]	4100	4130	4160	4190	4220	4250	4280	4320	4350
4200ft [4187ft]	4200	4230	4260	4300	4330	4360	4390	4420	4450
4300ft [4287ft]	4300	4340	4370	4400	4430	4460	4490	4530	4560
4400ft [4387ft]	4400	4440	4470	4500	4530	4560	4600	4630	4670
4500ft [4487ft]	4500	4540	4570	4600	4630	4670	4700	4740	4770
4600ft [4587ft]	4600	4640	4670	4700	4740	4770	4810	4840	4880
4700ft [4687ft]	4700	4740	4770	4810	4840	4880	4910	4950	4990
4800ft [4787ft]	4800	4840	4870	4910	4940	4980	5020	5050	5090
4900ft [4887ft]	4900	4940	4970	5010	5050	5080	5120	5160	5200
5000ft [4987ft]	5000	5040	5080	5110	5150	5190	5230	5260	5300
5013ft [5000ft]	5020	5050	5090	5130	5160	5200	5240	5280	5320

Stefano M. RAPISARDA - flightdeckengineering.com

CYVR - Vancouver, BC, CANADA

Station Elevation: 13 feet. ISA Standard Temperature: 14.97°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
13ft [0ft]	20	20	20	20	20	20	20	20	20
100ft [87ft]	110	110	110	110	110	110	110	120	120
200ft [187ft]	220	220	220	220	220	220	230	230	230
300ft [287ft]	320	320	330	330	330	330	340	340	340
400ft [387ft]	430	430	430	440	440	440	450	450	450
500ft [487ft]	530	540	540	550	550	550	560	560	570
600ft [587ft]	640	640	650	650	660	660	670	670	680
700ft [687ft]	750	750	760	760	770	770	780	790	790
800ft [787ft]	850	860	860	870	880	880	890	900	900
900ft [887ft]	960	960	970	980	990	990	1000	1010	1020
1000ft [987ft]	1060	1070	1080	1090	1090	1100	1110	1120	1130
1100ft [1087ft]	1170	1180	1190	1200	1200	1210	1220	1230	1240
1200ft [1187ft]	1280	1280	1290	1300	1310	1320	1330	1340	1350
1300ft [1287ft]	1380	1390	1400	1410	1420	1430	1440	1460	1470
1400ft [1387ft]	1490	1500	1510	1520	1530	1540	1560	1570	1580
1500ft [1487ft]	1590	1600	1620	1630	1640	1650	1670	1680	1690
1600ft [1587ft]	1700	1710	1720	1740	1750	1760	1780	1790	1800
1700ft [1687ft]	1800	1820	1830	1850	1860	1870	1890	1900	1920
1800ft [1787ft]	1910	1920	1940	1950	1970	1980	2000	2010	2030
1900ft [1887ft]	2020	2030	2050	2060	2080	2090	2110	2130	2140
2000ft [1987ft]	2120	2140	2150	2170	2190	2200	2220	2240	2260
2100ft [2087ft]	2230	2240	2260	2280	2300	2310	2330	2350	2370
2200ft [2187ft]	2330	2350	2370	2390	2410	2420	2440	2460	2480
2300ft [2287ft]	2440	2460	2480	2500	2510	2530	2550	2570	2590
2400ft [2387ft]	2550	2570	2580	2600	2620	2640	2660	2680	2710
2500ft [2487ft]	2650	2670	2690	2710	2730	2750	2780	2800	2820
2600ft [2587ft]	2760	2780	2800	2820	2840	2860	2890	2910	2930
2700ft [2687ft]	2860	2890	2910	2930	2950	2970	3000	3020	3040
2800ft [2787ft]	2970	2990	3010	3040	3060	3080	3110	3130	3160
2900ft [2887ft]	3080	3100	3120	3150	3170	3190	3220	3240	3270
3000ft [2987ft]	3180	3210	3230	3250	3280	3300	3330	3360	3380
3100ft [3087ft]	3290	3310	3340	3360	3390	3410	3440	3470	3500
3200ft [3187ft]	3390	3420	3450	3470	3500	3520	3550	3580	3610
3300ft [3287ft]	3500	3530	3550	3580	3610	3630	3660	3690	3720
3400ft [3387ft]	3610	3630	3660	3690	3720	3750	3770	3800	3830
3500ft [3487ft]	3710	3740	3770	3800	3830	3860	3890	3920	3950
3600ft [3587ft]	3820	3850	3880	3910	3940	3970	4000	4030	4060
3700ft [3687ft]	3920	3950	3980	4010	4040	4080	4110	4140	4170
3800ft [3787ft]	4030	4060	4090	4120	4150	4190	4220	4250	4280
3900ft [3887ft]	4140	4170	4200	4230	4260	4300	4330	4360	4400
4000ft [3987ft]	4240	4270	4310	4340	4370	4410	4440	4480	4510
4100ft [4087ft]	4350	4380	4410	4450	4480	4520	4550	4590	4620
4200ft [4187ft]	4450	4490	4520	4560	4590	4630	4660	4700	4740
4300ft [4287ft]	4560	4590	4630	4660	4700	4740	4770	4810	4850
4400ft [4387ft]	4670	4700	4740	4770	4810	4850	4890	4920	4960
4500ft [4487ft]	4770	4810	4850	4880	4920	4960	5000	5040	5080
4600ft [4587ft]	4880	4920	4950	4990	5030	5070	5110	5150	5190
4700ft [4687ft]	4990	5020	5060	5100	5140	5180	5220	5260	5300
4800ft [4787ft]	5090	5130	5170	5210	5250	5290	5330	5370	5410
4900ft [4887ft]	5200	5240	5280	5320	5360	5400	5440	5480	5530
5000ft [4987ft]	5300	5340	5380	5420	5470	5510	5550	5600	5640
5013ft [5000ft]	5320	5360	5400	5440	5480	5520	5570	5610	5650

Stefano M. RAPISARDA - flightdeckengineering.com

CYVR - Vancouver, BC, CANADA

Station Elevation: 13 feet. ISA Standard Temperature: 14.97°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
13ft [0ft]	20	20	20	20	20	20	20	20	20
100ft [87ft]	120	120	120	120	120	120	120	120	120
200ft [187ft]	230	230	230	230	240	240	240	240	240
300ft [287ft]	340	340	350	350	350	350	360	360	360
400ft [387ft]	450	460	460	460	470	470	470	480	480
500ft [487ft]	570	570	570	580	580	590	590	600	600
600ft [587ft]	680	680	690	690	700	710	710	720	720
700ft [687ft]	790	800	800	810	820	820	830	840	840
800ft [787ft]	900	910	920	920	930	940	950	950	960
900ft [887ft]	1020	1020	1030	1040	1050	1060	1070	1070	1080
1000ft [987ft]	1130	1140	1150	1160	1160	1170	1180	1190	1200
1100ft [1087ft]	1240	1250	1260	1270	1280	1290	1300	1310	1320
1200ft [1187ft]	1350	1360	1380	1390	1400	1410	1420	1430	1440
1300ft [1287ft]	1470	1480	1490	1500	1510	1530	1540	1550	1560
1400ft [1387ft]	1580	1590	1600	1620	1630	1640	1660	1670	1680
1500ft [1487ft]	1690	1710	1720	1730	1750	1760	1770	1790	1800
1600ft [1587ft]	1800	1820	1830	1850	1860	1880	1890	1910	1920
1700ft [1687ft]	1920	1930	1950	1960	1980	1990	2010	2030	2040
1800ft [1787ft]	2030	2050	2060	2080	2100	2110	2130	2150	2160
1900ft [1887ft]	2140	2160	2180	2190	2210	2230	2250	2270	2290
2000ft [1987ft]	2260	2270	2290	2310	2330	2350	2370	2390	2410
2100ft [2087ft]	2370	2390	2410	2420	2440	2460	2480	2500	2530
2200ft [2187ft]	2480	2500	2520	2540	2560	2580	2600	2620	2650
2300ft [2287ft]	2590	2610	2630	2660	2680	2700	2720	2740	2770
2400ft [2387ft]	2710	2730	2750	2770	2790	2820	2840	2860	2890
2500ft [2487ft]	2820	2840	2860	2890	2910	2930	2960	2980	3010
2600ft [2587ft]	2930	2950	2980	3000	3030	3050	3080	3100	3130
2700ft [2687ft]	3040	3070	3090	3120	3140	3170	3190	3220	3250
2800ft [2787ft]	3160	3180	3210	3230	3260	3290	3310	3340	3370
2900ft [2887ft]	3270	3300	3320	3350	3380	3400	3430	3460	3490
3000ft [2987ft]	3380	3410	3440	3460	3490	3520	3550	3580	3610
3100ft [3087ft]	3500	3520	3550	3580	3610	3640	3670	3700	3730
3200ft [3187ft]	3610	3640	3670	3700	3730	3760	3790	3820	3850
3300ft [3287ft]	3720	3750	3780	3810	3840	3870	3910	3940	3970
3400ft [3387ft]	3830	3860	3900	3930	3960	3990	4020	4060	4090
3500ft [3487ft]	3950	3980	4010	4040	4070	4110	4140	4180	4210
3600ft [3587ft]	4060	4090	4120	4160	4190	4230	4260	4300	4330
3700ft [3687ft]	4170	4210	4240	4270	4310	4340	4380	4420	4450
3800ft [3787ft]	4280	4320	4350	4390	4420	4460	4500	4540	4570
3900ft [3887ft]	4400	4430	4470	4500	4540	4580	4620	4660	4690
4000ft [3987ft]	4510	4550	4580	4620	4660	4700	4740	4770	4820
4100ft [4087ft]	4620	4660	4700	4740	4770	4810	4850	4890	4940
4200ft [4187ft]	4740	4770	4810	4850	4890	4930	4970	5010	5060
4300ft [4287ft]	4850	4890	4930	4970	5010	5050	5090	5130	5180
4400ft [4387ft]	4960	5000	5040	5080	5120	5170	5210	5250	5300
4500ft [4487ft]	5080	5120	5160	5200	5240	5280	5330	5370	5420
4600ft [4587ft]	5190	5230	5270	5310	5360	5400	5450	5490	5540
4700ft [4687ft]	5300	5340	5390	5430	5470	5520	5570	5610	5660
4800ft [4787ft]	5410	5460	5500	5550	5590	5640	5680	5730	5780
4900ft [4887ft]	5530	5570	5620	5660	5710	5760	5800	5850	5900
5000ft [4987ft]	5640	5690	5730	5780	5830	5870	5920	5970	6020
5013ft [5000ft]	5650	5700	5750	5790	5840	5890	5940	5990	6040

Stefano M. RAPISARDA - flightdeckengineering.com

CYVR - Vancouver, BC, CANADA

Station Elevation: 13 feet. ISA Standard Temperature: 14.97°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
13ft [0ft]	20	20	20	20	20	20	20	20	20
100ft [87ft]	120	120	120	130	130	130	130	130	130
200ft [187ft]	240	240	250	250	250	250	250	260	260
300ft [287ft]	360	370	370	370	370	380	380	380	390
400ft [387ft]	480	490	490	490	500	500	510	510	520
500ft [487ft]	600	610	610	620	620	630	630	640	650
600ft [587ft]	720	730	730	740	750	750	760	770	780
700ft [687ft]	840	850	860	860	870	880	890	890	910
800ft [787ft]	960	970	980	990	1000	1000	1010	1020	1040
900ft [887ft]	1080	1090	1100	1110	1120	1130	1140	1150	1160
1000ft [987ft]	1200	1210	1220	1230	1240	1250	1270	1280	1290
1100ft [1087ft]	1320	1330	1350	1360	1370	1380	1390	1400	1420
1200ft [1187ft]	1440	1460	1470	1480	1490	1510	1520	1530	1550
1300ft [1287ft]	1560	1580	1590	1600	1620	1630	1650	1660	1680
1400ft [1387ft]	1680	1700	1710	1730	1740	1760	1770	1790	1810
1500ft [1487ft]	1800	1820	1830	1850	1870	1880	1900	1920	1940
1600ft [1587ft]	1920	1940	1960	1970	1990	2010	2030	2040	2070
1700ft [1687ft]	2040	2060	2080	2100	2110	2130	2150	2170	2200
1800ft [1787ft]	2160	2180	2200	2220	2240	2260	2280	2300	2330
1900ft [1887ft]	2290	2300	2320	2340	2360	2380	2410	2430	2460
2000ft [1987ft]	2410	2430	2450	2470	2490	2510	2530	2550	2590
2100ft [2087ft]	2530	2550	2570	2590	2610	2640	2660	2680	2720
2200ft [2187ft]	2650	2670	2690	2710	2740	2760	2790	2810	2850
2300ft [2287ft]	2770	2790	2810	2840	2860	2890	2910	2940	2980
2400ft [2387ft]	2890	2910	2940	2960	2990	3010	3040	3070	3110
2500ft [2487ft]	3010	3030	3060	3080	3110	3140	3170	3190	3240
2600ft [2587ft]	3130	3150	3180	3210	3240	3260	3290	3320	3370
2700ft [2687ft]	3250	3280	3300	3330	3360	3390	3420	3450	3500
2800ft [2787ft]	3370	3400	3430	3460	3490	3520	3550	3580	3630
2900ft [2887ft]	3490	3520	3550	3580	3610	3640	3670	3710	3760
3000ft [2987ft]	3610	3640	3670	3700	3730	3770	3800	3830	3890
3100ft [3087ft]	3730	3760	3790	3830	3860	3890	3930	3960	4020
3200ft [3187ft]	3850	3880	3920	3950	3980	4020	4060	4090	4150
3300ft [3287ft]	3970	4000	4040	4070	4110	4150	4180	4220	4280
3400ft [3387ft]	4090	4130	4160	4200	4230	4270	4310	4350	4410
3500ft [3487ft]	4210	4250	4280	4320	4360	4400	4440	4480	4540
3600ft [3587ft]	4330	4370	4410	4450	4480	4520	4560	4600	4670
3700ft [3687ft]	4450	4490	4530	4570	4610	4650	4690	4730	4800
3800ft [3787ft]	4570	4610	4650	4690	4730	4780	4820	4860	4930
3900ft [3887ft]	4690	4730	4780	4820	4860	4900	4940	4990	5060
4000ft [3987ft]	4820	4860	4900	4940	4980	5030	5070	5120	5190
4100ft [4087ft]	4940	4980	5020	5060	5110	5150	5200	5250	5320
4200ft [4187ft]	5060	5100	5140	5190	5230	5280	5330	5370	5450
4300ft [4287ft]	5180	5220	5270	5310	5360	5410	5450	5500	5580
4400ft [4387ft]	5300	5340	5390	5440	5480	5530	5580	5630	5710
4500ft [4487ft]	5420	5470	5510	5560	5610	5660	5710	5760	5840
4600ft [4587ft]	5540	5590	5630	5680	5730	5780	5840	5890	5970
4700ft [4687ft]	5660	5710	5760	5810	5860	5910	5960	6020	6100
4800ft [4787ft]	5780	5830	5880	5930	5980	6040	6090	6150	6230
4900ft [4887ft]	5900	5950	6000	6060	6110	6160	6220	6270	6360
5000ft [4987ft]	6020	6070	6130	6180	6230	6290	6350	6400	6490
5013ft [5000ft]	6040	6090	6140	6200	6250	6310	6360	6420	6510

Stefano M. RAPISARDA - flightdeckengineering.com

CYWL - Williams Lake, BC, CANADA

Station Elevation: 3083 feet. ISA Standard Temperature: 8.89°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+6)	13°C (ISA+4)	11°C (ISA+2)	9°C (ISA+0)	7°C (ISA-2)	5°C (ISA-4)	3°C (ISA-6)	1°C (ISA-8)	-1°C (ISA-10)
3083ft [0ft]	---	---	---	3090	3090	3090	3090	3090	3090
3100ft [17ft]	---	---	---	3100	3110	3110	3110	3110	3110
3200ft [117ft]	---	---	---	3200	3210	3210	3210	3210	3210
3300ft [217ft]	---	---	---	3300	3310	3310	3310	3310	3310
3400ft [317ft]	---	---	---	3400	3410	3410	3410	3410	3420
3500ft [417ft]	---	---	---	3500	3510	3510	3510	3520	3520
3600ft [517ft]	---	---	---	3600	3610	3610	3620	3620	3620
3700ft [617ft]	---	---	---	3700	3710	3710	3720	3720	3730
3800ft [717ft]	---	---	---	3800	3810	3810	3820	3830	3830
3900ft [817ft]	---	---	---	3900	3910	3920	3920	3930	3930
4000ft [917ft]	---	---	---	4000	4010	4020	4020	4030	4040
4100ft [1017ft]	---	---	---	4100	4110	4120	4130	4130	4140
4200ft [1117ft]	---	---	---	4200	4210	4220	4230	4240	4250
4300ft [1217ft]	---	---	---	4300	4310	4320	4330	4340	4350
4400ft [1317ft]	---	---	---	4400	4410	4420	4430	4440	4450
4500ft [1417ft]	---	---	---	4500	4510	4520	4540	4550	4560
4600ft [1517ft]	---	---	---	4600	4620	4630	4640	4650	4660
4700ft [1617ft]	---	---	---	4700	4720	4730	4740	4750	4760
4800ft [1717ft]	---	---	---	4800	4820	4830	4840	4850	4870
4900ft [1817ft]	---	---	---	4900	4920	4930	4940	4960	4970
5000ft [1917ft]	---	---	---	5000	5020	5030	5050	5060	5070
5100ft [2017ft]	---	---	---	5100	5120	5130	5150	5160	5180
5200ft [2117ft]	---	---	---	5200	5220	5230	5250	5270	5280
5300ft [2217ft]	---	---	---	5300	5320	5340	5350	5370	5390
5400ft [2317ft]	---	---	---	5400	5420	5440	5450	5470	5490
5500ft [2417ft]	---	---	---	5500	5520	5540	5560	5570	5590
5600ft [2517ft]	---	---	---	5600	5620	5640	5660	5680	5700
5700ft [2617ft]	---	---	---	5700	5720	5740	5760	5780	5800
5800ft [2717ft]	---	---	---	5800	5820	5840	5860	5880	5900
5900ft [2817ft]	---	---	---	5900	5920	5940	5970	5990	6010
6000ft [2917ft]	---	---	---	6000	6020	6050	6070	6090	6110
6100ft [3017ft]	---	---	---	6100	6130	6150	6170	6190	6210
6200ft [3117ft]	---	---	---	6200	6230	6250	6270	6290	6320
6300ft [3217ft]	---	---	---	6300	6330	6350	6370	6400	6420
6400ft [3317ft]	---	---	---	6400	6430	6450	6480	6500	6530
6500ft [3417ft]	---	---	---	6500	6530	6550	6580	6600	6630
6600ft [3517ft]	---	---	---	6600	6630	6650	6680	6710	6730
6700ft [3617ft]	---	---	---	6700	6730	6760	6780	6810	6840
6800ft [3717ft]	---	---	---	6800	6830	6860	6880	6910	6940
6900ft [3817ft]	---	---	---	6900	6930	6960	6990	7020	7040
7000ft [3917ft]	---	---	---	7000	7030	7060	7090	7120	7150
7100ft [4017ft]	---	---	---	7100	7130	7160	7190	7220	7250
7200ft [4117ft]	---	---	---	7200	7230	7260	7290	7320	7360
7300ft [4217ft]	---	---	---	7300	7330	7360	7400	7430	7460
7400ft [4317ft]	---	---	---	7400	7430	7470	7500	7530	7560
7500ft [4417ft]	---	---	---	7500	7530	7570	7600	7630	7670
7600ft [4517ft]	---	---	---	7600	7640	7670	7700	7740	7770
7700ft [4617ft]	---	---	---	7700	7740	7770	7800	7840	7870
7800ft [4717ft]	---	---	---	7800	7840	7870	7910	7940	7980
7900ft [4817ft]	---	---	---	7900	7940	7970	8010	8040	8080
8000ft [4917ft]	---	---	---	8000	8040	8070	8110	8150	8180
8083ft [5000ft]	---	---	---	8090	8120	8160	8200	8230	8270

Stefano M. RAPISARDA - flightdeckengineering.com

CYWL - Williams Lake, BC, CANADA

Station Elevation: 3083 feet. ISA Standard Temperature: 8.89°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-10)	-3°C (ISA-12)	-5°C (ISA-14)	-7°C (ISA-16)	-9°C (ISA-18)	-11°C (ISA-20)	-13°C (ISA-22)	-15°C (ISA-24)	-17°C (ISA-26)
3083ft [0ft]	3090	3090	3090	3090	3090	3090	3090	3090	3090
3100ft [17ft]	3110	3110	3110	3110	3110	3110	3110	3110	3110
3200ft [117ft]	3210	3210	3210	3210	3210	3210	3210	3220	3220
3300ft [217ft]	3310	3310	3320	3320	3320	3320	3320	3320	3330
3400ft [317ft]	3420	3420	3420	3420	3430	3430	3430	3430	3440
3500ft [417ft]	3520	3520	3530	3530	3530	3540	3540	3540	3550
3600ft [517ft]	3620	3630	3630	3640	3640	3640	3650	3650	3660
3700ft [617ft]	3730	3730	3740	3740	3750	3750	3760	3760	3770
3800ft [717ft]	3830	3840	3840	3850	3850	3860	3860	3870	3880
3900ft [817ft]	3930	3940	3950	3950	3960	3970	3970	3980	3990
4000ft [917ft]	4040	4050	4050	4060	4070	4070	4080	4090	4100
4100ft [1017ft]	4140	4150	4160	4170	4170	4180	4190	4200	4210
4200ft [1117ft]	4250	4250	4260	4270	4280	4290	4300	4310	4320
4300ft [1217ft]	4350	4360	4370	4380	4390	4400	4410	4420	4430
4400ft [1317ft]	4450	4460	4470	4480	4490	4500	4520	4530	4540
4500ft [1417ft]	4560	4570	4580	4590	4600	4610	4620	4640	4650
4600ft [1517ft]	4660	4670	4680	4700	4710	4720	4730	4740	4760
4700ft [1617ft]	4760	4780	4790	4800	4810	4830	4840	4850	4870
4800ft [1717ft]	4870	4880	4890	4910	4920	4930	4950	4960	4980
4900ft [1817ft]	4970	4980	5000	5010	5030	5040	5060	5070	5090
5000ft [1917ft]	5070	5090	5100	5120	5130	5150	5170	5180	5200
5100ft [2017ft]	5180	5190	5210	5230	5240	5260	5270	5290	5310
5200ft [2117ft]	5280	5300	5310	5330	5350	5370	5380	5400	5420
5300ft [2217ft]	5390	5400	5420	5440	5450	5470	5490	5510	5530
5400ft [2317ft]	5490	5510	5520	5540	5560	5580	5600	5620	5640
5500ft [2417ft]	5590	5610	5630	5650	5670	5690	5710	5730	5750
5600ft [2517ft]	5700	5720	5740	5760	5780	5800	5820	5840	5860
5700ft [2617ft]	5800	5820	5840	5860	5880	5900	5920	5950	5970
5800ft [2717ft]	5900	5920	5950	5970	5990	6010	6030	6060	6080
5900ft [2817ft]	6010	6030	6050	6070	6100	6120	6140	6170	6190
6000ft [2917ft]	6110	6130	6160	6180	6200	6230	6250	6270	6300
6100ft [3017ft]	6210	6240	6260	6290	6310	6330	6360	6380	6410
6200ft [3117ft]	6320	6340	6370	6390	6420	6440	6470	6490	6520
6300ft [3217ft]	6420	6450	6470	6500	6520	6550	6580	6600	6630
6400ft [3317ft]	6530	6550	6580	6600	6630	6660	6680	6710	6740
6500ft [3417ft]	6630	6660	6680	6710	6740	6760	6790	6820	6850
6600ft [3517ft]	6730	6760	6790	6820	6840	6870	6900	6930	6960
6700ft [3617ft]	6840	6860	6890	6920	6950	6980	7010	7040	7070
6800ft [3717ft]	6940	6970	7000	7030	7060	7090	7120	7150	7180
6900ft [3817ft]	7040	7070	7100	7130	7160	7200	7230	7260	7290
7000ft [3917ft]	7150	7180	7210	7240	7270	7300	7340	7370	7400
7100ft [4017ft]	7250	7280	7310	7350	7380	7410	7440	7480	7510
7200ft [4117ft]	7360	7390	7420	7450	7490	7520	7550	7590	7620
7300ft [4217ft]	7460	7490	7520	7560	7590	7630	7660	7700	7730
7400ft [4317ft]	7560	7600	7630	7660	7700	7730	7770	7810	7840
7500ft [4417ft]	7670	7700	7740	7770	7810	7840	7880	7920	7950
7600ft [4517ft]	7770	7800	7840	7880	7910	7950	7990	8030	8060
7700ft [4617ft]	7870	7910	7950	7980	8020	8060	8100	8140	8170
7800ft [4717ft]	7980	8010	8050	8090	8130	8170	8200	8240	8290
7900ft [4817ft]	8080	8120	8160	8190	8230	8270	8310	8350	8400
8000ft [4917ft]	8180	8220	8260	8300	8340	8380	8420	8460	8510
8083ft [5000ft]	8270	8310	8350	8390	8430	8470	8510	8550	8600

Stefano M. RAPISARDA - flightdeckengineering.com

CYWL - Williams Lake, BC, CANADA

Station Elevation: 3083 feet. ISA Standard Temperature: 8.89°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-26)	-19°C (ISA-28)	-21°C (ISA-30)	-23°C (ISA-32)	-25°C (ISA-34)	-27°C (ISA-36)	-29°C (ISA-38)	-31°C (ISA-40)	-33°C (ISA-42)
3083ft [0ft]	3090	3090	3090	3090	3090	3090	3090	3090	3090
3100ft [17ft]	3110	3110	3110	3110	3110	3110	3110	3110	3110
3200ft [117ft]	3220	3220	3220	3220	3220	3220	3220	3220	3230
3300ft [217ft]	3330	3330	3330	3330	3330	3340	3340	3340	3340
3400ft [317ft]	3440	3440	3440	3440	3450	3450	3450	3460	3460
3500ft [417ft]	3550	3550	3550	3560	3560	3570	3570	3570	3580
3600ft [517ft]	3660	3660	3670	3670	3670	3680	3680	3690	3690
3700ft [617ft]	3770	3770	3780	3780	3790	3790	3800	3810	3810
3800ft [717ft]	3880	3880	3890	3900	3900	3910	3920	3920	3930
3900ft [817ft]	3990	3990	4000	4010	4020	4020	4030	4040	4050
4000ft [917ft]	4100	4100	4110	4120	4130	4140	4150	4150	4160
4100ft [1017ft]	4210	4220	4220	4230	4240	4250	4260	4270	4280
4200ft [1117ft]	4320	4330	4340	4350	4360	4370	4380	4390	4400
4300ft [1217ft]	4430	4440	4450	4460	4470	4480	4490	4500	4520
4400ft [1317ft]	4540	4550	4560	4570	4580	4600	4610	4620	4630
4500ft [1417ft]	4650	4660	4670	4680	4700	4710	4720	4740	4750
4600ft [1517ft]	4760	4770	4780	4800	4810	4820	4840	4850	4870
4700ft [1617ft]	4870	4880	4900	4910	4920	4940	4950	4970	4990
4800ft [1717ft]	4980	4990	5010	5020	5040	5050	5070	5090	5100
4900ft [1817ft]	5090	5100	5120	5140	5150	5170	5190	5200	5220
5000ft [1917ft]	5200	5210	5230	5250	5270	5280	5300	5320	5340
5100ft [2017ft]	5310	5330	5340	5360	5380	5400	5420	5440	5460
5200ft [2117ft]	5420	5440	5460	5470	5490	5510	5530	5550	5570
5300ft [2217ft]	5530	5550	5570	5590	5610	5630	5650	5670	5690
5400ft [2317ft]	5640	5660	5680	5700	5720	5740	5760	5790	5810
5500ft [2417ft]	5750	5770	5790	5810	5830	5860	5880	5900	5930
5600ft [2517ft]	5860	5880	5900	5930	5950	5970	5990	6020	6040
5700ft [2617ft]	5970	5990	6010	6040	6060	6090	6110	6140	6160
5800ft [2717ft]	6080	6100	6130	6150	6180	6200	6230	6250	6280
5900ft [2817ft]	6190	6210	6240	6260	6290	6320	6340	6370	6400
6000ft [2917ft]	6300	6330	6350	6380	6400	6430	6460	6490	6510
6100ft [3017ft]	6410	6440	6460	6490	6520	6550	6570	6600	6630
6200ft [3117ft]	6520	6550	6570	6600	6630	6660	6690	6720	6750
6300ft [3217ft]	6630	6660	6690	6720	6740	6770	6800	6840	6870
6400ft [3317ft]	6740	6770	6800	6830	6860	6890	6920	6950	6980
6500ft [3417ft]	6850	6880	6910	6940	6970	7000	7040	7070	7100
6600ft [3517ft]	6960	6990	7020	7050	7090	7120	7150	7190	7220
6700ft [3617ft]	7070	7100	7130	7170	7200	7230	7270	7300	7340
6800ft [3717ft]	7180	7210	7250	7280	7310	7350	7380	7420	7460
6900ft [3817ft]	7290	7330	7360	7390	7430	7460	7500	7540	7570
7000ft [3917ft]	7400	7440	7470	7510	7540	7580	7620	7650	7690
7100ft [4017ft]	7510	7550	7580	7620	7660	7690	7730	7770	7810
7200ft [4117ft]	7620	7660	7700	7730	7770	7810	7850	7890	7930
7300ft [4217ft]	7730	7770	7810	7850	7880	7920	7960	8000	8040
7400ft [4317ft]	7840	7880	7920	7960	8000	8040	8080	8120	8160
7500ft [4417ft]	7950	7990	8030	8070	8110	8150	8190	8240	8280
7600ft [4517ft]	8060	8100	8140	8180	8230	8270	8310	8350	8400
7700ft [4617ft]	8170	8210	8260	8300	8340	8380	8430	8470	8520
7800ft [4717ft]	8290	8330	8370	8410	8450	8500	8540	8590	8630
7900ft [4817ft]	8400	8440	8480	8520	8570	8610	8660	8700	8750
8000ft [4917ft]	8510	8550	8590	8640	8680	8730	8770	8820	8870
8083ft [5000ft]	8600	8640	8690	8730	8780	8820	8870	8920	8970

Stefano M. RAPISARDA - flightdeckengineering.com

CYWL - Williams Lake, BC, CANADA

Station Elevation: 3083 feet. ISA Standard Temperature: 8.89°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-42)	-35°C (ISA-44)	-37°C (ISA-46)	-39°C (ISA-48)	-41°C (ISA-50)	-43°C (ISA-52)	-45°C (ISA-54)	-47°C (ISA-56)	-50°C (ISA-59)
3083ft [0ft]	3090	3090	3090	3090	3090	3090	3090	3090	3090
3100ft [17ft]	3110	3110	3110	3110	3110	3110	3110	3110	3110
3200ft [117ft]	3230	3230	3230	3230	3230	3230	3230	3230	3240
3300ft [217ft]	3340	3340	3350	3350	3350	3350	3360	3360	3360
3400ft [317ft]	3460	3460	3470	3470	3470	3480	3480	3480	3490
3500ft [417ft]	3580	3580	3590	3590	3590	3600	3600	3610	3610
3600ft [517ft]	3690	3700	3700	3710	3710	3720	3730	3730	3740
3700ft [617ft]	3810	3820	3820	3830	3840	3840	3850	3860	3870
3800ft [717ft]	3930	3940	3940	3950	3960	3970	3970	3980	3990
3900ft [817ft]	4050	4050	4060	4070	4080	4090	4100	4110	4120
4000ft [917ft]	4160	4170	4180	4190	4200	4210	4220	4230	4240
4100ft [1017ft]	4280	4290	4300	4310	4320	4330	4340	4350	4370
4200ft [1117ft]	4400	4410	4420	4430	4440	4450	4470	4480	4500
4300ft [1217ft]	4520	4530	4540	4550	4560	4580	4590	4600	4620
4400ft [1317ft]	4630	4650	4660	4670	4690	4700	4710	4730	4750
4500ft [1417ft]	4750	4760	4780	4790	4810	4820	4840	4850	4880
4600ft [1517ft]	4870	4880	4900	4910	4930	4940	4960	4980	5000
4700ft [1617ft]	4990	5000	5020	5030	5050	5070	5080	5100	5130
4800ft [1717ft]	5100	5120	5140	5150	5170	5190	5210	5230	5260
4900ft [1817ft]	5220	5240	5260	5270	5290	5310	5330	5350	5380
5000ft [1917ft]	5340	5360	5380	5400	5420	5440	5460	5480	5510
5100ft [2017ft]	5460	5480	5500	5520	5540	5560	5580	5600	5640
5200ft [2117ft]	5570	5590	5610	5640	5660	5680	5700	5730	5760
5300ft [2217ft]	5690	5710	5730	5760	5780	5800	5830	5850	5890
5400ft [2317ft]	5810	5830	5850	5880	5900	5930	5950	5980	6010
5500ft [2417ft]	5930	5950	5970	6000	6020	6050	6070	6100	6140
5600ft [2517ft]	6040	6070	6090	6120	6140	6170	6200	6230	6270
5700ft [2617ft]	6160	6190	6210	6240	6270	6290	6320	6350	6390
5800ft [2717ft]	6280	6310	6330	6360	6390	6420	6450	6480	6520
5900ft [2817ft]	6400	6420	6450	6480	6510	6540	6570	6600	6650
6000ft [2917ft]	6510	6540	6570	6600	6630	6660	6690	6730	6770
6100ft [3017ft]	6630	6660	6690	6720	6750	6790	6820	6850	6900
6200ft [3117ft]	6750	6780	6810	6840	6880	6910	6940	6980	7030
6300ft [3217ft]	6870	6900	6930	6960	7000	7030	7070	7100	7160
6400ft [3317ft]	6980	7020	7050	7080	7120	7150	7190	7230	7280
6500ft [3417ft]	7100	7140	7170	7210	7240	7280	7310	7350	7410
6600ft [3517ft]	7220	7250	7290	7330	7360	7400	7440	7480	7540
6700ft [3617ft]	7340	7370	7410	7450	7480	7520	7560	7600	7660
6800ft [3717ft]	7460	7490	7530	7570	7610	7650	7690	7730	7790
6900ft [3817ft]	7570	7610	7650	7690	7730	7770	7810	7850	7920
7000ft [3917ft]	7690	7730	7770	7810	7850	7890	7930	7980	8040
7100ft [4017ft]	7810	7850	7890	7930	7970	8010	8060	8100	8170
7200ft [4117ft]	7930	7970	8010	8050	8090	8140	8180	8230	8300
7300ft [4217ft]	8040	8090	8130	8170	8220	8260	8310	8350	8420
7400ft [4317ft]	8160	8210	8250	8290	8340	8380	8430	8480	8550
7500ft [4417ft]	8280	8320	8370	8410	8460	8510	8560	8600	8680
7600ft [4517ft]	8400	8440	8490	8540	8580	8630	8680	8730	8810
7700ft [4617ft]	8520	8560	8610	8660	8700	8750	8800	8850	8930
7800ft [4717ft]	8630	8680	8730	8780	8830	8880	8930	8980	9060
7900ft [4817ft]	8750	8800	8850	8900	8950	9000	9050	9110	9190
8000ft [4917ft]	8870	8920	8970	9020	9070	9120	9180	9230	9310
8083ft [5000ft]	8970	9020	9070	9120	9170	9230	9280	9330	9420

Stefano M. RAPISARDA - flightdeckengineering.com

CYXC - Cranbrook, BC, CANADA

Station Elevation: 3084 feet. ISA Standard Temperature: 8.89°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+6)	13°C (ISA+4)	11°C (ISA+2)	9°C (ISA+0)	7°C (ISA-2)	5°C (ISA-4)	3°C (ISA-6)	1°C (ISA-8)	-1°C (ISA-10)
3084ft [0ft]	---	---	---	3090	3090	3090	3090	3090	3090
3100ft [16ft]	---	---	---	3100	3110	3110	3110	3110	3110
3200ft [116ft]	---	---	---	3200	3210	3210	3210	3210	3210
3300ft [216ft]	---	---	---	3300	3310	3310	3310	3310	3310
3400ft [316ft]	---	---	---	3400	3410	3410	3410	3410	3420
3500ft [416ft]	---	---	---	3500	3510	3510	3510	3520	3520
3600ft [516ft]	---	---	---	3600	3610	3610	3620	3620	3620
3700ft [616ft]	---	---	---	3700	3710	3710	3720	3720	3730
3800ft [716ft]	---	---	---	3800	3810	3810	3820	3830	3830
3900ft [816ft]	---	---	---	3900	3910	3920	3920	3930	3930
4000ft [916ft]	---	---	---	4000	4010	4020	4020	4030	4040
4100ft [1016ft]	---	---	---	4100	4110	4120	4130	4130	4140
4200ft [1116ft]	---	---	---	4200	4210	4220	4230	4240	4250
4300ft [1216ft]	---	---	---	4300	4310	4320	4330	4340	4350
4400ft [1316ft]	---	---	---	4400	4410	4420	4430	4440	4450
4500ft [1416ft]	---	---	---	4500	4510	4520	4540	4550	4560
4600ft [1516ft]	---	---	---	4600	4620	4630	4640	4650	4660
4700ft [1616ft]	---	---	---	4700	4720	4730	4740	4750	4760
4800ft [1716ft]	---	---	---	4800	4820	4830	4840	4850	4870
4900ft [1816ft]	---	---	---	4900	4920	4930	4940	4960	4970
5000ft [1916ft]	---	---	---	5000	5020	5030	5050	5060	5070
5100ft [2016ft]	---	---	---	5100	5120	5130	5150	5160	5180
5200ft [2116ft]	---	---	---	5200	5220	5230	5250	5270	5280
5300ft [2216ft]	---	---	---	5300	5320	5340	5350	5370	5390
5400ft [2316ft]	---	---	---	5400	5420	5440	5450	5470	5490
5500ft [2416ft]	---	---	---	5500	5520	5540	5560	5570	5590
5600ft [2516ft]	---	---	---	5600	5620	5640	5660	5680	5700
5700ft [2616ft]	---	---	---	5700	5720	5740	5760	5780	5800
5800ft [2716ft]	---	---	---	5800	5820	5840	5860	5880	5900
5900ft [2816ft]	---	---	---	5900	5920	5940	5970	5990	6010
6000ft [2916ft]	---	---	---	6000	6020	6050	6070	6090	6110
6100ft [3016ft]	---	---	---	6100	6130	6150	6170	6190	6210
6200ft [3116ft]	---	---	---	6200	6230	6250	6270	6290	6320
6300ft [3216ft]	---	---	---	6300	6330	6350	6370	6400	6420
6400ft [3316ft]	---	---	---	6400	6430	6450	6480	6500	6530
6500ft [3416ft]	---	---	---	6500	6530	6550	6580	6600	6630
6600ft [3516ft]	---	---	---	6600	6630	6650	6680	6710	6730
6700ft [3616ft]	---	---	---	6700	6730	6760	6780	6810	6840
6800ft [3716ft]	---	---	---	6800	6830	6860	6880	6910	6940
6900ft [3816ft]	---	---	---	6900	6930	6960	6990	7020	7040
7000ft [3916ft]	---	---	---	7000	7030	7060	7090	7120	7150
7100ft [4016ft]	---	---	---	7100	7130	7160	7190	7220	7250
7200ft [4116ft]	---	---	---	7200	7230	7260	7290	7320	7360
7300ft [4216ft]	---	---	---	7300	7330	7360	7400	7430	7460
7400ft [4316ft]	---	---	---	7400	7430	7470	7500	7530	7560
7500ft [4416ft]	---	---	---	7500	7530	7570	7600	7630	7670
7600ft [4516ft]	---	---	---	7600	7640	7670	7700	7740	7770
7700ft [4616ft]	---	---	---	7700	7740	7770	7800	7840	7870
7800ft [4716ft]	---	---	---	7800	7840	7870	7910	7940	7980
7900ft [4816ft]	---	---	---	7900	7940	7970	8010	8040	8080
8000ft [4916ft]	---	---	---	8000	8040	8070	8110	8150	8180
8084ft [5000ft]	---	---	---	8090	8120	8160	8200	8230	8270

Stefano M. RAPISARDA - flightdeckengineering.com

CYXC - Cranbrook, BC, CANADA

Station Elevation: 3084 feet. ISA Standard Temperature: 8.89°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-10)	-3°C (ISA-12)	-5°C (ISA-14)	-7°C (ISA-16)	-9°C (ISA-18)	-11°C (ISA-20)	-13°C (ISA-22)	-15°C (ISA-24)	-17°C (ISA-26)
3084ft [0ft]	3090	3090	3090	3090	3090	3090	3090	3090	3090
3100ft [16ft]	3110	3110	3110	3110	3110	3110	3110	3110	3110
3200ft [116ft]	3210	3210	3210	3210	3210	3210	3210	3220	3220
3300ft [216ft]	3310	3310	3320	3320	3320	3320	3320	3320	3330
3400ft [316ft]	3420	3420	3420	3420	3430	3430	3430	3430	3440
3500ft [416ft]	3520	3520	3530	3530	3530	3540	3540	3540	3550
3600ft [516ft]	3620	3630	3630	3640	3640	3640	3650	3650	3660
3700ft [616ft]	3730	3730	3740	3740	3750	3750	3760	3760	3770
3800ft [716ft]	3830	3840	3840	3850	3850	3860	3860	3870	3880
3900ft [816ft]	3930	3940	3950	3950	3960	3970	3970	3980	3990
4000ft [916ft]	4040	4050	4050	4060	4070	4070	4080	4090	4100
4100ft [1016ft]	4140	4150	4160	4170	4170	4180	4190	4200	4210
4200ft [1116ft]	4250	4250	4260	4270	4280	4290	4300	4310	4320
4300ft [1216ft]	4350	4360	4370	4380	4390	4400	4410	4420	4430
4400ft [1316ft]	4450	4460	4470	4480	4490	4500	4520	4530	4540
4500ft [1416ft]	4560	4570	4580	4590	4600	4610	4620	4640	4650
4600ft [1516ft]	4660	4670	4680	4700	4710	4720	4730	4740	4760
4700ft [1616ft]	4760	4780	4790	4800	4810	4830	4840	4850	4870
4800ft [1716ft]	4870	4880	4890	4910	4920	4930	4950	4960	4980
4900ft [1816ft]	4970	4980	5000	5010	5030	5040	5060	5070	5090
5000ft [1916ft]	5070	5090	5100	5120	5130	5150	5170	5180	5200
5100ft [2016ft]	5180	5190	5210	5220	5240	5260	5270	5290	5310
5200ft [2116ft]	5280	5300	5310	5330	5350	5370	5380	5400	5420
5300ft [2216ft]	5390	5400	5420	5440	5450	5470	5490	5510	5530
5400ft [2316ft]	5490	5510	5520	5540	5560	5580	5600	5620	5640
5500ft [2416ft]	5590	5610	5630	5650	5670	5690	5710	5730	5750
5600ft [2516ft]	5700	5720	5740	5750	5780	5800	5820	5840	5860
5700ft [2616ft]	5800	5820	5840	5860	5880	5900	5920	5950	5970
5800ft [2716ft]	5900	5920	5950	5970	5990	6010	6030	6060	6080
5900ft [2816ft]	6010	6030	6050	6070	6100	6120	6140	6170	6190
6000ft [2916ft]	6110	6130	6160	6180	6200	6230	6250	6270	6300
6100ft [3016ft]	6210	6240	6260	6290	6310	6330	6360	6380	6410
6200ft [3116ft]	6320	6340	6370	6390	6420	6440	6470	6490	6520
6300ft [3216ft]	6420	6450	6470	6500	6520	6550	6580	6600	6630
6400ft [3316ft]	6530	6550	6580	6600	6630	6660	6680	6710	6740
6500ft [3416ft]	6630	6660	6680	6710	6740	6760	6790	6820	6850
6600ft [3516ft]	6730	6760	6790	6820	6840	6870	6900	6930	6960
6700ft [3616ft]	6840	6860	6890	6920	6950	6980	7010	7040	7070
6800ft [3716ft]	6940	6970	7000	7030	7060	7090	7120	7150	7180
6900ft [3816ft]	7040	7070	7100	7130	7160	7200	7230	7260	7290
7000ft [3916ft]	7150	7180	7210	7240	7270	7300	7340	7370	7400
7100ft [4016ft]	7250	7280	7310	7350	7380	7410	7440	7480	7510
7200ft [4116ft]	7360	7390	7420	7450	7480	7520	7550	7590	7620
7300ft [4216ft]	7460	7490	7520	7560	7590	7630	7660	7700	7730
7400ft [4316ft]	7560	7600	7630	7660	7700	7730	7770	7810	7840
7500ft [4416ft]	7670	7700	7730	7770	7810	7840	7880	7920	7950
7600ft [4516ft]	7770	7800	7840	7880	7910	7950	7990	8030	8060
7700ft [4616ft]	7870	7910	7950	7980	8020	8060	8100	8130	8170
7800ft [4716ft]	7980	8010	8050	8090	8130	8170	8200	8240	8280
7900ft [4816ft]	8080	8120	8160	8190	8230	8270	8310	8350	8400
8000ft [4916ft]	8180	8220	8260	8300	8340	8380	8420	8460	8510
8084ft [5000ft]	8270	8310	8350	8390	8430	8470	8510	8560	8600

Stefano M. RAPISARDA - flightdeckengineering.com

CYXC - Cranbrook, BC, CANADA

Station Elevation: 3084 feet. ISA Standard Temperature: 8.89°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-26)	-19°C (ISA-28)	-21°C (ISA-30)	-23°C (ISA-32)	-25°C (ISA-34)	-27°C (ISA-36)	-29°C (ISA-38)	-31°C (ISA-40)	-33°C (ISA-42)
3084ft [0ft]	3090	3090	3090	3090	3090	3090	3090	3090	3090
3100ft [16ft]	3110	3110	3110	3110	3110	3110	3110	3110	3110
3200ft [116ft]	3220	3220	3220	3220	3220	3220	3220	3220	3230
3300ft [216ft]	3330	3330	3330	3330	3330	3340	3340	3340	3340
3400ft [316ft]	3440	3440	3440	3440	3450	3450	3450	3460	3460
3500ft [416ft]	3550	3550	3550	3560	3560	3570	3570	3570	3580
3600ft [516ft]	3660	3660	3670	3670	3670	3680	3680	3690	3690
3700ft [616ft]	3770	3770	3780	3780	3790	3790	3800	3810	3810
3800ft [716ft]	3880	3880	3890	3900	3900	3910	3920	3920	3930
3900ft [816ft]	3990	3990	4000	4010	4020	4020	4030	4040	4050
4000ft [916ft]	4100	4100	4110	4120	4130	4140	4150	4150	4160
4100ft [1016ft]	4210	4220	4220	4230	4240	4250	4260	4270	4280
4200ft [1116ft]	4320	4330	4340	4350	4360	4370	4380	4390	4400
4300ft [1216ft]	4430	4440	4450	4460	4470	4480	4490	4500	4520
4400ft [1316ft]	4540	4550	4560	4570	4580	4600	4610	4620	4630
4500ft [1416ft]	4650	4660	4670	4680	4700	4710	4720	4740	4750
4600ft [1516ft]	4760	4770	4780	4800	4810	4820	4840	4850	4870
4700ft [1616ft]	4870	4880	4900	4910	4920	4940	4950	4970	4990
4800ft [1716ft]	4980	4990	5010	5020	5040	5050	5070	5090	5100
4900ft [1816ft]	5090	5100	5120	5140	5150	5170	5190	5200	5220
5000ft [1916ft]	5200	5210	5230	5250	5270	5280	5300	5320	5340
5100ft [2016ft]	5310	5330	5340	5360	5380	5400	5420	5440	5460
5200ft [2116ft]	5420	5440	5460	5470	5490	5510	5530	5550	5570
5300ft [2216ft]	5530	5550	5570	5590	5610	5630	5650	5670	5690
5400ft [2316ft]	5640	5660	5680	5700	5720	5740	5760	5790	5810
5500ft [2416ft]	5750	5770	5790	5810	5830	5860	5880	5900	5930
5600ft [2516ft]	5860	5880	5900	5930	5950	5970	5990	6020	6040
5700ft [2616ft]	5970	5990	6010	6040	6060	6090	6110	6140	6160
5800ft [2716ft]	6080	6100	6130	6150	6180	6200	6230	6250	6280
5900ft [2816ft]	6190	6210	6240	6260	6290	6320	6340	6370	6400
6000ft [2916ft]	6300	6320	6350	6380	6400	6430	6460	6490	6510
6100ft [3016ft]	6410	6440	6460	6490	6520	6540	6570	6600	6630
6200ft [3116ft]	6520	6550	6570	6600	6630	6660	6690	6720	6750
6300ft [3216ft]	6630	6660	6690	6720	6740	6770	6800	6840	6870
6400ft [3316ft]	6740	6770	6800	6830	6860	6890	6920	6950	6980
6500ft [3416ft]	6850	6880	6910	6940	6970	7000	7040	7070	7100
6600ft [3516ft]	6960	6990	7020	7050	7090	7120	7150	7190	7220
6700ft [3616ft]	7070	7100	7130	7170	7200	7230	7270	7300	7340
6800ft [3716ft]	7180	7210	7250	7280	7310	7350	7380	7420	7460
6900ft [3816ft]	7290	7330	7360	7390	7430	7460	7500	7540	7570
7000ft [3916ft]	7400	7440	7470	7510	7540	7580	7620	7650	7690
7100ft [4016ft]	7510	7550	7580	7620	7660	7690	7730	7770	7810
7200ft [4116ft]	7620	7660	7700	7730	7770	7810	7850	7890	7930
7300ft [4216ft]	7730	7770	7810	7850	7880	7920	7960	8000	8040
7400ft [4316ft]	7840	7880	7920	7960	8000	8040	8080	8120	8160
7500ft [4416ft]	7950	7990	8030	8070	8110	8150	8190	8240	8280
7600ft [4516ft]	8060	8100	8140	8180	8230	8270	8310	8350	8400
7700ft [4616ft]	8170	8210	8260	8300	8340	8380	8430	8470	8520
7800ft [4716ft]	8280	8330	8370	8410	8450	8500	8540	8590	8630
7900ft [4816ft]	8400	8440	8480	8520	8570	8610	8660	8700	8750
8000ft [4916ft]	8510	8550	8590	8640	8680	8730	8770	8820	8870
8084ft [5000ft]	8600	8640	8690	8730	8780	8820	8870	8920	8970

Stefano M. RAPISARDA - flightdeckengineering.com

CYXC - Cranbrook, BC, CANADA

Station Elevation: 3084 feet. ISA Standard Temperature: 8.89°C (rounded to 9°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-42)	-35°C (ISA-44)	-37°C (ISA-46)	-39°C (ISA-48)	-41°C (ISA-50)	-43°C (ISA-52)	-45°C (ISA-54)	-47°C (ISA-56)	-50°C (ISA-59)
3084ft [0ft]	3090	3090	3090	3090	3090	3090	3090	3090	3090
3100ft [16ft]	3110	3110	3110	3110	3110	3110	3110	3110	3110
3200ft [116ft]	3230	3230	3230	3230	3230	3230	3230	3230	3240
3300ft [216ft]	3340	3340	3350	3350	3350	3350	3360	3360	3360
3400ft [316ft]	3460	3460	3470	3470	3470	3480	3480	3480	3490
3500ft [416ft]	3580	3580	3580	3590	3590	3600	3600	3610	3610
3600ft [516ft]	3690	3700	3700	3710	3710	3720	3730	3730	3740
3700ft [616ft]	3810	3820	3820	3830	3840	3840	3850	3860	3870
3800ft [716ft]	3930	3940	3940	3950	3960	3960	3970	3980	3990
3900ft [816ft]	4050	4050	4060	4070	4080	4090	4100	4100	4120
4000ft [916ft]	4160	4170	4180	4190	4200	4210	4220	4230	4240
4100ft [1016ft]	4280	4290	4300	4310	4320	4330	4340	4350	4370
4200ft [1116ft]	4400	4410	4420	4430	4440	4450	4470	4480	4500
4300ft [1216ft]	4520	4530	4540	4550	4560	4580	4590	4600	4620
4400ft [1316ft]	4630	4650	4660	4670	4690	4700	4710	4730	4750
4500ft [1416ft]	4750	4760	4780	4790	4810	4820	4840	4850	4880
4600ft [1516ft]	4870	4880	4900	4910	4930	4940	4960	4980	5000
4700ft [1616ft]	4990	5000	5020	5030	5050	5070	5080	5100	5130
4800ft [1716ft]	5100	5120	5140	5150	5170	5190	5210	5230	5260
4900ft [1816ft]	5220	5240	5260	5270	5290	5310	5330	5350	5380
5000ft [1916ft]	5340	5360	5380	5400	5410	5440	5460	5480	5510
5100ft [2016ft]	5460	5480	5500	5520	5540	5560	5580	5600	5630
5200ft [2116ft]	5570	5590	5610	5640	5660	5680	5700	5730	5760
5300ft [2216ft]	5690	5710	5730	5760	5780	5800	5830	5850	5890
5400ft [2316ft]	5810	5830	5850	5880	5900	5930	5950	5980	6010
5500ft [2416ft]	5930	5950	5970	6000	6020	6050	6070	6100	6140
5600ft [2516ft]	6040	6070	6090	6120	6140	6170	6200	6230	6270
5700ft [2616ft]	6160	6190	6210	6240	6270	6290	6320	6350	6390
5800ft [2716ft]	6280	6310	6330	6360	6390	6420	6450	6480	6520
5900ft [2816ft]	6400	6420	6450	6480	6510	6540	6570	6600	6650
6000ft [2916ft]	6510	6540	6570	6600	6630	6660	6690	6730	6770
6100ft [3016ft]	6630	6660	6690	6720	6750	6790	6820	6850	6900
6200ft [3116ft]	6750	6780	6810	6840	6880	6910	6940	6980	7030
6300ft [3216ft]	6870	6900	6930	6960	7000	7030	7070	7100	7150
6400ft [3316ft]	6980	7020	7050	7080	7120	7150	7190	7230	7280
6500ft [3416ft]	7100	7140	7170	7210	7240	7280	7310	7350	7410
6600ft [3516ft]	7220	7250	7290	7330	7360	7400	7440	7480	7540
6700ft [3616ft]	7340	7370	7410	7450	7480	7520	7560	7600	7660
6800ft [3716ft]	7460	7490	7530	7570	7610	7650	7690	7730	7790
6900ft [3816ft]	7570	7610	7650	7690	7730	7770	7810	7850	7920
7000ft [3916ft]	7690	7730	7770	7810	7850	7890	7930	7980	8040
7100ft [4016ft]	7810	7850	7890	7930	7970	8010	8060	8100	8170
7200ft [4116ft]	7930	7970	8010	8050	8090	8140	8180	8230	8300
7300ft [4216ft]	8040	8090	8130	8170	8220	8260	8310	8350	8420
7400ft [4316ft]	8160	8200	8250	8290	8340	8380	8430	8480	8550
7500ft [4416ft]	8280	8320	8370	8410	8460	8510	8550	8600	8680
7600ft [4516ft]	8400	8440	8490	8530	8580	8630	8680	8730	8810
7700ft [4616ft]	8520	8560	8610	8660	8700	8750	8800	8850	8930
7800ft [4716ft]	8630	8680	8730	8780	8830	8880	8930	8980	9060
7900ft [4816ft]	8750	8800	8850	8900	8950	9000	9050	9110	9190
8000ft [4916ft]	8870	8920	8970	9020	9070	9120	9180	9230	9310
8084ft [5000ft]	8970	9020	9070	9120	9170	9230	9280	9340	9420

Stefano M. RAPISARDA - flightdeckengineering.com

CYXJ - Fort St. John, BC, CANADA

Station Elevation: 2280 feet. ISA Standard Temperature: 10.48°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+4)	13°C (ISA+2)	11°C (ISA+0)	9°C (ISA-2)	7°C (ISA-4)	5°C (ISA-6)	3°C (ISA-8)	1°C (ISA-10)	-1°C (ISA-12)
2280ft [0ft]	---	---	2280	2280	2280	2280	2280	2280	2280
2300ft [20ft]	---	---	2300	2310	2310	2310	2310	2310	2310
2400ft [120ft]	---	---	2400	2410	2410	2410	2410	2410	2410
2500ft [220ft]	---	---	2500	2510	2510	2510	2510	2510	2510
2600ft [320ft]	---	---	2600	2610	2610	2610	2610	2620	2620
2700ft [420ft]	---	---	2700	2710	2710	2710	2720	2720	2720
2800ft [520ft]	---	---	2800	2810	2810	2820	2820	2820	2830
2900ft [620ft]	---	---	2900	2910	2910	2920	2920	2930	2930
3000ft [720ft]	---	---	3000	3010	3010	3020	3020	3030	3040
3100ft [820ft]	---	---	3100	3110	3120	3120	3130	3130	3140
3200ft [920ft]	---	---	3200	3210	3220	3220	3230	3240	3240
3300ft [1020ft]	---	---	3300	3310	3320	3330	3330	3340	3350
3400ft [1120ft]	---	---	3400	3410	3420	3430	3440	3440	3450
3500ft [1220ft]	---	---	3500	3510	3520	3530	3540	3550	3560
3600ft [1320ft]	---	---	3600	3610	3620	3630	3640	3650	3660
3700ft [1420ft]	---	---	3700	3710	3720	3730	3740	3750	3760
3800ft [1520ft]	---	---	3800	3810	3820	3830	3850	3860	3870
3900ft [1620ft]	---	---	3900	3910	3930	3940	3950	3960	3970
4000ft [1720ft]	---	---	4000	4010	4030	4040	4050	4060	4080
4100ft [1820ft]	---	---	4100	4110	4130	4140	4150	4170	4180
4200ft [1920ft]	---	---	4200	4220	4230	4240	4260	4270	4290
4300ft [2020ft]	---	---	4300	4320	4330	4340	4360	4370	4390
4400ft [2120ft]	---	---	4400	4420	4430	4450	4460	4480	4490
4500ft [2220ft]	---	---	4500	4520	4530	4550	4570	4580	4600
4600ft [2320ft]	---	---	4600	4620	4630	4650	4670	4690	4700
4700ft [2420ft]	---	---	4700	4720	4740	4750	4770	4790	4810
4800ft [2520ft]	---	---	4800	4820	4840	4850	4870	4890	4910
4900ft [2620ft]	---	---	4900	4920	4940	4960	4980	5000	5020
5000ft [2720ft]	---	---	5000	5020	5040	5060	5080	5100	5120
5100ft [2820ft]	---	---	5100	5120	5140	5160	5180	5200	5220
5200ft [2920ft]	---	---	5200	5220	5240	5260	5280	5310	5330
5300ft [3020ft]	---	---	5300	5320	5340	5360	5390	5410	5430
5400ft [3120ft]	---	---	5400	5420	5440	5470	5490	5510	5540
5500ft [3220ft]	---	---	5500	5520	5550	5570	5590	5620	5640
5600ft [3320ft]	---	---	5600	5620	5650	5670	5700	5720	5750
5700ft [3420ft]	---	---	5700	5720	5750	5770	5800	5820	5850
5800ft [3520ft]	---	---	5800	5820	5850	5870	5900	5930	5950
5900ft [3620ft]	---	---	5900	5920	5950	5980	6000	6030	6060
6000ft [3720ft]	---	---	6000	6020	6050	6080	6110	6130	6160
6100ft [3820ft]	---	---	6100	6130	6150	6180	6210	6240	6270
6200ft [3920ft]	---	---	6200	6230	6250	6280	6310	6340	6370
6300ft [4020ft]	---	---	6300	6330	6360	6380	6410	6440	6480
6400ft [4120ft]	---	---	6400	6430	6460	6490	6520	6550	6580
6500ft [4220ft]	---	---	6500	6530	6560	6590	6620	6650	6680
6600ft [4320ft]	---	---	6600	6630	6660	6690	6720	6760	6790
6700ft [4420ft]	---	---	6700	6730	6760	6790	6830	6860	6890
6800ft [4520ft]	---	---	6800	6830	6860	6890	6930	6960	7000
6900ft [4620ft]	---	---	6900	6930	6960	7000	7030	7070	7100
7000ft [4720ft]	---	---	7000	7030	7060	7100	7130	7170	7210
7100ft [4820ft]	---	---	7100	7130	7170	7200	7240	7270	7310
7200ft [4920ft]	---	---	7200	7230	7270	7300	7340	7380	7410
7280ft [5000ft]	---	---	7280	7310	7350	7380	7420	7460	7500

Stefano M. RAPISARDA - flightdeckengineering.com

CYXJ - Fort St. John, BC, CANADA

Station Elevation: 2280 feet. ISA Standard Temperature: 10.48°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-12)	-3°C (ISA-14)	-5°C (ISA-16)	-7°C (ISA-18)	-9°C (ISA-20)	-11°C (ISA-22)	-13°C (ISA-24)	-15°C (ISA-26)	-17°C (ISA-28)
2280ft [0ft]	2280	2280	2280	2280	2280	2280	2280	2280	2280
2300ft [20ft]	2310	2310	2310	2310	2310	2310	2310	2310	2310
2400ft [120ft]	2410	2410	2410	2410	2410	2410	2420	2420	2420
2500ft [220ft]	2510	2520	2520	2520	2520	2520	2520	2530	2530
2600ft [320ft]	2620	2620	2620	2630	2630	2630	2630	2640	2640
2700ft [420ft]	2720	2730	2730	2730	2740	2740	2740	2750	2750
2800ft [520ft]	2830	2830	2830	2840	2840	2850	2850	2860	2860
2900ft [620ft]	2930	2940	2940	2950	2950	2960	2960	2970	2970
3000ft [720ft]	3040	3040	3050	3050	3060	3060	3070	3080	3080
3100ft [820ft]	3140	3150	3150	3160	3170	3170	3180	3190	3190
3200ft [920ft]	3240	3250	3260	3270	3270	3280	3290	3300	3300
3300ft [1020ft]	3350	3360	3360	3370	3380	3390	3400	3410	3410
3400ft [1120ft]	3450	3460	3470	3480	3490	3500	3510	3520	3520
3500ft [1220ft]	3560	3570	3580	3580	3590	3600	3610	3630	3640
3600ft [1320ft]	3660	3670	3680	3690	3700	3710	3720	3730	3750
3700ft [1420ft]	3760	3780	3790	3800	3810	3820	3830	3840	3860
3800ft [1520ft]	3870	3880	3890	3900	3920	3930	3940	3950	3970
3900ft [1620ft]	3970	3990	4000	4010	4020	4040	4050	4060	4080
4000ft [1720ft]	4080	4090	4100	4120	4130	4150	4160	4170	4190
4100ft [1820ft]	4180	4200	4210	4220	4240	4250	4270	4280	4300
4200ft [1920ft]	4290	4300	4320	4330	4350	4360	4380	4390	4410
4300ft [2020ft]	4390	4410	4420	4440	4450	4470	4490	4500	4520
4400ft [2120ft]	4490	4510	4530	4540	4560	4580	4600	4610	4630
4500ft [2220ft]	4600	4620	4630	4650	4670	4690	4710	4720	4740
4600ft [2320ft]	4700	4720	4740	4760	4780	4800	4810	4830	4850
4700ft [2420ft]	4810	4830	4840	4860	4880	4900	4920	4940	4960
4800ft [2520ft]	4910	4930	4950	4970	4990	5010	5030	5050	5080
4900ft [2620ft]	5020	5040	5060	5080	5100	5120	5140	5160	5190
5000ft [2720ft]	5120	5140	5160	5180	5210	5230	5250	5270	5300
5100ft [2820ft]	5220	5250	5270	5290	5310	5340	5360	5380	5410
5200ft [2920ft]	5330	5350	5370	5400	5420	5440	5470	5490	5520
5300ft [3020ft]	5430	5460	5480	5500	5530	5550	5580	5600	5630
5400ft [3120ft]	5540	5560	5590	5610	5640	5660	5690	5710	5740
5500ft [3220ft]	5640	5670	5690	5720	5740	5770	5800	5820	5850
5600ft [3320ft]	5750	5770	5800	5820	5850	5880	5910	5930	5960
5700ft [3420ft]	5850	5880	5900	5930	5960	5990	6020	6040	6070
5800ft [3520ft]	5950	5980	6010	6040	6070	6090	6120	6150	6180
5900ft [3620ft]	6060	6090	6120	6140	6170	6200	6230	6260	6300
6000ft [3720ft]	6160	6190	6220	6250	6280	6310	6340	6370	6410
6100ft [3820ft]	6270	6300	6330	6360	6390	6420	6450	6480	6520
6200ft [3920ft]	6370	6400	6430	6460	6500	6530	6560	6590	6630
6300ft [4020ft]	6480	6510	6540	6570	6600	6640	6670	6700	6740
6400ft [4120ft]	6580	6610	6640	6680	6710	6750	6780	6810	6850
6500ft [4220ft]	6680	6720	6750	6780	6820	6850	6890	6920	6960
6600ft [4320ft]	6790	6820	6860	6890	6930	6960	7000	7040	7070
6700ft [4420ft]	6890	6930	6960	7000	7030	7070	7110	7150	7180
6800ft [4520ft]	7000	7030	7070	7100	7140	7180	7220	7260	7290
6900ft [4620ft]	7100	7140	7170	7210	7250	7290	7330	7370	7410
7000ft [4720ft]	7210	7240	7280	7320	7360	7400	7440	7480	7520
7100ft [4820ft]	7310	7350	7390	7420	7460	7500	7540	7590	7630
7200ft [4920ft]	7410	7450	7490	7530	7570	7610	7650	7700	7740
7280ft [5000ft]	7500	7540	7580	7620	7660	7700	7740	7780	7830

Stefano M. RAPISARDA - flightdeckengineering.com

CYXJ - Fort St. John, BC, CANADA

Station Elevation: 2280 feet. ISA Standard Temperature: 10.48°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-28)	-19°C (ISA-30)	-21°C (ISA-32)	-23°C (ISA-34)	-25°C (ISA-36)	-27°C (ISA-38)	-29°C (ISA-40)	-31°C (ISA-42)	-33°C (ISA-44)
2280ft [0ft]	2280	2280	2280	2280	2280	2280	2280	2280	2280
2300ft [20ft]	2310	2310	2310	2310	2310	2310	2310	2310	2310
2400ft [120ft]	2420	2420	2420	2420	2420	2420	2420	2430	2430
2500ft [220ft]	2530	2530	2530	2530	2540	2540	2540	2540	2540
2600ft [320ft]	2640	2640	2640	2650	2650	2650	2660	2660	2660
2700ft [420ft]	2750	2750	2760	2760	2760	2770	2770	2780	2780
2800ft [520ft]	2860	2860	2870	2870	2880	2880	2890	2890	2900
2900ft [620ft]	2970	2980	2980	2990	2990	3000	3000	3010	3020
3000ft [720ft]	3080	3090	3090	3100	3110	3110	3120	3130	3130
3100ft [820ft]	3190	3200	3210	3210	3220	3230	3240	3240	3250
3200ft [920ft]	3300	3310	3320	3330	3340	3340	3350	3360	3370
3300ft [1020ft]	3410	3420	3430	3440	3450	3460	3470	3480	3490
3400ft [1120ft]	3520	3530	3540	3550	3560	3570	3590	3600	3610
3500ft [1220ft]	3640	3650	3660	3670	3680	3690	3700	3710	3730
3600ft [1320ft]	3750	3760	3770	3780	3790	3810	3820	3830	3840
3700ft [1420ft]	3860	3870	3880	3890	3910	3920	3930	3950	3960
3800ft [1520ft]	3970	3980	3990	4010	4020	4040	4050	4060	4080
3900ft [1620ft]	4080	4090	4110	4120	4140	4150	4170	4180	4200
4000ft [1720ft]	4190	4200	4220	4230	4250	4270	4280	4300	4320
4100ft [1820ft]	4300	4320	4330	4350	4360	4380	4400	4420	4430
4200ft [1920ft]	4410	4430	4440	4460	4480	4500	4520	4530	4550
4300ft [2020ft]	4520	4540	4560	4580	4590	4610	4630	4650	4670
4400ft [2120ft]	4630	4650	4670	4690	4710	4730	4750	4770	4790
4500ft [2220ft]	4740	4760	4780	4800	4820	4840	4860	4890	4910
4600ft [2320ft]	4850	4870	4890	4920	4940	4960	4980	5000	5030
4700ft [2420ft]	4960	4990	5010	5030	5050	5070	5100	5120	5140
4800ft [2520ft]	5080	5100	5120	5140	5170	5190	5210	5240	5260
4900ft [2620ft]	5190	5210	5230	5260	5280	5300	5330	5350	5380
5000ft [2720ft]	5300	5320	5350	5370	5390	5420	5450	5470	5500
5100ft [2820ft]	5410	5430	5460	5480	5510	5540	5560	5590	5620
5200ft [2920ft]	5520	5540	5570	5600	5620	5650	5680	5710	5740
5300ft [3020ft]	5630	5660	5680	5710	5740	5770	5800	5820	5850
5400ft [3120ft]	5740	5770	5800	5820	5850	5880	5910	5940	5970
5500ft [3220ft]	5850	5880	5910	5940	5970	6000	6030	6060	6090
5600ft [3320ft]	5960	5990	6020	6050	6080	6110	6140	6180	6210
5700ft [3420ft]	6070	6100	6130	6170	6200	6230	6260	6290	6330
5800ft [3520ft]	6180	6220	6250	6280	6310	6340	6380	6410	6450
5900ft [3620ft]	6300	6330	6360	6390	6430	6460	6490	6530	6560
6000ft [3720ft]	6410	6440	6470	6510	6540	6580	6610	6650	6680
6100ft [3820ft]	6520	6550	6590	6620	6650	6690	6730	6760	6800
6200ft [3920ft]	6630	6660	6700	6730	6770	6810	6840	6880	6920
6300ft [4020ft]	6740	6770	6810	6850	6880	6920	6960	7000	7040
6400ft [4120ft]	6850	6890	6920	6960	7000	7040	7080	7120	7160
6500ft [4220ft]	6960	7000	7040	7070	7110	7150	7190	7230	7280
6600ft [4320ft]	7070	7110	7150	7190	7230	7270	7310	7350	7390
6700ft [4420ft]	7180	7220	7260	7300	7340	7380	7430	7470	7510
6800ft [4520ft]	7290	7330	7370	7420	7460	7500	7540	7590	7630
6900ft [4620ft]	7410	7450	7490	7530	7570	7620	7660	7700	7750
7000ft [4720ft]	7520	7560	7600	7640	7690	7730	7780	7820	7870
7100ft [4820ft]	7630	7670	7710	7760	7800	7850	7890	7940	7990
7200ft [4920ft]	7740	7780	7830	7870	7920	7960	8010	8060	8110
7280ft [5000ft]	7830	7870	7920	7960	8010	8060	8100	8150	8200

Stefano M. RAPISARDA - flightdeckengineering.com

CYXJ - Fort St. John, BC, CANADA

Station Elevation: 2280 feet. ISA Standard Temperature: 10.48°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-44)	-35°C (ISA-46)	-37°C (ISA-48)	-39°C (ISA-50)	-41°C (ISA-52)	-43°C (ISA-54)	-45°C (ISA-56)	-47°C (ISA-58)	-50°C (ISA-61)
2280ft [0ft]	2280	2280	2280	2280	2280	2280	2280	2280	2280
2300ft [20ft]	2310	2310	2310	2310	2310	2310	2310	2310	2310
2400ft [120ft]	2430	2430	2430	2430	2430	2430	2430	2440	2440
2500ft [220ft]	2540	2550	2550	2550	2550	2560	2560	2560	2560
2600ft [320ft]	2660	2670	2670	2670	2680	2680	2680	2690	2690
2700ft [420ft]	2780	2780	2790	2790	2800	2800	2810	2810	2820
2800ft [520ft]	2900	2900	2910	2910	2920	2930	2930	2940	2940
2900ft [620ft]	3020	3020	3030	3040	3040	3050	3050	3060	3070
3000ft [720ft]	3130	3140	3150	3160	3160	3170	3180	3190	3200
3100ft [820ft]	3250	3260	3270	3280	3290	3290	3300	3310	3330
3200ft [920ft]	3370	3380	3390	3400	3410	3420	3430	3440	3450
3300ft [1020ft]	3490	3500	3510	3520	3530	3540	3550	3560	3580
3400ft [1120ft]	3610	3620	3630	3640	3650	3660	3680	3690	3710
3500ft [1220ft]	3730	3740	3750	3760	3770	3790	3800	3810	3830
3600ft [1320ft]	3840	3860	3870	3880	3900	3910	3920	3940	3960
3700ft [1420ft]	3960	3980	3990	4000	4020	4030	4050	4060	4090
3800ft [1520ft]	4080	4090	4110	4130	4140	4160	4170	4190	4220
3900ft [1620ft]	4200	4210	4230	4250	4260	4280	4300	4320	4340
4000ft [1720ft]	4320	4330	4350	4370	4390	4400	4420	4440	4470
4100ft [1820ft]	4430	4450	4470	4490	4510	4530	4550	4570	4600
4200ft [1920ft]	4550	4570	4590	4610	4630	4650	4670	4690	4720
4300ft [2020ft]	4670	4690	4710	4730	4750	4770	4800	4820	4850
4400ft [2120ft]	4790	4810	4830	4850	4880	4900	4920	4940	4980
4500ft [2220ft]	4910	4930	4950	4970	5000	5020	5050	5070	5110
4600ft [2320ft]	5030	5050	5070	5100	5120	5140	5170	5200	5230
4700ft [2420ft]	5140	5170	5190	5220	5240	5270	5290	5320	5360
4800ft [2520ft]	5260	5290	5310	5340	5360	5390	5420	5450	5490
4900ft [2620ft]	5380	5410	5430	5460	5490	5520	5540	5570	5620
5000ft [2720ft]	5500	5530	5550	5580	5610	5640	5670	5700	5740
5100ft [2820ft]	5620	5650	5670	5700	5730	5760	5790	5820	5870
5200ft [2920ft]	5740	5760	5790	5820	5850	5890	5920	5950	6000
5300ft [3020ft]	5850	5880	5910	5950	5980	6010	6040	6080	6130
5400ft [3120ft]	5970	6000	6030	6070	6100	6130	6170	6200	6250
5500ft [3220ft]	6090	6120	6160	6190	6220	6260	6290	6330	6380
5600ft [3320ft]	6210	6240	6280	6310	6340	6380	6420	6450	6510
5700ft [3420ft]	6330	6360	6400	6430	6470	6500	6540	6580	6640
5800ft [3520ft]	6450	6480	6520	6550	6590	6630	6670	6710	6760
5900ft [3620ft]	6560	6600	6640	6670	6710	6750	6790	6830	6890
6000ft [3720ft]	6680	6720	6760	6800	6840	6880	6920	6960	7020
6100ft [3820ft]	6800	6840	6880	6920	6960	7000	7040	7080	7150
6200ft [3920ft]	6920	6960	7000	7040	7080	7120	7170	7210	7280
6300ft [4020ft]	7040	7080	7120	7160	7200	7250	7290	7340	7400
6400ft [4120ft]	7160	7200	7240	7280	7330	7370	7420	7460	7530
6500ft [4220ft]	7280	7320	7360	7400	7450	7490	7540	7590	7660
6600ft [4320ft]	7390	7440	7480	7530	7570	7620	7670	7710	7790
6700ft [4420ft]	7510	7560	7600	7650	7690	7740	7790	7840	7920
6800ft [4520ft]	7630	7680	7720	7770	7820	7870	7920	7970	8040
6900ft [4620ft]	7750	7800	7840	7890	7940	7990	8040	8090	8170
7000ft [4720ft]	7870	7920	7960	8010	8060	8110	8170	8220	8300
7100ft [4820ft]	7990	8040	8090	8140	8190	8240	8290	8340	8430
7200ft [4920ft]	8110	8160	8210	8260	8310	8360	8420	8470	8560
7280ft [5000ft]	8200	8250	8300	8350	8410	8460	8520	8570	8660

Stefano M. RAPISARDA - flightdeckengineering.com

CYXS - Prince George, BC, CANADA

Station Elevation: 2266 feet. ISA Standard Temperature: 10.51°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+4)	13°C (ISA+2)	11°C (ISA+0)	9°C (ISA-2)	7°C (ISA-4)	5°C (ISA-6)	3°C (ISA-8)	1°C (ISA-10)	-1°C (ISA-12)
2266ft [0ft]	---	---	2270	2270	2270	2270	2270	2270	2270
2300ft [34ft]	---	---	2300	2310	2310	2310	2310	2310	2310
2400ft [134ft]	---	---	2400	2410	2410	2410	2410	2410	2410
2500ft [234ft]	---	---	2500	2510	2510	2510	2510	2510	2510
2600ft [334ft]	---	---	2600	2610	2610	2610	2610	2620	2620
2700ft [434ft]	---	---	2700	2710	2710	2710	2720	2720	2720
2800ft [534ft]	---	---	2800	2810	2810	2820	2820	2820	2830
2900ft [634ft]	---	---	2900	2910	2910	2920	2920	2930	2930
3000ft [734ft]	---	---	3000	3010	3010	3020	3020	3030	3040
3100ft [834ft]	---	---	3100	3110	3120	3120	3130	3130	3140
3200ft [934ft]	---	---	3200	3210	3220	3220	3230	3240	3240
3300ft [1034ft]	---	---	3300	3310	3320	3330	3330	3340	3350
3400ft [1134ft]	---	---	3400	3410	3420	3430	3440	3440	3450
3500ft [1234ft]	---	---	3500	3510	3520	3530	3540	3550	3560
3600ft [1334ft]	---	---	3600	3610	3620	3630	3640	3650	3660
3700ft [1434ft]	---	---	3700	3710	3720	3730	3740	3750	3770
3800ft [1534ft]	---	---	3800	3810	3820	3840	3850	3860	3870
3900ft [1634ft]	---	---	3900	3910	3930	3940	3950	3960	3970
4000ft [1734ft]	---	---	4000	4010	4030	4040	4050	4070	4080
4100ft [1834ft]	---	---	4100	4110	4130	4140	4150	4170	4180
4200ft [1934ft]	---	---	4200	4220	4230	4240	4260	4270	4290
4300ft [2034ft]	---	---	4300	4320	4330	4350	4360	4380	4390
4400ft [2134ft]	---	---	4400	4420	4430	4450	4460	4480	4500
4500ft [2234ft]	---	---	4500	4520	4530	4550	4570	4580	4600
4600ft [2334ft]	---	---	4600	4620	4630	4650	4670	4690	4700
4700ft [2434ft]	---	---	4700	4720	4740	4750	4770	4790	4810
4800ft [2534ft]	---	---	4800	4820	4840	4860	4870	4890	4910
4900ft [2634ft]	---	---	4900	4920	4940	4960	4980	5000	5020
5000ft [2734ft]	---	---	5000	5020	5040	5060	5080	5100	5120
5100ft [2834ft]	---	---	5100	5120	5140	5160	5180	5200	5230
5200ft [2934ft]	---	---	5200	5220	5240	5260	5290	5310	5330
5300ft [3034ft]	---	---	5300	5320	5340	5370	5390	5410	5430
5400ft [3134ft]	---	---	5400	5420	5440	5470	5490	5510	5540
5500ft [3234ft]	---	---	5500	5520	5550	5570	5590	5620	5640
5600ft [3334ft]	---	---	5600	5620	5650	5670	5700	5720	5750
5700ft [3434ft]	---	---	5700	5720	5750	5770	5800	5820	5850
5800ft [3534ft]	---	---	5800	5820	5850	5880	5900	5930	5960
5900ft [3634ft]	---	---	5900	5920	5950	5980	6000	6030	6060
6000ft [3734ft]	---	---	6000	6030	6050	6080	6110	6140	6160
6100ft [3834ft]	---	---	6100	6130	6150	6180	6210	6240	6270
6200ft [3934ft]	---	---	6200	6230	6250	6280	6310	6340	6370
6300ft [4034ft]	---	---	6300	6330	6360	6390	6420	6450	6480
6400ft [4134ft]	---	---	6400	6430	6460	6490	6520	6550	6580
6500ft [4234ft]	---	---	6500	6530	6560	6590	6620	6650	6690
6600ft [4334ft]	---	---	6600	6630	6660	6690	6720	6760	6790
6700ft [4434ft]	---	---	6700	6730	6760	6790	6830	6860	6890
6800ft [4534ft]	---	---	6800	6830	6860	6900	6930	6960	7000
6900ft [4634ft]	---	---	6900	6930	6960	7000	7030	7070	7100
7000ft [4734ft]	---	---	7000	7030	7060	7100	7130	7170	7210
7100ft [4834ft]	---	---	7100	7130	7170	7200	7240	7270	7310
7200ft [4934ft]	---	---	7200	7230	7270	7300	7340	7380	7420
7266ft [5000ft]	---	---	7266	7300	7330	7370	7410	7450	7480

Stefano M. RAPISARDA - flightdeckengineering.com

CYXS - Prince George, BC, CANADA

Station Elevation: 2266 feet. ISA Standard Temperature: 10.51°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-12)	-3°C (ISA-14)	-5°C (ISA-16)	-7°C (ISA-18)	-9°C (ISA-20)	-11°C (ISA-22)	-13°C (ISA-24)	-15°C (ISA-26)	-17°C (ISA-28)
2266ft [0ft]	2270	2270	2270	2270	2270	2270	2270	2270	2270
2300ft [34ft]	2310	2310	2310	2310	2310	2310	2310	2310	2310
2400ft [134ft]	2410	2410	2410	2410	2410	2420	2420	2420	2420
2500ft [234ft]	2510	2520	2520	2520	2520	2520	2530	2530	2530
2600ft [334ft]	2620	2620	2620	2630	2630	2630	2630	2640	2640
2700ft [434ft]	2720	2730	2730	2730	2740	2740	2740	2750	2750
2800ft [534ft]	2830	2830	2840	2840	2840	2850	2850	2860	2860
2900ft [634ft]	2930	2940	2940	2950	2950	2960	2960	2970	2970
3000ft [734ft]	3040	3040	3050	3050	3060	3060	3070	3080	3080
3100ft [834ft]	3140	3150	3150	3160	3170	3170	3180	3190	3190
3200ft [934ft]	3240	3250	3260	3270	3270	3280	3290	3300	3300
3300ft [1034ft]	3350	3360	3360	3370	3380	3390	3400	3410	3420
3400ft [1134ft]	3450	3460	3470	3480	3490	3500	3510	3520	3530
3500ft [1234ft]	3560	3570	3580	3590	3600	3610	3620	3630	3640
3600ft [1334ft]	3660	3670	3680	3690	3700	3710	3730	3740	3750
3700ft [1434ft]	3770	3780	3790	3800	3810	3820	3830	3850	3860
3800ft [1534ft]	3870	3880	3890	3910	3920	3930	3940	3960	3970
3900ft [1634ft]	3970	3990	4000	4010	4030	4040	4050	4070	4080
4000ft [1734ft]	4080	4090	4110	4120	4130	4150	4160	4180	4190
4100ft [1834ft]	4180	4200	4210	4230	4240	4260	4270	4290	4300
4200ft [1934ft]	4290	4300	4320	4330	4350	4360	4380	4400	4410
4300ft [2034ft]	4390	4410	4420	4440	4460	4470	4490	4510	4520
4400ft [2134ft]	4500	4510	4530	4550	4560	4580	4600	4620	4630
4500ft [2234ft]	4600	4620	4630	4650	4670	4690	4710	4730	4750
4600ft [2334ft]	4700	4720	4740	4760	4780	4800	4820	4840	4860
4700ft [2434ft]	4810	4830	4850	4870	4880	4900	4930	4950	4970
4800ft [2534ft]	4910	4930	4950	4970	4990	5010	5030	5060	5080
4900ft [2634ft]	5020	5040	5060	5080	5100	5120	5140	5170	5190
5000ft [2734ft]	5120	5140	5160	5190	5210	5230	5250	5280	5300
5100ft [2834ft]	5230	5250	5270	5290	5310	5340	5360	5390	5410
5200ft [2934ft]	5330	5350	5380	5400	5420	5450	5470	5500	5520
5300ft [3034ft]	5430	5460	5480	5510	5530	5550	5580	5610	5630
5400ft [3134ft]	5540	5560	5590	5610	5640	5660	5690	5720	5740
5500ft [3234ft]	5640	5670	5690	5720	5740	5770	5800	5830	5850
5600ft [3334ft]	5750	5770	5800	5830	5850	5880	5910	5940	5960
5700ft [3434ft]	5850	5880	5900	5930	5960	5990	6020	6050	6080
5800ft [3534ft]	5960	5980	6010	6040	6070	6100	6130	6160	6190
5900ft [3634ft]	6060	6090	6120	6150	6170	6200	6240	6270	6300
6000ft [3734ft]	6160	6190	6220	6250	6280	6310	6340	6380	6410
6100ft [3834ft]	6270	6300	6330	6360	6390	6420	6450	6490	6520
6200ft [3934ft]	6370	6400	6430	6470	6500	6530	6560	6600	6630
6300ft [4034ft]	6480	6510	6540	6570	6610	6640	6670	6710	6740
6400ft [4134ft]	6580	6610	6650	6680	6710	6750	6780	6820	6850
6500ft [4234ft]	6690	6720	6750	6790	6820	6860	6890	6930	6960
6600ft [4334ft]	6790	6820	6860	6890	6930	6960	7000	7040	7070
6700ft [4434ft]	6890	6930	6960	7000	7040	7070	7110	7150	7190
6800ft [4534ft]	7000	7030	7070	7110	7140	7180	7220	7260	7300
6900ft [4634ft]	7100	7140	7180	7210	7250	7290	7330	7370	7410
7000ft [4734ft]	7210	7240	7280	7320	7360	7400	7440	7480	7520
7100ft [4834ft]	7310	7350	7390	7430	7470	7510	7550	7590	7630
7200ft [4934ft]	7420	7450	7490	7530	7570	7610	7660	7700	7740
7266ft [5000ft]	7480	7520	7560	7600	7640	7690	7730	7770	7810

Stefano M. RAPISARDA - flightdeckengineering.com

CYXS - Prince George, BC, CANADA

Station Elevation: 2266 feet. ISA Standard Temperature: 10.51°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-28)	-19°C (ISA-30)	-21°C (ISA-32)	-23°C (ISA-34)	-25°C (ISA-36)	-27°C (ISA-38)	-29°C (ISA-40)	-31°C (ISA-42)	-33°C (ISA-44)
2266ft [0ft]	2270	2270	2270	2270	2270	2270	2270	2270	2270
2300ft [34ft]	2310	2310	2310	2310	2310	2310	2310	2310	2310
2400ft [134ft]	2420	2420	2420	2420	2420	2430	2430	2430	2430
2500ft [234ft]	2530	2530	2530	2540	2540	2540	2540	2540	2550
2600ft [334ft]	2640	2640	2650	2650	2650	2660	2660	2660	2670
2700ft [434ft]	2750	2760	2760	2760	2770	2770	2770	2780	2780
2800ft [534ft]	2860	2870	2870	2880	2880	2890	2890	2900	2900
2900ft [634ft]	2970	2980	2980	2990	3000	3000	3010	3010	3020
3000ft [734ft]	3080	3090	3100	3100	3110	3120	3120	3130	3140
3100ft [834ft]	3190	3200	3210	3220	3220	3230	3240	3250	3260
3200ft [934ft]	3300	3310	3320	3330	3340	3350	3360	3360	3370
3300ft [1034ft]	3420	3420	3430	3440	3450	3460	3470	3480	3490
3400ft [1134ft]	3530	3540	3550	3560	3570	3580	3590	3600	3610
3500ft [1234ft]	3640	3650	3660	3670	3680	3690	3700	3720	3730
3600ft [1334ft]	3750	3760	3770	3780	3800	3810	3820	3830	3850
3700ft [1434ft]	3860	3870	3880	3900	3910	3920	3940	3950	3960
3800ft [1534ft]	3970	3980	4000	4010	4020	4040	4050	4070	4080
3900ft [1634ft]	4080	4090	4110	4120	4140	4150	4170	4180	4200
4000ft [1734ft]	4190	4210	4220	4240	4250	4270	4290	4300	4320
4100ft [1834ft]	4300	4320	4330	4350	4370	4380	4400	4420	4440
4200ft [1934ft]	4410	4430	4450	4460	4480	4500	4520	4540	4560
4300ft [2034ft]	4520	4540	4560	4580	4600	4610	4630	4650	4670
4400ft [2134ft]	4630	4650	4670	4690	4710	4730	4750	4770	4790
4500ft [2234ft]	4750	4760	4780	4800	4820	4850	4870	4890	4910
4600ft [2334ft]	4860	4880	4900	4920	4940	4960	4980	5010	5030
4700ft [2434ft]	4970	4990	5010	5030	5050	5080	5100	5120	5150
4800ft [2534ft]	5080	5100	5120	5140	5170	5190	5220	5240	5260
4900ft [2634ft]	5190	5210	5230	5260	5280	5310	5330	5360	5380
5000ft [2734ft]	5300	5320	5350	5370	5400	5420	5450	5470	5500
5100ft [2834ft]	5410	5430	5460	5490	5510	5540	5560	5590	5620
5200ft [2934ft]	5520	5550	5570	5600	5630	5650	5680	5710	5740
5300ft [3034ft]	5630	5660	5690	5710	5740	5770	5800	5830	5860
5400ft [3134ft]	5740	5770	5800	5830	5860	5880	5910	5940	5980
5500ft [3234ft]	5850	5880	5910	5940	5970	6000	6030	6060	6090
5600ft [3334ft]	5960	5990	6020	6050	6080	6120	6150	6180	6210
5700ft [3434ft]	6080	6110	6140	6170	6200	6230	6260	6300	6330
5800ft [3534ft]	6190	6220	6250	6280	6310	6350	6380	6410	6450
5900ft [3634ft]	6300	6330	6360	6390	6430	6460	6500	6530	6570
6000ft [3734ft]	6410	6440	6470	6510	6540	6580	6610	6650	6690
6100ft [3834ft]	6520	6550	6590	6620	6660	6690	6730	6770	6800
6200ft [3934ft]	6630	6670	6700	6740	6770	6810	6850	6880	6920
6300ft [4034ft]	6740	6780	6810	6850	6890	6920	6960	7000	7040
6400ft [4134ft]	6850	6890	6930	6960	7000	7040	7080	7120	7160
6500ft [4234ft]	6960	7000	7040	7080	7120	7160	7200	7240	7280
6600ft [4334ft]	7070	7110	7150	7190	7230	7270	7310	7350	7400
6700ft [4434ft]	7190	7220	7260	7300	7350	7390	7430	7470	7520
6800ft [4534ft]	7300	7340	7380	7420	7460	7500	7550	7590	7630
6900ft [4634ft]	7410	7450	7490	7530	7570	7620	7660	7710	7750
7000ft [4734ft]	7520	7560	7600	7650	7690	7730	7780	7830	7870
7100ft [4834ft]	7630	7670	7720	7760	7800	7850	7900	7940	7990
7200ft [4934ft]	7740	7780	7830	7870	7920	7970	8010	8060	8110
7266ft [5000ft]	7810	7860	7900	7950	7990	8040	8090	8140	8190

Stefano M. RAPISARDA - flightdeckengineering.com

CYXS - Prince George, BC, CANADA

Station Elevation: 2266 feet. ISA Standard Temperature: 10.51°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-44)	-35°C (ISA-46)	-37°C (ISA-48)	-39°C (ISA-50)	-41°C (ISA-52)	-43°C (ISA-54)	-45°C (ISA-56)	-47°C (ISA-58)	-50°C (ISA-61)
2266ft [0ft]	2270	2270	2270	2270	2270	2270	2270	2270	2270
2300ft [34ft]	2310	2310	2310	2310	2310	2310	2310	2310	2310
2400ft [134ft]	2430	2430	2430	2430	2430	2440	2440	2440	2440
2500ft [234ft]	2550	2550	2550	2550	2560	2560	2560	2560	2570
2600ft [334ft]	2670	2670	2670	2680	2680	2680	2690	2690	2690
2700ft [434ft]	2780	2790	2790	2800	2800	2810	2810	2810	2820
2800ft [534ft]	2900	2910	2910	2920	2920	2930	2930	2940	2950
2900ft [634ft]	3020	3030	3030	3040	3040	3050	3060	3070	3080
3000ft [734ft]	3140	3140	3150	3160	3170	3170	3180	3190	3200
3100ft [834ft]	3260	3260	3270	3280	3290	3300	3310	3320	3330
3200ft [934ft]	3370	3380	3390	3400	3410	3420	3430	3440	3460
3300ft [1034ft]	3490	3500	3510	3520	3530	3540	3560	3570	3580
3400ft [1134ft]	3610	3620	3630	3640	3660	3670	3680	3690	3710
3500ft [1234ft]	3730	3740	3750	3760	3780	3790	3800	3820	3840
3600ft [1334ft]	3850	3860	3870	3890	3900	3910	3930	3940	3970
3700ft [1434ft]	3960	3980	3990	4010	4020	4040	4050	4070	4090
3800ft [1534ft]	4080	4100	4110	4130	4140	4160	4180	4190	4220
3900ft [1634ft]	4200	4220	4230	4250	4270	4280	4300	4320	4350
4000ft [1734ft]	4320	4340	4350	4370	4390	4410	4430	4450	4470
4100ft [1834ft]	4440	4460	4470	4490	4510	4530	4550	4570	4600
4200ft [1934ft]	4560	4570	4590	4610	4630	4650	4680	4700	4730
4300ft [2034ft]	4670	4690	4710	4730	4760	4780	4800	4820	4860
4400ft [2134ft]	4790	4810	4830	4860	4880	4900	4920	4950	4980
4500ft [2234ft]	4910	4930	4950	4980	5000	5020	5050	5070	5110
4600ft [2334ft]	5030	5050	5070	5100	5120	5150	5170	5200	5240
4700ft [2434ft]	5150	5170	5200	5220	5250	5270	5300	5320	5370
4800ft [2534ft]	5260	5290	5320	5340	5370	5400	5420	5450	5490
4900ft [2634ft]	5380	5410	5440	5460	5490	5520	5550	5580	5620
5000ft [2734ft]	5500	5530	5560	5580	5610	5640	5670	5700	5750
5100ft [2834ft]	5620	5650	5680	5710	5740	5770	5800	5830	5880
5200ft [2934ft]	5740	5770	5800	5830	5860	5890	5920	5950	6000
5300ft [3034ft]	5860	5890	5920	5950	5980	6010	6050	6080	6130
5400ft [3134ft]	5980	6010	6040	6070	6100	6140	6170	6210	6260
5500ft [3234ft]	6090	6130	6160	6190	6230	6260	6300	6330	6390
5600ft [3334ft]	6210	6250	6280	6310	6350	6380	6420	6460	6510
5700ft [3434ft]	6330	6360	6400	6440	6470	6510	6550	6580	6640
5800ft [3534ft]	6450	6480	6520	6560	6590	6630	6670	6710	6770
5900ft [3634ft]	6570	6600	6640	6680	6720	6760	6800	6840	6900
6000ft [3734ft]	6690	6720	6760	6800	6840	6880	6920	6960	7020
6100ft [3834ft]	6800	6840	6880	6920	6960	7000	7040	7090	7150
6200ft [3934ft]	6920	6960	7000	7040	7080	7130	7170	7210	7280
6300ft [4034ft]	7040	7080	7120	7160	7210	7250	7290	7340	7410
6400ft [4134ft]	7160	7200	7240	7290	7330	7370	7420	7470	7540
6500ft [4234ft]	7280	7320	7360	7410	7450	7500	7540	7590	7660
6600ft [4334ft]	7400	7440	7490	7530	7580	7620	7670	7720	7790
6700ft [4434ft]	7520	7560	7610	7650	7700	7750	7790	7840	7920
6800ft [4534ft]	7630	7680	7730	7770	7820	7870	7920	7970	8050
6900ft [4634ft]	7750	7800	7850	7900	7940	7990	8040	8100	8180
7000ft [4734ft]	7870	7920	7970	8020	8070	8120	8170	8220	8300
7100ft [4834ft]	7990	8040	8090	8140	8190	8240	8300	8350	8430
7200ft [4934ft]	8110	8160	8210	8260	8310	8370	8420	8480	8560
7266ft [5000ft]	8190	8240	8290	8340	8390	8450	8500	8560	8640

Stefano M. RAPISARDA - flightdeckengineering.com

CYXT - Terrace, BC, CANADA

Station Elevation: 713 feet. ISA Standard Temperature: 13.59°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
713ft [0ft]	720	720	720	720	720	720	720	720	720
800ft [87ft]	800	810	810	810	810	810	810	810	810
900ft [187ft]	900	910	910	910	910	910	910	910	920
1000ft [287ft]	1000	1010	1010	1010	1010	1010	1020	1020	1020
1100ft [387ft]	1100	1110	1110	1110	1120	1120	1120	1120	1130
1200ft [487ft]	1200	1210	1210	1210	1220	1220	1230	1230	1230
1300ft [587ft]	1300	1310	1310	1320	1320	1330	1330	1330	1340
1400ft [687ft]	1400	1410	1410	1420	1420	1430	1430	1440	1440
1500ft [787ft]	1500	1510	1510	1520	1530	1530	1540	1540	1550
1600ft [887ft]	1600	1610	1620	1620	1630	1640	1640	1650	1660
1700ft [987ft]	1700	1710	1720	1720	1730	1740	1750	1750	1760
1800ft [1087ft]	1800	1810	1820	1830	1830	1840	1850	1860	1870
1900ft [1187ft]	1900	1910	1920	1930	1940	1950	1960	1960	1970
2000ft [1287ft]	2000	2010	2020	2030	2040	2050	2060	2070	2080
2100ft [1387ft]	2100	2110	2120	2130	2140	2150	2160	2170	2180
2200ft [1487ft]	2200	2210	2220	2230	2250	2260	2270	2280	2290
2300ft [1587ft]	2300	2310	2330	2340	2350	2360	2370	2380	2400
2400ft [1687ft]	2400	2410	2430	2440	2450	2460	2480	2490	2500
2500ft [1787ft]	2500	2510	2530	2540	2550	2570	2580	2590	2610
2600ft [1887ft]	2600	2620	2630	2640	2660	2670	2680	2700	2710
2700ft [1987ft]	2700	2720	2730	2740	2760	2770	2790	2800	2820
2800ft [2087ft]	2800	2820	2830	2850	2860	2880	2890	2910	2930
2900ft [2187ft]	2900	2920	2930	2950	2960	2980	3000	3010	3030
3000ft [2287ft]	3000	3020	3030	3050	3070	3080	3100	3120	3140
3100ft [2387ft]	3100	3120	3140	3150	3170	3190	3210	3220	3240
3200ft [2487ft]	3200	3220	3240	3250	3270	3290	3310	3330	3350
3300ft [2587ft]	3300	3320	3340	3360	3380	3400	3410	3430	3450
3400ft [2687ft]	3400	3420	3440	3460	3480	3500	3520	3540	3560
3500ft [2787ft]	3500	3520	3540	3560	3580	3600	3620	3640	3670
3600ft [2887ft]	3600	3620	3640	3660	3680	3710	3730	3750	3770
3700ft [2987ft]	3700	3720	3740	3760	3790	3810	3830	3850	3880
3800ft [3087ft]	3800	3820	3840	3870	3890	3910	3940	3960	3980
3900ft [3187ft]	3900	3920	3950	3970	3990	4020	4040	4070	4090
4000ft [3287ft]	4000	4020	4050	4070	4100	4120	4140	4170	4200
4100ft [3387ft]	4100	4120	4150	4170	4200	4220	4250	4280	4300
4200ft [3487ft]	4200	4220	4250	4280	4300	4330	4350	4380	4410
4300ft [3587ft]	4300	4330	4350	4380	4400	4430	4460	4490	4510
4400ft [3687ft]	4400	4430	4450	4480	4510	4530	4560	4590	4620
4500ft [3787ft]	4500	4530	4550	4580	4610	4640	4670	4700	4730
4600ft [3887ft]	4600	4630	4650	4680	4710	4740	4770	4800	4830
4700ft [3987ft]	4700	4730	4760	4790	4810	4840	4870	4910	4940
4800ft [4087ft]	4800	4830	4860	4890	4920	4950	4980	5010	5040
4900ft [4187ft]	4900	4930	4960	4990	5020	5050	5080	5120	5150
5000ft [4287ft]	5000	5030	5060	5090	5120	5160	5190	5220	5250
5100ft [4387ft]	5100	5130	5160	5190	5230	5260	5290	5330	5360
5200ft [4487ft]	5200	5230	5260	5300	5330	5360	5400	5430	5470
5300ft [4587ft]	5300	5330	5360	5400	5430	5470	5500	5540	5570
5400ft [4687ft]	5400	5430	5470	5500	5530	5570	5610	5640	5680
5500ft [4787ft]	5500	5530	5570	5600	5640	5670	5710	5750	5780
5600ft [4887ft]	5600	5630	5670	5700	5740	5780	5810	5850	5890
5700ft [4987ft]	5700	5730	5770	5810	5840	5880	5920	5960	6000
5713ft [5000ft]	5713	5750	5780	5820	5860	5890	5930	5970	6010

Stefano M. RAPISARDA - flightdeckengineering.com

CYXT - Terrace, BC, CANADA

Station Elevation: 713 feet. ISA Standard Temperature: 13.59°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
713ft [0ft]	720	720	720	720	720	720	720	720	720
800ft [87ft]	810	810	810	810	810	810	810	810	820
900ft [187ft]	920	920	920	920	920	920	920	930	930
1000ft [287ft]	1020	1020	1030	1030	1030	1030	1040	1040	1040
1100ft [387ft]	1130	1130	1130	1140	1140	1140	1150	1150	1150
1200ft [487ft]	1230	1240	1240	1240	1250	1250	1260	1260	1270
1300ft [587ft]	1340	1340	1350	1350	1360	1360	1370	1370	1380
1400ft [687ft]	1440	1450	1460	1460	1470	1470	1480	1480	1490
1500ft [787ft]	1550	1560	1560	1570	1580	1580	1590	1600	1600
1600ft [887ft]	1660	1660	1670	1680	1680	1690	1700	1710	1710
1700ft [987ft]	1760	1770	1780	1790	1790	1800	1810	1820	1830
1800ft [1087ft]	1870	1880	1880	1890	1900	1910	1920	1930	1940
1900ft [1187ft]	1970	1980	1990	2000	2010	2020	2030	2040	2050
2000ft [1287ft]	2080	2090	2100	2110	2120	2130	2140	2150	2160
2100ft [1387ft]	2180	2200	2210	2220	2230	2240	2250	2270	2280
2200ft [1487ft]	2290	2300	2310	2330	2340	2350	2360	2380	2390
2300ft [1587ft]	2400	2410	2420	2430	2450	2460	2470	2490	2500
2400ft [1687ft]	2500	2520	2530	2540	2560	2570	2590	2600	2610
2500ft [1787ft]	2610	2620	2640	2650	2670	2680	2700	2710	2730
2600ft [1887ft]	2710	2730	2740	2760	2770	2790	2810	2820	2840
2700ft [1987ft]	2820	2840	2850	2870	2880	2900	2920	2930	2950
2800ft [2087ft]	2930	2940	2960	2980	2990	3010	3030	3050	3060
2900ft [2187ft]	3030	3050	3070	3080	3100	3120	3140	3160	3180
3000ft [2287ft]	3140	3160	3170	3190	3210	3230	3250	3270	3290
3100ft [2387ft]	3240	3260	3280	3300	3320	3340	3360	3380	3400
3200ft [2487ft]	3350	3370	3390	3410	3430	3450	3470	3490	3520
3300ft [2587ft]	3450	3480	3500	3520	3540	3560	3580	3600	3630
3400ft [2687ft]	3560	3580	3600	3630	3650	3670	3690	3720	3740
3500ft [2787ft]	3670	3690	3710	3730	3760	3780	3800	3830	3850
3600ft [2887ft]	3770	3800	3820	3840	3870	3890	3920	3940	3970
3700ft [2987ft]	3880	3900	3930	3950	3980	4000	4030	4050	4080
3800ft [3087ft]	3980	4010	4030	4060	4080	4110	4140	4160	4190
3900ft [3187ft]	4090	4120	4140	4170	4190	4220	4250	4280	4300
4000ft [3287ft]	4200	4220	4250	4280	4300	4330	4360	4390	4420
4100ft [3387ft]	4300	4330	4360	4380	4410	4440	4470	4500	4530
4200ft [3487ft]	4410	4440	4460	4490	4520	4550	4580	4610	4640
4300ft [3587ft]	4510	4540	4570	4600	4630	4660	4690	4720	4750
4400ft [3687ft]	4620	4650	4680	4710	4740	4770	4800	4830	4870
4500ft [3787ft]	4730	4760	4790	4820	4850	4880	4910	4950	4980
4600ft [3887ft]	4830	4860	4890	4930	4960	4990	5020	5060	5090
4700ft [3987ft]	4940	4970	5000	5030	5070	5100	5140	5170	5210
4800ft [4087ft]	5040	5080	5110	5140	5180	5210	5250	5280	5320
4900ft [4187ft]	5150	5180	5220	5250	5290	5320	5360	5390	5430
5000ft [4287ft]	5250	5290	5320	5360	5390	5430	5470	5510	5540
5100ft [4387ft]	5360	5400	5430	5470	5500	5540	5580	5620	5660
5200ft [4487ft]	5470	5500	5540	5580	5610	5650	5690	5730	5770
5300ft [4587ft]	5570	5610	5650	5680	5720	5760	5800	5840	5880
5400ft [4687ft]	5680	5720	5750	5790	5830	5870	5910	5950	5990
5500ft [4787ft]	5780	5820	5860	5900	5940	5980	6020	6060	6110
5600ft [4887ft]	5890	5930	5970	6010	6050	6090	6130	6180	6220
5700ft [4987ft]	6000	6040	6080	6120	6160	6200	6240	6290	6330
5713ft [5000ft]	6010	6050	6090	6130	6170	6220	6260	6300	6350

Stefano M. RAPISARDA - flightdeckengineering.com

CYXT - Terrace, BC, CANADA

Station Elevation: 713 feet. ISA Standard Temperature: 13.59°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
713ft [0ft]	720	720	720	720	720	720	720	720	720
800ft [87ft]	820	820	820	820	820	820	820	820	820
900ft [187ft]	930	930	930	930	930	940	940	940	940
1000ft [287ft]	1040	1040	1050	1050	1050	1050	1060	1060	1060
1100ft [387ft]	1150	1160	1160	1160	1170	1170	1170	1180	1180
1200ft [487ft]	1270	1270	1270	1280	1280	1290	1290	1300	1300
1300ft [587ft]	1380	1380	1390	1390	1400	1400	1410	1420	1420
1400ft [687ft]	1490	1500	1500	1510	1520	1520	1530	1530	1540
1500ft [787ft]	1600	1610	1620	1620	1630	1640	1650	1650	1660
1600ft [887ft]	1710	1720	1730	1740	1750	1760	1760	1770	1780
1700ft [987ft]	1830	1840	1850	1850	1860	1870	1880	1890	1900
1800ft [1087ft]	1940	1950	1960	1970	1980	1990	2000	2010	2020
1900ft [1187ft]	2050	2060	2070	2080	2100	2110	2120	2130	2140
2000ft [1287ft]	2160	2180	2190	2200	2210	2220	2240	2250	2260
2100ft [1387ft]	2280	2290	2300	2310	2330	2340	2350	2370	2380
2200ft [1487ft]	2390	2400	2420	2430	2440	2460	2470	2490	2500
2300ft [1587ft]	2500	2520	2530	2550	2560	2580	2590	2610	2620
2400ft [1687ft]	2610	2630	2650	2660	2680	2690	2710	2730	2740
2500ft [1787ft]	2730	2740	2760	2780	2790	2810	2830	2840	2860
2600ft [1887ft]	2840	2860	2870	2890	2910	2930	2950	2960	2980
2700ft [1987ft]	2950	2970	2990	3010	3030	3040	3060	3080	3100
2800ft [2087ft]	3060	3080	3100	3120	3140	3160	3180	3200	3220
2900ft [2187ft]	3180	3200	3220	3240	3260	3280	3300	3320	3340
3000ft [2287ft]	3290	3310	3330	3350	3370	3400	3420	3440	3460
3100ft [2387ft]	3400	3420	3450	3470	3490	3510	3540	3560	3580
3200ft [2487ft]	3520	3540	3560	3580	3610	3630	3650	3680	3700
3300ft [2587ft]	3630	3650	3670	3700	3720	3750	3770	3800	3820
3400ft [2687ft]	3740	3760	3790	3810	3840	3860	3890	3920	3940
3500ft [2787ft]	3850	3880	3900	3930	3960	3980	4010	4040	4060
3600ft [2887ft]	3970	3990	4020	4040	4070	4100	4130	4160	4190
3700ft [2987ft]	4080	4110	4130	4160	4190	4220	4250	4280	4310
3800ft [3087ft]	4190	4220	4250	4280	4300	4330	4360	4390	4430
3900ft [3187ft]	4300	4330	4360	4390	4420	4450	4480	4510	4550
4000ft [3287ft]	4420	4450	4480	4510	4540	4570	4600	4630	4670
4100ft [3387ft]	4530	4560	4590	4620	4650	4690	4720	4750	4790
4200ft [3487ft]	4640	4670	4700	4740	4770	4800	4840	4870	4910
4300ft [3587ft]	4750	4790	4820	4850	4890	4920	4960	4990	5030
4400ft [3687ft]	4870	4900	4930	4970	5000	5040	5070	5110	5150
4500ft [3787ft]	4980	5010	5050	5080	5120	5160	5190	5230	5270
4600ft [3887ft]	5090	5130	5160	5200	5240	5270	5310	5350	5390
4700ft [3987ft]	5210	5240	5280	5310	5350	5390	5430	5470	5510
4800ft [4087ft]	5320	5350	5390	5430	5470	5510	5550	5590	5630
4900ft [4187ft]	5430	5470	5510	5550	5590	5630	5670	5710	5750
5000ft [4287ft]	5540	5580	5620	5660	5700	5740	5790	5830	5870
5100ft [4387ft]	5660	5700	5740	5780	5820	5860	5900	5950	5990
5200ft [4487ft]	5770	5810	5850	5890	5940	5980	6020	6070	6110
5300ft [4587ft]	5880	5920	5970	6010	6050	6100	6140	6190	6230
5400ft [4687ft]	5990	6040	6080	6120	6170	6210	6260	6310	6350
5500ft [4787ft]	6110	6150	6190	6240	6280	6330	6380	6430	6470
5600ft [4887ft]	6220	6260	6310	6360	6400	6450	6500	6550	6600
5700ft [4987ft]	6330	6380	6420	6470	6520	6570	6620	6670	6720
5713ft [5000ft]	6350	6390	6440	6490	6530	6580	6630	6680	6730

Stefano M. RAPISARDA - flightdeckengineering.com

CYXT - Terrace, BC, CANADA

Station Elevation: 713 feet. ISA Standard Temperature: 13.59°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
713ft [0ft]	720	720	720	720	720	720	720	720	720
800ft [87ft]	820	820	820	820	830	830	830	830	830
900ft [187ft]	940	940	950	950	950	950	950	960	960
1000ft [287ft]	1060	1060	1070	1070	1070	1080	1080	1080	1090
1100ft [387ft]	1180	1190	1190	1190	1200	1200	1210	1210	1220
1200ft [487ft]	1300	1310	1310	1320	1320	1330	1330	1340	1340
1300ft [587ft]	1420	1430	1430	1440	1450	1450	1460	1470	1470
1400ft [687ft]	1540	1550	1560	1560	1570	1580	1590	1590	1600
1500ft [787ft]	1660	1670	1680	1690	1690	1700	1710	1720	1730
1600ft [887ft]	1780	1790	1800	1810	1820	1830	1840	1850	1860
1700ft [987ft]	1900	1910	1920	1930	1940	1950	1960	1980	1990
1800ft [1087ft]	2020	2030	2040	2060	2070	2080	2090	2100	2120
1900ft [1187ft]	2140	2150	2170	2180	2190	2200	2220	2230	2240
2000ft [1287ft]	2260	2270	2290	2300	2320	2330	2340	2360	2370
2100ft [1387ft]	2380	2400	2410	2420	2440	2450	2470	2490	2500
2200ft [1487ft]	2500	2520	2530	2550	2560	2580	2600	2610	2630
2300ft [1587ft]	2620	2640	2650	2670	2690	2710	2720	2740	2760
2400ft [1687ft]	2740	2760	2780	2790	2810	2830	2850	2870	2890
2500ft [1787ft]	2860	2880	2900	2920	2940	2960	2980	3000	3020
2600ft [1887ft]	2980	3000	3020	3040	3060	3080	3100	3120	3150
2700ft [1987ft]	3100	3120	3140	3160	3190	3210	3230	3250	3270
2800ft [2087ft]	3220	3240	3270	3290	3310	3330	3360	3380	3400
2900ft [2187ft]	3340	3370	3390	3410	3430	3460	3480	3510	3530
3000ft [2287ft]	3460	3490	3510	3530	3560	3580	3610	3640	3660
3100ft [2387ft]	3580	3610	3630	3660	3680	3710	3740	3760	3790
3200ft [2487ft]	3700	3730	3760	3780	3810	3840	3860	3890	3920
3300ft [2587ft]	3820	3850	3880	3900	3930	3960	3990	4020	4050
3400ft [2687ft]	3940	3970	4000	4030	4060	4090	4120	4150	4180
3500ft [2787ft]	4060	4090	4120	4150	4180	4210	4240	4270	4310
3600ft [2887ft]	4190	4210	4240	4280	4310	4340	4370	4400	4440
3700ft [2987ft]	4310	4340	4370	4400	4430	4460	4500	4530	4570
3800ft [3087ft]	4430	4460	4490	4520	4560	4590	4620	4660	4690
3900ft [3187ft]	4550	4580	4610	4650	4680	4720	4750	4790	4820
4000ft [3287ft]	4670	4700	4730	4770	4800	4840	4880	4920	4950
4100ft [3387ft]	4790	4820	4860	4890	4930	4970	5000	5040	5080
4200ft [3487ft]	4910	4940	4980	5020	5050	5090	5130	5170	5210
4300ft [3587ft]	5030	5060	5100	5140	5180	5220	5260	5300	5340
4400ft [3687ft]	5150	5190	5220	5260	5300	5340	5390	5430	5470
4500ft [3787ft]	5270	5310	5350	5390	5430	5470	5510	5560	5600
4600ft [3887ft]	5390	5430	5470	5510	5550	5600	5640	5680	5730
4700ft [3987ft]	5510	5550	5590	5630	5680	5720	5770	5810	5860
4800ft [4087ft]	5630	5670	5720	5760	5800	5850	5890	5940	5990
4900ft [4187ft]	5750	5790	5840	5880	5930	5970	6020	6070	6120
5000ft [4287ft]	5870	5920	5960	6010	6050	6100	6150	6200	6250
5100ft [4387ft]	5990	6040	6080	6130	6180	6230	6280	6330	6380
5200ft [4487ft]	6110	6160	6210	6250	6300	6350	6400	6450	6510
5300ft [4587ft]	6230	6280	6330	6380	6430	6480	6530	6580	6640
5400ft [4687ft]	6350	6400	6450	6500	6550	6600	6660	6710	6770
5500ft [4787ft]	6470	6520	6570	6630	6680	6730	6780	6840	6900
5600ft [4887ft]	6600	6650	6700	6750	6800	6860	6910	6970	7020
5700ft [4987ft]	6720	6770	6820	6870	6930	6980	7040	7100	7150
5713ft [5000ft]	6730	6780	6840	6890	6940	7000	7060	7110	7170

Stefano M. RAPISARDA - flightdeckengineering.com

CYXX - Abbotsford, BC, CANADA

Station Elevation: 194 feet. ISA Standard Temperature: 14.62°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
194ft [0ft]	200	200	200	200	200	200	200	200	200
200ft [6ft]	200	210	210	210	210	210	210	210	210
300ft [106ft]	300	310	310	310	310	310	310	310	310
400ft [206ft]	400	410	410	410	410	410	410	420	420
500ft [306ft]	500	510	510	510	510	520	520	520	520
600ft [406ft]	600	610	610	610	620	620	620	630	630
700ft [506ft]	700	710	710	720	720	720	730	730	730
800ft [606ft]	800	810	810	820	820	830	830	840	840
900ft [706ft]	900	910	910	920	920	930	930	940	950
1000ft [806ft]	1000	1010	1020	1020	1030	1030	1040	1050	1050
1100ft [906ft]	1100	1110	1120	1120	1130	1140	1140	1150	1160
1200ft [1006ft]	1200	1210	1220	1230	1230	1240	1250	1260	1260
1300ft [1106ft]	1300	1310	1320	1330	1340	1340	1350	1360	1370
1400ft [1206ft]	1400	1410	1420	1430	1440	1450	1460	1470	1470
1500ft [1306ft]	1500	1510	1520	1530	1540	1550	1560	1570	1580
1600ft [1406ft]	1600	1610	1620	1630	1640	1650	1660	1680	1690
1700ft [1506ft]	1700	1710	1720	1740	1750	1760	1770	1780	1790
1800ft [1606ft]	1800	1810	1830	1840	1850	1860	1870	1890	1900
1900ft [1706ft]	1900	1910	1930	1940	1950	1960	1980	1990	2000
2000ft [1806ft]	2000	2020	2030	2040	2050	2070	2080	2100	2110
2100ft [1906ft]	2100	2120	2130	2140	2160	2170	2190	2200	2220
2200ft [2006ft]	2200	2220	2230	2250	2260	2270	2290	2310	2320
2300ft [2106ft]	2300	2320	2330	2350	2360	2380	2390	2410	2430
2400ft [2206ft]	2400	2420	2430	2450	2470	2480	2500	2520	2530
2500ft [2306ft]	2500	2520	2530	2550	2570	2590	2600	2620	2640
2600ft [2406ft]	2600	2620	2640	2650	2670	2690	2710	2730	2740
2700ft [2506ft]	2700	2720	2740	2760	2770	2790	2810	2830	2850
2800ft [2606ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2706ft]	2900	2920	2940	2960	2980	3000	3020	3040	3060
3000ft [2806ft]	3000	3020	3040	3060	3080	3100	3120	3150	3170
3100ft [2906ft]	3100	3120	3140	3160	3180	3210	3230	3250	3270
3200ft [3006ft]	3200	3220	3240	3270	3290	3310	3330	3360	3380
3300ft [3106ft]	3300	3320	3340	3370	3390	3410	3440	3460	3490
3400ft [3206ft]	3400	3420	3450	3470	3490	3520	3540	3570	3590
3500ft [3306ft]	3500	3520	3550	3570	3600	3620	3650	3670	3700
3600ft [3406ft]	3600	3620	3650	3670	3700	3720	3750	3780	3800
3700ft [3506ft]	3700	3730	3750	3780	3800	3830	3850	3880	3910
3800ft [3606ft]	3800	3830	3850	3880	3900	3930	3960	3990	4010
3900ft [3706ft]	3900	3930	3950	3980	4010	4030	4060	4090	4120
4000ft [3806ft]	4000	4030	4050	4080	4110	4140	4170	4200	4230
4100ft [3906ft]	4100	4130	4160	4180	4210	4240	4270	4300	4330
4200ft [4006ft]	4200	4230	4260	4290	4320	4350	4380	4410	4440
4300ft [4106ft]	4300	4330	4360	4390	4420	4450	4480	4510	4540
4400ft [4206ft]	4400	4430	4460	4490	4520	4550	4580	4620	4650
4500ft [4306ft]	4500	4530	4560	4590	4620	4660	4690	4720	4760
4600ft [4406ft]	4600	4630	4660	4690	4730	4760	4790	4830	4860
4700ft [4506ft]	4700	4730	4760	4800	4830	4860	4900	4930	4970
4800ft [4606ft]	4800	4830	4860	4900	4930	4970	5000	5040	5070
4900ft [4706ft]	4900	4930	4970	5000	5040	5070	5110	5140	5180
5000ft [4806ft]	5000	5030	5070	5100	5140	5170	5210	5250	5290
5100ft [4906ft]	5100	5130	5170	5200	5240	5280	5320	5350	5390
5194ft [5000ft]	5194	5230	5260	5300	5340	5370	5410	5450	5490

Stefano M. RAPISARDA - flightdeckengineering.com

CYXX - Abbotsford, BC, CANADA

Station Elevation: 194 feet. ISA Standard Temperature: 14.62°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
194ft [0ft]	200	200	200	200	200	200	200	200	200
200ft [6ft]	210	210	210	210	210	210	210	210	210
300ft [106ft]	310	310	310	310	310	320	320	320	320
400ft [206ft]	420	420	420	420	420	430	430	430	430
500ft [306ft]	520	520	530	530	530	530	540	540	540
600ft [406ft]	630	630	630	640	640	640	650	650	660
700ft [506ft]	730	740	740	750	750	750	760	760	770
800ft [606ft]	840	840	850	850	860	860	870	870	880
900ft [706ft]	950	950	960	960	970	970	980	990	990
1000ft [806ft]	1050	1060	1060	1070	1080	1080	1090	1100	1100
1100ft [906ft]	1160	1160	1170	1180	1190	1190	1200	1210	1220
1200ft [1006ft]	1260	1270	1280	1290	1300	1300	1310	1320	1330
1300ft [1106ft]	1370	1380	1390	1400	1400	1410	1420	1430	1440
1400ft [1206ft]	1470	1480	1490	1500	1510	1520	1530	1540	1550
1500ft [1306ft]	1580	1590	1600	1610	1620	1630	1640	1660	1670
1600ft [1406ft]	1690	1700	1710	1720	1730	1740	1760	1770	1780
1700ft [1506ft]	1790	1800	1820	1830	1840	1850	1870	1880	1890
1800ft [1606ft]	1900	1910	1920	1940	1950	1960	1980	1990	2000
1900ft [1706ft]	2000	2020	2030	2040	2060	2070	2090	2100	2120
2000ft [1806ft]	2110	2120	2140	2150	2170	2180	2200	2210	2230
2100ft [1906ft]	2220	2230	2250	2260	2280	2290	2310	2330	2340
2200ft [2006ft]	2320	2340	2350	2370	2390	2400	2420	2440	2450
2300ft [2106ft]	2430	2440	2460	2480	2490	2510	2530	2550	2570
2400ft [2206ft]	2530	2550	2570	2590	2600	2620	2640	2660	2680
2500ft [2306ft]	2640	2660	2680	2690	2710	2730	2750	2770	2790
2600ft [2406ft]	2740	2760	2780	2800	2820	2840	2860	2880	2900
2700ft [2506ft]	2850	2870	2890	2910	2930	2950	2970	3000	3020
2800ft [2606ft]	2960	2980	3000	3020	3040	3060	3080	3110	3130
2900ft [2706ft]	3060	3080	3100	3130	3150	3170	3200	3220	3240
3000ft [2806ft]	3170	3190	3210	3240	3260	3280	3310	3330	3360
3100ft [2906ft]	3270	3300	3320	3340	3370	3390	3420	3440	3470
3200ft [3006ft]	3380	3400	3430	3450	3480	3500	3530	3550	3580
3300ft [3106ft]	3490	3510	3530	3560	3590	3610	3640	3670	3690
3400ft [3206ft]	3590	3620	3640	3670	3700	3720	3750	3780	3810
3500ft [3306ft]	3700	3720	3750	3780	3800	3830	3860	3890	3920
3600ft [3406ft]	3800	3830	3860	3890	3910	3940	3970	4000	4030
3700ft [3506ft]	3910	3940	3960	3990	4020	4050	4080	4110	4140
3800ft [3606ft]	4010	4040	4070	4100	4130	4160	4190	4220	4260
3900ft [3706ft]	4120	4150	4180	4210	4240	4270	4300	4340	4370
4000ft [3806ft]	4230	4260	4290	4320	4350	4380	4410	4450	4480
4100ft [3906ft]	4330	4360	4390	4430	4460	4490	4530	4560	4590
4200ft [4006ft]	4440	4470	4500	4540	4570	4600	4640	4670	4710
4300ft [4106ft]	4540	4580	4610	4640	4680	4710	4750	4780	4820
4400ft [4206ft]	4650	4680	4720	4750	4790	4820	4860	4900	4930
4500ft [4306ft]	4760	4790	4830	4860	4900	4930	4970	5010	5050
4600ft [4406ft]	4860	4900	4930	4970	5010	5040	5080	5120	5160
4700ft [4506ft]	4970	5000	5040	5080	5110	5150	5190	5230	5270
4800ft [4606ft]	5070	5110	5150	5190	5220	5260	5300	5340	5380
4900ft [4706ft]	5180	5220	5260	5290	5330	5370	5410	5450	5500
5000ft [4806ft]	5290	5320	5360	5400	5440	5480	5520	5570	5610
5100ft [4906ft]	5390	5430	5470	5510	5550	5590	5640	5680	5720
5194ft [5000ft]	5490	5530	5570	5610	5650	5700	5740	5780	5830

Stefano M. RAPISARDA - flightdeckengineering.com

CYXX - Abbotsford, BC, CANADA

Station Elevation: 194 feet. ISA Standard Temperature: 14.62°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
194ft [0ft]	200	200	200	200	200	200	200	200	200
200ft [6ft]	210	210	210	210	210	210	210	210	210
300ft [106ft]	320	320	320	320	320	320	320	320	330
400ft [206ft]	430	430	430	440	440	440	440	440	450
500ft [306ft]	540	550	550	550	550	560	560	560	570
600ft [406ft]	660	660	660	670	670	670	680	680	690
700ft [506ft]	770	770	780	780	790	790	800	800	810
800ft [606ft]	880	890	890	900	900	910	910	920	930
900ft [706ft]	990	1000	1000	1010	1020	1020	1030	1040	1050
1000ft [806ft]	1100	1110	1120	1130	1130	1140	1150	1160	1170
1100ft [906ft]	1220	1230	1230	1240	1250	1260	1270	1280	1290
1200ft [1006ft]	1330	1340	1350	1360	1370	1380	1390	1400	1410
1300ft [1106ft]	1440	1450	1460	1470	1480	1490	1500	1510	1530
1400ft [1206ft]	1550	1570	1580	1590	1600	1610	1620	1630	1650
1500ft [1306ft]	1670	1680	1690	1700	1710	1730	1740	1750	1770
1600ft [1406ft]	1780	1790	1800	1820	1830	1840	1860	1870	1890
1700ft [1506ft]	1890	1910	1920	1930	1950	1960	1980	1990	2010
1800ft [1606ft]	2000	2020	2030	2050	2060	2080	2090	2110	2130
1900ft [1706ft]	2120	2130	2150	2160	2180	2200	2210	2230	2250
2000ft [1806ft]	2230	2250	2260	2280	2300	2310	2330	2350	2370
2100ft [1906ft]	2340	2360	2380	2390	2410	2430	2450	2470	2490
2200ft [2006ft]	2450	2470	2490	2510	2530	2550	2570	2590	2610
2300ft [2106ft]	2570	2590	2600	2620	2640	2660	2680	2710	2730
2400ft [2206ft]	2680	2700	2720	2740	2760	2780	2800	2820	2850
2500ft [2306ft]	2790	2810	2830	2850	2880	2900	2920	2940	2970
2600ft [2406ft]	2900	2930	2950	2970	2990	3020	3040	3060	3090
2700ft [2506ft]	3020	3040	3060	3090	3110	3130	3160	3180	3210
2800ft [2606ft]	3130	3150	3180	3200	3230	3250	3280	3300	3330
2900ft [2706ft]	3240	3270	3290	3320	3340	3370	3390	3420	3450
3000ft [2806ft]	3360	3380	3410	3430	3460	3480	3510	3540	3570
3100ft [2906ft]	3470	3490	3520	3550	3570	3600	3630	3660	3690
3200ft [3006ft]	3580	3610	3630	3660	3690	3720	3750	3780	3810
3300ft [3106ft]	3690	3720	3750	3780	3810	3840	3870	3900	3930
3400ft [3206ft]	3810	3830	3860	3890	3920	3950	3990	4020	4050
3500ft [3306ft]	3920	3950	3980	4010	4040	4070	4100	4140	4170
3600ft [3406ft]	4030	4060	4090	4120	4160	4190	4220	4260	4290
3700ft [3506ft]	4140	4180	4210	4240	4270	4310	4340	4370	4410
3800ft [3606ft]	4260	4290	4320	4350	4390	4420	4460	4490	4530
3900ft [3706ft]	4370	4400	4440	4470	4510	4540	4580	4610	4650
4000ft [3806ft]	4480	4520	4550	4590	4620	4660	4700	4730	4770
4100ft [3906ft]	4590	4630	4670	4700	4740	4780	4810	4850	4890
4200ft [4006ft]	4710	4740	4780	4820	4850	4890	4930	4970	5010
4300ft [4106ft]	4820	4860	4890	4930	4970	5010	5050	5090	5130
4400ft [4206ft]	4930	4970	5010	5050	5090	5130	5170	5210	5250
4500ft [4306ft]	5050	5080	5120	5160	5200	5250	5290	5330	5370
4600ft [4406ft]	5160	5200	5240	5280	5320	5360	5410	5450	5490
4700ft [4506ft]	5270	5310	5350	5390	5440	5480	5520	5570	5620
4800ft [4606ft]	5380	5430	5470	5510	5550	5600	5640	5690	5740
4900ft [4706ft]	5500	5540	5580	5630	5670	5720	5760	5810	5860
5000ft [4806ft]	5610	5650	5700	5740	5790	5830	5880	5930	5980
5100ft [4906ft]	5720	5770	5810	5860	5900	5950	6000	6050	6100
5194ft [5000ft]	5830	5870	5920	5970	6010	6060	6110	6160	6210

Stefano M. RAPISARDA - flightdeckengineering.com

CYXX - Abbotsford, BC, CANADA

Station Elevation: 194 feet. ISA Standard Temperature: 14.62°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
194ft [0ft]	200	200	200	200	200	200	200	200	200
200ft [6ft]	210	210	210	210	210	210	210	210	210
300ft [106ft]	330	330	330	330	330	330	330	330	340
400ft [206ft]	450	450	450	450	450	460	460	460	460
500ft [306ft]	570	570	570	580	580	580	590	590	590
600ft [406ft]	690	690	690	700	700	710	710	720	720
700ft [506ft]	810	810	820	820	830	830	840	840	850
800ft [606ft]	930	930	940	940	950	960	960	970	980
900ft [706ft]	1050	1050	1060	1070	1070	1080	1090	1100	1110
1000ft [806ft]	1170	1170	1180	1190	1200	1210	1220	1230	1240
1100ft [906ft]	1290	1290	1300	1310	1320	1330	1340	1350	1370
1200ft [1006ft]	1410	1420	1430	1440	1450	1460	1470	1480	1500
1300ft [1106ft]	1530	1540	1550	1560	1570	1580	1600	1610	1630
1400ft [1206ft]	1650	1660	1670	1680	1700	1710	1720	1740	1760
1500ft [1306ft]	1770	1780	1790	1810	1820	1830	1850	1860	1890
1600ft [1406ft]	1890	1900	1910	1930	1940	1960	1970	1990	2010
1700ft [1506ft]	2010	2020	2040	2050	2070	2080	2100	2120	2140
1800ft [1606ft]	2130	2140	2160	2180	2190	2210	2230	2250	2270
1900ft [1706ft]	2250	2260	2280	2300	2320	2340	2350	2370	2400
2000ft [1806ft]	2370	2380	2400	2420	2440	2460	2480	2500	2530
2100ft [1906ft]	2490	2510	2520	2540	2570	2590	2610	2630	2660
2200ft [2006ft]	2610	2630	2650	2670	2690	2710	2730	2760	2790
2300ft [2106ft]	2730	2750	2770	2790	2810	2840	2860	2880	2920
2400ft [2206ft]	2850	2870	2890	2910	2940	2960	2990	3010	3050
2500ft [2306ft]	2970	2990	3010	3040	3060	3090	3110	3140	3180
2600ft [2406ft]	3090	3110	3140	3160	3190	3210	3240	3270	3310
2700ft [2506ft]	3210	3230	3260	3280	3310	3340	3370	3400	3440
2800ft [2606ft]	3330	3350	3380	3410	3440	3460	3490	3520	3570
2900ft [2706ft]	3450	3480	3500	3530	3560	3590	3620	3650	3700
3000ft [2806ft]	3570	3600	3630	3660	3690	3720	3750	3780	3830
3100ft [2906ft]	3690	3720	3750	3780	3810	3840	3870	3910	3960
3200ft [3006ft]	3810	3840	3870	3900	3930	3970	4000	4030	4090
3300ft [3106ft]	3930	3960	3990	4030	4060	4090	4130	4160	4220
3400ft [3206ft]	4050	4080	4120	4150	4180	4220	4250	4290	4350
3500ft [3306ft]	4170	4200	4240	4270	4310	4340	4380	4420	4480
3600ft [3406ft]	4290	4320	4360	4400	4430	4470	4510	4550	4610
3700ft [3506ft]	4410	4450	4480	4520	4560	4600	4640	4670	4740
3800ft [3606ft]	4530	4570	4610	4640	4680	4720	4760	4800	4870
3900ft [3706ft]	4650	4690	4730	4770	4810	4850	4890	4930	5000
4000ft [3806ft]	4770	4810	4850	4890	4930	4970	5020	5060	5130
4100ft [3906ft]	4890	4930	4970	5010	5060	5100	5140	5190	5260
4200ft [4006ft]	5010	5050	5100	5140	5180	5230	5270	5320	5390
4300ft [4106ft]	5130	5180	5220	5260	5310	5350	5400	5440	5520
4400ft [4206ft]	5250	5300	5340	5390	5430	5480	5520	5570	5650
4500ft [4306ft]	5370	5420	5460	5510	5560	5600	5650	5700	5780
4600ft [4406ft]	5490	5540	5590	5630	5680	5730	5780	5830	5910
4700ft [4506ft]	5620	5660	5710	5760	5810	5860	5910	5960	6040
4800ft [4606ft]	5740	5780	5830	5880	5930	5980	6030	6090	6170
4900ft [4706ft]	5860	5900	5950	6000	6060	6110	6160	6210	6300
5000ft [4806ft]	5980	6030	6080	6130	6180	6230	6290	6340	6430
5100ft [4906ft]	6100	6150	6200	6250	6310	6360	6410	6470	6560
5194ft [5000ft]	6210	6260	6320	6370	6420	6480	6530	6590	6680

Stefano M. RAPISARDA - flightdeckengineering.com

CYYD - Smithers, BC, CANADA

Station Elevation: 1716 feet. ISA Standard Temperature: 11.6°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+2)	12°C (ISA+0)	10°C (ISA-2)	8°C (ISA-4)	6°C (ISA-6)	4°C (ISA-8)	2°C (ISA-10)	0°C (ISA-12)	-2°C (ISA-14)
1716ft [0ft]	---	1720	1720	1720	1720	1720	1720	1720	1720
1800ft [84ft]	---	1800	1810	1810	1810	1810	1810	1810	1810
1900ft [184ft]	---	1900	1910	1910	1910	1910	1910	1910	1910
2000ft [284ft]	---	2000	2010	2010	2010	2010	2010	2020	2020
2100ft [384ft]	---	2100	2110	2110	2110	2120	2120	2120	2120
2200ft [484ft]	---	2200	2210	2210	2210	2220	2220	2230	2230
2300ft [584ft]	---	2300	2310	2310	2320	2320	2330	2330	2330
2400ft [684ft]	---	2400	2410	2410	2420	2420	2430	2430	2440
2500ft [784ft]	---	2500	2510	2520	2520	2530	2530	2540	2540
2600ft [884ft]	---	2600	2610	2620	2620	2630	2640	2640	2650
2700ft [984ft]	---	2700	2710	2720	2720	2730	2740	2750	2750
2800ft [1084ft]	---	2800	2810	2820	2830	2830	2840	2850	2860
2900ft [1184ft]	---	2900	2910	2920	2930	2940	2950	2960	2960
3000ft [1284ft]	---	3000	3010	3020	3030	3040	3050	3060	3070
3100ft [1384ft]	---	3100	3110	3120	3130	3140	3150	3160	3170
3200ft [1484ft]	---	3200	3210	3220	3230	3250	3260	3270	3280
3300ft [1584ft]	---	3300	3310	3330	3340	3350	3360	3370	3380
3400ft [1684ft]	---	3400	3410	3430	3440	3450	3460	3480	3490
3500ft [1784ft]	---	3500	3520	3530	3540	3550	3570	3580	3590
3600ft [1884ft]	---	3600	3620	3630	3640	3660	3670	3690	3700
3700ft [1984ft]	---	3700	3720	3730	3740	3760	3770	3790	3800
3800ft [2084ft]	---	3800	3820	3830	3850	3860	3880	3890	3910
3900ft [2184ft]	---	3900	3920	3930	3950	3970	3980	4000	4010
4000ft [2284ft]	---	4000	4020	4030	4050	4070	4080	4100	4120
4100ft [2384ft]	---	4100	4120	4140	4150	4170	4190	4210	4220
4200ft [2484ft]	---	4200	4220	4240	4250	4270	4290	4310	4330
4300ft [2584ft]	---	4300	4320	4340	4360	4380	4400	4420	4440
4400ft [2684ft]	---	4400	4420	4440	4460	4480	4500	4520	4540
4500ft [2784ft]	---	4500	4520	4540	4560	4580	4600	4620	4650
4600ft [2884ft]	---	4600	4620	4640	4660	4680	4710	4730	4750
4700ft [2984ft]	---	4700	4720	4740	4770	4790	4810	4830	4860
4800ft [3084ft]	---	4800	4820	4840	4870	4890	4910	4940	4960
4900ft [3184ft]	---	4900	4920	4950	4970	4990	5020	5040	5070
5000ft [3284ft]	---	5000	5020	5050	5070	5100	5120	5150	5170
5100ft [3384ft]	---	5100	5120	5150	5170	5200	5220	5250	5280
5200ft [3484ft]	---	5200	5220	5250	5280	5300	5330	5350	5380
5300ft [3584ft]	---	5300	5330	5350	5380	5400	5430	5460	5490
5400ft [3684ft]	---	5400	5430	5450	5480	5510	5530	5560	5590
5500ft [3784ft]	---	5500	5530	5550	5580	5610	5640	5670	5700
5600ft [3884ft]	---	5600	5630	5660	5680	5710	5740	5770	5800
5700ft [3984ft]	---	5700	5730	5760	5790	5820	5850	5880	5910
5800ft [4084ft]	---	5800	5830	5860	5890	5920	5950	5980	6010
5900ft [4184ft]	---	5900	5930	5960	5990	6020	6050	6080	6120
6000ft [4284ft]	---	6000	6030	6060	6090	6120	6160	6190	6220
6100ft [4384ft]	---	6100	6130	6160	6190	6230	6260	6290	6330
6200ft [4484ft]	---	6200	6230	6260	6300	6330	6360	6400	6430
6300ft [4584ft]	---	6300	6330	6360	6400	6430	6470	6500	6540
6400ft [4684ft]	---	6400	6430	6470	6500	6530	6570	6610	6640
6500ft [4784ft]	---	6500	6530	6570	6600	6640	6670	6710	6750
6600ft [4884ft]	---	6600	6630	6670	6700	6740	6780	6810	6850
6700ft [4984ft]	---	6700	6730	6770	6810	6840	6880	6920	6960
6716ft [5000ft]	---	6716	6750	6790	6820	6860	6900	6940	6970

Stefano M. RAPISARDA - flightdeckengineering.com

CYYD - Smithers, BC, CANADA

Station Elevation: 1716 feet. ISA Standard Temperature: 11.6°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-14)	-4°C (ISA-16)	-6°C (ISA-18)	-8°C (ISA-20)	-10°C (ISA-22)	-12°C (ISA-24)	-14°C (ISA-26)	-16°C (ISA-28)	-18°C (ISA-30)
1716ft [0ft]	1720	1720	1720	1720	1720	1720	1720	1720	1720
1800ft [84ft]	1810	1810	1810	1810	1810	1810	1810	1810	1810
1900ft [184ft]	1910	1920	1920	1920	1920	1920	1920	1920	1930
2000ft [284ft]	2020	2020	2020	2030	2030	2030	2030	2040	2040
2100ft [384ft]	2120	2130	2130	2130	2140	2140	2140	2150	2150
2200ft [484ft]	2230	2230	2240	2240	2240	2250	2250	2260	2260
2300ft [584ft]	2330	2340	2340	2350	2350	2360	2360	2370	2370
2400ft [684ft]	2440	2440	2450	2460	2460	2470	2470	2480	2480
2500ft [784ft]	2540	2550	2560	2560	2570	2580	2580	2590	2600
2600ft [884ft]	2650	2660	2660	2670	2680	2680	2690	2700	2710
2700ft [984ft]	2750	2760	2770	2780	2790	2790	2800	2810	2820
2800ft [1084ft]	2860	2870	2880	2880	2890	2900	2910	2920	2930
2900ft [1184ft]	2960	2970	2980	2990	3000	3010	3020	3030	3040
3000ft [1284ft]	3070	3080	3090	3100	3110	3120	3130	3140	3150
3100ft [1384ft]	3170	3190	3200	3210	3220	3230	3240	3250	3270
3200ft [1484ft]	3280	3290	3300	3310	3330	3340	3350	3360	3380
3300ft [1584ft]	3380	3400	3410	3420	3440	3450	3460	3480	3490
3400ft [1684ft]	3490	3500	3520	3530	3540	3560	3570	3590	3600
3500ft [1784ft]	3590	3610	3620	3640	3650	3670	3680	3700	3710
3600ft [1884ft]	3700	3710	3730	3740	3760	3780	3790	3810	3820
3700ft [1984ft]	3800	3820	3840	3850	3870	3880	3900	3920	3940
3800ft [2084ft]	3910	3930	3940	3960	3980	3990	4010	4030	4050
3900ft [2184ft]	4010	4030	4050	4070	4080	4100	4120	4140	4160
4000ft [2284ft]	4120	4140	4160	4170	4190	4210	4230	4250	4270
4100ft [2384ft]	4220	4240	4260	4280	4300	4320	4340	4360	4380
4200ft [2484ft]	4330	4350	4370	4390	4410	4430	4450	4470	4490
4300ft [2584ft]	4440	4460	4480	4500	4520	4540	4560	4580	4610
4400ft [2684ft]	4540	4560	4580	4600	4630	4650	4670	4690	4720
4500ft [2784ft]	4650	4670	4690	4710	4730	4760	4780	4810	4830
4600ft [2884ft]	4750	4770	4800	4820	4840	4870	4890	4920	4940
4700ft [2984ft]	4860	4880	4900	4930	4950	4980	5000	5030	5050
4800ft [3084ft]	4960	4980	5010	5030	5060	5090	5110	5140	5160
4900ft [3184ft]	5070	5090	5120	5140	5170	5190	5220	5250	5280
5000ft [3284ft]	5170	5200	5220	5250	5280	5300	5330	5360	5390
5100ft [3384ft]	5280	5300	5330	5360	5380	5410	5440	5470	5500
5200ft [3484ft]	5380	5410	5440	5460	5490	5520	5550	5580	5610
5300ft [3584ft]	5490	5510	5540	5570	5600	5630	5660	5690	5720
5400ft [3684ft]	5590	5620	5650	5680	5710	5740	5770	5800	5840
5500ft [3784ft]	5700	5730	5760	5790	5820	5850	5880	5910	5950
5600ft [3884ft]	5800	5830	5860	5890	5930	5960	5990	6030	6060
5700ft [3984ft]	5910	5940	5970	6000	6030	6070	6100	6140	6170
5800ft [4084ft]	6010	6040	6080	6110	6140	6180	6210	6250	6280
5900ft [4184ft]	6120	6150	6180	6220	6250	6290	6320	6360	6400
6000ft [4284ft]	6220	6260	6290	6320	6360	6400	6430	6470	6510
6100ft [4384ft]	6330	6360	6400	6430	6470	6510	6540	6580	6620
6200ft [4484ft]	6430	6470	6500	6540	6580	6610	6650	6690	6730
6300ft [4584ft]	6540	6570	6610	6650	6690	6720	6760	6800	6840
6400ft [4684ft]	6640	6680	6720	6760	6790	6830	6870	6910	6960
6500ft [4784ft]	6750	6790	6820	6860	6900	6940	6980	7020	7070
6600ft [4884ft]	6850	6890	6930	6970	7010	7050	7090	7140	7180
6700ft [4984ft]	6960	7000	7040	7080	7120	7160	7200	7250	7290
6716ft [5000ft]	6970	7010	7050	7100	7140	7180	7220	7260	7310

Stefano M. RAPISARDA - flightdeckengineering.com

CYYD - Smithers, BC, CANADA

Station Elevation: 1716 feet. ISA Standard Temperature: 11.6°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-30)	-20°C (ISA-32)	-22°C (ISA-34)	-24°C (ISA-36)	-26°C (ISA-38)	-28°C (ISA-40)	-30°C (ISA-42)	-32°C (ISA-44)	-34°C (ISA-46)
1716ft [0ft]	1720	1720	1720	1720	1720	1720	1720	1720	1720
1800ft [84ft]	1810	1820	1820	1820	1820	1820	1820	1820	1820
1900ft [184ft]	1930	1930	1930	1930	1930	1930	1940	1940	1940
2000ft [284ft]	2040	2040	2040	2050	2050	2050	2050	2060	2060
2100ft [384ft]	2150	2150	2160	2160	2160	2170	2170	2170	2180
2200ft [484ft]	2260	2270	2270	2270	2280	2280	2290	2290	2300
2300ft [584ft]	2370	2380	2380	2390	2390	2400	2400	2410	2420
2400ft [684ft]	2480	2490	2500	2500	2510	2520	2520	2530	2530
2500ft [784ft]	2600	2600	2610	2620	2620	2630	2640	2650	2650
2600ft [884ft]	2710	2720	2720	2730	2740	2750	2760	2760	2770
2700ft [984ft]	2820	2830	2840	2850	2850	2860	2870	2880	2890
2800ft [1084ft]	2930	2940	2950	2960	2970	2980	2990	3000	3010
2900ft [1184ft]	3040	3050	3060	3070	3080	3100	3110	3120	3130
3000ft [1284ft]	3150	3170	3180	3190	3200	3210	3220	3240	3250
3100ft [1384ft]	3270	3280	3290	3300	3320	3330	3340	3360	3370
3200ft [1484ft]	3380	3390	3400	3420	3430	3440	3460	3470	3490
3300ft [1584ft]	3490	3500	3520	3530	3550	3560	3580	3590	3610
3400ft [1684ft]	3600	3620	3630	3650	3660	3680	3690	3710	3730
3500ft [1784ft]	3710	3730	3740	3760	3780	3790	3810	3830	3850
3600ft [1884ft]	3820	3840	3860	3870	3890	3910	3930	3950	3960
3700ft [1984ft]	3940	3950	3970	3990	4010	4030	4050	4060	4080
3800ft [2084ft]	4050	4070	4080	4100	4120	4140	4160	4180	4200
3900ft [2184ft]	4160	4180	4200	4220	4240	4260	4280	4300	4320
4000ft [2284ft]	4270	4290	4310	4330	4350	4380	4400	4420	4440
4100ft [2384ft]	4380	4400	4420	4450	4470	4490	4510	4540	4560
4200ft [2484ft]	4490	4520	4540	4560	4580	4610	4630	4660	4680
4300ft [2584ft]	4610	4630	4650	4680	4700	4720	4750	4770	4800
4400ft [2684ft]	4720	4740	4770	4790	4820	4840	4870	4890	4920
4500ft [2784ft]	4830	4850	4880	4900	4930	4960	4980	5010	5040
4600ft [2884ft]	4940	4970	4990	5020	5050	5070	5100	5130	5160
4700ft [2984ft]	5050	5080	5110	5130	5160	5190	5220	5250	5280
4800ft [3084ft]	5160	5190	5220	5250	5280	5310	5340	5370	5400
4900ft [3184ft]	5280	5300	5330	5360	5390	5420	5450	5480	5520
5000ft [3284ft]	5390	5420	5450	5480	5510	5540	5570	5600	5640
5100ft [3384ft]	5500	5530	5560	5590	5620	5660	5690	5720	5760
5200ft [3484ft]	5610	5640	5670	5710	5740	5770	5810	5840	5870
5300ft [3584ft]	5720	5760	5790	5820	5850	5890	5920	5960	5990
5400ft [3684ft]	5840	5870	5900	5940	5970	6010	6040	6080	6110
5500ft [3784ft]	5950	5980	6020	6050	6090	6120	6160	6200	6230
5600ft [3884ft]	6060	6090	6130	6170	6200	6240	6280	6310	6350
5700ft [3984ft]	6170	6210	6240	6280	6320	6350	6390	6430	6470
5800ft [4084ft]	6280	6320	6360	6390	6430	6470	6510	6550	6590
5900ft [4184ft]	6400	6430	6470	6510	6550	6590	6630	6670	6710
6000ft [4284ft]	6510	6550	6580	6620	6660	6700	6750	6790	6830
6100ft [4384ft]	6620	6660	6700	6740	6780	6820	6860	6910	6950
6200ft [4484ft]	6730	6770	6810	6850	6900	6940	6980	7030	7070
6300ft [4584ft]	6840	6880	6930	6970	7010	7050	7100	7140	7190
6400ft [4684ft]	6960	7000	7040	7080	7130	7170	7220	7260	7310
6500ft [4784ft]	7070	7110	7150	7200	7240	7290	7330	7380	7430
6600ft [4884ft]	7180	7220	7270	7310	7360	7400	7450	7500	7550
6700ft [4984ft]	7290	7340	7380	7430	7470	7520	7570	7620	7670
6716ft [5000ft]	7310	7350	7400	7450	7490	7540	7590	7640	7690

Stefano M. RAPISARDA - flightdeckengineering.com

CYYD - Smithers, BC, CANADA

Station Elevation: 1716 feet. ISA Standard Temperature: 11.6°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-46)	-36°C (ISA-48)	-38°C (ISA-50)	-40°C (ISA-52)	-42°C (ISA-54)	-44°C (ISA-56)	-46°C (ISA-58)	-48°C (ISA-60)	-50°C (ISA-62)
1716ft [0ft]	1720	1720	1720	1720	1720	1720	1720	1720	1720
1800ft [84ft]	1820	1820	1820	1820	1820	1830	1830	1830	1830
1900ft [184ft]	1940	1940	1940	1950	1950	1950	1950	1950	1960
2000ft [284ft]	2060	2060	2060	2070	2070	2070	2080	2080	2080
2100ft [384ft]	2180	2180	2190	2190	2190	2200	2200	2210	2210
2200ft [484ft]	2300	2300	2310	2310	2320	2320	2330	2330	2340
2300ft [584ft]	2420	2420	2430	2430	2440	2450	2450	2460	2470
2400ft [684ft]	2530	2540	2550	2560	2560	2570	2580	2590	2590
2500ft [784ft]	2650	2660	2670	2680	2690	2690	2700	2710	2720
2600ft [884ft]	2770	2780	2790	2800	2810	2820	2830	2840	2850
2700ft [984ft]	2890	2900	2910	2920	2930	2940	2950	2960	2980
2800ft [1084ft]	3010	3020	3030	3040	3060	3070	3080	3090	3100
2900ft [1184ft]	3130	3140	3150	3170	3180	3190	3200	3220	3230
3000ft [1284ft]	3250	3260	3280	3290	3300	3320	3330	3340	3360
3100ft [1384ft]	3370	3380	3400	3410	3430	3440	3460	3470	3490
3200ft [1484ft]	3490	3500	3520	3530	3550	3560	3580	3600	3610
3300ft [1584ft]	3610	3620	3640	3660	3670	3690	3710	3720	3740
3400ft [1684ft]	3730	3740	3760	3780	3800	3810	3830	3850	3870
3500ft [1784ft]	3850	3860	3880	3900	3920	3940	3960	3980	4000
3600ft [1884ft]	3960	3980	4000	4020	4040	4060	4080	4100	4130
3700ft [1984ft]	4080	4100	4120	4140	4170	4190	4210	4230	4250
3800ft [2084ft]	4200	4220	4250	4270	4290	4310	4330	4360	4380
3900ft [2184ft]	4320	4340	4370	4390	4410	4440	4460	4480	4510
4000ft [2284ft]	4440	4460	4490	4510	4540	4560	4590	4610	4640
4100ft [2384ft]	4560	4590	4610	4630	4660	4690	4710	4740	4770
4200ft [2484ft]	4680	4710	4730	4760	4780	4810	4840	4870	4890
4300ft [2584ft]	4800	4830	4850	4880	4910	4930	4960	4990	5020
4400ft [2684ft]	4920	4950	4970	5000	5030	5060	5090	5120	5150
4500ft [2784ft]	5040	5070	5100	5120	5150	5180	5210	5250	5280
4600ft [2884ft]	5160	5190	5220	5250	5280	5310	5340	5370	5410
4700ft [2984ft]	5280	5310	5340	5370	5400	5430	5470	5500	5530
4800ft [3084ft]	5400	5430	5460	5490	5520	5560	5590	5630	5660
4900ft [3184ft]	5520	5550	5580	5610	5650	5680	5720	5750	5790
5000ft [3284ft]	5640	5670	5700	5740	5770	5810	5840	5880	5920
5100ft [3384ft]	5760	5790	5820	5860	5900	5930	5970	6010	6050
5200ft [3484ft]	5870	5910	5950	5980	6020	6060	6100	6140	6170
5300ft [3584ft]	5990	6030	6070	6110	6140	6180	6220	6260	6300
5400ft [3684ft]	6110	6150	6190	6230	6270	6310	6350	6390	6430
5500ft [3784ft]	6230	6270	6310	6350	6390	6430	6470	6520	6560
5600ft [3884ft]	6350	6390	6430	6470	6510	6560	6600	6640	6690
5700ft [3984ft]	6470	6510	6550	6600	6640	6680	6730	6770	6820
5800ft [4084ft]	6590	6630	6680	6720	6760	6810	6850	6900	6950
5900ft [4184ft]	6710	6750	6800	6840	6890	6930	6980	7030	7070
6000ft [4284ft]	6830	6870	6920	6960	7010	7060	7100	7150	7200
6100ft [4384ft]	6950	7000	7040	7090	7130	7180	7230	7280	7330
6200ft [4484ft]	7070	7120	7160	7210	7260	7310	7360	7410	7460
6300ft [4584ft]	7190	7240	7280	7330	7380	7430	7480	7530	7590
6400ft [4684ft]	7310	7360	7410	7460	7510	7560	7610	7660	7720
6500ft [4784ft]	7430	7480	7530	7580	7630	7680	7740	7790	7840
6600ft [4884ft]	7550	7600	7650	7700	7750	7810	7860	7920	7970
6700ft [4984ft]	7670	7720	7770	7820	7880	7930	7990	8040	8100
6716ft [5000ft]	7690	7740	7790	7840	7900	7950	8010	8060	8120

Stefano M. RAPISARDA - flightdeckengineering.com

CYYF - Penticton, BC, CANADA

Station Elevation: 1130 feet. ISA Standard Temperature: 12.76°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+2)	13°C (ISA+0)	11°C (ISA-2)	9°C (ISA-4)	7°C (ISA-6)	5°C (ISA-8)	3°C (ISA-10)	1°C (ISA-12)	-1°C (ISA-14)
1130ft [0ft]	---	1130	1130	1130	1130	1130	1130	1130	1130
1200ft [70ft]	---	1200	1210	1210	1210	1210	1210	1210	1210
1300ft [170ft]	---	1300	1310	1310	1310	1310	1310	1310	1310
1400ft [270ft]	---	1400	1410	1410	1410	1410	1410	1420	1420
1500ft [370ft]	---	1500	1510	1510	1510	1520	1520	1520	1520
1600ft [470ft]	---	1600	1610	1610	1610	1620	1620	1630	1630
1700ft [570ft]	---	1700	1710	1710	1720	1720	1730	1730	1730
1800ft [670ft]	---	1800	1810	1810	1820	1820	1830	1830	1840
1900ft [770ft]	---	1900	1910	1920	1920	1930	1930	1940	1940
2000ft [870ft]	---	2000	2010	2020	2020	2030	2040	2040	2050
2100ft [970ft]	---	2100	2110	2120	2120	2130	2140	2150	2150
2200ft [1070ft]	---	2200	2210	2220	2230	2230	2240	2250	2260
2300ft [1170ft]	---	2300	2310	2320	2330	2340	2350	2360	2360
2400ft [1270ft]	---	2400	2410	2420	2430	2440	2450	2460	2470
2500ft [1370ft]	---	2500	2510	2520	2530	2540	2550	2560	2570
2600ft [1470ft]	---	2600	2610	2620	2640	2650	2660	2670	2680
2700ft [1570ft]	---	2700	2710	2730	2740	2750	2760	2770	2780
2800ft [1670ft]	---	2800	2820	2830	2840	2850	2860	2880	2890
2900ft [1770ft]	---	2900	2920	2930	2940	2950	2970	2980	2990
3000ft [1870ft]	---	3000	3020	3030	3040	3060	3070	3090	3100
3100ft [1970ft]	---	3100	3120	3130	3150	3160	3170	3190	3200
3200ft [2070ft]	---	3200	3220	3230	3250	3260	3280	3290	3310
3300ft [2170ft]	---	3300	3320	3330	3350	3370	3380	3400	3420
3400ft [2270ft]	---	3400	3420	3440	3450	3470	3490	3500	3520
3500ft [2370ft]	---	3500	3520	3540	3550	3570	3590	3610	3630
3600ft [2470ft]	---	3600	3620	3640	3660	3670	3690	3710	3730
3700ft [2570ft]	---	3700	3720	3740	3760	3780	3800	3820	3840
3800ft [2670ft]	---	3800	3820	3840	3860	3880	3900	3920	3940
3900ft [2770ft]	---	3900	3920	3940	3960	3980	4000	4020	4050
4000ft [2870ft]	---	4000	4020	4040	4060	4090	4110	4130	4150
4100ft [2970ft]	---	4100	4120	4140	4170	4190	4210	4230	4260
4200ft [3070ft]	---	4200	4220	4250	4270	4290	4310	4340	4360
4300ft [3170ft]	---	4300	4320	4350	4370	4390	4420	4440	4470
4400ft [3270ft]	---	4400	4430	4450	4470	4500	4520	4550	4570
4500ft [3370ft]	---	4500	4530	4550	4570	4600	4630	4650	4680
4600ft [3470ft]	---	4600	4630	4650	4680	4700	4730	4760	4780
4700ft [3570ft]	---	4700	4730	4750	4780	4810	4830	4860	4890
4800ft [3670ft]	---	4800	4830	4850	4880	4910	4940	4960	4990
4900ft [3770ft]	---	4900	4930	4960	4980	5010	5040	5070	5100
5000ft [3870ft]	---	5000	5030	5060	5090	5110	5140	5170	5200
5100ft [3970ft]	---	5100	5130	5160	5190	5220	5250	5280	5310
5200ft [4070ft]	---	5200	5230	5260	5290	5320	5350	5380	5410
5300ft [4170ft]	---	5300	5330	5360	5390	5420	5450	5490	5520
5400ft [4270ft]	---	5400	5430	5460	5490	5530	5560	5590	5620
5500ft [4370ft]	---	5500	5530	5560	5600	5630	5660	5690	5730
5600ft [4470ft]	---	5600	5630	5670	5700	5730	5760	5800	5830
5700ft [4570ft]	---	5700	5730	5770	5800	5830	5870	5900	5940
5800ft [4670ft]	---	5800	5830	5870	5900	5940	5970	6010	6040
5900ft [4770ft]	---	5900	5930	5970	6000	6040	6080	6110	6150
6000ft [4870ft]	---	6000	6040	6070	6110	6140	6180	6220	6250
6100ft [4970ft]	---	6100	6140	6170	6210	6250	6280	6320	6360
6130ft [5000ft]	---	6130	6170	6200	6240	6280	6310	6350	6390

Stefano M. RAPISARDA - flightdeckengineering.com

CYYF - Penticton, BC, CANADA

Station Elevation: 1130 feet. ISA Standard Temperature: 12.76°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-14)	-3°C (ISA-16)	-5°C (ISA-18)	-7°C (ISA-20)	-9°C (ISA-22)	-11°C (ISA-24)	-13°C (ISA-26)	-15°C (ISA-28)	-17°C (ISA-30)
1130ft [0ft]	1130	1130	1130	1130	1130	1130	1130	1130	1130
1200ft [70ft]	1210	1210	1210	1210	1210	1210	1210	1210	1210
1300ft [170ft]	1310	1310	1320	1320	1320	1320	1320	1320	1320
1400ft [270ft]	1420	1420	1420	1420	1430	1430	1430	1430	1440
1500ft [370ft]	1520	1530	1530	1530	1540	1540	1540	1540	1550
1600ft [470ft]	1630	1630	1640	1640	1640	1650	1650	1660	1660
1700ft [570ft]	1730	1740	1740	1750	1750	1760	1760	1770	1770
1800ft [670ft]	1840	1840	1850	1850	1860	1870	1870	1880	1880
1900ft [770ft]	1940	1950	1960	1960	1970	1970	1980	1990	1990
2000ft [870ft]	2050	2060	2060	2070	2080	2080	2090	2100	2110
2100ft [970ft]	2150	2160	2170	2180	2180	2190	2200	2210	2220
2200ft [1070ft]	2260	2270	2280	2280	2290	2300	2310	2320	2330
2300ft [1170ft]	2360	2370	2380	2390	2400	2410	2420	2430	2440
2400ft [1270ft]	2470	2480	2490	2500	2510	2520	2530	2540	2550
2500ft [1370ft]	2570	2590	2600	2610	2620	2630	2640	2650	2660
2600ft [1470ft]	2680	2690	2700	2710	2730	2740	2750	2760	2780
2700ft [1570ft]	2780	2800	2810	2820	2830	2850	2860	2870	2890
2800ft [1670ft]	2890	2900	2920	2930	2940	2960	2970	2990	3000
2900ft [1770ft]	2990	3010	3020	3040	3050	3070	3080	3100	3110
3000ft [1870ft]	3100	3110	3130	3140	3160	3180	3190	3210	3220
3100ft [1970ft]	3200	3220	3240	3250	3270	3280	3300	3320	3330
3200ft [2070ft]	3310	3330	3340	3360	3380	3390	3410	3430	3450
3300ft [2170ft]	3420	3430	3450	3470	3480	3500	3520	3540	3560
3400ft [2270ft]	3520	3540	3560	3570	3590	3610	3630	3650	3670
3500ft [2370ft]	3630	3640	3660	3680	3700	3720	3740	3760	3780
3600ft [2470ft]	3730	3750	3770	3790	3810	3830	3850	3870	3890
3700ft [2570ft]	3840	3860	3880	3900	3920	3940	3960	3980	4010
3800ft [2670ft]	3940	3960	3980	4000	4030	4050	4070	4090	4120
3900ft [2770ft]	4050	4070	4090	4110	4130	4160	4180	4200	4230
4000ft [2870ft]	4150	4170	4200	4220	4240	4270	4290	4320	4340
4100ft [2970ft]	4260	4280	4300	4330	4350	4380	4400	4430	4450
4200ft [3070ft]	4360	4390	4410	4430	4460	4490	4510	4540	4560
4300ft [3170ft]	4470	4490	4520	4540	4570	4590	4620	4650	4680
4400ft [3270ft]	4570	4600	4620	4650	4680	4700	4730	4760	4790
4500ft [3370ft]	4680	4700	4730	4760	4790	4810	4840	4870	4900
4600ft [3470ft]	4780	4810	4840	4870	4890	4920	4950	4980	5010
4700ft [3570ft]	4890	4920	4940	4970	5000	5030	5060	5090	5120
4800ft [3670ft]	4990	5020	5050	5080	5110	5140	5170	5200	5240
4900ft [3770ft]	5100	5130	5160	5190	5220	5250	5280	5310	5350
5000ft [3870ft]	5200	5230	5260	5300	5330	5360	5390	5430	5460
5100ft [3970ft]	5310	5340	5370	5400	5440	5470	5500	5540	5570
5200ft [4070ft]	5410	5450	5480	5510	5540	5580	5610	5650	5680
5300ft [4170ft]	5520	5550	5580	5620	5650	5690	5720	5760	5800
5400ft [4270ft]	5620	5660	5690	5730	5760	5800	5830	5870	5910
5500ft [4370ft]	5730	5760	5800	5830	5870	5910	5940	5980	6020
5600ft [4470ft]	5830	5870	5900	5940	5980	6020	6050	6090	6130
5700ft [4570ft]	5940	5980	6010	6050	6090	6120	6160	6200	6240
5800ft [4670ft]	6040	6080	6120	6160	6200	6230	6270	6310	6360
5900ft [4770ft]	6150	6190	6230	6260	6300	6340	6380	6430	6470
6000ft [4870ft]	6250	6290	6330	6370	6410	6450	6490	6540	6580
6100ft [4970ft]	6360	6400	6440	6480	6520	6560	6600	6650	6690
6130ft [5000ft]	6390	6430	6470	6510	6550	6600	6640	6680	6730

Stefano M. RAPISARDA - flightdeckengineering.com

CYYF - Penticton, BC, CANADA

Station Elevation: 1130 feet. ISA Standard Temperature: 12.76°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-30)	-19°C (ISA-32)	-21°C (ISA-34)	-23°C (ISA-36)	-25°C (ISA-38)	-27°C (ISA-40)	-29°C (ISA-42)	-31°C (ISA-44)	-33°C (ISA-46)
1130ft [0ft]	1130	1130	1130	1130	1130	1130	1130	1130	1130
1200ft [70ft]	1210	1210	1210	1210	1220	1220	1220	1220	1220
1300ft [170ft]	1320	1330	1330	1330	1330	1330	1330	1340	1340
1400ft [270ft]	1440	1440	1440	1440	1450	1450	1450	1450	1460
1500ft [370ft]	1550	1550	1550	1560	1560	1560	1570	1570	1580
1600ft [470ft]	1660	1660	1670	1670	1680	1680	1690	1690	1690
1700ft [570ft]	1770	1780	1780	1790	1790	1800	1800	1810	1810
1800ft [670ft]	1880	1890	1890	1900	1910	1910	1920	1930	1930
1900ft [770ft]	1990	2000	2010	2010	2020	2030	2040	2040	2050
2000ft [870ft]	2110	2110	2120	2130	2140	2150	2150	2160	2170
2100ft [970ft]	2220	2230	2230	2240	2250	2260	2270	2280	2290
2200ft [1070ft]	2330	2340	2350	2360	2370	2380	2390	2400	2410
2300ft [1170ft]	2440	2450	2460	2470	2480	2490	2510	2520	2530
2400ft [1270ft]	2550	2560	2580	2590	2600	2610	2620	2630	2650
2500ft [1370ft]	2660	2680	2690	2700	2710	2730	2740	2750	2770
2600ft [1470ft]	2780	2790	2800	2820	2830	2840	2860	2870	2890
2700ft [1570ft]	2890	2900	2920	2930	2940	2960	2970	2990	3000
2800ft [1670ft]	3000	3010	3030	3040	3060	3080	3090	3110	3120
2900ft [1770ft]	3110	3130	3140	3160	3180	3190	3210	3230	3240
3000ft [1870ft]	3220	3240	3260	3270	3290	3310	3330	3340	3360
3100ft [1970ft]	3330	3350	3370	3390	3410	3420	3440	3460	3480
3200ft [2070ft]	3450	3460	3480	3500	3520	3540	3560	3580	3600
3300ft [2170ft]	3560	3580	3600	3620	3640	3660	3680	3700	3720
3400ft [2270ft]	3670	3690	3710	3730	3750	3770	3800	3820	3840
3500ft [2370ft]	3780	3800	3820	3850	3870	3890	3910	3940	3960
3600ft [2470ft]	3890	3920	3940	3960	3980	4010	4030	4050	4080
3700ft [2570ft]	4010	4030	4050	4070	4100	4120	4150	4170	4200
3800ft [2670ft]	4120	4140	4160	4190	4210	4240	4260	4290	4320
3900ft [2770ft]	4230	4250	4280	4300	4330	4360	4380	4410	4440
4000ft [2870ft]	4340	4370	4390	4420	4450	4470	4500	4530	4560
4100ft [2970ft]	4450	4480	4510	4530	4560	4590	4620	4650	4680
4200ft [3070ft]	4560	4590	4620	4650	4680	4710	4730	4760	4800
4300ft [3170ft]	4680	4700	4730	4760	4790	4820	4850	4880	4910
4400ft [3270ft]	4790	4820	4850	4880	4910	4940	4970	5000	5030
4500ft [3370ft]	4900	4930	4960	4990	5020	5050	5090	5120	5150
4600ft [3470ft]	5010	5040	5070	5110	5140	5170	5200	5240	5270
4700ft [3570ft]	5120	5160	5190	5220	5250	5290	5320	5360	5390
4800ft [3670ft]	5240	5270	5300	5340	5370	5400	5440	5480	5510
4900ft [3770ft]	5350	5380	5420	5450	5490	5520	5560	5590	5630
5000ft [3870ft]	5460	5490	5530	5560	5600	5640	5670	5710	5750
5100ft [3970ft]	5570	5610	5640	5680	5720	5750	5790	5830	5870
5200ft [4070ft]	5680	5720	5760	5790	5830	5870	5910	5950	5990
5300ft [4170ft]	5800	5830	5870	5910	5950	5990	6030	6070	6110
5400ft [4270ft]	5910	5950	5980	6020	6060	6100	6150	6190	6230
5500ft [4370ft]	6020	6060	6100	6140	6180	6220	6260	6310	6350
5600ft [4470ft]	6130	6170	6210	6250	6290	6340	6380	6420	6470
5700ft [4570ft]	6240	6280	6330	6370	6410	6450	6500	6540	6590
5800ft [4670ft]	6360	6400	6440	6480	6530	6570	6620	6660	6710
5900ft [4770ft]	6470	6510	6550	6600	6640	6690	6730	6780	6830
6000ft [4870ft]	6580	6620	6670	6710	6760	6800	6850	6900	6950
6100ft [4970ft]	6690	6740	6780	6830	6870	6920	6970	7020	7070
6130ft [5000ft]	6730	6770	6820	6860	6910	6960	7000	7050	7100

Stefano M. RAPISARDA - flightdeckengineering.com

CYYF - Penticton, BC, CANADA

Station Elevation: 1130 feet. ISA Standard Temperature: 12.76°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-46)	-35°C (ISA-48)	-37°C (ISA-50)	-39°C (ISA-52)	-41°C (ISA-54)	-43°C (ISA-56)	-45°C (ISA-58)	-47°C (ISA-60)	-50°C (ISA-63)
1130ft [0ft]	1130	1130	1130	1130	1130	1130	1130	1130	1130
1200ft [70ft]	1220	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [170ft]	1340	1340	1340	1340	1340	1350	1350	1350	1350
1400ft [270ft]	1460	1460	1460	1460	1470	1470	1470	1480	1480
1500ft [370ft]	1580	1580	1580	1590	1590	1590	1600	1600	1610
1600ft [470ft]	1690	1700	1700	1710	1710	1720	1720	1730	1740
1700ft [570ft]	1810	1820	1820	1830	1840	1840	1850	1860	1870
1800ft [670ft]	1930	1940	1950	1950	1960	1970	1970	1980	1990
1900ft [770ft]	2050	2060	2070	2080	2080	2090	2100	2110	2120
2000ft [870ft]	2170	2180	2190	2200	2210	2220	2230	2230	2250
2100ft [970ft]	2290	2300	2310	2320	2330	2340	2350	2360	2380
2200ft [1070ft]	2410	2420	2430	2440	2450	2460	2480	2490	2510
2300ft [1170ft]	2530	2540	2550	2560	2580	2590	2600	2610	2630
2400ft [1270ft]	2650	2660	2670	2690	2700	2710	2730	2740	2760
2500ft [1370ft]	2770	2780	2790	2810	2820	2840	2850	2870	2890
2600ft [1470ft]	2890	2900	2920	2930	2950	2960	2980	2990	3020
2700ft [1570ft]	3000	3020	3040	3050	3070	3090	3100	3120	3150
2800ft [1670ft]	3120	3140	3160	3180	3190	3210	3230	3250	3280
2900ft [1770ft]	3240	3260	3280	3300	3320	3340	3350	3370	3400
3000ft [1870ft]	3360	3380	3400	3420	3440	3460	3480	3500	3530
3100ft [1970ft]	3480	3500	3520	3540	3560	3580	3610	3630	3660
3200ft [2070ft]	3600	3620	3640	3660	3690	3710	3730	3750	3790
3300ft [2170ft]	3720	3740	3760	3790	3810	3830	3860	3880	3920
3400ft [2270ft]	3840	3860	3890	3910	3930	3960	3980	4010	4050
3500ft [2370ft]	3960	3980	4010	4030	4060	4080	4110	4140	4180
3600ft [2470ft]	4080	4100	4130	4150	4180	4210	4230	4260	4300
3700ft [2570ft]	4200	4220	4250	4280	4300	4330	4360	4390	4430
3800ft [2670ft]	4320	4340	4370	4400	4430	4460	4490	4520	4560
3900ft [2770ft]	4440	4460	4490	4520	4550	4580	4610	4640	4690
4000ft [2870ft]	4560	4590	4610	4640	4680	4710	4740	4770	4820
4100ft [2970ft]	4680	4710	4740	4770	4800	4830	4860	4900	4950
4200ft [3070ft]	4800	4830	4860	4890	4920	4960	4990	5020	5080
4300ft [3170ft]	4910	4950	4980	5010	5050	5080	5120	5150	5210
4400ft [3270ft]	5030	5070	5100	5130	5170	5210	5240	5280	5330
4500ft [3370ft]	5150	5190	5220	5260	5290	5330	5370	5400	5460
4600ft [3470ft]	5270	5310	5340	5380	5420	5450	5490	5530	5590
4700ft [3570ft]	5390	5430	5470	5500	5540	5580	5620	5660	5720
4800ft [3670ft]	5510	5550	5590	5630	5660	5700	5750	5790	5850
4900ft [3770ft]	5630	5670	5710	5750	5790	5830	5870	5910	5980
5000ft [3870ft]	5750	5790	5830	5870	5910	5950	6000	6040	6110
5100ft [3970ft]	5870	5910	5950	5990	6040	6080	6120	6170	6240
5200ft [4070ft]	5990	6030	6070	6120	6160	6200	6250	6300	6370
5300ft [4170ft]	6110	6150	6200	6240	6280	6330	6380	6420	6490
5400ft [4270ft]	6230	6270	6320	6360	6410	6450	6500	6550	6620
5500ft [4370ft]	6350	6390	6440	6490	6530	6580	6630	6680	6750
5600ft [4470ft]	6470	6510	6560	6610	6660	6700	6750	6800	6880
5700ft [4570ft]	6590	6640	6680	6730	6780	6830	6880	6930	7010
5800ft [4670ft]	6710	6760	6800	6850	6900	6950	7010	7060	7140
5900ft [4770ft]	6830	6880	6930	6980	7030	7080	7130	7190	7270
6000ft [4870ft]	6950	7000	7050	7100	7150	7200	7260	7310	7400
6100ft [4970ft]	7070	7120	7170	7220	7280	7330	7390	7440	7530
6130ft [5000ft]	7100	7150	7210	7260	7310	7370	7420	7480	7570

Stefano M. RAPISARDA - flightdeckengineering.com

CYYJ - Victoria, BC, CANADA

Station Elevation: 64 feet. ISA Standard Temperature: 14.87°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
64ft [0ft]	70	70	70	70	70	70	70	70	70
100ft [36ft]	100	110	110	110	110	110	110	110	110
200ft [136ft]	200	210	210	210	210	210	210	210	210
300ft [236ft]	300	310	310	310	310	310	320	320	320
400ft [336ft]	400	410	410	410	410	420	420	420	420
500ft [436ft]	500	510	510	510	520	520	520	530	530
600ft [536ft]	600	610	610	620	620	620	630	630	640
700ft [636ft]	700	710	710	720	720	730	730	740	740
800ft [736ft]	800	810	820	820	830	830	840	840	850
900ft [836ft]	900	910	920	920	930	930	940	950	950
1000ft [936ft]	1000	1010	1020	1020	1030	1040	1050	1050	1060
1100ft [1036ft]	1100	1110	1120	1130	1130	1140	1150	1160	1170
1200ft [1136ft]	1200	1210	1220	1230	1240	1250	1250	1260	1270
1300ft [1236ft]	1300	1310	1320	1330	1340	1350	1360	1370	1380
1400ft [1336ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1436ft]	1500	1510	1520	1540	1550	1560	1570	1580	1590
1600ft [1536ft]	1600	1620	1630	1640	1650	1660	1670	1680	1700
1700ft [1636ft]	1700	1720	1730	1740	1750	1760	1780	1790	1800
1800ft [1736ft]	1800	1820	1830	1840	1850	1870	1880	1890	1910
1900ft [1836ft]	1900	1920	1930	1940	1960	1970	1980	2000	2010
2000ft [1936ft]	2000	2020	2030	2050	2060	2070	2090	2100	2120
2100ft [2036ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2200ft [2136ft]	2200	2220	2230	2250	2270	2280	2300	2310	2330
2300ft [2236ft]	2300	2320	2340	2350	2370	2390	2400	2420	2440
2400ft [2336ft]	2400	2420	2440	2450	2470	2490	2510	2520	2540
2500ft [2436ft]	2500	2520	2540	2560	2570	2590	2610	2630	2650
2600ft [2536ft]	2600	2620	2640	2660	2680	2700	2720	2730	2750
2700ft [2636ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2736ft]	2800	2820	2840	2860	2880	2900	2920	2940	2970
2900ft [2836ft]	2900	2920	2940	2960	2990	3010	3030	3050	3070
3000ft [2936ft]	3000	3020	3050	3070	3090	3110	3130	3160	3180
3100ft [3036ft]	3100	3130	3150	3170	3190	3210	3240	3260	3280
3200ft [3136ft]	3200	3230	3250	3270	3290	3320	3340	3370	3390
3300ft [3236ft]	3300	3330	3350	3370	3400	3420	3450	3470	3500
3400ft [3336ft]	3400	3430	3450	3480	3500	3520	3550	3580	3600
3500ft [3436ft]	3500	3530	3550	3580	3600	3630	3650	3680	3710
3600ft [3536ft]	3600	3630	3650	3680	3710	3730	3760	3790	3810
3700ft [3636ft]	3700	3730	3760	3780	3810	3840	3860	3890	3920
3800ft [3736ft]	3800	3830	3860	3880	3910	3940	3970	4000	4030
3900ft [3836ft]	3900	3930	3960	3990	4010	4040	4070	4100	4130
4000ft [3936ft]	4000	4030	4060	4090	4120	4150	4180	4210	4240
4100ft [4036ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4200ft [4136ft]	4200	4230	4260	4290	4320	4350	4390	4420	4450
4300ft [4236ft]	4300	4330	4360	4390	4430	4460	4490	4520	4560
4400ft [4336ft]	4400	4430	4470	4500	4530	4560	4590	4630	4660
4500ft [4436ft]	4500	4530	4570	4600	4630	4670	4700	4730	4770
4600ft [4536ft]	4600	4640	4670	4700	4730	4770	4800	4840	4870
4700ft [4636ft]	4700	4740	4770	4800	4840	4870	4910	4940	4980
4800ft [4736ft]	4800	4840	4870	4910	4940	4980	5010	5050	5090
4900ft [4836ft]	4900	4940	4970	5010	5040	5080	5120	5150	5190
5000ft [4936ft]	5000	5040	5070	5110	5150	5180	5220	5260	5300
5064ft [5000ft]	5070	5100	5140	5170	5210	5250	5290	5330	5370

Stefano M. RAPISARDA - flightdeckengineering.com

CYYJ - Victoria, BC, CANADA

Station Elevation: 64 feet. ISA Standard Temperature: 14.87°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
64ft [0ft]	70	70	70	70	70	70	70	70	70
100ft [36ft]	110	110	110	110	110	110	110	110	110
200ft [136ft]	210	210	220	220	220	220	220	220	220
300ft [236ft]	320	320	320	320	330	330	330	330	330
400ft [336ft]	420	430	430	430	440	440	440	440	450
500ft [436ft]	530	530	540	540	540	550	550	560	560
600ft [536ft]	640	640	640	650	650	660	660	670	670
700ft [636ft]	740	750	750	760	760	770	770	780	780
800ft [736ft]	850	850	860	870	870	880	880	890	900
900ft [836ft]	950	960	970	970	980	990	990	1000	1010
1000ft [936ft]	1060	1070	1070	1080	1090	1100	1110	1110	1120
1100ft [1036ft]	1170	1170	1180	1190	1200	1210	1220	1230	1230
1200ft [1136ft]	1270	1280	1290	1300	1310	1320	1330	1340	1350
1300ft [1236ft]	1380	1390	1400	1410	1420	1430	1440	1450	1460
1400ft [1336ft]	1480	1490	1500	1520	1530	1540	1550	1560	1570
1500ft [1436ft]	1590	1600	1610	1620	1640	1650	1660	1670	1680
1600ft [1536ft]	1700	1710	1720	1730	1740	1760	1770	1780	1800
1700ft [1636ft]	1800	1810	1830	1840	1850	1870	1880	1900	1910
1800ft [1736ft]	1910	1920	1930	1950	1960	1980	1990	2010	2020
1900ft [1836ft]	2010	2030	2040	2060	2070	2090	2100	2120	2140
2000ft [1936ft]	2120	2130	2150	2170	2180	2200	2210	2230	2250
2100ft [2036ft]	2220	2240	2260	2270	2290	2310	2320	2340	2360
2200ft [2136ft]	2330	2350	2360	2380	2400	2420	2440	2450	2470
2300ft [2236ft]	2440	2450	2470	2490	2510	2530	2550	2570	2590
2400ft [2336ft]	2540	2560	2580	2600	2620	2640	2660	2680	2700
2500ft [2436ft]	2650	2670	2690	2710	2730	2750	2770	2790	2810
2600ft [2536ft]	2750	2770	2790	2820	2840	2860	2880	2900	2920
2700ft [2636ft]	2860	2880	2900	2920	2950	2970	2990	3010	3040
2800ft [2736ft]	2970	2990	3010	3030	3050	3080	3100	3130	3150
2900ft [2836ft]	3070	3090	3120	3140	3160	3190	3210	3240	3260
3000ft [2936ft]	3180	3200	3230	3250	3270	3300	3320	3350	3370
3100ft [3036ft]	3280	3310	3330	3360	3380	3410	3430	3460	3490
3200ft [3136ft]	3390	3410	3440	3470	3490	3520	3550	3570	3600
3300ft [3236ft]	3500	3520	3550	3570	3600	3630	3660	3680	3710
3400ft [3336ft]	3600	3630	3660	3680	3710	3740	3770	3800	3830
3500ft [3436ft]	3710	3740	3760	3790	3820	3850	3880	3910	3940
3600ft [3536ft]	3810	3840	3870	3900	3930	3960	3990	4020	4050
3700ft [3636ft]	3920	3950	3980	4010	4040	4070	4100	4130	4160
3800ft [3736ft]	4030	4060	4090	4120	4150	4180	4210	4240	4280
3900ft [3836ft]	4130	4160	4190	4220	4260	4290	4320	4360	4390
4000ft [3936ft]	4240	4270	4300	4330	4370	4400	4430	4470	4500
4100ft [4036ft]	4340	4380	4410	4440	4480	4510	4540	4580	4620
4200ft [4136ft]	4450	4480	4520	4550	4580	4620	4660	4690	4730
4300ft [4236ft]	4560	4590	4620	4660	4690	4730	4770	4800	4840
4400ft [4336ft]	4660	4700	4730	4770	4800	4840	4880	4920	4950
4500ft [4436ft]	4770	4800	4840	4880	4910	4950	4990	5030	5070
4600ft [4536ft]	4870	4910	4950	4980	5020	5060	5100	5140	5180
4700ft [4636ft]	4980	5020	5050	5090	5130	5170	5210	5250	5290
4800ft [4736ft]	5090	5120	5160	5200	5240	5280	5320	5360	5410
4900ft [4836ft]	5190	5230	5270	5310	5350	5390	5430	5480	5520
5000ft [4936ft]	5300	5340	5380	5420	5460	5500	5540	5590	5630
5064ft [5000ft]	5370	5410	5450	5490	5530	5570	5620	5660	5700

Stefano M. RAPISARDA - flightdeckengineering.com

CYYJ - Victoria, BC, CANADA

Station Elevation: 64 feet. ISA Standard Temperature: 14.87°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
64ft [0ft]	70	70	70	70	70	70	70	70	70
100ft [36ft]	110	110	110	110	110	110	110	110	110
200ft [136ft]	220	220	220	230	230	230	230	230	230
300ft [236ft]	330	340	340	340	340	350	350	350	350
400ft [336ft]	450	450	450	460	460	460	470	470	470
500ft [436ft]	560	560	570	570	580	580	580	590	590
600ft [536ft]	670	680	680	690	690	700	700	710	710
700ft [636ft]	780	790	800	800	810	810	820	830	830
800ft [736ft]	900	900	910	920	920	930	940	940	950
900ft [836ft]	1010	1020	1020	1030	1040	1050	1060	1060	1070
1000ft [936ft]	1120	1130	1140	1150	1160	1160	1170	1180	1190
1100ft [1036ft]	1230	1240	1250	1260	1270	1280	1290	1300	1310
1200ft [1136ft]	1350	1360	1370	1380	1390	1400	1410	1420	1430
1300ft [1236ft]	1460	1470	1480	1490	1500	1520	1530	1540	1550
1400ft [1336ft]	1570	1580	1600	1610	1620	1630	1650	1660	1670
1500ft [1436ft]	1680	1700	1710	1720	1740	1750	1760	1780	1790
1600ft [1536ft]	1800	1810	1820	1840	1850	1870	1880	1900	1910
1700ft [1636ft]	1910	1920	1940	1950	1970	1990	2000	2020	2030
1800ft [1736ft]	2020	2040	2050	2070	2090	2100	2120	2140	2150
1900ft [1836ft]	2140	2150	2170	2190	2200	2220	2240	2260	2270
2000ft [1936ft]	2250	2270	2280	2300	2320	2340	2360	2370	2390
2100ft [2036ft]	2360	2380	2400	2420	2430	2450	2470	2490	2510
2200ft [2136ft]	2470	2490	2510	2530	2550	2570	2590	2610	2630
2300ft [2236ft]	2590	2610	2630	2650	2670	2690	2710	2730	2760
2400ft [2336ft]	2700	2720	2740	2760	2780	2810	2830	2850	2880
2500ft [2436ft]	2810	2830	2860	2880	2900	2920	2950	2970	3000
2600ft [2536ft]	2920	2950	2970	2990	3020	3040	3070	3090	3120
2700ft [2636ft]	3040	3060	3080	3110	3130	3160	3180	3210	3240
2800ft [2736ft]	3150	3170	3200	3220	3250	3280	3300	3330	3360
2900ft [2836ft]	3260	3290	3310	3340	3370	3390	3420	3450	3480
3000ft [2936ft]	3370	3400	3430	3450	3480	3510	3540	3570	3600
3100ft [3036ft]	3490	3510	3540	3570	3600	3630	3660	3690	3720
3200ft [3136ft]	3600	3630	3660	3690	3720	3750	3780	3810	3840
3300ft [3236ft]	3710	3740	3770	3800	3830	3860	3890	3930	3960
3400ft [3336ft]	3830	3860	3890	3920	3950	3980	4010	4050	4080
3500ft [3436ft]	3940	3970	4000	4030	4060	4100	4130	4170	4200
3600ft [3536ft]	4050	4080	4120	4150	4180	4220	4250	4280	4320
3700ft [3636ft]	4160	4200	4230	4260	4300	4330	4370	4400	4440
3800ft [3736ft]	4280	4310	4340	4380	4410	4450	4490	4520	4560
3900ft [3836ft]	4390	4420	4460	4490	4530	4570	4610	4640	4680
4000ft [3936ft]	4500	4540	4570	4610	4650	4690	4720	4760	4800
4100ft [4036ft]	4620	4650	4690	4730	4760	4800	4840	4880	4920
4200ft [4136ft]	4730	4770	4800	4840	4880	4920	4960	5000	5040
4300ft [4236ft]	4840	4880	4920	4960	5000	5040	5080	5120	5160
4400ft [4336ft]	4950	4990	5030	5070	5110	5160	5200	5240	5290
4500ft [4436ft]	5070	5110	5150	5190	5230	5270	5320	5360	5410
4600ft [4536ft]	5180	5220	5260	5300	5350	5390	5440	5480	5530
4700ft [4636ft]	5290	5330	5380	5420	5460	5510	5550	5600	5650
4800ft [4736ft]	5410	5450	5490	5540	5580	5630	5670	5720	5770
4900ft [4836ft]	5520	5560	5610	5650	5700	5740	5790	5840	5890
5000ft [4936ft]	5630	5680	5720	5770	5810	5860	5910	5960	6010
5064ft [5000ft]	5700	5750	5790	5840	5890	5940	5990	6040	6090

Stefano M. RAPISARDA - flightdeckengineering.com

CYYJ - Victoria, BC, CANADA

Station Elevation: 64 feet. ISA Standard Temperature: 14.87°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
64ft [0ft]	70	70	70	70	70	70	70	70	70
100ft [36ft]	110	110	110	110	110	110	110	110	120
200ft [136ft]	230	230	230	240	240	240	240	240	240
300ft [236ft]	350	350	360	360	360	360	370	370	370
400ft [336ft]	470	480	480	480	490	490	490	500	500
500ft [436ft]	590	600	600	610	610	610	620	620	630
600ft [536ft]	710	720	720	730	730	740	750	750	760
700ft [636ft]	830	840	850	850	860	870	870	880	890
800ft [736ft]	950	960	970	970	980	990	1000	1010	1020
900ft [836ft]	1070	1080	1090	1100	1110	1120	1130	1130	1150
1000ft [936ft]	1190	1200	1210	1220	1230	1240	1250	1260	1280
1100ft [1036ft]	1310	1320	1330	1340	1360	1370	1380	1390	1410
1200ft [1136ft]	1430	1440	1460	1470	1480	1490	1500	1520	1540
1300ft [1236ft]	1550	1570	1580	1590	1600	1620	1630	1650	1670
1400ft [1336ft]	1670	1690	1700	1710	1730	1740	1760	1770	1800
1500ft [1436ft]	1790	1810	1820	1840	1850	1870	1880	1900	1930
1600ft [1536ft]	1910	1930	1940	1960	1980	1990	2010	2030	2050
1700ft [1636ft]	2030	2050	2070	2080	2100	2120	2140	2160	2180
1800ft [1736ft]	2150	2170	2190	2210	2230	2240	2260	2280	2310
1900ft [1836ft]	2270	2290	2310	2330	2350	2370	2390	2410	2440
2000ft [1936ft]	2390	2410	2430	2450	2480	2500	2520	2540	2570
2100ft [2036ft]	2510	2540	2560	2580	2600	2620	2640	2670	2700
2200ft [2136ft]	2630	2660	2680	2700	2720	2750	2770	2800	2830
2300ft [2236ft]	2760	2780	2800	2820	2850	2870	2900	2920	2960
2400ft [2336ft]	2880	2900	2920	2950	2970	3000	3020	3050	3090
2500ft [2436ft]	3000	3020	3050	3070	3100	3120	3150	3180	3220
2600ft [2536ft]	3120	3140	3170	3200	3220	3250	3280	3310	3350
2700ft [2636ft]	3240	3260	3290	3320	3350	3380	3410	3430	3480
2800ft [2736ft]	3360	3380	3410	3440	3470	3500	3530	3560	3610
2900ft [2836ft]	3480	3510	3540	3570	3600	3630	3660	3690	3740
3000ft [2936ft]	3600	3630	3660	3690	3720	3750	3790	3820	3870
3100ft [3036ft]	3720	3750	3780	3810	3850	3880	3910	3950	4000
3200ft [3136ft]	3840	3870	3900	3940	3970	4000	4040	4080	4130
3300ft [3236ft]	3960	3990	4030	4060	4100	4130	4170	4200	4260
3400ft [3336ft]	4080	4110	4150	4180	4220	4260	4290	4330	4390
3500ft [3436ft]	4200	4240	4270	4310	4340	4380	4420	4460	4520
3600ft [3536ft]	4320	4360	4390	4430	4470	4510	4550	4590	4650
3700ft [3636ft]	4440	4480	4520	4550	4590	4630	4670	4720	4780
3800ft [3736ft]	4560	4600	4640	4680	4720	4760	4800	4840	4910
3900ft [3836ft]	4680	4720	4760	4800	4840	4890	4930	4970	5040
4000ft [3936ft]	4800	4840	4880	4930	4970	5010	5060	5100	5170
4100ft [4036ft]	4920	4960	5010	5050	5090	5140	5180	5230	5300
4200ft [4136ft]	5040	5090	5130	5170	5220	5260	5310	5360	5430
4300ft [4236ft]	5160	5210	5250	5300	5340	5390	5440	5490	5560
4400ft [4336ft]	5290	5330	5380	5420	5470	5520	5570	5610	5690
4500ft [4436ft]	5410	5450	5500	5550	5590	5640	5690	5740	5820
4600ft [4536ft]	5530	5570	5620	5670	5720	5770	5820	5870	5950
4700ft [4636ft]	5650	5700	5740	5790	5840	5890	5950	6000	6080
4800ft [4736ft]	5770	5820	5870	5920	5970	6020	6070	6130	6210
4900ft [4836ft]	5890	5940	5990	6040	6090	6150	6200	6260	6340
5000ft [4936ft]	6010	6060	6110	6170	6220	6270	6330	6390	6470
5064ft [5000ft]	6090	6140	6190	6240	6300	6350	6410	6470	6560

Stefano M. RAPISARDA - flightdeckengineering.com

CYZP - Sandspit, BC, CANADA

Station Elevation: 1622 feet. ISA Standard Temperature: 11.79°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+2)	12°C (ISA+0)	10°C (ISA-2)	8°C (ISA-4)	6°C (ISA-6)	4°C (ISA-8)	2°C (ISA-10)	0°C (ISA-12)	-2°C (ISA-14)
1622ft [0ft]	---	1630	1630	1630	1630	1630	1630	1630	1630
1700ft [78ft]	---	1700	1710	1710	1710	1710	1710	1710	1710
1800ft [178ft]	---	1800	1810	1810	1810	1810	1810	1810	1810
1900ft [278ft]	---	1900	1910	1910	1910	1910	1910	1920	1920
2000ft [378ft]	---	2000	2010	2010	2010	2020	2020	2020	2020
2100ft [478ft]	---	2100	2110	2110	2110	2120	2120	2130	2130
2200ft [578ft]	---	2200	2210	2210	2220	2220	2230	2230	2230
2300ft [678ft]	---	2300	2310	2310	2320	2320	2330	2330	2340
2400ft [778ft]	---	2400	2410	2420	2420	2430	2430	2440	2440
2500ft [878ft]	---	2500	2510	2520	2520	2530	2540	2540	2550
2600ft [978ft]	---	2600	2610	2620	2630	2630	2640	2650	2650
2700ft [1078ft]	---	2700	2710	2720	2730	2740	2740	2750	2760
2800ft [1178ft]	---	2800	2810	2820	2830	2840	2850	2860	2860
2900ft [1278ft]	---	2900	2910	2920	2930	2940	2950	2960	2970
3000ft [1378ft]	---	3000	3010	3020	3030	3040	3050	3060	3080
3100ft [1478ft]	---	3100	3110	3120	3140	3150	3160	3170	3180
3200ft [1578ft]	---	3200	3210	3230	3240	3250	3260	3270	3290
3300ft [1678ft]	---	3300	3320	3330	3340	3350	3360	3380	3390
3400ft [1778ft]	---	3400	3420	3430	3440	3450	3470	3480	3500
3500ft [1878ft]	---	3500	3520	3530	3540	3560	3570	3590	3600
3600ft [1978ft]	---	3600	3620	3630	3650	3660	3680	3690	3710
3700ft [2078ft]	---	3700	3720	3730	3750	3760	3780	3790	3810
3800ft [2178ft]	---	3800	3820	3830	3850	3870	3880	3900	3920
3900ft [2278ft]	---	3900	3920	3940	3950	3970	3990	4000	4020
4000ft [2378ft]	---	4000	4020	4040	4050	4070	4090	4110	4130
4100ft [2478ft]	---	4100	4120	4140	4160	4170	4190	4210	4230
4200ft [2578ft]	---	4200	4220	4240	4260	4280	4300	4320	4340
4300ft [2678ft]	---	4300	4320	4340	4360	4380	4400	4420	4440
4400ft [2778ft]	---	4400	4420	4440	4460	4480	4500	4530	4550
4500ft [2878ft]	---	4500	4520	4540	4560	4590	4610	4630	4650
4600ft [2978ft]	---	4600	4620	4650	4670	4690	4710	4730	4760
4700ft [3078ft]	---	4700	4720	4750	4770	4790	4820	4840	4860
4800ft [3178ft]	---	4800	4830	4850	4870	4890	4920	4940	4970
4900ft [3278ft]	---	4900	4930	4950	4970	5000	5020	5050	5070
5000ft [3378ft]	---	5000	5030	5050	5080	5100	5130	5150	5180
5100ft [3478ft]	---	5100	5130	5150	5180	5200	5230	5260	5280
5200ft [3578ft]	---	5200	5230	5250	5280	5310	5330	5360	5390
5300ft [3678ft]	---	5300	5330	5350	5380	5410	5440	5460	5490
5400ft [3778ft]	---	5400	5430	5460	5480	5510	5540	5570	5600
5500ft [3878ft]	---	5500	5530	5560	5590	5610	5640	5670	5700
5600ft [3978ft]	---	5600	5630	5660	5690	5720	5750	5780	5810
5700ft [4078ft]	---	5700	5730	5760	5790	5820	5850	5880	5910
5800ft [4178ft]	---	5800	5830	5860	5890	5920	5960	5990	6020
5900ft [4278ft]	---	5900	5930	5960	5990	6030	6060	6090	6120
6000ft [4378ft]	---	6000	6030	6060	6100	6130	6160	6200	6230
6100ft [4478ft]	---	6100	6130	6170	6200	6230	6270	6300	6340
6200ft [4578ft]	---	6200	6230	6270	6300	6340	6370	6400	6440
6300ft [4678ft]	---	6300	6330	6370	6400	6440	6470	6510	6550
6400ft [4778ft]	---	6400	6440	6470	6510	6540	6580	6610	6650
6500ft [4878ft]	---	6500	6540	6570	6610	6640	6680	6720	6760
6600ft [4978ft]	---	6600	6640	6670	6710	6750	6780	6820	6860
6622ft [5000ft]	---	6622	6660	6700	6730	6770	6810	6850	6880

Stefano M. RAPISARDA - flightdeckengineering.com

CYZP - Sandspit, BC, CANADA

Station Elevation: 1622 feet. ISA Standard Temperature: 11.79°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-14)	-4°C (ISA-16)	-6°C (ISA-18)	-8°C (ISA-20)	-10°C (ISA-22)	-12°C (ISA-24)	-14°C (ISA-26)	-16°C (ISA-28)	-18°C (ISA-30)
1622ft [0ft]	1630	1630	1630	1630	1630	1630	1630	1630	1630
1700ft [78ft]	1710	1710	1710	1710	1710	1710	1710	1710	1710
1800ft [178ft]	1810	1820	1820	1820	1820	1820	1820	1820	1830
1900ft [278ft]	1920	1920	1920	1930	1930	1930	1930	1930	1940
2000ft [378ft]	2020	2030	2030	2030	2040	2040	2040	2050	2050
2100ft [478ft]	2130	2130	2140	2140	2140	2150	2150	2160	2160
2200ft [578ft]	2230	2240	2240	2250	2250	2260	2260	2270	2270
2300ft [678ft]	2340	2340	2350	2360	2360	2370	2370	2380	2380
2400ft [778ft]	2440	2450	2460	2460	2470	2480	2480	2490	2500
2500ft [878ft]	2550	2560	2560	2570	2580	2580	2590	2600	2610
2600ft [978ft]	2650	2660	2670	2680	2690	2690	2700	2710	2720
2700ft [1078ft]	2760	2770	2780	2790	2790	2800	2810	2820	2830
2800ft [1178ft]	2860	2870	2880	2890	2900	2910	2920	2930	2940
2900ft [1278ft]	2970	2980	2990	3000	3010	3020	3030	3040	3050
3000ft [1378ft]	3080	3090	3100	3110	3120	3130	3140	3150	3170
3100ft [1478ft]	3180	3190	3200	3220	3230	3240	3250	3260	3280
3200ft [1578ft]	3290	3300	3310	3320	3340	3350	3360	3380	3390
3300ft [1678ft]	3390	3400	3420	3430	3440	3460	3470	3490	3500
3400ft [1778ft]	3500	3510	3520	3540	3550	3570	3580	3600	3610
3500ft [1878ft]	3600	3620	3630	3650	3660	3680	3690	3710	3720
3600ft [1978ft]	3710	3720	3740	3750	3770	3790	3800	3820	3840
3700ft [2078ft]	3810	3830	3840	3860	3880	3890	3910	3930	3950
3800ft [2178ft]	3920	3930	3950	3970	3990	4000	4020	4040	4060
3900ft [2278ft]	4020	4040	4060	4080	4090	4110	4130	4150	4170
4000ft [2378ft]	4130	4140	4160	4180	4200	4220	4240	4260	4280
4100ft [2478ft]	4230	4250	4270	4290	4310	4330	4350	4370	4400
4200ft [2578ft]	4340	4360	4380	4400	4420	4440	4460	4480	4510
4300ft [2678ft]	4440	4460	4480	4510	4530	4550	4570	4600	4620
4400ft [2778ft]	4550	4570	4590	4610	4640	4660	4680	4710	4730
4500ft [2878ft]	4650	4670	4700	4720	4740	4770	4790	4820	4840
4600ft [2978ft]	4760	4780	4800	4830	4850	4880	4900	4930	4950
4700ft [3078ft]	4860	4890	4910	4940	4960	4990	5010	5040	5070
4800ft [3178ft]	4970	4990	5020	5040	5070	5100	5120	5150	5180
4900ft [3278ft]	5070	5100	5120	5150	5180	5210	5230	5260	5290
5000ft [3378ft]	5180	5200	5230	5260	5290	5310	5340	5370	5400
5100ft [3478ft]	5280	5310	5340	5370	5400	5420	5450	5480	5510
5200ft [3578ft]	5390	5420	5450	5470	5500	5530	5560	5590	5630
5300ft [3678ft]	5490	5520	5550	5580	5610	5640	5670	5710	5740
5400ft [3778ft]	5600	5630	5660	5690	5720	5750	5780	5820	5850
5500ft [3878ft]	5700	5730	5770	5800	5830	5860	5890	5930	5960
5600ft [3978ft]	5810	5840	5870	5900	5940	5970	6000	6040	6070
5700ft [4078ft]	5910	5950	5980	6010	6050	6080	6110	6150	6190
5800ft [4178ft]	6020	6050	6090	6120	6150	6190	6230	6260	6300
5900ft [4278ft]	6120	6160	6190	6230	6260	6300	6340	6370	6410
6000ft [4378ft]	6230	6260	6300	6340	6370	6410	6450	6480	6520
6100ft [4478ft]	6340	6370	6410	6440	6480	6520	6560	6590	6630
6200ft [4578ft]	6440	6480	6510	6550	6590	6630	6670	6710	6750
6300ft [4678ft]	6550	6580	6620	6660	6700	6740	6780	6820	6860
6400ft [4778ft]	6650	6690	6730	6770	6810	6850	6890	6930	6970
6500ft [4878ft]	6760	6790	6830	6870	6910	6960	7000	7040	7080
6600ft [4978ft]	6860	6900	6940	6980	7020	7060	7110	7150	7190
6622ft [5000ft]	6880	6920	6960	7010	7050	7090	7130	7170	7220

Stefano M. RAPISARDA - flightdeckengineering.com

CYZP - Sandspit, BC, CANADA

Station Elevation: 1622 feet. ISA Standard Temperature: 11.79°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-30)	-20°C (ISA-32)	-22°C (ISA-34)	-24°C (ISA-36)	-26°C (ISA-38)	-28°C (ISA-40)	-30°C (ISA-42)	-32°C (ISA-44)	-34°C (ISA-46)
1622ft [0ft]	1630	1630	1630	1630	1630	1630	1630	1630	1630
1700ft [78ft]	1710	1710	1720	1720	1720	1720	1720	1720	1720
1800ft [178ft]	1830	1830	1830	1830	1830	1830	1840	1840	1840
1900ft [278ft]	1940	1940	1940	1940	1950	1950	1950	1960	1960
2000ft [378ft]	2050	2050	2060	2060	2060	2070	2070	2070	2080
2100ft [478ft]	2160	2160	2170	2170	2180	2180	2190	2190	2200
2200ft [578ft]	2270	2280	2280	2290	2290	2300	2300	2310	2320
2300ft [678ft]	2380	2390	2400	2400	2410	2410	2420	2430	2430
2400ft [778ft]	2500	2500	2510	2520	2520	2530	2540	2550	2550
2500ft [878ft]	2610	2610	2620	2630	2640	2650	2660	2660	2670
2600ft [978ft]	2720	2730	2740	2750	2750	2760	2770	2780	2790
2700ft [1078ft]	2830	2840	2850	2860	2870	2880	2890	2900	2910
2800ft [1178ft]	2940	2950	2960	2970	2980	3000	3010	3020	3030
2900ft [1278ft]	3050	3070	3080	3090	3100	3110	3120	3140	3150
3000ft [1378ft]	3170	3180	3190	3200	3220	3230	3240	3260	3270
3100ft [1478ft]	3280	3290	3300	3320	3330	3340	3360	3370	3390
3200ft [1578ft]	3390	3400	3420	3430	3450	3460	3480	3490	3510
3300ft [1678ft]	3500	3520	3530	3550	3560	3580	3590	3610	3630
3400ft [1778ft]	3610	3630	3640	3660	3680	3690	3710	3730	3750
3500ft [1878ft]	3720	3740	3760	3780	3790	3810	3830	3850	3870
3600ft [1978ft]	3840	3850	3870	3890	3910	3930	3950	3960	3980
3700ft [2078ft]	3950	3970	3990	4000	4020	4040	4060	4080	4100
3800ft [2178ft]	4060	4080	4100	4120	4140	4160	4180	4200	4220
3900ft [2278ft]	4170	4190	4210	4230	4250	4280	4300	4320	4340
4000ft [2378ft]	4280	4300	4330	4350	4370	4390	4420	4440	4460
4100ft [2478ft]	4400	4420	4440	4460	4490	4510	4530	4560	4580
4200ft [2578ft]	4510	4530	4550	4580	4600	4630	4650	4680	4700
4300ft [2678ft]	4620	4640	4670	4690	4720	4740	4770	4790	4820
4400ft [2778ft]	4730	4760	4780	4810	4830	4860	4880	4910	4940
4500ft [2878ft]	4840	4870	4890	4920	4950	4970	5000	5030	5060
4600ft [2978ft]	4950	4980	5010	5040	5060	5090	5120	5150	5180
4700ft [3078ft]	5070	5090	5120	5150	5180	5210	5240	5270	5300
4800ft [3178ft]	5180	5210	5240	5260	5290	5320	5350	5390	5420
4900ft [3278ft]	5290	5320	5350	5380	5410	5440	5470	5500	5540
5000ft [3378ft]	5400	5430	5460	5490	5530	5560	5590	5620	5660
5100ft [3478ft]	5510	5550	5580	5610	5640	5670	5710	5740	5780
5200ft [3578ft]	5630	5660	5690	5720	5760	5790	5830	5860	5900
5300ft [3678ft]	5740	5770	5800	5840	5870	5910	5940	5980	6020
5400ft [3778ft]	5850	5880	5920	5950	5990	6020	6060	6100	6140
5500ft [3878ft]	5960	6000	6030	6070	6100	6140	6180	6220	6250
5600ft [3978ft]	6070	6110	6150	6180	6220	6260	6300	6330	6370
5700ft [4078ft]	6190	6220	6260	6300	6340	6370	6410	6450	6490
5800ft [4178ft]	6300	6340	6370	6410	6450	6490	6530	6570	6610
5900ft [4278ft]	6410	6450	6490	6530	6570	6610	6650	6690	6730
6000ft [4378ft]	6520	6560	6600	6640	6680	6720	6770	6810	6850
6100ft [4478ft]	6630	6670	6710	6760	6800	6840	6880	6930	6970
6200ft [4578ft]	6750	6790	6830	6870	6910	6960	7000	7050	7090
6300ft [4678ft]	6860	6900	6940	6990	7030	7070	7120	7170	7210
6400ft [4778ft]	6970	7010	7060	7100	7150	7190	7240	7280	7330
6500ft [4878ft]	7080	7130	7170	7220	7260	7310	7360	7400	7450
6600ft [4978ft]	7190	7240	7280	7330	7380	7420	7470	7520	7570
6622ft [5000ft]	7220	7260	7310	7360	7400	7450	7500	7550	7600

Stefano M. RAPISARDA - flightdeckengineering.com

CYZP - Sandspit, BC, CANADA

Station Elevation: 1622 feet. ISA Standard Temperature: 11.79°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-46)	-36°C (ISA-48)	-38°C (ISA-50)	-40°C (ISA-52)	-42°C (ISA-54)	-44°C (ISA-56)	-46°C (ISA-58)	-48°C (ISA-60)	-50°C (ISA-62)
1622ft [0ft]	1630	1630	1630	1630	1630	1630	1630	1630	1630
1700ft [78ft]	1720	1720	1720	1720	1720	1720	1720	1730	1730
1800ft [178ft]	1840	1840	1840	1840	1850	1850	1850	1850	1850
1900ft [278ft]	1960	1960	1960	1970	1970	1970	1980	1980	1980
2000ft [378ft]	2080	2080	2080	2090	2090	2100	2100	2100	2110
2100ft [478ft]	2200	2200	2210	2210	2220	2220	2230	2230	2240
2200ft [578ft]	2320	2320	2330	2330	2340	2350	2350	2360	2360
2300ft [678ft]	2430	2440	2450	2460	2460	2470	2480	2480	2490
2400ft [778ft]	2550	2560	2570	2580	2590	2590	2600	2610	2620
2500ft [878ft]	2670	2680	2690	2700	2710	2720	2730	2740	2750
2600ft [978ft]	2790	2800	2810	2820	2830	2840	2850	2860	2880
2700ft [1078ft]	2910	2920	2930	2940	2960	2970	2980	2990	3000
2800ft [1178ft]	3030	3040	3050	3070	3080	3090	3100	3120	3130
2900ft [1278ft]	3150	3160	3180	3190	3200	3220	3230	3240	3260
3000ft [1378ft]	3270	3280	3300	3310	3330	3340	3360	3370	3390
3100ft [1478ft]	3390	3400	3420	3430	3450	3460	3480	3500	3510
3200ft [1578ft]	3510	3520	3540	3560	3570	3590	3610	3620	3640
3300ft [1678ft]	3630	3640	3660	3680	3700	3710	3730	3750	3770
3400ft [1778ft]	3750	3760	3780	3800	3820	3840	3860	3880	3900
3500ft [1878ft]	3870	3880	3900	3920	3940	3960	3980	4000	4030
3600ft [1978ft]	3980	4000	4020	4050	4070	4090	4110	4130	4150
3700ft [2078ft]	4100	4120	4150	4170	4190	4210	4240	4260	4280
3800ft [2178ft]	4220	4250	4270	4290	4310	4340	4360	4390	4410
3900ft [2278ft]	4340	4370	4390	4410	4440	4460	4490	4510	4540
4000ft [2378ft]	4460	4490	4510	4540	4560	4590	4610	4640	4670
4100ft [2478ft]	4580	4610	4630	4660	4680	4710	4740	4770	4790
4200ft [2578ft]	4700	4730	4750	4780	4810	4840	4860	4890	4920
4300ft [2678ft]	4820	4850	4870	4900	4930	4960	4990	5020	5050
4400ft [2778ft]	4940	4970	5000	5030	5060	5090	5120	5150	5180
4500ft [2878ft]	5060	5090	5120	5150	5180	5210	5240	5270	5310
4600ft [2978ft]	5180	5210	5240	5270	5300	5330	5370	5400	5440
4700ft [3078ft]	5300	5330	5360	5390	5430	5460	5490	5530	5560
4800ft [3178ft]	5420	5450	5480	5520	5550	5580	5620	5660	5690
4900ft [3278ft]	5540	5570	5600	5640	5670	5710	5750	5780	5820
5000ft [3378ft]	5660	5690	5730	5760	5800	5830	5870	5910	5950
5100ft [3478ft]	5780	5810	5850	5880	5920	5960	6000	6040	6080
5200ft [3578ft]	5900	5930	5970	6010	6050	6080	6120	6160	6210
5300ft [3678ft]	6020	6050	6090	6130	6170	6210	6250	6290	6330
5400ft [3778ft]	6140	6170	6210	6250	6290	6330	6380	6420	6460
5500ft [3878ft]	6250	6290	6330	6380	6420	6460	6500	6550	6590
5600ft [3978ft]	6370	6420	6460	6500	6540	6580	6630	6670	6720
5700ft [4078ft]	6490	6540	6580	6620	6660	6710	6750	6800	6850
5800ft [4178ft]	6610	6660	6700	6740	6790	6830	6880	6930	6980
5900ft [4278ft]	6730	6780	6820	6870	6910	6960	7010	7060	7100
6000ft [4378ft]	6850	6900	6940	6990	7040	7080	7130	7180	7230
6100ft [4478ft]	6970	7020	7070	7110	7160	7210	7260	7310	7360
6200ft [4578ft]	7090	7140	7190	7240	7280	7330	7390	7440	7490
6300ft [4678ft]	7210	7260	7310	7360	7410	7460	7510	7560	7620
6400ft [4778ft]	7330	7380	7430	7480	7530	7590	7640	7690	7750
6500ft [4878ft]	7450	7500	7550	7600	7660	7710	7760	7820	7880
6600ft [4978ft]	7570	7620	7670	7730	7780	7840	7890	7950	8010
6622ft [5000ft]	7600	7650	7700	7750	7810	7860	7920	7980	8030

Stefano M. RAPISARDA - flightdeckengineering.com

4 Manitoba Airports

4.1 CYWG - WINNIPEG, MB, CANADA 114

CYWG - Winnipeg, MB, CANADA

Station Elevation: 783 feet. ISA Standard Temperature: 13.45°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
783ft [0ft]	790	790	790	790	790	790	790	790	790
800ft [17ft]	800	810	810	810	810	810	810	810	810
900ft [117ft]	900	910	910	910	910	910	910	910	910
1000ft [217ft]	1000	1010	1010	1010	1010	1010	1010	1020	1020
1100ft [317ft]	1100	1110	1110	1110	1110	1120	1120	1120	1120
1200ft [417ft]	1200	1210	1210	1210	1220	1220	1220	1230	1230
1300ft [517ft]	1300	1310	1310	1320	1320	1320	1330	1330	1330
1400ft [617ft]	1400	1410	1410	1420	1420	1430	1430	1440	1440
1500ft [717ft]	1500	1510	1510	1520	1520	1530	1530	1540	1550
1600ft [817ft]	1600	1610	1610	1620	1630	1630	1640	1650	1650
1700ft [917ft]	1700	1710	1720	1720	1730	1740	1740	1750	1760
1800ft [1017ft]	1800	1810	1820	1820	1830	1840	1850	1860	1860
1900ft [1117ft]	1900	1910	1920	1930	1930	1940	1950	1960	1970
2000ft [1217ft]	2000	2010	2020	2030	2040	2050	2060	2070	2070
2100ft [1317ft]	2100	2110	2120	2130	2140	2150	2160	2170	2180
2200ft [1417ft]	2200	2210	2220	2230	2240	2250	2260	2270	2290
2300ft [1517ft]	2300	2310	2320	2330	2350	2360	2370	2380	2390
2400ft [1617ft]	2400	2410	2420	2440	2450	2460	2470	2480	2500
2500ft [1717ft]	2500	2510	2530	2540	2550	2560	2580	2590	2600
2600ft [1817ft]	2600	2610	2630	2640	2650	2670	2680	2690	2710
2700ft [1917ft]	2700	2710	2730	2740	2760	2770	2790	2800	2810
2800ft [2017ft]	2800	2820	2830	2840	2860	2870	2890	2900	2920
2900ft [2117ft]	2900	2920	2930	2950	2960	2980	2990	3010	3030
3000ft [2217ft]	3000	3020	3030	3050	3060	3080	3100	3110	3130
3100ft [2317ft]	3100	3120	3130	3150	3170	3180	3200	3220	3240
3200ft [2417ft]	3200	3220	3230	3250	3270	3290	3310	3320	3340
3300ft [2517ft]	3300	3320	3340	3350	3370	3390	3410	3430	3450
3400ft [2617ft]	3400	3420	3440	3460	3480	3490	3510	3530	3560
3500ft [2717ft]	3500	3520	3540	3560	3580	3600	3620	3640	3660
3600ft [2817ft]	3600	3620	3640	3660	3680	3700	3720	3740	3770
3700ft [2917ft]	3700	3720	3740	3760	3780	3810	3830	3850	3870
3800ft [3017ft]	3800	3820	3840	3860	3890	3910	3930	3950	3980
3900ft [3117ft]	3900	3920	3940	3970	3990	4010	4040	4060	4080
4000ft [3217ft]	4000	4020	4040	4070	4090	4120	4140	4160	4190
4100ft [3317ft]	4100	4120	4150	4170	4190	4220	4240	4270	4300
4200ft [3417ft]	4200	4220	4250	4270	4300	4320	4350	4370	4400
4300ft [3517ft]	4300	4320	4350	4370	4400	4430	4450	4480	4510
4400ft [3617ft]	4400	4420	4450	4480	4500	4530	4560	4590	4610
4500ft [3717ft]	4500	4520	4550	4580	4610	4630	4660	4690	4720
4600ft [3817ft]	4600	4620	4650	4680	4710	4740	4770	4800	4830
4700ft [3917ft]	4700	4730	4750	4780	4810	4840	4870	4900	4930
4800ft [4017ft]	4800	4830	4850	4880	4910	4940	4970	5010	5040
4900ft [4117ft]	4900	4930	4960	4990	5020	5050	5080	5110	5140
5000ft [4217ft]	5000	5030	5060	5090	5120	5150	5180	5220	5250
5100ft [4317ft]	5100	5130	5160	5190	5220	5250	5290	5320	5350
5200ft [4417ft]	5200	5230	5260	5290	5320	5360	5390	5430	5460
5300ft [4517ft]	5300	5330	5360	5390	5430	5460	5500	5530	5570
5400ft [4617ft]	5400	5430	5460	5500	5530	5560	5600	5640	5670
5500ft [4717ft]	5500	5530	5560	5600	5630	5670	5700	5740	5780
5600ft [4817ft]	5600	5630	5660	5700	5740	5770	5810	5850	5880
5700ft [4917ft]	5700	5730	5770	5800	5840	5880	5910	5950	5990
5783ft [5000ft]	5783	5810	5850	5890	5920	5960	6000	6040	6080

Stefano M. RAPISARDA - flightdeckengineering.com

CYWG - Winnipeg, MB, CANADA

Station Elevation: 783 feet. ISA Standard Temperature: 13.45°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
783ft [0ft]	790	790	790	790	790	790	790	790	790
800ft [17ft]	810	810	810	810	810	810	810	810	810
900ft [117ft]	910	910	910	910	920	920	920	920	920
1000ft [217ft]	1020	1020	1020	1020	1020	1030	1030	1030	1030
1100ft [317ft]	1120	1130	1130	1130	1130	1140	1140	1140	1140
1200ft [417ft]	1230	1230	1240	1240	1240	1250	1250	1250	1260
1300ft [517ft]	1330	1340	1340	1350	1350	1360	1360	1360	1370
1400ft [617ft]	1440	1440	1450	1450	1460	1470	1470	1480	1480
1500ft [717ft]	1550	1550	1560	1560	1570	1570	1580	1590	1590
1600ft [817ft]	1650	1660	1660	1670	1680	1680	1690	1700	1710
1700ft [917ft]	1760	1760	1770	1780	1790	1790	1800	1810	1820
1800ft [1017ft]	1860	1870	1880	1890	1900	1900	1910	1920	1930
1900ft [1117ft]	1970	1980	1990	2000	2000	2010	2020	2030	2040
2000ft [1217ft]	2070	2080	2090	2100	2110	2120	2130	2140	2160
2100ft [1317ft]	2180	2190	2200	2210	2220	2230	2240	2260	2270
2200ft [1417ft]	2290	2300	2310	2320	2330	2340	2360	2370	2380
2300ft [1517ft]	2390	2400	2420	2430	2440	2450	2470	2480	2490
2400ft [1617ft]	2500	2510	2520	2540	2550	2560	2580	2590	2610
2500ft [1717ft]	2600	2620	2630	2640	2660	2670	2690	2700	2720
2600ft [1817ft]	2710	2720	2740	2750	2770	2780	2800	2810	2830
2700ft [1917ft]	2810	2830	2850	2860	2880	2890	2910	2930	2940
2800ft [2017ft]	2920	2940	2950	2970	2990	3000	3020	3040	3050
2900ft [2117ft]	3030	3040	3060	3080	3090	3110	3130	3150	3170
3000ft [2217ft]	3130	3150	3170	3190	3200	3220	3240	3260	3280
3100ft [2317ft]	3240	3260	3270	3290	3310	3330	3350	3370	3390
3200ft [2417ft]	3340	3360	3380	3400	3420	3440	3460	3480	3500
3300ft [2517ft]	3450	3470	3490	3510	3530	3550	3570	3600	3620
3400ft [2617ft]	3560	3580	3600	3620	3640	3660	3680	3710	3730
3500ft [2717ft]	3660	3680	3700	3730	3750	3770	3800	3820	3840
3600ft [2817ft]	3770	3790	3810	3830	3860	3880	3910	3930	3960
3700ft [2917ft]	3870	3900	3920	3940	3970	3990	4020	4040	4070
3800ft [3017ft]	3980	4000	4030	4050	4080	4100	4130	4150	4180
3900ft [3117ft]	4080	4110	4130	4160	4190	4210	4240	4270	4290
4000ft [3217ft]	4190	4220	4240	4270	4290	4320	4350	4380	4410
4100ft [3317ft]	4300	4320	4350	4380	4400	4430	4460	4490	4520
4200ft [3417ft]	4400	4430	4460	4480	4510	4540	4570	4600	4630
4300ft [3517ft]	4510	4540	4560	4590	4620	4650	4680	4710	4740
4400ft [3617ft]	4610	4640	4670	4700	4730	4760	4790	4820	4860
4500ft [3717ft]	4720	4750	4780	4810	4840	4870	4900	4940	4970
4600ft [3817ft]	4830	4860	4890	4920	4950	4980	5010	5050	5080
4700ft [3917ft]	4930	4960	4990	5030	5060	5090	5130	5160	5190
4800ft [4017ft]	5040	5070	5100	5130	5170	5200	5240	5270	5310
4900ft [4117ft]	5140	5180	5210	5240	5280	5310	5350	5380	5420
5000ft [4217ft]	5250	5280	5320	5350	5390	5420	5460	5490	5530
5100ft [4317ft]	5350	5390	5420	5460	5500	5530	5570	5610	5640
5200ft [4417ft]	5460	5500	5530	5570	5600	5640	5680	5720	5760
5300ft [4517ft]	5570	5600	5640	5680	5710	5750	5790	5830	5870
5400ft [4617ft]	5670	5710	5750	5780	5820	5860	5900	5940	5980
5500ft [4717ft]	5780	5820	5850	5890	5930	5970	6010	6050	6100
5600ft [4817ft]	5880	5920	5960	6000	6040	6080	6120	6170	6210
5700ft [4917ft]	5990	6030	6070	6110	6150	6190	6230	6280	6320
5783ft [5000ft]	6080	6120	6160	6200	6240	6280	6330	6370	6410

Stefano M. RAPISARDA - flightdeckengineering.com

CYWG - Winnipeg, MB, CANADA

Station Elevation: 783 feet. ISA Standard Temperature: 13.45°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
783ft [0ft]	790	790	790	790	790	790	790	790	790
800ft [17ft]	810	810	810	810	810	810	810	810	810
900ft [117ft]	920	920	920	920	920	920	930	930	930
1000ft [217ft]	1030	1030	1040	1040	1040	1040	1040	1050	1050
1100ft [317ft]	1140	1150	1150	1150	1160	1160	1160	1160	1170
1200ft [417ft]	1260	1260	1260	1270	1270	1280	1280	1280	1290
1300ft [517ft]	1370	1370	1380	1380	1390	1390	1400	1400	1410
1400ft [617ft]	1480	1490	1490	1500	1500	1510	1520	1520	1530
1500ft [717ft]	1590	1600	1610	1610	1620	1630	1630	1640	1650
1600ft [817ft]	1710	1710	1720	1730	1740	1740	1750	1760	1770
1700ft [917ft]	1820	1830	1830	1840	1850	1860	1870	1880	1890
1800ft [1017ft]	1930	1940	1950	1960	1970	1980	1990	2000	2010
1900ft [1117ft]	2040	2050	2060	2070	2080	2090	2100	2120	2130
2000ft [1217ft]	2160	2170	2180	2190	2200	2210	2220	2230	2250
2100ft [1317ft]	2270	2280	2290	2300	2320	2330	2340	2350	2370
2200ft [1417ft]	2380	2390	2410	2420	2430	2450	2460	2470	2490
2300ft [1517ft]	2490	2510	2520	2530	2550	2560	2580	2590	2610
2400ft [1617ft]	2610	2620	2630	2650	2660	2680	2700	2710	2730
2500ft [1717ft]	2720	2730	2750	2760	2780	2800	2810	2830	2850
2600ft [1817ft]	2830	2850	2860	2880	2900	2910	2930	2950	2970
2700ft [1917ft]	2940	2960	2980	2990	3010	3030	3050	3070	3090
2800ft [2017ft]	3050	3070	3090	3110	3130	3150	3170	3190	3210
2900ft [2117ft]	3170	3190	3210	3230	3240	3270	3290	3310	3330
3000ft [2217ft]	3280	3300	3320	3340	3360	3380	3400	3430	3450
3100ft [2317ft]	3390	3410	3430	3460	3480	3500	3520	3540	3570
3200ft [2417ft]	3500	3530	3550	3570	3590	3620	3640	3660	3690
3300ft [2517ft]	3620	3640	3660	3690	3710	3730	3760	3780	3810
3400ft [2617ft]	3730	3750	3780	3800	3830	3850	3880	3900	3930
3500ft [2717ft]	3840	3870	3890	3920	3940	3970	3990	4020	4050
3600ft [2817ft]	3960	3980	4010	4030	4060	4090	4110	4140	4170
3700ft [2917ft]	4070	4090	4120	4150	4170	4200	4230	4260	4290
3800ft [3017ft]	4180	4210	4230	4260	4290	4320	4350	4380	4410
3900ft [3117ft]	4290	4320	4350	4380	4410	4440	4470	4500	4530
4000ft [3217ft]	4410	4430	4460	4490	4520	4550	4590	4620	4650
4100ft [3317ft]	4520	4550	4580	4610	4640	4670	4700	4740	4770
4200ft [3417ft]	4630	4660	4690	4720	4760	4790	4820	4860	4890
4300ft [3517ft]	4740	4770	4810	4840	4870	4910	4940	4980	5010
4400ft [3617ft]	4860	4890	4920	4960	4990	5020	5060	5100	5130
4500ft [3717ft]	4970	5000	5040	5070	5110	5140	5180	5210	5250
4600ft [3817ft]	5080	5120	5150	5190	5220	5260	5300	5330	5370
4700ft [3917ft]	5190	5230	5270	5300	5340	5380	5410	5450	5490
4800ft [4017ft]	5310	5340	5380	5420	5450	5490	5530	5570	5610
4900ft [4117ft]	5420	5460	5490	5530	5570	5610	5650	5690	5730
5000ft [4217ft]	5530	5570	5610	5650	5690	5730	5770	5810	5850
5100ft [4317ft]	5640	5680	5720	5760	5800	5850	5890	5930	5970
5200ft [4417ft]	5760	5800	5840	5880	5920	5960	6010	6050	6100
5300ft [4517ft]	5870	5910	5950	5990	6040	6080	6130	6170	6220
5400ft [4617ft]	5980	6020	6070	6110	6150	6200	6240	6290	6340
5500ft [4717ft]	6100	6140	6180	6230	6270	6320	6360	6410	6460
5600ft [4817ft]	6210	6250	6300	6340	6390	6430	6480	6530	6580
5700ft [4917ft]	6320	6370	6410	6460	6500	6550	6600	6650	6700
5783ft [5000ft]	6410	6460	6510	6550	6600	6650	6700	6750	6800

Stefano M. RAPISARDA - flightdeckengineering.com

CYWG - Winnipeg, MB, CANADA

Station Elevation: 783 feet. ISA Standard Temperature: 13.45°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
783ft [0ft]	790	790	790	790	790	790	790	790	790
800ft [17ft]	810	810	810	810	810	810	810	810	810
900ft [117ft]	930	930	930	930	930	930	940	940	940
1000ft [217ft]	1050	1050	1050	1050	1060	1060	1060	1060	1070
1100ft [317ft]	1170	1170	1170	1180	1180	1180	1190	1190	1200
1200ft [417ft]	1290	1290	1300	1300	1300	1310	1310	1320	1320
1300ft [517ft]	1410	1410	1420	1420	1430	1430	1440	1450	1450
1400ft [617ft]	1530	1530	1540	1550	1550	1560	1570	1570	1580
1500ft [717ft]	1650	1650	1660	1670	1680	1680	1690	1700	1710
1600ft [817ft]	1770	1780	1780	1790	1800	1810	1820	1830	1840
1700ft [917ft]	1890	1900	1910	1920	1930	1940	1950	1960	1970
1800ft [1017ft]	2010	2020	2030	2040	2050	2060	2070	2080	2090
1900ft [1117ft]	2130	2140	2150	2160	2170	2190	2200	2210	2220
2000ft [1217ft]	2250	2260	2270	2280	2300	2310	2320	2340	2350
2100ft [1317ft]	2370	2380	2390	2410	2420	2440	2450	2470	2480
2200ft [1417ft]	2490	2500	2520	2530	2550	2560	2580	2590	2610
2300ft [1517ft]	2610	2620	2640	2650	2670	2690	2700	2720	2740
2400ft [1617ft]	2730	2740	2760	2780	2790	2810	2830	2850	2870
2500ft [1717ft]	2850	2860	2880	2900	2920	2940	2960	2980	3000
2600ft [1817ft]	2970	2990	3000	3020	3040	3060	3080	3100	3120
2700ft [1917ft]	3090	3110	3130	3150	3170	3190	3210	3230	3250
2800ft [2017ft]	3210	3230	3250	3270	3290	3310	3340	3360	3380
2900ft [2117ft]	3330	3350	3370	3390	3420	3440	3460	3490	3510
3000ft [2217ft]	3450	3470	3490	3520	3540	3560	3590	3610	3640
3100ft [2317ft]	3570	3590	3620	3640	3660	3690	3720	3740	3770
3200ft [2417ft]	3690	3710	3740	3760	3790	3820	3840	3870	3900
3300ft [2517ft]	3810	3830	3860	3890	3910	3940	3970	4000	4030
3400ft [2617ft]	3930	3960	3980	4010	4040	4070	4100	4130	4160
3500ft [2717ft]	4050	4080	4100	4130	4160	4190	4220	4250	4280
3600ft [2817ft]	4170	4200	4230	4260	4290	4320	4350	4380	4410
3700ft [2917ft]	4290	4320	4350	4380	4410	4440	4480	4510	4540
3800ft [3017ft]	4410	4440	4470	4500	4540	4570	4600	4640	4670
3900ft [3117ft]	4530	4560	4590	4630	4660	4690	4730	4770	4800
4000ft [3217ft]	4650	4680	4720	4750	4790	4820	4860	4890	4930
4100ft [3317ft]	4770	4800	4840	4870	4910	4950	4980	5020	5060
4200ft [3417ft]	4890	4930	4960	5000	5030	5070	5110	5150	5190
4300ft [3517ft]	5010	5050	5080	5120	5160	5200	5240	5280	5320
4400ft [3617ft]	5130	5170	5210	5240	5280	5320	5360	5410	5450
4500ft [3717ft]	5250	5290	5330	5370	5410	5450	5490	5530	5580
4600ft [3817ft]	5370	5410	5450	5490	5530	5580	5620	5660	5710
4700ft [3917ft]	5490	5530	5570	5620	5660	5700	5750	5790	5840
4800ft [4017ft]	5610	5650	5700	5740	5780	5830	5870	5920	5960
4900ft [4117ft]	5730	5780	5820	5860	5910	5950	6000	6050	6090
5000ft [4217ft]	5850	5900	5940	5990	6030	6080	6130	6170	6220
5100ft [4317ft]	5970	6020	6060	6110	6160	6200	6250	6300	6350
5200ft [4417ft]	6100	6140	6190	6230	6280	6330	6380	6430	6480
5300ft [4517ft]	6220	6260	6310	6360	6410	6460	6510	6560	6610
5400ft [4617ft]	6340	6380	6430	6480	6530	6580	6630	6690	6740
5500ft [4717ft]	6460	6510	6560	6610	6660	6710	6760	6820	6870
5600ft [4817ft]	6580	6630	6680	6730	6780	6830	6890	6940	7000
5700ft [4917ft]	6700	6750	6800	6850	6910	6960	7020	7070	7130
5783ft [5000ft]	6800	6850	6900	6960	7010	7070	7120	7180	7240

Stefano M. RAPISARDA - flightdeckengineering.com

5 New Brunswick Airports

5.1 CYFC - FREDERICTON, NB, CANADA 119

5.2 CYQM - MONCTON, NB, CANADA 123

5.3 CYSJ - SAINT JOHN, NB, CANADA 127

5.4 CZBF - BATHURST, NB, CANADA 131

CYFC - Fredericton, NB, CANADA

Station Elevation: 67 feet. ISA Standard Temperature: 14.87°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
67ft [0ft]	70	70	70	70	70	70	70	70	70
100ft [33ft]	100	110	110	110	110	110	110	110	110
200ft [133ft]	200	210	210	210	210	210	210	210	210
300ft [233ft]	300	310	310	310	310	310	320	320	320
400ft [333ft]	400	410	410	410	410	420	420	420	420
500ft [433ft]	500	510	510	510	520	520	520	530	530
600ft [533ft]	600	610	610	620	620	620	630	630	640
700ft [633ft]	700	710	710	720	720	730	730	740	740
800ft [733ft]	800	810	820	820	830	830	840	840	850
900ft [833ft]	900	910	920	920	930	930	940	950	950
1000ft [933ft]	1000	1010	1020	1020	1030	1040	1050	1050	1060
1100ft [1033ft]	1100	1110	1120	1130	1130	1140	1150	1160	1170
1200ft [1133ft]	1200	1210	1220	1230	1240	1250	1250	1260	1270
1300ft [1233ft]	1300	1310	1320	1330	1340	1350	1360	1370	1380
1400ft [1333ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1433ft]	1500	1510	1520	1530	1550	1560	1570	1580	1590
1600ft [1533ft]	1600	1620	1630	1640	1650	1660	1670	1680	1690
1700ft [1633ft]	1700	1720	1730	1740	1750	1760	1780	1790	1800
1800ft [1733ft]	1800	1820	1830	1840	1850	1870	1880	1890	1910
1900ft [1833ft]	1900	1920	1930	1940	1960	1970	1980	2000	2010
2000ft [1933ft]	2000	2020	2030	2050	2060	2070	2090	2100	2120
2100ft [2033ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2200ft [2133ft]	2200	2220	2230	2250	2270	2280	2300	2310	2330
2300ft [2233ft]	2300	2320	2340	2350	2370	2380	2400	2420	2440
2400ft [2333ft]	2400	2420	2440	2450	2470	2490	2510	2520	2540
2500ft [2433ft]	2500	2520	2540	2560	2570	2590	2610	2630	2650
2600ft [2533ft]	2600	2620	2640	2660	2680	2700	2710	2730	2750
2700ft [2633ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2733ft]	2800	2820	2840	2860	2880	2900	2920	2940	2970
2900ft [2833ft]	2900	2920	2940	2960	2990	3010	3030	3050	3070
3000ft [2933ft]	3000	3020	3050	3070	3090	3110	3130	3150	3180
3100ft [3033ft]	3100	3130	3150	3170	3190	3210	3240	3260	3280
3200ft [3133ft]	3200	3230	3250	3270	3290	3320	3340	3370	3390
3300ft [3233ft]	3300	3330	3350	3370	3400	3420	3450	3470	3500
3400ft [3333ft]	3400	3430	3450	3480	3500	3520	3550	3580	3600
3500ft [3433ft]	3500	3530	3550	3580	3600	3630	3650	3680	3710
3600ft [3533ft]	3600	3630	3650	3680	3710	3730	3760	3790	3810
3700ft [3633ft]	3700	3730	3760	3780	3810	3840	3860	3890	3920
3800ft [3733ft]	3800	3830	3860	3880	3910	3940	3970	4000	4030
3900ft [3833ft]	3900	3930	3960	3990	4010	4040	4070	4100	4130
4000ft [3933ft]	4000	4030	4060	4090	4120	4150	4180	4210	4240
4100ft [4033ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4200ft [4133ft]	4200	4230	4260	4290	4320	4350	4390	4420	4450
4300ft [4233ft]	4300	4330	4360	4390	4430	4460	4490	4520	4560
4400ft [4333ft]	4400	4430	4460	4500	4530	4560	4590	4630	4660
4500ft [4433ft]	4500	4530	4570	4600	4630	4660	4700	4730	4770
4600ft [4533ft]	4600	4640	4670	4700	4730	4770	4800	4840	4870
4700ft [4633ft]	4700	4740	4770	4800	4840	4870	4910	4940	4980
4800ft [4733ft]	4800	4840	4870	4910	4940	4980	5010	5050	5090
4900ft [4833ft]	4900	4940	4970	5010	5040	5080	5120	5150	5190
5000ft [4933ft]	5000	5040	5070	5110	5150	5180	5220	5260	5300
5067ft [5000ft]	5070	5110	5140	5180	5210	5250	5290	5330	5370

Stefano M. RAPISARDA - flightdeckengineering.com

CYFC - Fredericton, NB, CANADA

Station Elevation: 67 feet. ISA Standard Temperature: 14.87°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
67ft [0ft]	70	70	70	70	70	70	70	70	70
100ft [33ft]	110	110	110	110	110	110	110	110	110
200ft [133ft]	210	210	210	220	220	220	220	220	220
300ft [233ft]	320	320	320	320	330	330	330	330	330
400ft [333ft]	420	430	430	430	440	440	440	440	450
500ft [433ft]	530	530	540	540	540	550	550	560	560
600ft [533ft]	640	640	640	650	650	660	660	670	670
700ft [633ft]	740	750	750	760	760	770	770	780	780
800ft [733ft]	850	850	860	870	870	880	880	890	900
900ft [833ft]	950	960	970	970	980	990	990	1000	1010
1000ft [933ft]	1060	1070	1070	1080	1090	1100	1110	1110	1120
1100ft [1033ft]	1170	1170	1180	1190	1200	1210	1220	1230	1230
1200ft [1133ft]	1270	1280	1290	1300	1310	1320	1330	1340	1350
1300ft [1233ft]	1380	1390	1400	1410	1420	1430	1440	1450	1460
1400ft [1333ft]	1480	1490	1500	1520	1530	1540	1550	1560	1570
1500ft [1433ft]	1590	1600	1610	1620	1640	1650	1660	1670	1680
1600ft [1533ft]	1690	1710	1720	1730	1740	1760	1770	1780	1800
1700ft [1633ft]	1800	1810	1830	1840	1850	1870	1880	1900	1910
1800ft [1733ft]	1910	1920	1930	1950	1960	1980	1990	2010	2020
1900ft [1833ft]	2010	2030	2040	2060	2070	2090	2100	2120	2130
2000ft [1933ft]	2120	2130	2150	2170	2180	2200	2210	2230	2250
2100ft [2033ft]	2220	2240	2260	2270	2290	2310	2320	2340	2360
2200ft [2133ft]	2330	2350	2360	2380	2400	2420	2440	2450	2470
2300ft [2233ft]	2440	2450	2470	2490	2510	2530	2550	2570	2590
2400ft [2333ft]	2540	2560	2580	2600	2620	2640	2660	2680	2700
2500ft [2433ft]	2650	2670	2690	2710	2730	2750	2770	2790	2810
2600ft [2533ft]	2750	2770	2790	2820	2840	2860	2880	2900	2920
2700ft [2633ft]	2860	2880	2900	2920	2950	2970	2990	3010	3040
2800ft [2733ft]	2970	2990	3010	3030	3050	3080	3100	3120	3150
2900ft [2833ft]	3070	3090	3120	3140	3160	3190	3210	3240	3260
3000ft [2933ft]	3180	3200	3220	3250	3270	3300	3320	3350	3370
3100ft [3033ft]	3280	3310	3330	3360	3380	3410	3430	3460	3490
3200ft [3133ft]	3390	3410	3440	3470	3490	3520	3540	3570	3600
3300ft [3233ft]	3500	3520	3550	3570	3600	3630	3660	3680	3710
3400ft [3333ft]	3600	3630	3660	3680	3710	3740	3770	3800	3830
3500ft [3433ft]	3710	3740	3760	3790	3820	3850	3880	3910	3940
3600ft [3533ft]	3810	3840	3870	3900	3930	3960	3990	4020	4050
3700ft [3633ft]	3920	3950	3980	4010	4040	4070	4100	4130	4160
3800ft [3733ft]	4030	4060	4090	4120	4150	4180	4210	4240	4280
3900ft [3833ft]	4130	4160	4190	4220	4260	4290	4320	4360	4390
4000ft [3933ft]	4240	4270	4300	4330	4370	4400	4430	4470	4500
4100ft [4033ft]	4340	4380	4410	4440	4480	4510	4540	4580	4610
4200ft [4133ft]	4450	4480	4520	4550	4580	4620	4650	4690	4730
4300ft [4233ft]	4560	4590	4620	4660	4690	4730	4770	4800	4840
4400ft [4333ft]	4660	4700	4730	4770	4800	4840	4880	4910	4950
4500ft [4433ft]	4770	4800	4840	4880	4910	4950	4990	5030	5070
4600ft [4533ft]	4870	4910	4950	4980	5020	5060	5100	5140	5180
4700ft [4633ft]	4980	5020	5050	5090	5130	5170	5210	5250	5290
4800ft [4733ft]	5090	5120	5160	5200	5240	5280	5320	5360	5400
4900ft [4833ft]	5190	5230	5270	5310	5350	5390	5430	5470	5520
5000ft [4933ft]	5300	5340	5380	5420	5460	5500	5540	5590	5630
5067ft [5000ft]	5370	5410	5450	5490	5530	5580	5620	5660	5710

Stefano M. RAPISARDA - flightdeckengineering.com

CYFC - Fredericton, NB, CANADA

Station Elevation: 67 feet. ISA Standard Temperature: 14.87°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
67ft [0ft]	70	70	70	70	70	70	70	70	70
100ft [33ft]	110	110	110	110	110	110	110	110	110
200ft [133ft]	220	220	220	230	230	230	230	230	230
300ft [233ft]	330	340	340	340	340	340	350	350	350
400ft [333ft]	450	450	450	460	460	460	460	470	470
500ft [433ft]	560	560	570	570	570	580	580	590	590
600ft [533ft]	670	680	680	690	690	700	700	710	710
700ft [633ft]	780	790	800	800	810	810	820	830	830
800ft [733ft]	900	900	910	920	920	930	940	940	950
900ft [833ft]	1010	1020	1020	1030	1040	1050	1060	1060	1070
1000ft [933ft]	1120	1130	1140	1150	1160	1160	1170	1180	1190
1100ft [1033ft]	1230	1240	1250	1260	1270	1280	1290	1300	1310
1200ft [1133ft]	1350	1360	1370	1380	1390	1400	1410	1420	1430
1300ft [1233ft]	1460	1470	1480	1490	1500	1520	1530	1540	1550
1400ft [1333ft]	1570	1580	1600	1610	1620	1630	1650	1660	1670
1500ft [1433ft]	1680	1700	1710	1720	1740	1750	1760	1780	1790
1600ft [1533ft]	1800	1810	1820	1840	1850	1870	1880	1900	1910
1700ft [1633ft]	1910	1920	1940	1950	1970	1980	2000	2020	2030
1800ft [1733ft]	2020	2040	2050	2070	2090	2100	2120	2140	2150
1900ft [1833ft]	2130	2150	2170	2180	2200	2220	2240	2250	2270
2000ft [1933ft]	2250	2260	2280	2300	2320	2340	2360	2370	2390
2100ft [2033ft]	2360	2380	2400	2420	2430	2450	2470	2490	2510
2200ft [2133ft]	2470	2490	2510	2530	2550	2570	2590	2610	2630
2300ft [2233ft]	2590	2610	2630	2650	2670	2690	2710	2730	2750
2400ft [2333ft]	2700	2720	2740	2760	2780	2810	2830	2850	2870
2500ft [2433ft]	2810	2830	2850	2880	2900	2920	2950	2970	3000
2600ft [2533ft]	2920	2950	2970	2990	3020	3040	3060	3090	3120
2700ft [2633ft]	3040	3060	3080	3110	3130	3160	3180	3210	3240
2800ft [2733ft]	3150	3170	3200	3220	3250	3280	3300	3330	3360
2900ft [2833ft]	3260	3290	3310	3340	3370	3390	3420	3450	3480
3000ft [2933ft]	3370	3400	3430	3450	3480	3510	3540	3570	3600
3100ft [3033ft]	3490	3510	3540	3570	3600	3630	3660	3690	3720
3200ft [3133ft]	3600	3630	3660	3690	3710	3740	3780	3810	3840
3300ft [3233ft]	3710	3740	3770	3800	3830	3860	3890	3930	3960
3400ft [3333ft]	3830	3860	3890	3920	3950	3980	4010	4050	4080
3500ft [3433ft]	3940	3970	4000	4030	4060	4100	4130	4160	4200
3600ft [3533ft]	4050	4080	4110	4150	4180	4210	4250	4280	4320
3700ft [3633ft]	4160	4200	4230	4260	4300	4330	4370	4400	4440
3800ft [3733ft]	4280	4310	4340	4380	4410	4450	4490	4520	4560
3900ft [3833ft]	4390	4420	4460	4490	4530	4570	4600	4640	4680
4000ft [3933ft]	4500	4540	4570	4610	4650	4680	4720	4760	4800
4100ft [4033ft]	4610	4650	4690	4730	4760	4800	4840	4880	4920
4200ft [4133ft]	4730	4760	4800	4840	4880	4920	4960	5000	5040
4300ft [4233ft]	4840	4880	4920	4960	5000	5040	5080	5120	5160
4400ft [4333ft]	4950	4990	5030	5070	5110	5160	5200	5240	5280
4500ft [4433ft]	5070	5110	5150	5190	5230	5270	5320	5360	5410
4600ft [4533ft]	5180	5220	5260	5300	5350	5390	5430	5480	5530
4700ft [4633ft]	5290	5330	5380	5420	5460	5510	5550	5600	5650
4800ft [4733ft]	5400	5450	5490	5540	5580	5630	5670	5720	5770
4900ft [4833ft]	5520	5560	5610	5650	5700	5740	5790	5840	5890
5000ft [4933ft]	5630	5680	5720	5770	5810	5860	5910	5960	6010
5067ft [5000ft]	5710	5750	5800	5840	5890	5940	5990	6040	6090

Stefano M. RAPISARDA - flightdeckengineering.com

CYFC - Fredericton, NB, CANADA

Station Elevation: 67 feet. ISA Standard Temperature: 14.87°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
67ft [0ft]	70	70	70	70	70	70	70	70	70
100ft [33ft]	110	110	110	110	110	110	110	110	110
200ft [133ft]	230	230	230	240	240	240	240	240	240
300ft [233ft]	350	350	360	360	360	360	370	370	370
400ft [333ft]	470	470	480	480	490	490	490	500	500
500ft [433ft]	590	600	600	600	610	610	620	620	630
600ft [533ft]	710	720	720	730	730	740	750	750	760
700ft [633ft]	830	840	840	850	860	860	870	880	890
800ft [733ft]	950	960	970	970	980	990	1000	1010	1020
900ft [833ft]	1070	1080	1090	1100	1110	1120	1120	1130	1150
1000ft [933ft]	1190	1200	1210	1220	1230	1240	1250	1260	1280
1100ft [1033ft]	1310	1320	1330	1340	1350	1370	1380	1390	1410
1200ft [1133ft]	1430	1440	1460	1470	1480	1490	1500	1520	1540
1300ft [1233ft]	1550	1560	1580	1590	1600	1620	1630	1640	1670
1400ft [1333ft]	1670	1690	1700	1710	1730	1740	1760	1770	1790
1500ft [1433ft]	1790	1810	1820	1840	1850	1870	1880	1900	1920
1600ft [1533ft]	1910	1930	1940	1960	1980	1990	2010	2030	2050
1700ft [1633ft]	2030	2050	2070	2080	2100	2120	2140	2160	2180
1800ft [1733ft]	2150	2170	2190	2210	2230	2240	2260	2280	2310
1900ft [1833ft]	2270	2290	2310	2330	2350	2370	2390	2410	2440
2000ft [1933ft]	2390	2410	2430	2450	2470	2500	2520	2540	2570
2100ft [2033ft]	2510	2530	2560	2580	2600	2620	2640	2670	2700
2200ft [2133ft]	2630	2660	2680	2700	2720	2750	2770	2790	2830
2300ft [2233ft]	2750	2780	2800	2820	2850	2870	2900	2920	2960
2400ft [2333ft]	2870	2900	2920	2950	2970	3000	3020	3050	3090
2500ft [2433ft]	3000	3020	3050	3070	3100	3120	3150	3180	3220
2600ft [2533ft]	3120	3140	3170	3190	3220	3250	3280	3310	3350
2700ft [2633ft]	3240	3260	3290	3320	3350	3370	3400	3430	3480
2800ft [2733ft]	3360	3380	3410	3440	3470	3500	3530	3560	3610
2900ft [2833ft]	3480	3510	3530	3560	3600	3630	3660	3690	3740
3000ft [2933ft]	3600	3630	3660	3690	3720	3750	3780	3820	3870
3100ft [3033ft]	3720	3750	3780	3810	3840	3880	3910	3950	4000
3200ft [3133ft]	3840	3870	3900	3940	3970	4000	4040	4070	4130
3300ft [3233ft]	3960	3990	4030	4060	4090	4130	4170	4200	4260
3400ft [3333ft]	4080	4110	4150	4180	4220	4260	4290	4330	4390
3500ft [3433ft]	4200	4230	4270	4310	4340	4380	4420	4460	4520
3600ft [3533ft]	4320	4360	4390	4430	4470	4510	4550	4590	4650
3700ft [3633ft]	4440	4480	4520	4550	4590	4630	4670	4720	4780
3800ft [3733ft]	4560	4600	4640	4680	4720	4760	4800	4840	4910
3900ft [3833ft]	4680	4720	4760	4800	4840	4890	4930	4970	5040
4000ft [3933ft]	4800	4840	4880	4930	4970	5010	5060	5100	5170
4100ft [4033ft]	4920	4960	5010	5050	5090	5140	5180	5230	5300
4200ft [4133ft]	5040	5090	5130	5170	5220	5260	5310	5360	5430
4300ft [4233ft]	5160	5210	5250	5300	5340	5390	5440	5490	5560
4400ft [4333ft]	5280	5330	5370	5420	5470	5520	5560	5610	5690
4500ft [4433ft]	5410	5450	5500	5540	5590	5640	5690	5740	5820
4600ft [4533ft]	5530	5570	5620	5670	5720	5770	5820	5870	5950
4700ft [4633ft]	5650	5690	5740	5790	5840	5890	5950	6000	6080
4800ft [4733ft]	5770	5820	5870	5920	5970	6020	6070	6130	6210
4900ft [4833ft]	5890	5940	5990	6040	6090	6150	6200	6260	6340
5000ft [4933ft]	6010	6060	6110	6160	6220	6270	6330	6380	6470
5067ft [5000ft]	6090	6140	6190	6250	6300	6360	6410	6470	6560

Stefano M. RAPISARDA - flightdeckengineering.com

CYQM - Moncton, NB, CANADA

Station Elevation: 232 feet. ISA Standard Temperature: 14.54°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
232ft [0ft]	240	240	240	240	240	240	240	240	240
300ft [68ft]	300	310	310	310	310	310	310	310	310
400ft [168ft]	400	410	410	410	410	410	410	410	410
500ft [268ft]	500	510	510	510	510	510	520	520	520
600ft [368ft]	600	610	610	610	610	620	620	620	630
700ft [468ft]	700	710	710	710	720	720	720	730	730
800ft [568ft]	800	810	810	820	820	820	830	830	840
900ft [668ft]	900	910	910	920	920	930	930	940	940
1000ft [768ft]	1000	1010	1010	1020	1030	1030	1040	1040	1050
1100ft [868ft]	1100	1110	1120	1120	1130	1130	1140	1150	1150
1200ft [968ft]	1200	1210	1220	1220	1230	1240	1250	1250	1260
1300ft [1068ft]	1300	1310	1320	1330	1330	1340	1350	1360	1370
1400ft [1168ft]	1400	1410	1420	1430	1440	1450	1450	1460	1470
1500ft [1268ft]	1500	1510	1520	1530	1540	1550	1560	1570	1580
1600ft [1368ft]	1600	1610	1620	1630	1640	1650	1660	1670	1680
1700ft [1468ft]	1700	1710	1720	1730	1740	1760	1770	1780	1790
1800ft [1568ft]	1800	1810	1820	1840	1850	1860	1870	1880	1900
1900ft [1668ft]	1900	1910	1930	1940	1950	1960	1980	1990	2000
2000ft [1768ft]	2000	2010	2030	2040	2050	2070	2080	2090	2110
2100ft [1868ft]	2100	2120	2130	2140	2160	2170	2180	2200	2210
2200ft [1968ft]	2200	2220	2230	2240	2260	2270	2290	2300	2320
2300ft [2068ft]	2300	2320	2330	2350	2360	2380	2390	2410	2420
2400ft [2168ft]	2400	2420	2430	2450	2460	2480	2500	2510	2530
2500ft [2268ft]	2500	2520	2530	2550	2570	2580	2600	2620	2640
2600ft [2368ft]	2600	2620	2630	2650	2670	2690	2700	2720	2740
2700ft [2468ft]	2700	2720	2740	2750	2770	2790	2810	2830	2850
2800ft [2568ft]	2800	2820	2840	2860	2870	2890	2910	2930	2950
2900ft [2668ft]	2900	2920	2940	2960	2980	3000	3020	3040	3060
3000ft [2768ft]	3000	3020	3040	3060	3080	3100	3120	3140	3160
3100ft [2868ft]	3100	3120	3140	3160	3180	3200	3230	3250	3270
3200ft [2968ft]	3200	3220	3240	3260	3290	3310	3330	3350	3380
3300ft [3068ft]	3300	3320	3340	3370	3390	3410	3430	3460	3480
3400ft [3168ft]	3400	3420	3440	3470	3490	3510	3540	3560	3590
3500ft [3268ft]	3500	3520	3550	3570	3590	3620	3640	3670	3690
3600ft [3368ft]	3600	3620	3650	3670	3700	3720	3750	3770	3800
3700ft [3468ft]	3700	3720	3750	3770	3800	3830	3850	3880	3910
3800ft [3568ft]	3800	3820	3850	3880	3900	3930	3960	3980	4010
3900ft [3668ft]	3900	3920	3950	3980	4000	4030	4060	4090	4120
4000ft [3768ft]	4000	4030	4050	4080	4110	4140	4160	4190	4220
4100ft [3868ft]	4100	4130	4150	4180	4210	4240	4270	4300	4330
4200ft [3968ft]	4200	4230	4260	4280	4310	4340	4370	4400	4430
4300ft [4068ft]	4300	4330	4360	4390	4420	4450	4480	4510	4540
4400ft [4168ft]	4400	4430	4460	4490	4520	4550	4580	4610	4650
4500ft [4268ft]	4500	4530	4560	4590	4620	4650	4690	4720	4750
4600ft [4368ft]	4600	4630	4660	4690	4720	4760	4790	4820	4860
4700ft [4468ft]	4700	4730	4760	4790	4830	4860	4890	4930	4960
4800ft [4568ft]	4800	4830	4860	4900	4930	4960	5000	5030	5070
4900ft [4668ft]	4900	4930	4960	5000	5030	5070	5100	5140	5180
5000ft [4768ft]	5000	5030	5070	5100	5140	5170	5210	5240	5280
5100ft [4868ft]	5100	5130	5170	5200	5240	5270	5310	5350	5390
5200ft [4968ft]	5200	5230	5270	5300	5340	5380	5420	5450	5490
5232ft [5000ft]	5232	5260	5300	5340	5370	5410	5450	5490	5530

Stefano M. RAPISARDA - flightdeckengineering.com

CYQM - Moncton, NB, CANADA

Station Elevation: 232 feet. ISA Standard Temperature: 14.54°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
232ft [0ft]	240	240	240	240	240	240	240	240	240
300ft [68ft]	310	310	310	310	310	310	310	310	310
400ft [168ft]	410	420	420	420	420	420	420	420	430
500ft [268ft]	520	520	520	530	530	530	530	540	540
600ft [368ft]	630	630	630	630	640	640	640	650	650
700ft [468ft]	730	740	740	740	750	750	750	760	760
800ft [568ft]	840	840	850	850	860	860	870	870	880
900ft [668ft]	940	950	950	960	960	970	980	980	990
1000ft [768ft]	1050	1050	1060	1070	1070	1080	1090	1090	1100
1100ft [868ft]	1150	1160	1170	1180	1180	1190	1200	1200	1210
1200ft [968ft]	1260	1270	1280	1280	1290	1300	1310	1320	1320
1300ft [1068ft]	1370	1370	1380	1390	1400	1410	1420	1430	1440
1400ft [1168ft]	1470	1480	1490	1500	1510	1520	1530	1540	1550
1500ft [1268ft]	1580	1590	1600	1610	1620	1630	1640	1650	1660
1600ft [1368ft]	1680	1690	1710	1720	1730	1740	1750	1760	1770
1700ft [1468ft]	1790	1800	1810	1820	1840	1850	1860	1870	1890
1800ft [1568ft]	1900	1910	1920	1930	1950	1960	1970	1990	2000
1900ft [1668ft]	2000	2010	2030	2040	2050	2070	2080	2100	2110
2000ft [1768ft]	2110	2120	2130	2150	2160	2180	2190	2210	2220
2100ft [1868ft]	2210	2230	2240	2260	2270	2290	2300	2320	2340
2200ft [1968ft]	2320	2330	2350	2370	2380	2400	2410	2430	2450
2300ft [2068ft]	2420	2440	2460	2470	2490	2510	2530	2540	2560
2400ft [2168ft]	2530	2550	2560	2580	2600	2620	2640	2660	2670
2500ft [2268ft]	2640	2650	2670	2690	2710	2730	2750	2770	2790
2600ft [2368ft]	2740	2760	2780	2800	2820	2840	2860	2880	2900
2700ft [2468ft]	2850	2870	2890	2910	2930	2950	2970	2990	3010
2800ft [2568ft]	2950	2970	2990	3010	3040	3060	3080	3100	3120
2900ft [2668ft]	3060	3080	3100	3120	3150	3170	3190	3210	3240
3000ft [2768ft]	3160	3190	3210	3230	3250	3280	3300	3330	3350
3100ft [2868ft]	3270	3290	3320	3340	3360	3390	3410	3440	3460
3200ft [2968ft]	3380	3400	3420	3450	3470	3500	3520	3550	3570
3300ft [3068ft]	3480	3510	3530	3560	3580	3610	3630	3660	3690
3400ft [3168ft]	3590	3610	3640	3660	3690	3720	3740	3770	3800
3500ft [3268ft]	3690	3720	3750	3770	3800	3830	3860	3880	3910
3600ft [3368ft]	3800	3830	3850	3880	3910	3940	3970	4000	4030
3700ft [3468ft]	3910	3930	3960	3990	4020	4050	4080	4110	4140
3800ft [3568ft]	4010	4040	4070	4100	4130	4160	4190	4220	4250
3900ft [3668ft]	4120	4150	4180	4210	4240	4270	4300	4330	4360
4000ft [3768ft]	4220	4250	4280	4310	4350	4380	4410	4440	4480
4100ft [3868ft]	4330	4360	4390	4420	4450	4490	4520	4550	4590
4200ft [3968ft]	4430	4470	4500	4530	4560	4600	4630	4670	4700
4300ft [4068ft]	4540	4570	4610	4640	4670	4710	4740	4780	4810
4400ft [4168ft]	4650	4680	4710	4750	4780	4820	4850	4890	4930
4500ft [4268ft]	4750	4790	4820	4860	4890	4930	4960	5000	5040
4600ft [4368ft]	4860	4890	4930	4960	5000	5040	5080	5110	5150
4700ft [4468ft]	4960	5000	5040	5070	5110	5150	5190	5230	5260
4800ft [4568ft]	5070	5110	5140	5180	5220	5260	5300	5340	5380
4900ft [4668ft]	5180	5210	5250	5290	5330	5370	5410	5450	5490
5000ft [4768ft]	5280	5320	5360	5400	5440	5480	5520	5560	5600
5100ft [4868ft]	5390	5430	5470	5510	5550	5590	5630	5670	5720
5200ft [4968ft]	5490	5530	5570	5610	5660	5700	5740	5780	5830
5232ft [5000ft]	5530	5570	5610	5650	5690	5730	5780	5820	5860

Stefano M. RAPISARDA - flightdeckengineering.com

CYQM - Moncton, NB, CANADA

Station Elevation: 232 feet. ISA Standard Temperature: 14.54°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
232ft [0ft]	240	240	240	240	240	240	240	240	240
300ft [68ft]	310	310	310	320	320	320	320	320	320
400ft [168ft]	430	430	430	430	430	430	430	440	440
500ft [268ft]	540	540	540	550	550	550	550	560	560
600ft [368ft]	650	650	660	660	660	670	670	670	680
700ft [468ft]	760	770	770	780	780	780	790	790	800
800ft [568ft]	880	880	890	890	900	900	910	910	920
900ft [668ft]	990	990	1000	1010	1010	1020	1020	1030	1040
1000ft [768ft]	1100	1110	1110	1120	1130	1130	1140	1150	1160
1100ft [868ft]	1210	1220	1230	1240	1240	1250	1260	1270	1280
1200ft [968ft]	1320	1330	1340	1350	1360	1370	1380	1390	1400
1300ft [1068ft]	1440	1450	1460	1470	1480	1490	1500	1510	1520
1400ft [1168ft]	1550	1560	1570	1580	1590	1600	1610	1630	1640
1500ft [1268ft]	1660	1670	1680	1700	1710	1720	1730	1740	1760
1600ft [1368ft]	1770	1790	1800	1810	1820	1840	1850	1860	1880
1700ft [1468ft]	1890	1900	1910	1930	1940	1950	1970	1980	2000
1800ft [1568ft]	2000	2010	2030	2040	2060	2070	2090	2100	2120
1900ft [1668ft]	2110	2130	2140	2160	2170	2190	2200	2220	2240
2000ft [1768ft]	2220	2240	2260	2270	2290	2310	2320	2340	2360
2100ft [1868ft]	2340	2350	2370	2390	2400	2420	2440	2460	2480
2200ft [1968ft]	2450	2470	2480	2500	2520	2540	2560	2580	2600
2300ft [2068ft]	2560	2580	2600	2620	2640	2660	2680	2700	2720
2400ft [2168ft]	2670	2690	2710	2730	2750	2770	2790	2820	2840
2500ft [2268ft]	2790	2810	2830	2850	2870	2890	2910	2940	2960
2600ft [2368ft]	2900	2920	2940	2960	2990	3010	3030	3050	3080
2700ft [2468ft]	3010	3030	3060	3080	3100	3130	3150	3170	3200
2800ft [2568ft]	3120	3150	3170	3190	3220	3240	3270	3290	3320
2900ft [2668ft]	3240	3260	3280	3310	3330	3360	3390	3410	3440
3000ft [2768ft]	3350	3370	3400	3420	3450	3480	3500	3530	3560
3100ft [2868ft]	3460	3490	3510	3540	3570	3590	3620	3650	3680
3200ft [2968ft]	3570	3600	3630	3660	3680	3710	3740	3770	3800
3300ft [3068ft]	3690	3710	3740	3770	3800	3830	3860	3890	3920
3400ft [3168ft]	3800	3830	3860	3890	3920	3950	3980	4010	4040
3500ft [3268ft]	3910	3940	3970	4000	4030	4060	4100	4130	4160
3600ft [3368ft]	4030	4060	4090	4120	4150	4180	4210	4250	4280
3700ft [3468ft]	4140	4170	4200	4230	4270	4300	4330	4370	4400
3800ft [3568ft]	4250	4280	4310	4350	4380	4420	4450	4490	4520
3900ft [3668ft]	4360	4400	4430	4460	4500	4530	4570	4610	4640
4000ft [3768ft]	4480	4510	4540	4580	4610	4650	4690	4720	4760
4100ft [3868ft]	4590	4620	4660	4690	4730	4770	4810	4840	4880
4200ft [3968ft]	4700	4740	4770	4810	4850	4890	4920	4960	5000
4300ft [4068ft]	4810	4850	4890	4930	4960	5000	5040	5080	5120
4400ft [4168ft]	4930	4960	5000	5040	5080	5120	5160	5200	5240
4500ft [4268ft]	5040	5080	5120	5160	5200	5240	5280	5320	5360
4600ft [4368ft]	5150	5190	5230	5270	5310	5360	5400	5440	5490
4700ft [4468ft]	5260	5300	5350	5390	5430	5470	5520	5560	5610
4800ft [4568ft]	5380	5420	5460	5500	5550	5590	5630	5680	5730
4900ft [4668ft]	5490	5530	5580	5620	5660	5710	5750	5800	5850
5000ft [4768ft]	5600	5650	5690	5730	5780	5830	5870	5920	5970
5100ft [4868ft]	5720	5760	5800	5850	5900	5940	5990	6040	6090
5200ft [4968ft]	5830	5870	5920	5970	6010	6060	6110	6160	6210
5232ft [5000ft]	5860	5910	5960	6000	6050	6100	6150	6200	6250

Stefano M. RAPISARDA - flightdeckengineering.com

CYQM - Moncton, NB, CANADA

Station Elevation: 232 feet. ISA Standard Temperature: 14.54°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
232ft [0ft]	240	240	240	240	240	240	240	240	240
300ft [68ft]	320	320	320	320	320	320	320	320	320
400ft [168ft]	440	440	440	440	450	450	450	450	450
500ft [268ft]	560	560	560	570	570	570	570	580	580
600ft [368ft]	680	680	690	690	690	700	700	710	710
700ft [468ft]	800	800	810	810	820	820	830	830	840
800ft [568ft]	920	920	930	940	940	950	950	960	970
900ft [668ft]	1040	1040	1050	1060	1070	1070	1080	1090	1100
1000ft [768ft]	1160	1170	1170	1180	1190	1200	1210	1210	1230
1100ft [868ft]	1280	1290	1300	1300	1310	1320	1330	1340	1360
1200ft [968ft]	1400	1410	1420	1430	1440	1450	1460	1470	1490
1300ft [1068ft]	1520	1530	1540	1550	1560	1570	1580	1600	1620
1400ft [1168ft]	1640	1650	1660	1670	1690	1700	1710	1720	1740
1500ft [1268ft]	1760	1770	1780	1800	1810	1820	1840	1850	1870
1600ft [1368ft]	1880	1890	1910	1920	1930	1950	1960	1980	2000
1700ft [1468ft]	2000	2010	2030	2040	2060	2070	2090	2110	2130
1800ft [1568ft]	2120	2130	2150	2170	2180	2200	2220	2230	2260
1900ft [1668ft]	2240	2250	2270	2290	2310	2320	2340	2360	2390
2000ft [1768ft]	2360	2380	2390	2410	2430	2450	2470	2490	2520
2100ft [1868ft]	2480	2500	2520	2540	2560	2580	2600	2620	2650
2200ft [1968ft]	2600	2620	2640	2660	2680	2700	2720	2740	2780
2300ft [2068ft]	2720	2740	2760	2780	2800	2830	2850	2870	2910
2400ft [2168ft]	2840	2860	2880	2910	2930	2950	2980	3000	3040
2500ft [2268ft]	2960	2980	3000	3030	3050	3080	3100	3130	3170
2600ft [2368ft]	3080	3100	3130	3150	3180	3200	3230	3260	3300
2700ft [2468ft]	3200	3220	3250	3280	3300	3330	3360	3380	3430
2800ft [2568ft]	3320	3340	3370	3400	3430	3450	3480	3510	3560
2900ft [2668ft]	3440	3470	3490	3520	3550	3580	3610	3640	3690
3000ft [2768ft]	3560	3590	3620	3650	3670	3710	3740	3770	3820
3100ft [2868ft]	3680	3710	3740	3770	3800	3830	3860	3900	3940
3200ft [2968ft]	3800	3830	3860	3890	3920	3960	3990	4020	4070
3300ft [3068ft]	3920	3950	3980	4020	4050	4080	4120	4150	4200
3400ft [3168ft]	4040	4070	4110	4140	4170	4210	4240	4280	4330
3500ft [3268ft]	4160	4190	4230	4260	4300	4330	4370	4410	4460
3600ft [3368ft]	4280	4320	4350	4390	4420	4460	4500	4530	4590
3700ft [3468ft]	4400	4440	4470	4510	4550	4580	4620	4660	4720
3800ft [3568ft]	4520	4560	4600	4630	4670	4710	4750	4790	4850
3900ft [3668ft]	4640	4680	4720	4760	4800	4840	4880	4920	4980
4000ft [3768ft]	4760	4800	4840	4880	4920	4960	5000	5050	5110
4100ft [3868ft]	4880	4920	4960	5000	5050	5090	5130	5180	5240
4200ft [3968ft]	5000	5040	5090	5130	5170	5210	5260	5300	5370
4300ft [4068ft]	5120	5170	5210	5250	5300	5340	5390	5430	5500
4400ft [4168ft]	5240	5290	5330	5370	5420	5470	5510	5560	5630
4500ft [4268ft]	5360	5410	5450	5500	5540	5590	5640	5690	5760
4600ft [4368ft]	5490	5530	5580	5620	5670	5720	5770	5820	5890
4700ft [4468ft]	5610	5650	5700	5750	5790	5840	5890	5940	6020
4800ft [4568ft]	5730	5770	5820	5870	5920	5970	6020	6070	6150
4900ft [4668ft]	5850	5890	5940	5990	6040	6100	6150	6200	6280
5000ft [4768ft]	5970	6020	6070	6120	6170	6220	6280	6330	6410
5100ft [4868ft]	6090	6140	6190	6240	6290	6350	6400	6460	6540
5200ft [4968ft]	6210	6260	6310	6360	6420	6470	6530	6590	6670
5232ft [5000ft]	6250	6300	6350	6400	6460	6510	6570	6630	6720

Stefano M. RAPISARDA - flightdeckengineering.com

CYSJ - Saint John, NB, CANADA

Station Elevation: 357 feet. ISA Standard Temperature: 14.29°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
357ft [0ft]	360	360	360	360	360	360	360	360	360
400ft [43ft]	400	410	410	410	410	410	410	410	410
500ft [143ft]	500	510	510	510	510	510	510	510	510
600ft [243ft]	600	610	610	610	610	610	610	620	620
700ft [343ft]	700	710	710	710	710	720	720	720	720
800ft [443ft]	800	810	810	810	820	820	820	830	830
900ft [543ft]	900	910	910	920	920	920	930	930	940
1000ft [643ft]	1000	1010	1010	1020	1020	1030	1030	1040	1040
1100ft [743ft]	1100	1110	1110	1120	1120	1130	1140	1140	1150
1200ft [843ft]	1200	1210	1210	1220	1230	1230	1240	1250	1250
1300ft [943ft]	1300	1310	1320	1320	1330	1340	1340	1350	1360
1400ft [1043ft]	1400	1410	1420	1420	1430	1440	1450	1460	1460
1500ft [1143ft]	1500	1510	1520	1530	1530	1540	1550	1560	1570
1600ft [1243ft]	1600	1610	1620	1630	1640	1650	1660	1670	1680
1700ft [1343ft]	1700	1710	1720	1730	1740	1750	1760	1770	1780
1800ft [1443ft]	1800	1810	1820	1830	1840	1850	1860	1880	1890
1900ft [1543ft]	1900	1910	1920	1930	1950	1960	1970	1980	1990
2000ft [1643ft]	2000	2010	2020	2040	2050	2060	2070	2090	2100
2100ft [1743ft]	2100	2110	2130	2140	2150	2160	2180	2190	2200
2200ft [1843ft]	2200	2210	2230	2240	2250	2270	2280	2290	2310
2300ft [1943ft]	2300	2310	2330	2340	2360	2370	2380	2400	2410
2400ft [2043ft]	2400	2410	2430	2440	2460	2470	2490	2500	2520
2500ft [2143ft]	2500	2510	2530	2550	2560	2580	2590	2610	2630
2600ft [2243ft]	2600	2620	2630	2650	2660	2680	2700	2710	2730
2700ft [2343ft]	2700	2720	2730	2750	2770	2780	2800	2820	2840
2800ft [2443ft]	2800	2820	2830	2850	2870	2890	2910	2920	2940
2900ft [2543ft]	2900	2920	2930	2950	2970	2990	3010	3030	3050
3000ft [2643ft]	3000	3020	3040	3060	3070	3090	3110	3130	3150
3100ft [2743ft]	3100	3120	3140	3160	3180	3200	3220	3240	3260
3200ft [2843ft]	3200	3220	3240	3260	3280	3300	3320	3340	3370
3300ft [2943ft]	3300	3320	3340	3360	3380	3400	3430	3450	3470
3400ft [3043ft]	3400	3420	3440	3460	3490	3510	3530	3550	3580
3500ft [3143ft]	3500	3520	3540	3560	3590	3610	3630	3660	3680
3600ft [3243ft]	3600	3620	3640	3670	3690	3710	3740	3760	3790
3700ft [3343ft]	3700	3720	3740	3770	3790	3820	3840	3870	3900
3800ft [3443ft]	3800	3820	3850	3870	3900	3920	3950	3970	4000
3900ft [3543ft]	3900	3920	3950	3970	4000	4020	4050	4080	4110
4000ft [3643ft]	4000	4020	4050	4070	4100	4130	4160	4180	4210
4100ft [3743ft]	4100	4120	4150	4180	4200	4230	4260	4290	4320
4200ft [3843ft]	4200	4220	4250	4280	4310	4340	4360	4390	4420
4300ft [3943ft]	4300	4320	4350	4380	4410	4440	4470	4500	4530
4400ft [4043ft]	4400	4420	4450	4480	4510	4540	4570	4600	4640
4500ft [4143ft]	4500	4520	4550	4580	4610	4650	4680	4710	4740
4600ft [4243ft]	4600	4620	4650	4690	4720	4750	4780	4810	4850
4700ft [4343ft]	4700	4720	4760	4790	4820	4850	4890	4920	4950
4800ft [4443ft]	4800	4830	4860	4890	4920	4960	4990	5020	5060
4900ft [4543ft]	4900	4930	4960	4990	5030	5060	5090	5130	5160
5000ft [4643ft]	5000	5030	5060	5090	5130	5160	5200	5230	5270
5100ft [4743ft]	5100	5130	5160	5200	5230	5270	5300	5340	5380
5200ft [4843ft]	5200	5230	5260	5300	5330	5370	5410	5440	5480
5300ft [4943ft]	5300	5330	5360	5400	5440	5470	5510	5550	5590
5357ft [5000ft]	5357	5380	5420	5460	5490	5530	5570	5610	5650

Stefano M. RAPISARDA - flightdeckengineering.com

CYSJ - Saint John, NB, CANADA

Station Elevation: 357 feet. ISA Standard Temperature: 14.29°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
357ft [0ft]	360	360	360	360	360	360	360	360	360
400ft [43ft]	410	410	410	410	410	410	410	410	410
500ft [143ft]	510	510	520	520	520	520	520	520	520
600ft [243ft]	620	620	620	620	630	630	630	630	630
700ft [343ft]	720	730	730	730	740	740	740	740	750
800ft [443ft]	830	830	840	840	840	850	850	860	860
900ft [543ft]	940	940	940	950	950	960	960	970	970
1000ft [643ft]	1040	1050	1050	1060	1060	1070	1070	1080	1080
1100ft [743ft]	1150	1150	1160	1160	1170	1180	1180	1190	1200
1200ft [843ft]	1250	1260	1270	1270	1280	1290	1290	1300	1310
1300ft [943ft]	1360	1370	1370	1380	1390	1400	1400	1410	1420
1400ft [1043ft]	1460	1470	1480	1490	1500	1510	1510	1520	1530
1500ft [1143ft]	1570	1580	1590	1600	1610	1620	1630	1640	1650
1600ft [1243ft]	1680	1680	1690	1700	1720	1730	1740	1750	1760
1700ft [1343ft]	1780	1790	1800	1810	1820	1840	1850	1860	1870
1800ft [1443ft]	1890	1900	1910	1920	1930	1940	1960	1970	1980
1900ft [1543ft]	1990	2000	2020	2030	2040	2050	2070	2080	2090
2000ft [1643ft]	2100	2110	2120	2140	2150	2160	2180	2190	2210
2100ft [1743ft]	2200	2220	2230	2250	2260	2270	2290	2300	2320
2200ft [1843ft]	2310	2320	2340	2350	2370	2380	2400	2420	2430
2300ft [1943ft]	2410	2430	2450	2460	2480	2490	2510	2530	2540
2400ft [2043ft]	2520	2540	2550	2570	2590	2600	2620	2640	2660
2500ft [2143ft]	2630	2640	2660	2680	2700	2710	2730	2750	2770
2600ft [2243ft]	2730	2750	2770	2790	2800	2820	2840	2860	2880
2700ft [2343ft]	2840	2860	2870	2890	2910	2930	2950	2970	2990
2800ft [2443ft]	2940	2960	2980	3000	3020	3040	3060	3080	3110
2900ft [2543ft]	3050	3070	3090	3110	3130	3150	3170	3200	3220
3000ft [2643ft]	3150	3180	3200	3220	3240	3260	3280	3310	3330
3100ft [2743ft]	3260	3280	3300	3330	3350	3370	3400	3420	3440
3200ft [2843ft]	3370	3390	3410	3430	3460	3480	3510	3530	3560
3300ft [2943ft]	3470	3500	3520	3540	3570	3590	3620	3640	3670
3400ft [3043ft]	3580	3600	3630	3650	3680	3700	3730	3750	3780
3500ft [3143ft]	3680	3710	3730	3760	3790	3810	3840	3870	3890
3600ft [3243ft]	3790	3810	3840	3870	3890	3920	3950	3980	4010
3700ft [3343ft]	3900	3920	3950	3980	4000	4030	4060	4090	4120
3800ft [3443ft]	4000	4030	4060	4080	4110	4140	4170	4200	4230
3900ft [3543ft]	4110	4130	4160	4190	4220	4250	4280	4310	4340
4000ft [3643ft]	4210	4240	4270	4300	4330	4360	4390	4420	4460
4100ft [3743ft]	4320	4350	4380	4410	4440	4470	4500	4540	4570
4200ft [3843ft]	4420	4450	4490	4520	4550	4580	4610	4650	4680
4300ft [3943ft]	4530	4560	4590	4620	4660	4690	4720	4760	4790
4400ft [4043ft]	4640	4670	4700	4730	4770	4800	4840	4870	4910
4500ft [4143ft]	4740	4770	4810	4840	4880	4910	4950	4980	5020
4600ft [4243ft]	4850	4880	4910	4950	4980	5020	5060	5090	5130
4700ft [4343ft]	4950	4990	5020	5060	5090	5130	5170	5210	5240
4800ft [4443ft]	5060	5090	5130	5170	5200	5240	5280	5320	5360
4900ft [4543ft]	5160	5200	5240	5270	5310	5350	5390	5430	5470
5000ft [4643ft]	5270	5310	5340	5380	5420	5460	5500	5540	5580
5100ft [4743ft]	5380	5410	5450	5490	5530	5570	5610	5650	5690
5200ft [4843ft]	5480	5520	5560	5600	5640	5680	5720	5760	5810
5300ft [4943ft]	5590	5630	5670	5710	5750	5790	5830	5880	5920
5357ft [5000ft]	5650	5690	5730	5770	5810	5850	5900	5940	5980

Stefano M. RAPISARDA - flightdeckengineering.com

CYSJ - Saint John, NB, CANADA

Station Elevation: 357 feet. ISA Standard Temperature: 14.29°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
357ft [0ft]	360	360	360	360	360	360	360	360	360
400ft [43ft]	410	410	410	410	410	410	410	410	410
500ft [143ft]	520	520	530	530	530	530	530	530	530
600ft [243ft]	630	640	640	640	640	650	650	650	650
700ft [343ft]	750	750	750	760	760	760	770	770	770
800ft [443ft]	860	860	870	870	880	880	880	890	890
900ft [543ft]	970	980	980	990	990	1000	1000	1010	1010
1000ft [643ft]	1080	1090	1100	1100	1110	1110	1120	1130	1130
1100ft [743ft]	1200	1200	1210	1220	1220	1230	1240	1240	1250
1200ft [843ft]	1310	1320	1320	1330	1340	1350	1350	1360	1370
1300ft [943ft]	1420	1430	1440	1450	1450	1460	1470	1480	1490
1400ft [1043ft]	1530	1540	1550	1560	1570	1580	1590	1600	1610
1500ft [1143ft]	1650	1660	1670	1680	1690	1700	1710	1720	1730
1600ft [1243ft]	1760	1770	1780	1790	1800	1810	1830	1840	1850
1700ft [1343ft]	1870	1880	1890	1910	1920	1930	1940	1960	1970
1800ft [1443ft]	1980	1990	2010	2020	2030	2050	2060	2080	2090
1900ft [1543ft]	2090	2110	2120	2140	2150	2170	2180	2200	2210
2000ft [1643ft]	2210	2220	2240	2250	2270	2280	2300	2310	2330
2100ft [1743ft]	2320	2330	2350	2370	2380	2400	2420	2430	2450
2200ft [1843ft]	2430	2450	2460	2480	2500	2520	2530	2550	2570
2300ft [1943ft]	2540	2560	2580	2600	2610	2630	2650	2670	2690
2400ft [2043ft]	2660	2670	2690	2710	2730	2750	2770	2790	2810
2500ft [2143ft]	2770	2790	2810	2830	2850	2870	2890	2910	2930
2600ft [2243ft]	2880	2900	2920	2940	2960	2980	3010	3030	3050
2700ft [2343ft]	2990	3010	3040	3060	3080	3100	3120	3150	3170
2800ft [2443ft]	3110	3130	3150	3170	3200	3220	3240	3270	3290
2900ft [2543ft]	3220	3240	3260	3290	3310	3340	3360	3390	3410
3000ft [2643ft]	3330	3350	3380	3400	3430	3450	3480	3500	3530
3100ft [2743ft]	3440	3470	3490	3520	3540	3570	3600	3620	3650
3200ft [2843ft]	3560	3580	3610	3630	3660	3690	3710	3740	3770
3300ft [2943ft]	3670	3690	3720	3750	3780	3800	3830	3860	3890
3400ft [3043ft]	3780	3810	3840	3860	3890	3920	3950	3980	4010
3500ft [3143ft]	3890	3920	3950	3980	4010	4040	4070	4100	4130
3600ft [3243ft]	4010	4030	4060	4090	4120	4160	4190	4220	4250
3700ft [3343ft]	4120	4150	4180	4210	4240	4270	4310	4340	4370
3800ft [3443ft]	4230	4260	4290	4320	4360	4390	4420	4460	4490
3900ft [3543ft]	4340	4380	4410	4440	4470	4510	4540	4580	4610
4000ft [3643ft]	4460	4490	4520	4560	4590	4620	4660	4700	4730
4100ft [3743ft]	4570	4600	4640	4670	4710	4740	4780	4820	4850
4200ft [3843ft]	4680	4720	4750	4790	4820	4860	4900	4930	4970
4300ft [3943ft]	4790	4830	4870	4900	4940	4980	5010	5050	5090
4400ft [4043ft]	4910	4940	4980	5020	5060	5090	5130	5170	5210
4500ft [4143ft]	5020	5060	5090	5130	5170	5210	5250	5290	5330
4600ft [4243ft]	5130	5170	5210	5250	5290	5330	5370	5410	5450
4700ft [4343ft]	5240	5280	5320	5360	5400	5450	5490	5530	5580
4800ft [4443ft]	5360	5400	5440	5480	5520	5560	5610	5650	5700
4900ft [4543ft]	5470	5510	5550	5590	5640	5680	5720	5770	5820
5000ft [4643ft]	5580	5620	5670	5710	5750	5800	5840	5890	5940
5100ft [4743ft]	5690	5740	5780	5830	5870	5920	5960	6010	6060
5200ft [4843ft]	5810	5850	5900	5940	5990	6030	6080	6130	6180
5300ft [4943ft]	5920	5960	6010	6060	6100	6150	6200	6250	6300
5357ft [5000ft]	5980	6030	6080	6120	6170	6220	6270	6320	6370

Stefano M. RAPISARDA - flightdeckengineering.com

CYSJ - Saint John, NB, CANADA

Station Elevation: 357 feet. ISA Standard Temperature: 14.29°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
357ft [0ft]	360	360	360	360	360	360	360	360	360
400ft [43ft]	410	410	410	410	420	420	420	420	420
500ft [143ft]	530	530	540	540	540	540	540	540	550
600ft [243ft]	650	660	660	660	660	670	670	670	680
700ft [343ft]	770	780	780	780	790	790	790	800	800
800ft [443ft]	890	900	900	910	910	920	920	930	930
900ft [543ft]	1010	1020	1020	1030	1030	1040	1050	1050	1060
1000ft [643ft]	1130	1140	1140	1150	1160	1170	1170	1180	1190
1100ft [743ft]	1250	1260	1270	1270	1280	1290	1300	1310	1320
1200ft [843ft]	1370	1380	1390	1400	1410	1420	1420	1430	1450
1300ft [943ft]	1490	1500	1510	1520	1530	1540	1550	1560	1580
1400ft [1043ft]	1610	1620	1630	1640	1650	1670	1680	1690	1710
1500ft [1143ft]	1730	1740	1750	1770	1780	1790	1800	1820	1840
1600ft [1243ft]	1850	1860	1880	1890	1900	1920	1930	1940	1960
1700ft [1343ft]	1970	1980	2000	2010	2030	2040	2060	2070	2090
1800ft [1443ft]	2090	2110	2120	2140	2150	2170	2180	2200	2220
1900ft [1543ft]	2210	2230	2240	2260	2270	2290	2310	2330	2350
2000ft [1643ft]	2330	2350	2360	2380	2400	2420	2430	2450	2480
2100ft [1743ft]	2450	2470	2490	2500	2520	2540	2560	2580	2610
2200ft [1843ft]	2570	2590	2610	2630	2650	2670	2690	2710	2740
2300ft [1943ft]	2690	2710	2730	2750	2770	2790	2810	2840	2870
2400ft [2043ft]	2810	2830	2850	2870	2900	2920	2940	2960	3000
2500ft [2143ft]	2930	2950	2970	3000	3020	3040	3070	3090	3130
2600ft [2243ft]	3050	3070	3100	3120	3140	3170	3190	3220	3260
2700ft [2343ft]	3170	3190	3220	3240	3270	3290	3320	3350	3390
2800ft [2443ft]	3290	3320	3340	3370	3390	3420	3450	3470	3520
2900ft [2543ft]	3410	3440	3460	3490	3520	3540	3570	3600	3650
3000ft [2643ft]	3530	3560	3580	3610	3640	3670	3700	3730	3770
3100ft [2743ft]	3650	3680	3710	3740	3770	3800	3830	3860	3900
3200ft [2843ft]	3770	3800	3830	3860	3890	3920	3950	3980	4030
3300ft [2943ft]	3890	3920	3950	3980	4010	4050	4080	4110	4160
3400ft [3043ft]	4010	4040	4070	4110	4140	4170	4210	4240	4290
3500ft [3143ft]	4130	4160	4200	4230	4260	4300	4330	4370	4420
3600ft [3243ft]	4250	4280	4320	4350	4390	4420	4460	4500	4550
3700ft [3343ft]	4370	4410	4440	4480	4510	4550	4590	4620	4680
3800ft [3443ft]	4490	4530	4560	4600	4640	4670	4710	4750	4810
3900ft [3543ft]	4610	4650	4690	4720	4760	4800	4840	4880	4940
4000ft [3643ft]	4730	4770	4810	4850	4890	4930	4970	5010	5070
4100ft [3743ft]	4850	4890	4930	4970	5010	5050	5090	5140	5200
4200ft [3843ft]	4970	5010	5050	5090	5130	5180	5220	5260	5330
4300ft [3943ft]	5090	5130	5180	5220	5260	5300	5350	5390	5460
4400ft [4043ft]	5210	5260	5300	5340	5380	5430	5470	5520	5590
4500ft [4143ft]	5330	5380	5420	5460	5510	5550	5600	5650	5720
4600ft [4243ft]	5450	5500	5540	5590	5630	5680	5730	5780	5850
4700ft [4343ft]	5580	5620	5660	5710	5760	5810	5850	5900	5980
4800ft [4443ft]	5700	5740	5790	5830	5880	5930	5980	6030	6110
4900ft [4543ft]	5820	5860	5910	5960	6010	6060	6110	6160	6240
5000ft [4643ft]	5940	5980	6030	6080	6130	6180	6240	6290	6370
5100ft [4743ft]	6060	6110	6160	6210	6260	6310	6360	6420	6500
5200ft [4843ft]	6180	6230	6280	6330	6380	6440	6490	6540	6630
5300ft [4943ft]	6300	6350	6400	6450	6510	6560	6620	6670	6760
5357ft [5000ft]	6370	6420	6470	6520	6580	6630	6690	6750	6830

Stefano M. RAPISARDA - flightdeckengineering.com

CZBF - Bathurst, NB, CANADA

Station Elevation: 193 feet. ISA Standard Temperature: 14.62°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
193ft [0ft]	200	200	200	200	200	200	200	200	200
200ft [7ft]	200	210	210	210	210	210	210	210	210
300ft [107ft]	300	310	310	310	310	310	310	310	310
400ft [207ft]	400	410	410	410	410	410	410	420	420
500ft [307ft]	500	510	510	510	510	520	520	520	520
600ft [407ft]	600	610	610	610	620	620	620	630	630
700ft [507ft]	700	710	710	720	720	720	730	730	730
800ft [607ft]	800	810	810	820	820	830	830	840	840
900ft [707ft]	900	910	910	920	920	930	930	940	950
1000ft [807ft]	1000	1010	1020	1020	1030	1030	1040	1050	1050
1100ft [907ft]	1100	1110	1120	1120	1130	1140	1140	1150	1160
1200ft [1007ft]	1200	1210	1220	1230	1230	1240	1250	1260	1260
1300ft [1107ft]	1300	1310	1320	1330	1340	1340	1350	1360	1370
1400ft [1207ft]	1400	1410	1420	1430	1440	1450	1460	1470	1470
1500ft [1307ft]	1500	1510	1520	1530	1540	1550	1560	1570	1580
1600ft [1407ft]	1600	1610	1620	1630	1640	1650	1660	1680	1690
1700ft [1507ft]	1700	1710	1720	1740	1750	1760	1770	1780	1790
1800ft [1607ft]	1800	1810	1830	1840	1850	1860	1870	1890	1900
1900ft [1707ft]	1900	1910	1930	1940	1950	1960	1980	1990	2000
2000ft [1807ft]	2000	2020	2030	2040	2050	2070	2080	2100	2110
2100ft [1907ft]	2100	2120	2130	2140	2160	2170	2190	2200	2220
2200ft [2007ft]	2200	2220	2230	2250	2260	2270	2290	2310	2320
2300ft [2107ft]	2300	2320	2330	2350	2360	2380	2390	2410	2430
2400ft [2207ft]	2400	2420	2430	2450	2470	2480	2500	2520	2530
2500ft [2307ft]	2500	2520	2530	2550	2570	2590	2600	2620	2640
2600ft [2407ft]	2600	2620	2640	2650	2670	2690	2710	2730	2740
2700ft [2507ft]	2700	2720	2740	2760	2770	2790	2810	2830	2850
2800ft [2607ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2707ft]	2900	2920	2940	2960	2980	3000	3020	3040	3060
3000ft [2807ft]	3000	3020	3040	3060	3080	3100	3120	3150	3170
3100ft [2907ft]	3100	3120	3140	3160	3180	3210	3230	3250	3270
3200ft [3007ft]	3200	3220	3240	3270	3290	3310	3330	3360	3380
3300ft [3107ft]	3300	3320	3340	3370	3390	3410	3440	3460	3490
3400ft [3207ft]	3400	3420	3450	3470	3490	3520	3540	3570	3590
3500ft [3307ft]	3500	3520	3550	3570	3600	3620	3650	3670	3700
3600ft [3407ft]	3600	3620	3650	3670	3700	3720	3750	3780	3800
3700ft [3507ft]	3700	3730	3750	3780	3800	3830	3850	3880	3910
3800ft [3607ft]	3800	3830	3850	3880	3900	3930	3960	3990	4010
3900ft [3707ft]	3900	3930	3950	3980	4010	4030	4060	4090	4120
4000ft [3807ft]	4000	4030	4050	4080	4110	4140	4170	4200	4230
4100ft [3907ft]	4100	4130	4160	4180	4210	4240	4270	4300	4330
4200ft [4007ft]	4200	4230	4260	4290	4320	4350	4380	4410	4440
4300ft [4107ft]	4300	4330	4360	4390	4420	4450	4480	4510	4540
4400ft [4207ft]	4400	4430	4460	4490	4520	4550	4580	4620	4650
4500ft [4307ft]	4500	4530	4560	4590	4620	4660	4690	4720	4760
4600ft [4407ft]	4600	4630	4660	4690	4730	4760	4790	4830	4860
4700ft [4507ft]	4700	4730	4760	4800	4830	4860	4900	4930	4970
4800ft [4607ft]	4800	4830	4860	4900	4930	4970	5000	5040	5070
4900ft [4707ft]	4900	4930	4970	5000	5040	5070	5110	5140	5180
5000ft [4807ft]	5000	5030	5070	5100	5140	5170	5210	5250	5290
5100ft [4907ft]	5100	5130	5170	5200	5240	5280	5320	5350	5390
5193ft [5000ft]	5193	5230	5260	5300	5340	5370	5410	5450	5490

Stefano M. RAPISARDA - flightdeckengineering.com

CZBF - Bathurst, NB, CANADA

Station Elevation: 193 feet. ISA Standard Temperature: 14.62°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
193ft [0ft]	200	200	200	200	200	200	200	200	200
200ft [7ft]	210	210	210	210	210	210	210	210	210
300ft [107ft]	310	310	310	310	310	320	320	320	320
400ft [207ft]	420	420	420	420	420	430	430	430	430
500ft [307ft]	520	530	530	530	530	540	540	540	540
600ft [407ft]	630	630	630	640	640	640	650	650	660
700ft [507ft]	730	740	740	750	750	750	760	760	770
800ft [607ft]	840	840	850	850	860	860	870	870	880
900ft [707ft]	950	950	960	960	970	970	980	990	990
1000ft [807ft]	1050	1060	1060	1070	1080	1080	1090	1100	1100
1100ft [907ft]	1160	1160	1170	1180	1190	1190	1200	1210	1220
1200ft [1007ft]	1260	1270	1280	1290	1300	1300	1310	1320	1330
1300ft [1107ft]	1370	1380	1390	1400	1400	1410	1420	1430	1440
1400ft [1207ft]	1470	1480	1490	1500	1510	1520	1530	1540	1550
1500ft [1307ft]	1580	1590	1600	1610	1620	1630	1640	1660	1670
1600ft [1407ft]	1690	1700	1710	1720	1730	1740	1760	1770	1780
1700ft [1507ft]	1790	1800	1820	1830	1840	1850	1870	1880	1890
1800ft [1607ft]	1900	1910	1920	1940	1950	1960	1980	1990	2000
1900ft [1707ft]	2000	2020	2030	2040	2060	2070	2090	2100	2120
2000ft [1807ft]	2110	2120	2140	2150	2170	2180	2200	2210	2230
2100ft [1907ft]	2220	2230	2250	2260	2280	2290	2310	2330	2340
2200ft [2007ft]	2320	2340	2350	2370	2390	2400	2420	2440	2450
2300ft [2107ft]	2430	2440	2460	2480	2490	2510	2530	2550	2570
2400ft [2207ft]	2530	2550	2570	2590	2600	2620	2640	2660	2680
2500ft [2307ft]	2640	2660	2680	2690	2710	2730	2750	2770	2790
2600ft [2407ft]	2740	2760	2780	2800	2820	2840	2860	2880	2900
2700ft [2507ft]	2850	2870	2890	2910	2930	2950	2970	3000	3020
2800ft [2607ft]	2960	2980	3000	3020	3040	3060	3080	3110	3130
2900ft [2707ft]	3060	3080	3110	3130	3150	3170	3200	3220	3240
3000ft [2807ft]	3170	3190	3210	3240	3260	3280	3310	3330	3360
3100ft [2907ft]	3270	3300	3320	3340	3370	3390	3420	3440	3470
3200ft [3007ft]	3380	3400	3430	3450	3480	3500	3530	3550	3580
3300ft [3107ft]	3490	3510	3530	3560	3590	3610	3640	3670	3690
3400ft [3207ft]	3590	3620	3640	3670	3700	3720	3750	3780	3810
3500ft [3307ft]	3700	3720	3750	3780	3800	3830	3860	3890	3920
3600ft [3407ft]	3800	3830	3860	3890	3910	3940	3970	4000	4030
3700ft [3507ft]	3910	3940	3960	3990	4020	4050	4080	4110	4140
3800ft [3607ft]	4010	4040	4070	4100	4130	4160	4190	4220	4260
3900ft [3707ft]	4120	4150	4180	4210	4240	4270	4300	4340	4370
4000ft [3807ft]	4230	4260	4290	4320	4350	4380	4420	4450	4480
4100ft [3907ft]	4330	4360	4390	4430	4460	4490	4530	4560	4590
4200ft [4007ft]	4440	4470	4500	4540	4570	4600	4640	4670	4710
4300ft [4107ft]	4540	4580	4610	4640	4680	4710	4750	4780	4820
4400ft [4207ft]	4650	4680	4720	4750	4790	4820	4860	4900	4930
4500ft [4307ft]	4760	4790	4830	4860	4900	4930	4970	5010	5050
4600ft [4407ft]	4860	4900	4930	4970	5010	5040	5080	5120	5160
4700ft [4507ft]	4970	5000	5040	5080	5110	5150	5190	5230	5270
4800ft [4607ft]	5070	5110	5150	5190	5220	5260	5300	5340	5380
4900ft [4707ft]	5180	5220	5260	5290	5330	5370	5410	5450	5500
5000ft [4807ft]	5290	5320	5360	5400	5440	5480	5520	5570	5610
5100ft [4907ft]	5390	5430	5470	5510	5550	5590	5640	5680	5720
5193ft [5000ft]	5490	5530	5570	5610	5650	5700	5740	5780	5830

Stefano M. RAPISARDA - flightdeckengineering.com

CZBF - Bathurst, NB, CANADA

Station Elevation: 193 feet. ISA Standard Temperature: 14.62°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
193ft [0ft]	200	200	200	200	200	200	200	200	200
200ft [7ft]	210	210	210	210	210	210	210	210	210
300ft [107ft]	320	320	320	320	320	320	320	330	330
400ft [207ft]	430	430	430	440	440	440	440	440	450
500ft [307ft]	540	550	550	550	550	560	560	560	570
600ft [407ft]	660	660	660	670	670	670	680	680	690
700ft [507ft]	770	770	780	780	790	790	800	800	810
800ft [607ft]	880	890	890	900	900	910	910	920	930
900ft [707ft]	990	1000	1010	1010	1020	1020	1030	1040	1050
1000ft [807ft]	1100	1110	1120	1130	1130	1140	1150	1160	1170
1100ft [907ft]	1220	1230	1230	1240	1250	1260	1270	1280	1290
1200ft [1007ft]	1330	1340	1350	1360	1370	1380	1390	1400	1410
1300ft [1107ft]	1440	1450	1460	1470	1480	1490	1500	1510	1530
1400ft [1207ft]	1550	1570	1580	1590	1600	1610	1620	1630	1650
1500ft [1307ft]	1670	1680	1690	1700	1710	1730	1740	1750	1770
1600ft [1407ft]	1780	1790	1800	1820	1830	1840	1860	1870	1890
1700ft [1507ft]	1890	1910	1920	1930	1950	1960	1980	1990	2010
1800ft [1607ft]	2000	2020	2030	2050	2060	2080	2090	2110	2130
1900ft [1707ft]	2120	2130	2150	2160	2180	2200	2210	2230	2250
2000ft [1807ft]	2230	2250	2260	2280	2300	2310	2330	2350	2370
2100ft [1907ft]	2340	2360	2380	2390	2410	2430	2450	2470	2490
2200ft [2007ft]	2450	2470	2490	2510	2530	2550	2570	2590	2610
2300ft [2107ft]	2570	2590	2610	2620	2640	2660	2680	2710	2730
2400ft [2207ft]	2680	2700	2720	2740	2760	2780	2800	2820	2850
2500ft [2307ft]	2790	2810	2830	2860	2880	2900	2920	2940	2970
2600ft [2407ft]	2900	2930	2950	2970	2990	3020	3040	3060	3090
2700ft [2507ft]	3020	3040	3060	3090	3110	3130	3160	3180	3210
2800ft [2607ft]	3130	3150	3180	3200	3230	3250	3280	3300	3330
2900ft [2707ft]	3240	3270	3290	3320	3340	3370	3390	3420	3450
3000ft [2807ft]	3360	3380	3410	3430	3460	3480	3510	3540	3570
3100ft [2907ft]	3470	3490	3520	3550	3570	3600	3630	3660	3690
3200ft [3007ft]	3580	3610	3630	3660	3690	3720	3750	3780	3810
3300ft [3107ft]	3690	3720	3750	3780	3810	3840	3870	3900	3930
3400ft [3207ft]	3810	3830	3860	3890	3920	3950	3990	4020	4050
3500ft [3307ft]	3920	3950	3980	4010	4040	4070	4100	4140	4170
3600ft [3407ft]	4030	4060	4090	4120	4160	4190	4220	4260	4290
3700ft [3507ft]	4140	4180	4210	4240	4270	4310	4340	4380	4410
3800ft [3607ft]	4260	4290	4320	4360	4390	4420	4460	4490	4530
3900ft [3707ft]	4370	4400	4440	4470	4510	4540	4580	4610	4650
4000ft [3807ft]	4480	4520	4550	4590	4620	4660	4700	4730	4770
4100ft [3907ft]	4590	4630	4670	4700	4740	4780	4810	4850	4890
4200ft [4007ft]	4710	4740	4780	4820	4860	4890	4930	4970	5010
4300ft [4107ft]	4820	4860	4890	4930	4970	5010	5050	5090	5130
4400ft [4207ft]	4930	4970	5010	5050	5090	5130	5170	5210	5250
4500ft [4307ft]	5050	5080	5120	5160	5200	5250	5290	5330	5370
4600ft [4407ft]	5160	5200	5240	5280	5320	5360	5410	5450	5490
4700ft [4507ft]	5270	5310	5350	5390	5440	5480	5530	5570	5620
4800ft [4607ft]	5380	5430	5470	5510	5550	5600	5640	5690	5740
4900ft [4707ft]	5500	5540	5580	5630	5670	5720	5760	5810	5860
5000ft [4807ft]	5610	5650	5700	5740	5790	5830	5880	5930	5980
5100ft [4907ft]	5720	5770	5810	5860	5900	5950	6000	6050	6100
5193ft [5000ft]	5830	5870	5920	5960	6010	6060	6110	6160	6210

Stefano M. RAPISARDA - flightdeckengineering.com

CZBF - Bathurst, NB, CANADA

Station Elevation: 193 feet. ISA Standard Temperature: 14.62°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
193ft [0ft]	200	200	200	200	200	200	200	200	200
200ft [7ft]	210	210	210	210	210	210	210	210	210
300ft [107ft]	330	330	330	330	330	330	330	330	340
400ft [207ft]	450	450	450	450	450	460	460	460	460
500ft [307ft]	570	570	570	580	580	580	590	590	590
600ft [407ft]	690	690	690	700	700	710	710	720	720
700ft [507ft]	810	810	820	820	830	830	840	840	850
800ft [607ft]	930	930	940	940	950	960	960	970	980
900ft [707ft]	1050	1050	1060	1070	1070	1080	1090	1100	1110
1000ft [807ft]	1170	1170	1180	1190	1200	1210	1220	1230	1240
1100ft [907ft]	1290	1290	1300	1310	1320	1330	1340	1350	1370
1200ft [1007ft]	1410	1420	1430	1440	1450	1460	1470	1480	1500
1300ft [1107ft]	1530	1540	1550	1560	1570	1580	1600	1610	1630
1400ft [1207ft]	1650	1660	1670	1680	1700	1710	1720	1740	1760
1500ft [1307ft]	1770	1780	1790	1810	1820	1830	1850	1860	1890
1600ft [1407ft]	1890	1900	1910	1930	1940	1960	1970	1990	2010
1700ft [1507ft]	2010	2020	2040	2050	2070	2080	2100	2120	2140
1800ft [1607ft]	2130	2140	2160	2180	2190	2210	2230	2250	2270
1900ft [1707ft]	2250	2260	2280	2300	2320	2340	2350	2370	2400
2000ft [1807ft]	2370	2380	2400	2420	2440	2460	2480	2500	2530
2100ft [1907ft]	2490	2510	2530	2550	2570	2590	2610	2630	2660
2200ft [2007ft]	2610	2630	2650	2670	2690	2710	2730	2760	2790
2300ft [2107ft]	2730	2750	2770	2790	2810	2840	2860	2880	2920
2400ft [2207ft]	2850	2870	2890	2920	2940	2960	2990	3010	3050
2500ft [2307ft]	2970	2990	3010	3040	3060	3090	3110	3140	3180
2600ft [2407ft]	3090	3110	3140	3160	3190	3210	3240	3270	3310
2700ft [2507ft]	3210	3230	3260	3290	3310	3340	3370	3400	3440
2800ft [2607ft]	3330	3350	3380	3410	3440	3460	3490	3520	3570
2900ft [2707ft]	3450	3480	3500	3530	3560	3590	3620	3650	3700
3000ft [2807ft]	3570	3600	3630	3660	3690	3720	3750	3780	3830
3100ft [2907ft]	3690	3720	3750	3780	3810	3840	3870	3910	3960
3200ft [3007ft]	3810	3840	3870	3900	3930	3970	4000	4040	4090
3300ft [3107ft]	3930	3960	3990	4030	4060	4090	4130	4160	4220
3400ft [3207ft]	4050	4080	4120	4150	4180	4220	4250	4290	4350
3500ft [3307ft]	4170	4200	4240	4270	4310	4340	4380	4420	4480
3600ft [3407ft]	4290	4320	4360	4400	4430	4470	4510	4550	4610
3700ft [3507ft]	4410	4450	4480	4520	4560	4600	4640	4680	4740
3800ft [3607ft]	4530	4570	4610	4640	4680	4720	4760	4800	4870
3900ft [3707ft]	4650	4690	4730	4770	4810	4850	4890	4930	5000
4000ft [3807ft]	4770	4810	4850	4890	4930	4970	5020	5060	5130
4100ft [3907ft]	4890	4930	4970	5010	5060	5100	5140	5190	5260
4200ft [4007ft]	5010	5050	5100	5140	5180	5230	5270	5320	5390
4300ft [4107ft]	5130	5180	5220	5260	5310	5350	5400	5440	5520
4400ft [4207ft]	5250	5300	5340	5390	5430	5480	5520	5570	5650
4500ft [4307ft]	5370	5420	5460	5510	5560	5600	5650	5700	5780
4600ft [4407ft]	5490	5540	5590	5630	5680	5730	5780	5830	5910
4700ft [4507ft]	5620	5660	5710	5760	5810	5860	5910	5960	6040
4800ft [4607ft]	5740	5780	5830	5880	5930	5980	6030	6090	6170
4900ft [4707ft]	5860	5910	5950	6000	6060	6110	6160	6210	6300
5000ft [4807ft]	5980	6030	6080	6130	6180	6230	6290	6340	6430
5100ft [4907ft]	6100	6150	6200	6250	6310	6360	6410	6470	6560
5193ft [5000ft]	6210	6260	6310	6370	6420	6480	6530	6590	6680

Stefano M. RAPISARDA - flightdeckengineering.com

6 Newfoundland and Labrador Airports

6.1 CYDF - DEER LAKE, NL, CANADA 136

6.2 CYQX - GANDER, NL, CANADA 140

6.3 CYWK - WABUSH, NL, CANADA 144

6.4 CYYR - GOOSE BAY, NL, CANADA 148

6.5 CYYT - ST JOHN'S, NL, CANADA 152

CYDF - Deer Lake, NL, CANADA

Station Elevation: 72 feet. ISA Standard Temperature: 14.86°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
72ft [0ft]	80	80	80	80	80	80	80	80	80
100ft [28ft]	100	110	110	110	110	110	110	110	110
200ft [128ft]	200	210	210	210	210	210	210	210	210
300ft [228ft]	300	310	310	310	310	310	310	320	320
400ft [328ft]	400	410	410	410	410	420	420	420	420
500ft [428ft]	500	510	510	510	520	520	520	530	530
600ft [528ft]	600	610	610	620	620	620	630	630	640
700ft [628ft]	700	710	710	720	720	730	730	740	740
800ft [728ft]	800	810	810	820	830	830	840	840	850
900ft [828ft]	900	910	920	920	930	930	940	950	950
1000ft [928ft]	1000	1010	1020	1020	1030	1040	1040	1050	1060
1100ft [1028ft]	1100	1110	1120	1130	1130	1140	1150	1160	1170
1200ft [1128ft]	1200	1210	1220	1230	1240	1250	1250	1260	1270
1300ft [1228ft]	1300	1310	1320	1330	1340	1350	1360	1370	1380
1400ft [1328ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1428ft]	1500	1510	1520	1530	1550	1560	1570	1580	1590
1600ft [1528ft]	1600	1610	1630	1640	1650	1660	1670	1680	1690
1700ft [1628ft]	1700	1720	1730	1740	1750	1760	1780	1790	1800
1800ft [1728ft]	1800	1820	1830	1840	1850	1870	1880	1890	1910
1900ft [1828ft]	1900	1920	1930	1940	1960	1970	1980	2000	2010
2000ft [1928ft]	2000	2020	2030	2050	2060	2070	2090	2100	2120
2100ft [2028ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2200ft [2128ft]	2200	2220	2230	2250	2270	2280	2300	2310	2330
2300ft [2228ft]	2300	2320	2340	2350	2370	2380	2400	2420	2440
2400ft [2328ft]	2400	2420	2440	2450	2470	2490	2510	2520	2540
2500ft [2428ft]	2500	2520	2540	2560	2570	2590	2610	2630	2650
2600ft [2528ft]	2600	2620	2640	2660	2680	2700	2710	2730	2750
2700ft [2628ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2728ft]	2800	2820	2840	2860	2880	2900	2920	2940	2970
2900ft [2828ft]	2900	2920	2940	2960	2990	3010	3030	3050	3070
3000ft [2928ft]	3000	3020	3050	3070	3090	3110	3130	3150	3180
3100ft [3028ft]	3100	3120	3150	3170	3190	3210	3240	3260	3280
3200ft [3128ft]	3200	3230	3250	3270	3290	3320	3340	3360	3390
3300ft [3228ft]	3300	3330	3350	3370	3400	3420	3450	3470	3500
3400ft [3328ft]	3400	3430	3450	3470	3500	3520	3550	3580	3600
3500ft [3428ft]	3500	3530	3550	3580	3600	3630	3650	3680	3710
3600ft [3528ft]	3600	3630	3650	3680	3710	3730	3760	3790	3810
3700ft [3628ft]	3700	3730	3750	3780	3810	3840	3860	3890	3920
3800ft [3728ft]	3800	3830	3860	3880	3910	3940	3970	4000	4030
3900ft [3828ft]	3900	3930	3960	3990	4010	4040	4070	4100	4130
4000ft [3928ft]	4000	4030	4060	4090	4120	4150	4180	4210	4240
4100ft [4028ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4200ft [4128ft]	4200	4230	4260	4290	4320	4350	4380	4420	4450
4300ft [4228ft]	4300	4330	4360	4390	4430	4460	4490	4520	4560
4400ft [4328ft]	4400	4430	4460	4500	4530	4560	4590	4630	4660
4500ft [4428ft]	4500	4530	4570	4600	4630	4660	4700	4730	4770
4600ft [4528ft]	4600	4630	4670	4700	4730	4770	4800	4840	4870
4700ft [4628ft]	4700	4740	4770	4800	4840	4870	4910	4940	4980
4800ft [4728ft]	4800	4840	4870	4900	4940	4980	5010	5050	5090
4900ft [4828ft]	4900	4940	4970	5010	5040	5080	5120	5150	5190
5000ft [4928ft]	5000	5040	5070	5110	5150	5180	5220	5260	5300
5072ft [5000ft]	5072	5110	5150	5180	5220	5260	5300	5330	5370

Stefano M. RAPISARDA - flightdeckengineering.com

CYDF - Deer Lake, NL, CANADA

Station Elevation: 72 feet. ISA Standard Temperature: 14.86°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
72ft [0ft]	80	80	80	80	80	80	80	80	80
100ft [28ft]	110	110	110	110	110	110	110	110	110
200ft [128ft]	210	210	210	220	220	220	220	220	220
300ft [228ft]	320	320	320	320	330	330	330	330	330
400ft [328ft]	420	430	430	430	430	440	440	440	450
500ft [428ft]	530	530	540	540	540	550	550	550	560
600ft [528ft]	640	640	640	650	650	660	660	670	670
700ft [628ft]	740	750	750	760	760	770	770	780	780
800ft [728ft]	850	850	860	860	870	880	880	890	900
900ft [828ft]	950	960	970	970	980	990	990	1000	1010
1000ft [928ft]	1060	1070	1070	1080	1090	1100	1100	1110	1120
1100ft [1028ft]	1170	1170	1180	1190	1200	1210	1220	1220	1230
1200ft [1128ft]	1270	1280	1290	1300	1310	1320	1330	1340	1350
1300ft [1228ft]	1380	1390	1400	1410	1420	1430	1440	1450	1460
1400ft [1328ft]	1480	1490	1500	1510	1530	1540	1550	1560	1570
1500ft [1428ft]	1590	1600	1610	1620	1630	1650	1660	1670	1680
1600ft [1528ft]	1690	1710	1720	1730	1740	1760	1770	1780	1800
1700ft [1628ft]	1800	1810	1830	1840	1850	1870	1880	1890	1910
1800ft [1728ft]	1910	1920	1930	1950	1960	1980	1990	2010	2020
1900ft [1828ft]	2010	2030	2040	2060	2070	2090	2100	2120	2130
2000ft [1928ft]	2120	2130	2150	2160	2180	2200	2210	2230	2250
2100ft [2028ft]	2220	2240	2260	2270	2290	2310	2320	2340	2360
2200ft [2128ft]	2330	2350	2360	2380	2400	2420	2430	2450	2470
2300ft [2228ft]	2440	2450	2470	2490	2510	2530	2550	2560	2580
2400ft [2328ft]	2540	2560	2580	2600	2620	2640	2660	2680	2700
2500ft [2428ft]	2650	2670	2690	2710	2730	2750	2770	2790	2810
2600ft [2528ft]	2750	2770	2790	2810	2840	2860	2880	2900	2920
2700ft [2628ft]	2860	2880	2900	2920	2940	2970	2990	3010	3040
2800ft [2728ft]	2970	2990	3010	3030	3050	3080	3100	3120	3150
2900ft [2828ft]	3070	3090	3120	3140	3160	3190	3210	3240	3260
3000ft [2928ft]	3180	3200	3220	3250	3270	3300	3320	3350	3370
3100ft [3028ft]	3280	3310	3330	3360	3380	3410	3430	3460	3490
3200ft [3128ft]	3390	3410	3440	3460	3490	3520	3540	3570	3600
3300ft [3228ft]	3500	3520	3550	3570	3600	3630	3660	3680	3710
3400ft [3328ft]	3600	3630	3650	3680	3710	3740	3770	3800	3820
3500ft [3428ft]	3710	3730	3760	3790	3820	3850	3880	3910	3940
3600ft [3528ft]	3810	3840	3870	3900	3930	3960	3990	4020	4050
3700ft [3628ft]	3920	3950	3980	4010	4040	4070	4100	4130	4160
3800ft [3728ft]	4030	4050	4090	4120	4150	4180	4210	4240	4280
3900ft [3828ft]	4130	4160	4190	4220	4260	4290	4320	4350	4390
4000ft [3928ft]	4240	4270	4300	4330	4370	4400	4430	4470	4500
4100ft [4028ft]	4340	4380	4410	4440	4470	4510	4540	4580	4610
4200ft [4128ft]	4450	4480	4520	4550	4580	4620	4650	4690	4730
4300ft [4228ft]	4560	4590	4620	4660	4690	4730	4770	4800	4840
4400ft [4328ft]	4660	4700	4730	4770	4800	4840	4880	4910	4950
4500ft [4428ft]	4770	4800	4840	4870	4910	4950	4990	5030	5070
4600ft [4528ft]	4870	4910	4950	4980	5020	5060	5100	5140	5180
4700ft [4628ft]	4980	5020	5050	5090	5130	5170	5210	5250	5290
4800ft [4728ft]	5090	5120	5160	5200	5240	5280	5320	5360	5400
4900ft [4828ft]	5190	5230	5270	5310	5350	5390	5430	5470	5520
5000ft [4928ft]	5300	5340	5380	5420	5460	5500	5540	5590	5630
5072ft [5000ft]	5370	5410	5450	5500	5540	5580	5620	5670	5710

Stefano M. RAPISARDA - flightdeckengineering.com

CYDF - Deer Lake, NL, CANADA

Station Elevation: 72 feet. ISA Standard Temperature: 14.86°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
72ft [0ft]	80	80	80	80	80	80	80	80	80
100ft [28ft]	110	110	110	110	110	110	110	110	110
200ft [128ft]	220	220	220	220	230	230	230	230	230
300ft [228ft]	330	340	340	340	340	340	350	350	350
400ft [328ft]	450	450	450	450	460	460	460	470	470
500ft [428ft]	560	560	570	570	570	580	580	590	590
600ft [528ft]	670	680	680	690	690	700	700	710	710
700ft [628ft]	780	790	790	800	810	810	820	820	830
800ft [728ft]	900	900	910	920	920	930	940	940	950
900ft [828ft]	1010	1020	1020	1030	1040	1050	1050	1060	1070
1000ft [928ft]	1120	1130	1140	1150	1150	1160	1170	1180	1190
1100ft [1028ft]	1230	1240	1250	1260	1270	1280	1290	1300	1310
1200ft [1128ft]	1350	1360	1370	1380	1390	1400	1410	1420	1430
1300ft [1228ft]	1460	1470	1480	1490	1500	1510	1530	1540	1550
1400ft [1328ft]	1570	1580	1590	1610	1620	1630	1640	1660	1670
1500ft [1428ft]	1680	1700	1710	1720	1740	1750	1760	1780	1790
1600ft [1528ft]	1800	1810	1820	1840	1850	1870	1880	1900	1910
1700ft [1628ft]	1910	1920	1940	1950	1970	1980	2000	2020	2030
1800ft [1728ft]	2020	2040	2050	2070	2080	2100	2120	2130	2150
1900ft [1828ft]	2130	2150	2170	2180	2200	2220	2240	2250	2270
2000ft [1928ft]	2250	2260	2280	2300	2320	2340	2350	2370	2390
2100ft [2028ft]	2360	2380	2400	2410	2430	2450	2470	2490	2510
2200ft [2128ft]	2470	2490	2510	2530	2550	2570	2590	2610	2630
2300ft [2228ft]	2580	2600	2620	2650	2670	2690	2710	2730	2750
2400ft [2328ft]	2700	2720	2740	2760	2780	2800	2830	2850	2870
2500ft [2428ft]	2810	2830	2850	2880	2900	2920	2950	2970	2990
2600ft [2528ft]	2920	2950	2970	2990	3020	3040	3060	3090	3110
2700ft [2628ft]	3040	3060	3080	3110	3130	3160	3180	3210	3230
2800ft [2728ft]	3150	3170	3200	3220	3250	3270	3300	3330	3360
2900ft [2828ft]	3260	3290	3310	3340	3360	3390	3420	3450	3480
3000ft [2928ft]	3370	3400	3430	3450	3480	3510	3540	3570	3600
3100ft [3028ft]	3490	3510	3540	3570	3600	3630	3660	3690	3720
3200ft [3128ft]	3600	3630	3660	3680	3710	3740	3770	3810	3840
3300ft [3228ft]	3710	3740	3770	3800	3830	3860	3890	3920	3960
3400ft [3328ft]	3820	3850	3880	3920	3950	3980	4010	4040	4080
3500ft [3428ft]	3940	3970	4000	4030	4060	4100	4130	4160	4200
3600ft [3528ft]	4050	4080	4110	4150	4180	4210	4250	4280	4320
3700ft [3628ft]	4160	4200	4230	4260	4300	4330	4370	4400	4440
3800ft [3728ft]	4280	4310	4340	4380	4410	4450	4490	4520	4560
3900ft [3828ft]	4390	4420	4460	4490	4530	4570	4600	4640	4680
4000ft [3928ft]	4500	4540	4570	4610	4650	4680	4720	4760	4800
4100ft [4028ft]	4610	4650	4690	4720	4760	4800	4840	4880	4920
4200ft [4128ft]	4730	4760	4800	4840	4880	4920	4960	5000	5040
4300ft [4228ft]	4840	4880	4920	4960	5000	5040	5080	5120	5160
4400ft [4328ft]	4950	4990	5030	5070	5110	5150	5200	5240	5280
4500ft [4428ft]	5070	5110	5150	5190	5230	5270	5320	5360	5400
4600ft [4528ft]	5180	5220	5260	5300	5350	5390	5430	5480	5520
4700ft [4628ft]	5290	5330	5380	5420	5460	5510	5550	5600	5650
4800ft [4728ft]	5400	5450	5490	5530	5580	5620	5670	5720	5770
4900ft [4828ft]	5520	5560	5610	5650	5700	5740	5790	5840	5890
5000ft [4928ft]	5630	5670	5720	5770	5810	5860	5910	5960	6010
5072ft [5000ft]	5710	5760	5800	5850	5900	5940	5990	6040	6090

Stefano M. RAPISARDA - flightdeckengineering.com

CYDF - Deer Lake, NL, CANADA

Station Elevation: 72 feet. ISA Standard Temperature: 14.86°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
72ft [0ft]	80	80	80	80	80	80	80	80	80
100ft [28ft]	110	110	110	110	110	110	110	110	110
200ft [128ft]	230	230	230	230	240	240	240	240	240
300ft [228ft]	350	350	360	360	360	360	360	370	370
400ft [328ft]	470	470	480	480	480	490	490	490	500
500ft [428ft]	590	590	600	600	610	610	620	620	630
600ft [528ft]	710	720	720	730	730	740	740	750	760
700ft [628ft]	830	840	840	850	860	860	870	880	890
800ft [728ft]	950	960	970	970	980	990	1000	1000	1020
900ft [828ft]	1070	1080	1090	1100	1100	1110	1120	1130	1150
1000ft [928ft]	1190	1200	1210	1220	1230	1240	1250	1260	1280
1100ft [1028ft]	1310	1320	1330	1340	1350	1360	1380	1390	1410
1200ft [1128ft]	1430	1440	1450	1470	1480	1490	1500	1520	1530
1300ft [1228ft]	1550	1560	1580	1590	1600	1620	1630	1640	1660
1400ft [1328ft]	1670	1680	1700	1710	1730	1740	1760	1770	1790
1500ft [1428ft]	1790	1810	1820	1840	1850	1870	1880	1900	1920
1600ft [1528ft]	1910	1930	1940	1960	1980	1990	2010	2030	2050
1700ft [1628ft]	2030	2050	2070	2080	2100	2120	2140	2150	2180
1800ft [1728ft]	2150	2170	2190	2210	2220	2240	2260	2280	2310
1900ft [1828ft]	2270	2290	2310	2330	2350	2370	2390	2410	2440
2000ft [1928ft]	2390	2410	2430	2450	2470	2490	2520	2540	2570
2100ft [2028ft]	2510	2530	2550	2580	2600	2620	2640	2660	2700
2200ft [2128ft]	2630	2650	2680	2700	2720	2750	2770	2790	2830
2300ft [2228ft]	2750	2780	2800	2820	2850	2870	2900	2920	2960
2400ft [2328ft]	2870	2900	2920	2950	2970	3000	3020	3050	3090
2500ft [2428ft]	2990	3020	3040	3070	3100	3120	3150	3180	3220
2600ft [2528ft]	3110	3140	3170	3190	3220	3250	3280	3300	3350
2700ft [2628ft]	3230	3260	3290	3320	3340	3370	3400	3430	3480
2800ft [2728ft]	3360	3380	3410	3440	3470	3500	3530	3560	3610
2900ft [2828ft]	3480	3500	3530	3560	3590	3620	3660	3690	3740
3000ft [2928ft]	3600	3630	3660	3690	3720	3750	3780	3820	3870
3100ft [3028ft]	3720	3750	3780	3810	3840	3880	3910	3940	4000
3200ft [3128ft]	3840	3870	3900	3930	3970	4000	4040	4070	4130
3300ft [3228ft]	3960	3990	4020	4060	4090	4130	4160	4200	4260
3400ft [3328ft]	4080	4110	4150	4180	4220	4250	4290	4330	4390
3500ft [3428ft]	4200	4230	4270	4310	4340	4380	4420	4460	4520
3600ft [3528ft]	4320	4350	4390	4430	4470	4510	4550	4590	4650
3700ft [3628ft]	4440	4480	4510	4550	4590	4630	4670	4710	4780
3800ft [3728ft]	4560	4600	4640	4680	4720	4760	4800	4840	4910
3900ft [3828ft]	4680	4720	4760	4800	4840	4880	4930	4970	5040
4000ft [3928ft]	4800	4840	4880	4920	4970	5010	5050	5100	5170
4100ft [4028ft]	4920	4960	5010	5050	5090	5140	5180	5230	5300
4200ft [4128ft]	5040	5080	5130	5170	5220	5260	5310	5360	5430
4300ft [4228ft]	5160	5210	5250	5300	5340	5390	5440	5480	5560
4400ft [4328ft]	5280	5330	5370	5420	5470	5510	5560	5610	5690
4500ft [4428ft]	5400	5450	5500	5540	5590	5640	5690	5740	5820
4600ft [4528ft]	5520	5570	5620	5670	5720	5770	5820	5870	5950
4700ft [4628ft]	5650	5690	5740	5790	5840	5890	5940	6000	6080
4800ft [4728ft]	5770	5820	5860	5920	5970	6020	6070	6130	6210
4900ft [4828ft]	5890	5940	5990	6040	6090	6140	6200	6250	6340
5000ft [4928ft]	6010	6060	6110	6160	6220	6270	6330	6380	6470
5072ft [5000ft]	6090	6150	6200	6250	6310	6360	6420	6480	6560

Stefano M. RAPISARDA - flightdeckengineering.com

CYQX - Gander, NL, CANADA

Station Elevation: 496 feet. ISA Standard Temperature: 14.02°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
496ft [0ft]	500	500	500	500	500	500	500	500	500
500ft [4ft]	500	510	510	510	510	510	510	510	510
600ft [104ft]	600	610	610	610	610	610	610	610	610
700ft [204ft]	700	710	710	710	710	710	710	710	720
800ft [304ft]	800	810	810	810	810	810	820	820	820
900ft [404ft]	900	910	910	910	920	920	920	920	930
1000ft [504ft]	1000	1010	1010	1010	1020	1020	1030	1030	1030
1100ft [604ft]	1100	1110	1110	1120	1120	1120	1130	1130	1140
1200ft [704ft]	1200	1210	1210	1220	1220	1230	1230	1240	1240
1300ft [804ft]	1300	1310	1310	1320	1330	1330	1340	1340	1350
1400ft [904ft]	1400	1410	1410	1420	1430	1430	1440	1450	1450
1500ft [1004ft]	1500	1510	1520	1520	1530	1540	1550	1550	1560
1600ft [1104ft]	1600	1610	1620	1620	1630	1640	1650	1660	1670
1700ft [1204ft]	1700	1710	1720	1730	1740	1740	1750	1760	1770
1800ft [1304ft]	1800	1810	1820	1830	1840	1850	1860	1870	1880
1900ft [1404ft]	1900	1910	1920	1930	1940	1950	1960	1970	1980
2000ft [1504ft]	2000	2010	2020	2030	2040	2050	2070	2080	2090
2100ft [1604ft]	2100	2110	2120	2130	2150	2160	2170	2180	2190
2200ft [1704ft]	2200	2210	2220	2240	2250	2260	2270	2290	2300
2300ft [1804ft]	2300	2310	2320	2340	2350	2360	2380	2390	2410
2400ft [1904ft]	2400	2410	2430	2440	2450	2470	2480	2500	2510
2500ft [2004ft]	2500	2510	2530	2540	2560	2570	2590	2600	2620
2600ft [2104ft]	2600	2610	2630	2640	2660	2670	2690	2710	2720
2700ft [2204ft]	2700	2710	2730	2740	2760	2780	2790	2810	2830
2800ft [2304ft]	2800	2810	2830	2850	2860	2880	2900	2920	2930
2900ft [2404ft]	2900	2910	2930	2950	2970	2980	3000	3020	3040
3000ft [2504ft]	3000	3010	3030	3050	3070	3090	3110	3120	3140
3100ft [2604ft]	3100	3110	3130	3150	3170	3190	3210	3230	3250
3200ft [2704ft]	3200	3210	3230	3250	3270	3290	3310	3330	3360
3300ft [2804ft]	3300	3320	3340	3360	3380	3400	3420	3440	3460
3400ft [2904ft]	3400	3420	3440	3460	3480	3500	3520	3540	3570
3500ft [3004ft]	3500	3520	3540	3560	3580	3600	3630	3650	3670
3600ft [3104ft]	3600	3620	3640	3660	3680	3710	3730	3750	3780
3700ft [3204ft]	3700	3720	3740	3760	3790	3810	3830	3860	3880
3800ft [3304ft]	3800	3820	3840	3860	3890	3910	3940	3960	3990
3900ft [3404ft]	3900	3920	3940	3970	3990	4020	4040	4070	4090
4000ft [3504ft]	4000	4020	4040	4070	4090	4120	4150	4170	4200
4100ft [3604ft]	4100	4120	4140	4170	4200	4220	4250	4280	4310
4200ft [3704ft]	4200	4220	4240	4270	4300	4330	4350	4380	4410
4300ft [3804ft]	4300	4320	4350	4370	4400	4430	4460	4490	4520
4400ft [3904ft]	4400	4420	4450	4480	4500	4530	4560	4590	4620
4500ft [4004ft]	4500	4520	4550	4580	4610	4640	4670	4700	4730
4600ft [4104ft]	4600	4620	4650	4680	4710	4740	4770	4800	4830
4700ft [4204ft]	4700	4720	4750	4780	4810	4840	4880	4910	4940
4800ft [4304ft]	4800	4820	4850	4880	4910	4950	4980	5010	5050
4900ft [4404ft]	4900	4920	4950	4980	5020	5050	5080	5120	5150
5000ft [4504ft]	5000	5020	5050	5090	5120	5150	5190	5220	5260
5100ft [4604ft]	5100	5120	5150	5190	5220	5260	5290	5330	5360
5200ft [4704ft]	5200	5220	5260	5290	5320	5360	5400	5430	5470
5300ft [4804ft]	5300	5320	5360	5390	5430	5460	5500	5540	5570
5400ft [4904ft]	5400	5420	5460	5490	5530	5570	5600	5640	5680
5496ft [5000ft]	5496	5520	5550	5590	5630	5670	5700	5740	5780

Stefano M. RAPISARDA - flightdeckengineering.com

CYQX - Gander, NL, CANADA

Station Elevation: 496 feet. ISA Standard Temperature: 14.02°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
496ft [0ft]	500	500	500	500	500	500	500	500	500
500ft [4ft]	510	510	510	510	510	510	510	510	510
600ft [104ft]	610	610	610	610	610	610	620	620	620
700ft [204ft]	720	720	720	720	720	720	730	730	730
800ft [304ft]	820	820	830	830	830	830	840	840	840
900ft [404ft]	930	930	930	940	940	940	950	950	950
1000ft [504ft]	1030	1040	1040	1040	1050	1050	1060	1060	1070
1100ft [604ft]	1140	1140	1150	1150	1160	1160	1170	1170	1180
1200ft [704ft]	1240	1250	1250	1260	1270	1270	1280	1280	1290
1300ft [804ft]	1350	1360	1360	1370	1380	1380	1390	1400	1400
1400ft [904ft]	1450	1460	1470	1480	1480	1490	1500	1510	1510
1500ft [1004ft]	1560	1570	1580	1580	1590	1600	1610	1620	1630
1600ft [1104ft]	1670	1670	1680	1690	1700	1710	1720	1730	1740
1700ft [1204ft]	1770	1780	1790	1800	1810	1820	1830	1840	1850
1800ft [1304ft]	1880	1890	1900	1910	1920	1930	1940	1950	1960
1900ft [1404ft]	1980	1990	2000	2020	2030	2040	2050	2060	2080
2000ft [1504ft]	2090	2100	2110	2120	2140	2150	2160	2170	2190
2100ft [1604ft]	2190	2210	2220	2230	2250	2260	2270	2290	2300
2200ft [1704ft]	2300	2310	2330	2340	2350	2370	2380	2400	2410
2300ft [1804ft]	2410	2420	2430	2450	2460	2480	2490	2510	2520
2400ft [1904ft]	2510	2530	2540	2560	2570	2590	2600	2620	2640
2500ft [2004ft]	2620	2630	2650	2660	2680	2700	2710	2730	2750
2600ft [2104ft]	2720	2740	2760	2770	2790	2810	2820	2840	2860
2700ft [2204ft]	2830	2840	2860	2880	2900	2920	2940	2950	2970
2800ft [2304ft]	2930	2950	2970	2990	3010	3030	3050	3070	3090
2900ft [2404ft]	3040	3060	3080	3100	3120	3140	3160	3180	3200
3000ft [2504ft]	3140	3160	3180	3200	3220	3250	3270	3290	3310
3100ft [2604ft]	3250	3270	3290	3310	3330	3360	3380	3400	3420
3200ft [2704ft]	3360	3380	3400	3420	3440	3470	3490	3510	3540
3300ft [2804ft]	3460	3480	3510	3530	3550	3580	3600	3620	3650
3400ft [2904ft]	3570	3590	3610	3640	3660	3680	3710	3730	3760
3500ft [3004ft]	3670	3700	3720	3740	3770	3790	3820	3850	3870
3600ft [3104ft]	3780	3800	3830	3850	3880	3900	3930	3960	3980
3700ft [3204ft]	3880	3910	3930	3960	3990	4010	4040	4070	4100
3800ft [3304ft]	3990	4020	4040	4070	4100	4120	4150	4180	4210
3900ft [3404ft]	4090	4120	4150	4180	4210	4230	4260	4290	4320
4000ft [3504ft]	4200	4230	4260	4280	4310	4340	4370	4400	4430
4100ft [3604ft]	4310	4330	4360	4390	4420	4450	4480	4520	4550
4200ft [3704ft]	4410	4440	4470	4500	4530	4560	4590	4630	4660
4300ft [3804ft]	4520	4550	4580	4610	4640	4670	4710	4740	4770
4400ft [3904ft]	4620	4650	4690	4720	4750	4780	4820	4850	4880
4500ft [4004ft]	4730	4760	4790	4830	4860	4890	4930	4960	5000
4600ft [4104ft]	4830	4870	4900	4930	4970	5000	5040	5070	5110
4700ft [4204ft]	4940	4970	5010	5040	5080	5110	5150	5180	5220
4800ft [4304ft]	5050	5080	5110	5150	5190	5220	5260	5300	5330
4900ft [4404ft]	5150	5190	5220	5260	5290	5330	5370	5410	5450
5000ft [4504ft]	5260	5290	5330	5370	5400	5440	5480	5520	5560
5100ft [4604ft]	5360	5400	5440	5470	5510	5550	5590	5630	5670
5200ft [4704ft]	5470	5510	5540	5580	5620	5660	5700	5740	5780
5300ft [4804ft]	5570	5610	5650	5690	5730	5770	5810	5850	5900
5400ft [4904ft]	5680	5720	5760	5800	5840	5880	5920	5970	6010
5496ft [5000ft]	5780	5820	5860	5900	5940	5990	6030	6070	6120

Stefano M. RAPISARDA - flightdeckengineering.com

CYQX - Gander, NL, CANADA

Station Elevation: 496 feet. ISA Standard Temperature: 14.02°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
496ft [0ft]	500	500	500	500	500	500	500	500	500
500ft [4ft]	510	510	510	510	510	510	510	510	510
600ft [104ft]	620	620	620	620	620	620	620	620	630
700ft [204ft]	730	730	730	740	740	740	740	740	740
800ft [304ft]	840	840	850	850	850	860	860	860	860
900ft [404ft]	950	960	960	960	970	970	980	980	980
1000ft [504ft]	1070	1070	1080	1080	1080	1090	1090	1100	1100
1100ft [604ft]	1180	1180	1190	1190	1200	1210	1210	1220	1220
1200ft [704ft]	1290	1300	1300	1310	1320	1320	1330	1340	1340
1300ft [804ft]	1400	1410	1420	1420	1430	1440	1450	1450	1460
1400ft [904ft]	1510	1520	1530	1540	1550	1560	1560	1570	1580
1500ft [1004ft]	1630	1640	1640	1650	1660	1670	1680	1690	1700
1600ft [1104ft]	1740	1750	1760	1770	1780	1790	1800	1810	1820
1700ft [1204ft]	1850	1860	1870	1880	1890	1910	1920	1930	1940
1800ft [1304ft]	1960	1980	1990	2000	2010	2020	2040	2050	2060
1900ft [1404ft]	2080	2090	2100	2110	2130	2140	2150	2170	2180
2000ft [1504ft]	2190	2200	2210	2230	2240	2260	2270	2290	2300
2100ft [1604ft]	2300	2310	2330	2340	2360	2370	2390	2400	2420
2200ft [1704ft]	2410	2430	2440	2460	2470	2490	2510	2520	2540
2300ft [1804ft]	2520	2540	2560	2570	2590	2610	2620	2640	2660
2400ft [1904ft]	2640	2650	2670	2690	2710	2720	2740	2760	2780
2500ft [2004ft]	2750	2770	2790	2800	2820	2840	2860	2880	2900
2600ft [2104ft]	2860	2880	2900	2920	2940	2960	2980	3000	3020
2700ft [2204ft]	2970	2990	3010	3030	3050	3080	3100	3120	3140
2800ft [2304ft]	3090	3110	3130	3150	3170	3190	3210	3240	3260
2900ft [2404ft]	3200	3220	3240	3260	3290	3310	3330	3360	3380
3000ft [2504ft]	3310	3330	3360	3380	3400	3430	3450	3470	3500
3100ft [2604ft]	3420	3450	3470	3490	3520	3540	3570	3590	3620
3200ft [2704ft]	3540	3560	3580	3610	3630	3660	3690	3710	3740
3300ft [2804ft]	3650	3670	3700	3720	3750	3780	3800	3830	3860
3400ft [2904ft]	3760	3790	3810	3840	3870	3890	3920	3950	3980
3500ft [3004ft]	3870	3900	3930	3950	3980	4010	4040	4070	4100
3600ft [3104ft]	3980	4010	4040	4070	4100	4130	4160	4190	4220
3700ft [3204ft]	4100	4130	4160	4180	4210	4250	4280	4310	4340
3800ft [3304ft]	4210	4240	4270	4300	4330	4360	4390	4430	4460
3900ft [3404ft]	4320	4350	4380	4410	4450	4480	4510	4550	4580
4000ft [3504ft]	4430	4470	4500	4530	4560	4600	4630	4660	4700
4100ft [3604ft]	4550	4580	4610	4650	4680	4710	4750	4780	4820
4200ft [3704ft]	4660	4690	4730	4760	4800	4830	4870	4900	4940
4300ft [3804ft]	4770	4810	4840	4880	4910	4950	4980	5020	5060
4400ft [3904ft]	4880	4920	4950	4990	5030	5060	5100	5140	5180
4500ft [4004ft]	5000	5030	5070	5110	5140	5180	5220	5260	5300
4600ft [4104ft]	5110	5150	5180	5220	5260	5300	5340	5380	5420
4700ft [4204ft]	5220	5260	5300	5340	5380	5420	5460	5500	5540
4800ft [4304ft]	5330	5370	5410	5450	5490	5530	5580	5620	5660
4900ft [4404ft]	5450	5490	5530	5570	5610	5650	5690	5740	5780
5000ft [4504ft]	5560	5600	5640	5680	5730	5770	5810	5860	5900
5100ft [4604ft]	5670	5710	5760	5800	5840	5890	5930	5980	6020
5200ft [4704ft]	5780	5830	5870	5910	5960	6000	6050	6100	6140
5300ft [4804ft]	5900	5940	5980	6030	6070	6120	6170	6210	6260
5400ft [4904ft]	6010	6050	6100	6140	6190	6240	6290	6330	6380
5496ft [5000ft]	6120	6160	6210	6250	6300	6350	6400	6450	6500

Stefano M. RAPISARDA - flightdeckengineering.com

CYQX - Gander, NL, CANADA

Station Elevation: 496 feet. ISA Standard Temperature: 14.02°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
496ft [0ft]	500	500	500	500	500	500	500	500	500
500ft [4ft]	510	510	510	510	510	510	510	510	510
600ft [104ft]	630	630	630	630	630	630	630	630	630
700ft [204ft]	740	750	750	750	750	760	760	760	760
800ft [304ft]	860	870	870	870	880	880	880	890	890
900ft [404ft]	980	990	990	1000	1000	1010	1010	1010	1020
1000ft [504ft]	1100	1110	1110	1120	1120	1130	1140	1140	1150
1100ft [604ft]	1220	1230	1240	1240	1250	1250	1260	1270	1280
1200ft [704ft]	1340	1350	1360	1360	1370	1380	1390	1400	1410
1300ft [804ft]	1460	1470	1480	1490	1500	1500	1510	1520	1540
1400ft [904ft]	1580	1590	1600	1610	1620	1630	1640	1650	1660
1500ft [1004ft]	1700	1710	1720	1730	1740	1750	1770	1780	1790
1600ft [1104ft]	1820	1830	1840	1860	1870	1880	1890	1900	1920
1700ft [1204ft]	1940	1950	1970	1980	1990	2000	2020	2030	2050
1800ft [1304ft]	2060	2070	2090	2100	2120	2130	2140	2160	2180
1900ft [1404ft]	2180	2200	2210	2220	2240	2250	2270	2290	2310
2000ft [1504ft]	2300	2320	2330	2350	2360	2380	2400	2410	2440
2100ft [1604ft]	2420	2440	2450	2470	2490	2500	2520	2540	2570
2200ft [1704ft]	2540	2560	2580	2590	2610	2630	2650	2670	2700
2300ft [1804ft]	2660	2680	2700	2720	2740	2750	2770	2790	2830
2400ft [1904ft]	2780	2800	2820	2840	2860	2880	2900	2920	2960
2500ft [2004ft]	2900	2920	2940	2960	2980	3010	3030	3050	3080
2600ft [2104ft]	3020	3040	3060	3080	3110	3130	3150	3180	3210
2700ft [2204ft]	3140	3160	3180	3210	3230	3260	3280	3300	3340
2800ft [2304ft]	3260	3280	3310	3330	3360	3380	3410	3430	3470
2900ft [2404ft]	3380	3400	3430	3450	3480	3510	3530	3560	3600
3000ft [2504ft]	3500	3530	3550	3580	3600	3630	3660	3690	3730
3100ft [2604ft]	3620	3650	3670	3700	3730	3760	3790	3810	3860
3200ft [2704ft]	3740	3770	3790	3820	3850	3880	3910	3940	3990
3300ft [2804ft]	3860	3890	3920	3950	3980	4010	4040	4070	4120
3400ft [2904ft]	3980	4010	4040	4070	4100	4130	4160	4200	4250
3500ft [3004ft]	4100	4130	4160	4190	4230	4260	4290	4330	4380
3600ft [3104ft]	4220	4250	4280	4320	4350	4380	4420	4450	4510
3700ft [3204ft]	4340	4370	4410	4440	4470	4510	4540	4580	4640
3800ft [3304ft]	4460	4490	4530	4560	4600	4630	4670	4710	4770
3900ft [3404ft]	4580	4610	4650	4690	4720	4760	4800	4840	4890
4000ft [3504ft]	4700	4740	4770	4810	4850	4890	4920	4960	5020
4100ft [3604ft]	4820	4860	4890	4930	4970	5010	5050	5090	5150
4200ft [3704ft]	4940	4980	5020	5060	5100	5140	5180	5220	5280
4300ft [3804ft]	5060	5100	5140	5180	5220	5260	5300	5350	5410
4400ft [3904ft]	5180	5220	5260	5300	5340	5390	5430	5470	5540
4500ft [4004ft]	5300	5340	5380	5430	5470	5510	5560	5600	5670
4600ft [4104ft]	5420	5460	5510	5550	5590	5640	5680	5730	5800
4700ft [4204ft]	5540	5580	5630	5670	5720	5760	5810	5860	5930
4800ft [4304ft]	5660	5710	5750	5800	5840	5890	5940	5990	6060
4900ft [4404ft]	5780	5830	5870	5920	5970	6020	6060	6110	6190
5000ft [4504ft]	5900	5950	6000	6040	6090	6140	6190	6240	6320
5100ft [4604ft]	6020	6070	6120	6170	6220	6270	6320	6370	6450
5200ft [4704ft]	6140	6190	6240	6290	6340	6390	6450	6500	6580
5300ft [4804ft]	6260	6310	6360	6410	6470	6520	6570	6630	6710
5400ft [4904ft]	6380	6430	6490	6540	6590	6640	6700	6760	6840
5496ft [5000ft]	6500	6550	6600	6660	6710	6760	6820	6880	6970

Stefano M. RAPISARDA - flightdeckengineering.com

CYWK - Wabush, NL, CANADA

Station Elevation: 1809 feet. ISA Standard Temperature: 11.41°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+2)	12°C (ISA+0)	10°C (ISA-2)	8°C (ISA-4)	6°C (ISA-6)	4°C (ISA-8)	2°C (ISA-10)	0°C (ISA-12)	-2°C (ISA-14)
1809ft [0ft]	---	1810	1810	1810	1810	1810	1810	1810	1810
1900ft [91ft]	---	1900	1910	1910	1910	1910	1910	1910	1910
2000ft [191ft]	---	2000	2010	2010	2010	2010	2010	2010	2010
2100ft [291ft]	---	2100	2110	2110	2110	2110	2110	2120	2120
2200ft [391ft]	---	2200	2210	2210	2210	2220	2220	2220	2220
2300ft [491ft]	---	2300	2310	2310	2310	2320	2320	2330	2330
2400ft [591ft]	---	2400	2410	2410	2420	2420	2430	2430	2430
2500ft [691ft]	---	2500	2510	2510	2520	2520	2530	2530	2540
2600ft [791ft]	---	2600	2610	2610	2620	2630	2630	2640	2640
2700ft [891ft]	---	2700	2710	2720	2720	2730	2740	2740	2750
2800ft [991ft]	---	2800	2810	2820	2820	2830	2840	2850	2850
2900ft [1091ft]	---	2900	2910	2920	2930	2930	2940	2950	2960
3000ft [1191ft]	---	3000	3010	3020	3030	3040	3050	3050	3060
3100ft [1291ft]	---	3100	3110	3120	3130	3140	3150	3160	3170
3200ft [1391ft]	---	3200	3210	3220	3230	3240	3250	3260	3270
3300ft [1491ft]	---	3300	3310	3320	3330	3340	3360	3370	3380
3400ft [1591ft]	---	3400	3410	3420	3440	3450	3460	3470	3480
3500ft [1691ft]	---	3500	3510	3530	3540	3550	3560	3580	3590
3600ft [1791ft]	---	3600	3610	3630	3640	3650	3670	3680	3690
3700ft [1891ft]	---	3700	3710	3730	3740	3760	3770	3780	3800
3800ft [1991ft]	---	3800	3810	3830	3840	3860	3870	3890	3900
3900ft [2091ft]	---	3900	3920	3930	3950	3960	3980	3990	4010
4000ft [2191ft]	---	4000	4020	4030	4050	4060	4080	4100	4110
4100ft [2291ft]	---	4100	4120	4130	4150	4170	4180	4200	4220
4200ft [2391ft]	---	4200	4220	4230	4250	4270	4290	4310	4320
4300ft [2491ft]	---	4300	4320	4340	4350	4370	4390	4410	4430
4400ft [2591ft]	---	4400	4420	4440	4460	4470	4490	4510	4530
4500ft [2691ft]	---	4500	4520	4540	4560	4580	4600	4620	4640
4600ft [2791ft]	---	4600	4620	4640	4660	4680	4700	4720	4740
4700ft [2891ft]	---	4700	4720	4740	4760	4780	4800	4830	4850
4800ft [2991ft]	---	4800	4820	4840	4860	4890	4910	4930	4950
4900ft [3091ft]	---	4900	4920	4940	4970	4990	5010	5030	5060
5000ft [3191ft]	---	5000	5020	5040	5070	5090	5110	5140	5160
5100ft [3291ft]	---	5100	5120	5150	5170	5190	5220	5240	5270
5200ft [3391ft]	---	5200	5220	5250	5270	5300	5320	5350	5370
5300ft [3491ft]	---	5300	5320	5350	5370	5400	5430	5450	5480
5400ft [3591ft]	---	5400	5420	5450	5480	5500	5530	5560	5580
5500ft [3691ft]	---	5500	5520	5550	5580	5600	5630	5660	5690
5600ft [3791ft]	---	5600	5620	5650	5680	5710	5740	5760	5790
5700ft [3891ft]	---	5700	5720	5750	5780	5810	5840	5870	5900
5800ft [3991ft]	---	5800	5830	5850	5880	5910	5940	5970	6000
5900ft [4091ft]	---	5900	5930	5960	5990	6020	6050	6080	6110
6000ft [4191ft]	---	6000	6030	6060	6090	6120	6150	6180	6210
6100ft [4291ft]	---	6100	6130	6160	6190	6220	6250	6290	6320
6200ft [4391ft]	---	6200	6230	6260	6290	6320	6360	6390	6420
6300ft [4491ft]	---	6300	6330	6360	6390	6430	6460	6490	6530
6400ft [4591ft]	---	6400	6430	6460	6490	6530	6560	6600	6630
6500ft [4691ft]	---	6500	6530	6560	6600	6630	6670	6700	6740
6600ft [4791ft]	---	6600	6630	6660	6700	6730	6770	6810	6840
6700ft [4891ft]	---	6700	6730	6770	6800	6840	6870	6910	6950
6800ft [4991ft]	---	6800	6830	6870	6900	6940	6980	7020	7050
6809ft [5000ft]	---	6809	6840	6880	6910	6950	6990	7030	7060

Stefano M. RAPISARDA - flightdeckengineering.com

CYWK - Wabush, NL, CANADA

Station Elevation: 1809 feet. ISA Standard Temperature: 11.41°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-14)	-4°C (ISA-16)	-6°C (ISA-18)	-8°C (ISA-20)	-10°C (ISA-22)	-12°C (ISA-24)	-14°C (ISA-26)	-16°C (ISA-28)	-18°C (ISA-30)
1809ft [0ft]	1810	1810	1810	1810	1810	1810	1810	1810	1810
1900ft [91ft]	1910	1910	1910	1910	1910	1910	1910	1910	1920
2000ft [191ft]	2010	2020	2020	2020	2020	2020	2020	2030	2030
2100ft [291ft]	2120	2120	2120	2130	2130	2130	2130	2140	2140
2200ft [391ft]	2220	2230	2230	2230	2240	2240	2240	2250	2250
2300ft [491ft]	2330	2330	2340	2340	2340	2350	2350	2360	2360
2400ft [591ft]	2430	2440	2440	2450	2450	2460	2460	2470	2470
2500ft [691ft]	2540	2540	2550	2560	2560	2570	2570	2580	2580
2600ft [791ft]	2640	2650	2660	2660	2670	2680	2680	2690	2700
2700ft [891ft]	2750	2760	2760	2770	2780	2780	2790	2800	2810
2800ft [991ft]	2850	2860	2870	2880	2890	2890	2900	2910	2920
2900ft [1091ft]	2960	2970	2980	2980	2990	3000	3010	3020	3030
3000ft [1191ft]	3060	3070	3080	3090	3100	3110	3120	3130	3140
3100ft [1291ft]	3170	3180	3190	3200	3210	3220	3230	3240	3250
3200ft [1391ft]	3270	3280	3300	3310	3320	3330	3340	3350	3370
3300ft [1491ft]	3380	3390	3400	3410	3430	3440	3450	3460	3480
3400ft [1591ft]	3480	3500	3510	3520	3530	3550	3560	3570	3590
3500ft [1691ft]	3590	3600	3620	3630	3640	3660	3670	3690	3700
3600ft [1791ft]	3690	3710	3720	3740	3750	3770	3780	3800	3810
3700ft [1891ft]	3800	3810	3830	3840	3860	3870	3890	3910	3920
3800ft [1991ft]	3900	3920	3930	3950	3970	3980	4000	4020	4030
3900ft [2091ft]	4010	4020	4040	4060	4080	4090	4110	4130	4150
4000ft [2191ft]	4110	4130	4150	4170	4180	4200	4220	4240	4260
4100ft [2291ft]	4220	4240	4250	4270	4290	4310	4330	4350	4370
4200ft [2391ft]	4320	4340	4360	4380	4400	4420	4440	4460	4480
4300ft [2491ft]	4430	4450	4470	4490	4510	4530	4550	4570	4590
4400ft [2591ft]	4530	4550	4570	4600	4620	4640	4660	4680	4700
4500ft [2691ft]	4640	4660	4680	4700	4720	4750	4770	4790	4820
4600ft [2791ft]	4740	4770	4790	4810	4830	4860	4880	4900	4930
4700ft [2891ft]	4850	4870	4890	4920	4940	4970	4990	5010	5040
4800ft [2991ft]	4950	4980	5000	5030	5050	5070	5100	5130	5150
4900ft [3091ft]	5060	5080	5110	5130	5160	5180	5210	5240	5260
5000ft [3191ft]	5160	5190	5210	5240	5270	5290	5320	5350	5380
5100ft [3291ft]	5270	5290	5320	5350	5370	5400	5430	5460	5490
5200ft [3391ft]	5370	5400	5430	5450	5480	5510	5540	5570	5600
5300ft [3491ft]	5480	5510	5530	5560	5590	5620	5650	5680	5710
5400ft [3591ft]	5580	5610	5640	5670	5700	5730	5760	5790	5820
5500ft [3691ft]	5690	5720	5750	5780	5810	5840	5870	5900	5930
5600ft [3791ft]	5790	5820	5850	5880	5920	5950	5980	6010	6050
5700ft [3891ft]	5900	5930	5960	5990	6020	6060	6090	6120	6160
5800ft [3991ft]	6000	6040	6070	6100	6130	6170	6200	6230	6270
5900ft [4091ft]	6110	6140	6170	6210	6240	6280	6310	6350	6380
6000ft [4191ft]	6210	6250	6280	6310	6350	6380	6420	6460	6490
6100ft [4291ft]	6320	6350	6390	6420	6460	6490	6530	6570	6600
6200ft [4391ft]	6420	6460	6490	6530	6570	6600	6640	6680	6720
6300ft [4491ft]	6530	6560	6600	6640	6670	6710	6750	6790	6830
6400ft [4591ft]	6630	6670	6710	6740	6780	6820	6860	6900	6940
6500ft [4691ft]	6740	6780	6810	6850	6890	6930	6970	7010	7050
6600ft [4791ft]	6840	6880	6920	6960	7000	7040	7080	7120	7160
6700ft [4891ft]	6950	6990	7030	7070	7110	7150	7190	7230	7280
6800ft [4991ft]	7050	7090	7130	7180	7220	7260	7300	7340	7390
6809ft [5000ft]	7060	7100	7140	7180	7230	7270	7310	7350	7400

Stefano M. RAPISARDA - flightdeckengineering.com

CYWK - Wabush, NL, CANADA

Station Elevation: 1809 feet. ISA Standard Temperature: 11.41°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-30)	-20°C (ISA-32)	-22°C (ISA-34)	-24°C (ISA-36)	-26°C (ISA-38)	-28°C (ISA-40)	-30°C (ISA-42)	-32°C (ISA-44)	-34°C (ISA-46)
1809ft [0ft]	1810	1810	1810	1810	1810	1810	1810	1810	1810
1900ft [91ft]	1920	1920	1920	1920	1920	1920	1920	1920	1920
2000ft [191ft]	2030	2030	2030	2030	2030	2040	2040	2040	2040
2100ft [291ft]	2140	2140	2140	2150	2150	2150	2150	2160	2160
2200ft [391ft]	2250	2250	2260	2260	2260	2270	2270	2280	2280
2300ft [491ft]	2360	2370	2370	2370	2380	2380	2390	2390	2400
2400ft [591ft]	2470	2480	2480	2490	2490	2500	2510	2510	2520
2500ft [691ft]	2580	2590	2600	2600	2610	2620	2620	2630	2640
2600ft [791ft]	2700	2700	2710	2720	2720	2730	2740	2750	2750
2700ft [891ft]	2810	2820	2820	2830	2840	2850	2860	2860	2870
2800ft [991ft]	2920	2930	2940	2950	2950	2960	2970	2980	2990
2900ft [1091ft]	3030	3040	3050	3060	3070	3080	3090	3100	3110
3000ft [1191ft]	3140	3150	3160	3170	3180	3200	3210	3220	3230
3100ft [1291ft]	3250	3260	3280	3290	3300	3310	3320	3340	3350
3200ft [1391ft]	3370	3380	3390	3400	3420	3430	3440	3460	3470
3300ft [1491ft]	3480	3490	3500	3520	3530	3540	3560	3570	3590
3400ft [1591ft]	3590	3600	3620	3630	3650	3660	3680	3690	3710
3500ft [1691ft]	3700	3710	3730	3750	3760	3780	3790	3810	3830
3600ft [1791ft]	3810	3830	3840	3860	3880	3890	3910	3930	3950
3700ft [1891ft]	3920	3940	3960	3970	3990	4010	4030	4050	4060
3800ft [1991ft]	4030	4050	4070	4090	4110	4130	4140	4160	4180
3900ft [2091ft]	4150	4160	4180	4200	4220	4240	4260	4280	4300
4000ft [2191ft]	4260	4280	4300	4320	4340	4360	4380	4400	4420
4100ft [2291ft]	4370	4390	4410	4430	4450	4470	4500	4520	4540
4200ft [2391ft]	4480	4500	4520	4550	4570	4590	4610	4640	4660
4300ft [2491ft]	4590	4620	4640	4660	4680	4710	4730	4750	4780
4400ft [2591ft]	4700	4730	4750	4770	4800	4820	4850	4870	4900
4500ft [2691ft]	4820	4840	4860	4890	4910	4940	4970	4990	5020
4600ft [2791ft]	4930	4950	4980	5000	5030	5060	5080	5110	5140
4700ft [2891ft]	5040	5070	5090	5120	5140	5170	5200	5230	5260
4800ft [2991ft]	5150	5180	5210	5230	5260	5290	5320	5350	5380
4900ft [3091ft]	5260	5290	5320	5350	5380	5400	5430	5460	5500
5000ft [3191ft]	5380	5400	5430	5460	5490	5520	5550	5580	5610
5100ft [3291ft]	5490	5520	5550	5580	5610	5640	5670	5700	5730
5200ft [3391ft]	5600	5630	5660	5690	5720	5750	5790	5820	5850
5300ft [3491ft]	5710	5740	5770	5800	5840	5870	5900	5940	5970
5400ft [3591ft]	5820	5850	5890	5920	5950	5990	6020	6060	6090
5500ft [3691ft]	5930	5970	6000	6030	6070	6100	6140	6180	6210
5600ft [3791ft]	6050	6080	6110	6150	6180	6220	6260	6290	6330
5700ft [3891ft]	6160	6190	6230	6260	6300	6340	6370	6410	6450
5800ft [3991ft]	6270	6300	6340	6380	6410	6450	6490	6530	6570
5900ft [4091ft]	6380	6420	6450	6490	6530	6570	6610	6650	6690
6000ft [4191ft]	6490	6530	6570	6610	6650	6690	6730	6770	6810
6100ft [4291ft]	6600	6640	6680	6720	6760	6800	6840	6890	6930
6200ft [4391ft]	6720	6760	6800	6840	6880	6920	6960	7000	7050
6300ft [4491ft]	6830	6870	6910	6950	6990	7040	7080	7120	7170
6400ft [4591ft]	6940	6980	7020	7070	7110	7150	7200	7240	7290
6500ft [4691ft]	7050	7090	7140	7180	7220	7270	7310	7360	7410
6600ft [4791ft]	7160	7210	7250	7290	7340	7390	7430	7480	7530
6700ft [4891ft]	7280	7320	7360	7410	7460	7500	7550	7600	7650
6800ft [4991ft]	7390	7430	7480	7520	7570	7620	7670	7720	7770
6809ft [5000ft]	7400	7440	7490	7530	7580	7630	7680	7730	7780

Stefano M. RAPISARDA - flightdeckengineering.com

CYWK - Wabush, NL, CANADA

Station Elevation: 1809 feet. ISA Standard Temperature: 11.41°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-46)	-36°C (ISA-48)	-38°C (ISA-50)	-40°C (ISA-52)	-42°C (ISA-54)	-44°C (ISA-56)	-46°C (ISA-58)	-48°C (ISA-60)	-50°C (ISA-62)
1809ft [0ft]	1810	1810	1810	1810	1810	1810	1810	1810	1810
1900ft [91ft]	1920	1920	1920	1920	1930	1930	1930	1930	1930
2000ft [191ft]	2040	2040	2040	2050	2050	2050	2050	2060	2060
2100ft [291ft]	2160	2160	2170	2170	2170	2170	2180	2180	2180
2200ft [391ft]	2280	2280	2290	2290	2290	2300	2300	2310	2310
2300ft [491ft]	2400	2400	2410	2410	2420	2420	2430	2430	2440
2400ft [591ft]	2520	2520	2530	2530	2540	2550	2550	2560	2570
2500ft [691ft]	2640	2640	2650	2660	2660	2670	2680	2690	2690
2600ft [791ft]	2750	2760	2770	2780	2790	2800	2800	2810	2820
2700ft [891ft]	2870	2880	2890	2900	2910	2920	2930	2940	2950
2800ft [991ft]	2990	3000	3010	3020	3030	3040	3050	3070	3080
2900ft [1091ft]	3110	3120	3130	3150	3160	3170	3180	3190	3200
3000ft [1191ft]	3230	3240	3250	3270	3280	3290	3310	3320	3330
3100ft [1291ft]	3350	3360	3380	3390	3400	3420	3430	3450	3460
3200ft [1391ft]	3470	3480	3500	3510	3530	3540	3560	3570	3590
3300ft [1491ft]	3590	3600	3620	3630	3650	3670	3680	3700	3720
3400ft [1591ft]	3710	3720	3740	3760	3770	3790	3810	3820	3840
3500ft [1691ft]	3830	3840	3860	3880	3900	3910	3930	3950	3970
3600ft [1791ft]	3950	3960	3980	4000	4020	4040	4060	4080	4100
3700ft [1891ft]	4060	4080	4100	4120	4140	4160	4180	4200	4230
3800ft [1991ft]	4180	4200	4220	4240	4270	4290	4310	4330	4350
3900ft [2091ft]	4300	4320	4350	4370	4390	4410	4430	4460	4480
4000ft [2191ft]	4420	4440	4470	4490	4510	4540	4560	4580	4610
4100ft [2291ft]	4540	4560	4590	4610	4640	4660	4690	4710	4740
4200ft [2391ft]	4660	4680	4710	4730	4760	4790	4810	4840	4870
4300ft [2491ft]	4780	4800	4830	4860	4880	4910	4940	4960	4990
4400ft [2591ft]	4900	4930	4950	4980	5010	5030	5060	5090	5120
4500ft [2691ft]	5020	5050	5070	5100	5130	5160	5190	5220	5250
4600ft [2791ft]	5140	5170	5190	5220	5250	5280	5310	5350	5380
4700ft [2891ft]	5260	5290	5320	5350	5380	5410	5440	5470	5510
4800ft [2991ft]	5380	5410	5440	5470	5500	5530	5570	5600	5630
4900ft [3091ft]	5500	5530	5560	5590	5620	5660	5690	5730	5760
5000ft [3191ft]	5610	5650	5680	5710	5750	5780	5820	5850	5890
5100ft [3291ft]	5730	5770	5800	5840	5870	5910	5940	5980	6020
5200ft [3391ft]	5850	5890	5920	5960	5990	6030	6070	6110	6150
5300ft [3491ft]	5970	6010	6040	6080	6120	6160	6190	6230	6270
5400ft [3591ft]	6090	6130	6170	6200	6240	6280	6320	6360	6400
5500ft [3691ft]	6210	6250	6290	6330	6370	6410	6450	6490	6530
5600ft [3791ft]	6330	6370	6410	6450	6490	6530	6570	6610	6660
5700ft [3891ft]	6450	6490	6530	6570	6610	6660	6700	6740	6790
5800ft [3991ft]	6570	6610	6650	6690	6740	6780	6820	6870	6910
5900ft [4091ft]	6690	6730	6770	6820	6860	6900	6950	7000	7040
6000ft [4191ft]	6810	6850	6900	6940	6980	7030	7080	7120	7170
6100ft [4291ft]	6930	6970	7020	7060	7110	7150	7200	7250	7300
6200ft [4391ft]	7050	7090	7140	7180	7230	7280	7330	7380	7430
6300ft [4491ft]	7170	7210	7260	7310	7360	7400	7450	7510	7560
6400ft [4591ft]	7290	7330	7380	7430	7480	7530	7580	7630	7690
6500ft [4691ft]	7410	7450	7500	7550	7600	7650	7710	7760	7810
6600ft [4791ft]	7530	7580	7630	7680	7730	7780	7830	7890	7940
6700ft [4891ft]	7650	7700	7750	7800	7850	7900	7960	8010	8070
6800ft [4991ft]	7770	7820	7870	7920	7980	8030	8090	8140	8200
6809ft [5000ft]	7780	7830	7880	7930	7990	8040	8100	8150	8210

Stefano M. RAPISARDA - flightdeckengineering.com

CYYR - Goose Bay, NL, CANADA

Station Elevation: 160 feet. ISA Standard Temperature: 14.68°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
160ft [0ft]	160	160	160	160	160	160	160	160	160
200ft [40ft]	200	210	210	210	210	210	210	210	210
300ft [140ft]	300	310	310	310	310	310	310	310	310
400ft [240ft]	400	410	410	410	410	410	420	420	420
500ft [340ft]	500	510	510	510	510	520	520	520	520
600ft [440ft]	600	610	610	610	620	620	620	630	630
700ft [540ft]	700	710	710	720	720	720	730	730	740
800ft [640ft]	800	810	810	820	820	830	830	840	840
900ft [740ft]	900	910	910	920	930	930	940	940	950
1000ft [840ft]	1000	1010	1020	1020	1030	1030	1040	1050	1050
1100ft [940ft]	1100	1110	1120	1120	1130	1140	1140	1150	1160
1200ft [1040ft]	1200	1210	1220	1230	1230	1240	1250	1260	1270
1300ft [1140ft]	1300	1310	1320	1330	1340	1340	1350	1360	1370
1400ft [1240ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1340ft]	1500	1510	1520	1530	1540	1550	1560	1570	1580
1600ft [1440ft]	1600	1610	1620	1630	1640	1660	1670	1680	1690
1700ft [1540ft]	1700	1710	1730	1740	1750	1760	1770	1780	1790
1800ft [1640ft]	1800	1810	1830	1840	1850	1860	1870	1890	1900
1900ft [1740ft]	1900	1920	1930	1940	1950	1970	1980	1990	2010
2000ft [1840ft]	2000	2020	2030	2040	2060	2070	2080	2100	2110
2100ft [1940ft]	2100	2120	2130	2140	2160	2170	2190	2200	2220
2200ft [2040ft]	2200	2220	2230	2250	2260	2280	2290	2310	2320
2300ft [2140ft]	2300	2320	2330	2350	2360	2380	2400	2410	2430
2400ft [2240ft]	2400	2420	2430	2450	2470	2480	2500	2520	2540
2500ft [2340ft]	2500	2520	2540	2550	2570	2590	2600	2620	2640
2600ft [2440ft]	2600	2620	2640	2650	2670	2690	2710	2730	2750
2700ft [2540ft]	2700	2720	2740	2760	2780	2790	2810	2830	2850
2800ft [2640ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2740ft]	2900	2920	2940	2960	2980	3000	3020	3040	3060
3000ft [2840ft]	3000	3020	3040	3060	3080	3100	3130	3150	3170
3100ft [2940ft]	3100	3120	3140	3160	3190	3210	3230	3250	3280
3200ft [3040ft]	3200	3220	3240	3270	3290	3310	3340	3360	3380
3300ft [3140ft]	3300	3320	3350	3370	3390	3420	3440	3460	3490
3400ft [3240ft]	3400	3420	3450	3470	3490	3520	3540	3570	3590
3500ft [3340ft]	3500	3520	3550	3570	3600	3620	3650	3670	3700
3600ft [3440ft]	3600	3630	3650	3680	3700	3730	3750	3780	3810
3700ft [3540ft]	3700	3730	3750	3780	3800	3830	3860	3880	3910
3800ft [3640ft]	3800	3830	3850	3880	3910	3930	3960	3990	4020
3900ft [3740ft]	3900	3930	3950	3980	4010	4040	4070	4090	4120
4000ft [3840ft]	4000	4030	4060	4080	4110	4140	4170	4200	4230
4100ft [3940ft]	4100	4130	4160	4190	4210	4240	4270	4300	4340
4200ft [4040ft]	4200	4230	4260	4290	4320	4350	4380	4410	4440
4300ft [4140ft]	4300	4330	4360	4390	4420	4450	4480	4510	4550
4400ft [4240ft]	4400	4430	4460	4490	4520	4550	4590	4620	4650
4500ft [4340ft]	4500	4530	4560	4590	4630	4660	4690	4730	4760
4600ft [4440ft]	4600	4630	4660	4700	4730	4760	4800	4830	4870
4700ft [4540ft]	4700	4730	4760	4800	4830	4870	4900	4940	4970
4800ft [4640ft]	4800	4830	4870	4900	4930	4970	5000	5040	5080
4900ft [4740ft]	4900	4930	4970	5000	5040	5070	5110	5150	5180
5000ft [4840ft]	5000	5030	5070	5100	5140	5180	5210	5250	5290
5100ft [4940ft]	5100	5130	5170	5210	5240	5280	5320	5360	5390
5160ft [5000ft]	5160	5190	5230	5270	5300	5340	5380	5420	5460

Stefano M. RAPISARDA - flightdeckengineering.com

CYYR - Goose Bay, NL, CANADA

Station Elevation: 160 feet. ISA Standard Temperature: 14.68°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
160ft [0ft]	160	160	160	160	160	160	160	160	160
200ft [40ft]	210	210	210	210	210	210	210	210	210
300ft [140ft]	310	310	320	320	320	320	320	320	320
400ft [240ft]	420	420	420	420	430	430	430	430	430
500ft [340ft]	520	530	530	530	540	540	540	540	550
600ft [440ft]	630	630	640	640	640	650	650	660	660
700ft [540ft]	740	740	740	750	750	760	760	770	770
800ft [640ft]	840	850	850	860	860	870	870	880	880
900ft [740ft]	950	950	960	970	970	980	980	990	1000
1000ft [840ft]	1050	1060	1070	1070	1080	1090	1090	1100	1110
1100ft [940ft]	1160	1170	1170	1180	1190	1200	1210	1210	1220
1200ft [1040ft]	1270	1270	1280	1290	1300	1310	1320	1330	1330
1300ft [1140ft]	1370	1380	1390	1400	1410	1420	1430	1440	1450
1400ft [1240ft]	1480	1490	1500	1510	1520	1530	1540	1550	1560
1500ft [1340ft]	1580	1590	1600	1610	1630	1640	1650	1660	1670
1600ft [1440ft]	1690	1700	1710	1720	1730	1750	1760	1770	1780
1700ft [1540ft]	1790	1810	1820	1830	1840	1860	1870	1880	1900
1800ft [1640ft]	1900	1910	1930	1940	1950	1970	1980	1990	2010
1900ft [1740ft]	2010	2020	2030	2050	2060	2080	2090	2110	2120
2000ft [1840ft]	2110	2130	2140	2160	2170	2190	2200	2220	2230
2100ft [1940ft]	2220	2230	2250	2260	2280	2300	2310	2330	2350
2200ft [2040ft]	2320	2340	2360	2370	2390	2410	2420	2440	2460
2300ft [2140ft]	2430	2450	2460	2480	2500	2520	2530	2550	2570
2400ft [2240ft]	2540	2550	2570	2590	2610	2630	2650	2660	2680
2500ft [2340ft]	2640	2660	2680	2700	2720	2740	2760	2780	2800
2600ft [2440ft]	2750	2770	2790	2810	2830	2850	2870	2890	2910
2700ft [2540ft]	2850	2870	2890	2910	2930	2960	2980	3000	3020
2800ft [2640ft]	2960	2980	3000	3020	3040	3070	3090	3110	3130
2900ft [2740ft]	3060	3090	3110	3130	3150	3180	3200	3220	3250
3000ft [2840ft]	3170	3190	3220	3240	3260	3290	3310	3340	3360
3100ft [2940ft]	3280	3300	3320	3350	3370	3400	3420	3450	3470
3200ft [3040ft]	3380	3410	3430	3460	3480	3510	3530	3560	3590
3300ft [3140ft]	3490	3510	3540	3560	3590	3620	3640	3670	3700
3400ft [3240ft]	3590	3620	3650	3670	3700	3730	3750	3780	3810
3500ft [3340ft]	3700	3730	3750	3780	3810	3840	3860	3890	3920
3600ft [3440ft]	3810	3830	3860	3890	3920	3950	3980	4010	4040
3700ft [3540ft]	3910	3940	3970	4000	4030	4060	4090	4120	4150
3800ft [3640ft]	4020	4050	4080	4110	4140	4170	4200	4230	4260
3900ft [3740ft]	4120	4150	4180	4210	4250	4280	4310	4340	4370
4000ft [3840ft]	4230	4260	4290	4320	4350	4390	4420	4450	4490
4100ft [3940ft]	4340	4370	4400	4430	4460	4500	4530	4560	4600
4200ft [4040ft]	4440	4470	4510	4540	4570	4610	4640	4680	4710
4300ft [4140ft]	4550	4580	4610	4650	4680	4720	4750	4790	4830
4400ft [4240ft]	4650	4690	4720	4760	4790	4830	4860	4900	4940
4500ft [4340ft]	4760	4790	4830	4860	4900	4940	4970	5010	5050
4600ft [4440ft]	4870	4900	4940	4970	5010	5050	5090	5120	5160
4700ft [4540ft]	4970	5010	5040	5080	5120	5160	5200	5240	5280
4800ft [4640ft]	5080	5110	5150	5190	5230	5270	5310	5350	5390
4900ft [4740ft]	5180	5220	5260	5300	5340	5380	5420	5460	5500
5000ft [4840ft]	5290	5330	5370	5410	5450	5490	5530	5570	5620
5100ft [4940ft]	5390	5430	5470	5510	5560	5600	5640	5680	5730
5160ft [5000ft]	5460	5500	5540	5580	5620	5660	5710	5750	5800

Stefano M. RAPISARDA - flightdeckengineering.com

CYYR - Goose Bay, NL, CANADA

Station Elevation: 160 feet. ISA Standard Temperature: 14.68°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
160ft [0ft]	160	160	160	160	160	160	160	160	160
200ft [40ft]	210	210	210	210	210	210	210	210	210
300ft [140ft]	320	320	320	330	330	330	330	330	330
400ft [240ft]	430	440	440	440	440	450	450	450	450
500ft [340ft]	550	550	550	560	560	560	570	570	570
600ft [440ft]	660	660	670	670	680	680	680	690	690
700ft [540ft]	770	780	780	790	790	800	800	810	810
800ft [640ft]	880	890	900	900	910	910	920	930	930
900ft [740ft]	1000	1000	1010	1020	1020	1030	1040	1050	1050
1000ft [840ft]	1110	1120	1120	1130	1140	1150	1160	1160	1170
1100ft [940ft]	1220	1230	1240	1250	1260	1260	1270	1280	1290
1200ft [1040ft]	1330	1340	1350	1360	1370	1380	1390	1400	1410
1300ft [1140ft]	1450	1460	1470	1480	1490	1500	1510	1520	1530
1400ft [1240ft]	1560	1570	1580	1590	1600	1620	1630	1640	1650
1500ft [1340ft]	1670	1680	1700	1710	1720	1730	1750	1760	1770
1600ft [1440ft]	1780	1800	1810	1820	1840	1850	1860	1880	1890
1700ft [1540ft]	1900	1910	1920	1940	1950	1970	1980	2000	2010
1800ft [1640ft]	2010	2020	2040	2050	2070	2080	2100	2120	2130
1900ft [1740ft]	2120	2140	2150	2170	2190	2200	2220	2240	2250
2000ft [1840ft]	2230	2250	2270	2280	2300	2320	2340	2350	2370
2100ft [1940ft]	2350	2360	2380	2400	2420	2440	2450	2470	2490
2200ft [2040ft]	2460	2480	2500	2510	2530	2550	2570	2590	2610
2300ft [2140ft]	2570	2590	2610	2630	2650	2670	2690	2710	2730
2400ft [2240ft]	2680	2700	2720	2750	2770	2790	2810	2830	2850
2500ft [2340ft]	2800	2820	2840	2860	2880	2910	2930	2950	2970
2600ft [2440ft]	2910	2930	2950	2980	3000	3020	3050	3070	3090
2700ft [2540ft]	3020	3040	3070	3090	3120	3140	3160	3190	3210
2800ft [2640ft]	3130	3160	3180	3210	3230	3260	3280	3310	3330
2900ft [2740ft]	3250	3270	3300	3320	3350	3370	3400	3430	3460
3000ft [2840ft]	3360	3390	3410	3440	3460	3490	3520	3550	3580
3100ft [2940ft]	3470	3500	3530	3550	3580	3610	3640	3670	3700
3200ft [3040ft]	3590	3610	3640	3670	3700	3730	3760	3790	3820
3300ft [3140ft]	3700	3730	3750	3780	3810	3840	3870	3910	3940
3400ft [3240ft]	3810	3840	3870	3900	3930	3960	3990	4020	4060
3500ft [3340ft]	3920	3950	3980	4010	4050	4080	4110	4140	4180
3600ft [3440ft]	4040	4070	4100	4130	4160	4200	4230	4260	4300
3700ft [3540ft]	4150	4180	4210	4250	4280	4310	4350	4380	4420
3800ft [3640ft]	4260	4290	4330	4360	4400	4430	4470	4500	4540
3900ft [3740ft]	4370	4410	4440	4480	4510	4550	4580	4620	4660
4000ft [3840ft]	4490	4520	4560	4590	4630	4670	4700	4740	4780
4100ft [3940ft]	4600	4640	4670	4710	4750	4780	4820	4860	4900
4200ft [4040ft]	4710	4750	4790	4820	4860	4900	4940	4980	5020
4300ft [4140ft]	4830	4860	4900	4940	4980	5020	5060	5100	5140
4400ft [4240ft]	4940	4980	5020	5050	5090	5140	5180	5220	5260
4500ft [4340ft]	5050	5090	5130	5170	5210	5250	5300	5340	5380
4600ft [4440ft]	5160	5200	5240	5290	5330	5370	5410	5460	5500
4700ft [4540ft]	5280	5320	5360	5400	5440	5490	5530	5580	5620
4800ft [4640ft]	5390	5430	5470	5520	5560	5610	5650	5700	5740
4900ft [4740ft]	5500	5540	5590	5630	5680	5720	5770	5820	5860
5000ft [4840ft]	5620	5660	5700	5750	5790	5840	5890	5940	5990
5100ft [4940ft]	5730	5770	5820	5860	5910	5960	6010	6060	6110
5160ft [5000ft]	5800	5840	5890	5930	5980	6030	6080	6130	6180

Stefano M. RAPISARDA - flightdeckengineering.com

CYYR - Goose Bay, NL, CANADA

Station Elevation: 160 feet. ISA Standard Temperature: 14.68°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
160ft [0ft]	160	160	160	160	160	160	160	160	160
200ft [40ft]	210	210	210	210	210	220	220	220	220
300ft [140ft]	330	330	340	340	340	340	340	340	350
400ft [240ft]	450	460	460	460	460	470	470	470	470
500ft [340ft]	570	580	580	580	590	590	590	600	600
600ft [440ft]	690	700	700	710	710	720	720	730	730
700ft [540ft]	810	820	820	830	830	840	850	850	860
800ft [640ft]	930	940	950	950	960	970	970	980	990
900ft [740ft]	1050	1060	1070	1080	1080	1090	1100	1110	1120
1000ft [840ft]	1170	1180	1190	1200	1210	1220	1230	1230	1250
1100ft [940ft]	1290	1300	1310	1320	1330	1340	1350	1360	1380
1200ft [1040ft]	1410	1420	1430	1440	1460	1470	1480	1490	1510
1300ft [1140ft]	1530	1540	1560	1570	1580	1590	1600	1620	1640
1400ft [1240ft]	1650	1670	1680	1690	1700	1720	1730	1750	1770
1500ft [1340ft]	1770	1790	1800	1810	1830	1840	1860	1870	1900
1600ft [1440ft]	1890	1910	1920	1940	1950	1970	1980	2000	2030
1700ft [1540ft]	2010	2030	2040	2060	2080	2090	2110	2130	2150
1800ft [1640ft]	2130	2150	2170	2180	2200	2220	2240	2260	2280
1900ft [1740ft]	2250	2270	2290	2310	2330	2340	2360	2380	2410
2000ft [1840ft]	2370	2390	2410	2430	2450	2470	2490	2510	2540
2100ft [1940ft]	2490	2510	2530	2550	2570	2600	2620	2640	2670
2200ft [2040ft]	2610	2630	2660	2680	2700	2720	2740	2770	2800
2300ft [2140ft]	2730	2760	2780	2800	2820	2850	2870	2890	2930
2400ft [2240ft]	2850	2880	2900	2920	2950	2970	3000	3020	3060
2500ft [2340ft]	2970	3000	3020	3050	3070	3100	3120	3150	3190
2600ft [2440ft]	3090	3120	3140	3170	3200	3220	3250	3280	3320
2700ft [2540ft]	3210	3240	3270	3290	3320	3350	3380	3410	3450
2800ft [2640ft]	3330	3360	3390	3420	3450	3470	3500	3530	3580
2900ft [2740ft]	3460	3480	3510	3540	3570	3600	3630	3660	3710
3000ft [2840ft]	3580	3600	3630	3660	3690	3730	3760	3790	3840
3100ft [2940ft]	3700	3730	3760	3790	3820	3850	3880	3920	3970
3200ft [3040ft]	3820	3850	3880	3910	3940	3980	4010	4050	4100
3300ft [3140ft]	3940	3970	4000	4030	4070	4100	4140	4170	4230
3400ft [3240ft]	4060	4090	4120	4160	4190	4230	4260	4300	4360
3500ft [3340ft]	4180	4210	4250	4280	4320	4350	4390	4430	4490
3600ft [3440ft]	4300	4330	4370	4410	4440	4480	4520	4560	4620
3700ft [3540ft]	4420	4450	4490	4530	4570	4610	4650	4690	4750
3800ft [3640ft]	4540	4580	4610	4650	4690	4730	4770	4810	4880
3900ft [3740ft]	4660	4700	4740	4780	4820	4860	4900	4940	5010
4000ft [3840ft]	4780	4820	4860	4900	4940	4980	5030	5070	5140
4100ft [3940ft]	4900	4940	4980	5020	5070	5110	5150	5200	5270
4200ft [4040ft]	5020	5060	5100	5150	5190	5240	5280	5330	5400
4300ft [4140ft]	5140	5180	5230	5270	5320	5360	5410	5450	5530
4400ft [4240ft]	5260	5310	5350	5390	5440	5490	5530	5580	5660
4500ft [4340ft]	5380	5430	5470	5520	5570	5610	5660	5710	5790
4600ft [4440ft]	5500	5550	5600	5640	5690	5740	5790	5840	5920
4700ft [4540ft]	5620	5670	5720	5770	5820	5870	5920	5970	6050
4800ft [4640ft]	5740	5790	5840	5890	5940	5990	6040	6100	6180
4900ft [4740ft]	5860	5910	5960	6010	6070	6120	6170	6230	6310
5000ft [4840ft]	5990	6040	6090	6140	6190	6240	6300	6350	6440
5100ft [4940ft]	6110	6160	6210	6260	6320	6370	6430	6480	6570
5160ft [5000ft]	6180	6230	6280	6340	6390	6450	6500	6560	6650

Stefano M. RAPISARDA - flightdeckengineering.com

CYYT - St John's, NL, CANADA

Station Elevation: 461 feet. ISA Standard Temperature: 14.09°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
461ft [0ft]	470	470	470	470	470	470	470	470	470
500ft [39ft]	500	510	510	510	510	510	510	510	510
600ft [139ft]	600	610	610	610	610	610	610	610	610
700ft [239ft]	700	710	710	710	710	710	710	720	720
800ft [339ft]	800	810	810	810	810	820	820	820	820
900ft [439ft]	900	910	910	910	920	920	920	930	930
1000ft [539ft]	1000	1010	1010	1010	1020	1020	1030	1030	1030
1100ft [639ft]	1100	1110	1110	1120	1120	1130	1130	1140	1140
1200ft [739ft]	1200	1210	1210	1220	1220	1230	1230	1240	1250
1300ft [839ft]	1300	1310	1310	1320	1330	1330	1340	1350	1350
1400ft [939ft]	1400	1410	1420	1420	1430	1440	1440	1450	1460
1500ft [1039ft]	1500	1510	1520	1520	1530	1540	1550	1550	1560
1600ft [1139ft]	1600	1610	1620	1630	1630	1640	1650	1660	1670
1700ft [1239ft]	1700	1710	1720	1730	1740	1750	1750	1760	1770
1800ft [1339ft]	1800	1810	1820	1830	1840	1850	1860	1870	1880
1900ft [1439ft]	1900	1910	1920	1930	1940	1950	1960	1970	1990
2000ft [1539ft]	2000	2010	2020	2030	2040	2060	2070	2080	2090
2100ft [1639ft]	2100	2110	2120	2130	2150	2160	2170	2180	2200
2200ft [1739ft]	2200	2210	2220	2240	2250	2260	2280	2290	2300
2300ft [1839ft]	2300	2310	2330	2340	2350	2370	2380	2390	2410
2400ft [1939ft]	2400	2410	2430	2440	2450	2470	2480	2500	2510
2500ft [2039ft]	2500	2510	2530	2540	2560	2570	2590	2600	2620
2600ft [2139ft]	2600	2610	2630	2640	2660	2680	2690	2710	2720
2700ft [2239ft]	2700	2710	2730	2750	2760	2780	2800	2810	2830
2800ft [2339ft]	2800	2810	2830	2850	2860	2880	2900	2920	2940
2900ft [2439ft]	2900	2910	2930	2950	2970	2990	3000	3020	3040
3000ft [2539ft]	3000	3010	3030	3050	3070	3090	3110	3130	3150
3100ft [2639ft]	3100	3120	3130	3150	3170	3190	3210	3230	3250
3200ft [2739ft]	3200	3220	3240	3250	3270	3300	3320	3340	3360
3300ft [2839ft]	3300	3320	3340	3360	3380	3400	3420	3440	3460
3400ft [2939ft]	3400	3420	3440	3460	3480	3500	3520	3550	3570
3500ft [3039ft]	3500	3520	3540	3560	3580	3610	3630	3650	3680
3600ft [3139ft]	3600	3620	3640	3660	3690	3710	3730	3760	3780
3700ft [3239ft]	3700	3720	3740	3760	3790	3810	3840	3860	3890
3800ft [3339ft]	3800	3820	3840	3870	3890	3920	3940	3970	3990
3900ft [3439ft]	3900	3920	3940	3970	3990	4020	4040	4070	4100
4000ft [3539ft]	4000	4020	4040	4070	4100	4120	4150	4180	4200
4100ft [3639ft]	4100	4120	4140	4170	4200	4230	4250	4280	4310
4200ft [3739ft]	4200	4220	4250	4270	4300	4330	4360	4390	4410
4300ft [3839ft]	4300	4320	4350	4380	4400	4430	4460	4490	4520
4400ft [3939ft]	4400	4420	4450	4480	4510	4540	4570	4600	4630
4500ft [4039ft]	4500	4520	4550	4580	4610	4640	4670	4700	4730
4600ft [4139ft]	4600	4620	4650	4680	4710	4740	4770	4810	4840
4700ft [4239ft]	4700	4720	4750	4780	4810	4850	4880	4910	4940
4800ft [4339ft]	4800	4820	4850	4880	4920	4950	4980	5020	5050
4900ft [4439ft]	4900	4920	4950	4990	5020	5050	5090	5120	5150
5000ft [4539ft]	5000	5020	5060	5090	5120	5160	5190	5230	5260
5100ft [4639ft]	5100	5120	5160	5190	5220	5260	5290	5330	5370
5200ft [4739ft]	5200	5220	5260	5290	5330	5360	5400	5430	5470
5300ft [4839ft]	5300	5320	5360	5390	5430	5470	5500	5540	5580
5400ft [4939ft]	5400	5420	5460	5500	5530	5570	5610	5640	5680
5461ft [5000ft]	5461	5490	5520	5560	5590	5630	5670	5710	5750

Stefano M. RAPISARDA - flightdeckengineering.com

CYYT - St John's, NL, CANADA

Station Elevation: 461 feet. ISA Standard Temperature: 14.09°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
461ft [0ft]	470	470	470	470	470	470	470	470	470
500ft [39ft]	510	510	510	510	510	510	510	510	510
600ft [139ft]	610	610	610	620	620	620	620	620	620
700ft [239ft]	720	720	720	720	730	730	730	730	730
800ft [339ft]	820	830	830	830	830	840	840	840	850
900ft [439ft]	930	930	940	940	940	950	950	950	960
1000ft [539ft]	1030	1040	1040	1050	1050	1060	1060	1070	1070
1100ft [639ft]	1140	1150	1150	1160	1160	1170	1170	1180	1180
1200ft [739ft]	1250	1250	1260	1260	1270	1280	1280	1290	1290
1300ft [839ft]	1350	1360	1360	1370	1380	1390	1390	1400	1410
1400ft [939ft]	1460	1460	1470	1480	1490	1500	1500	1510	1520
1500ft [1039ft]	1560	1570	1580	1590	1600	1600	1610	1620	1630
1600ft [1139ft]	1670	1680	1690	1700	1700	1710	1720	1730	1740
1700ft [1239ft]	1770	1780	1790	1800	1810	1820	1830	1850	1860
1800ft [1339ft]	1880	1890	1900	1910	1920	1930	1940	1960	1970
1900ft [1439ft]	1990	2000	2010	2020	2030	2040	2060	2070	2080
2000ft [1539ft]	2090	2100	2120	2130	2140	2150	2170	2180	2190
2100ft [1639ft]	2200	2210	2220	2240	2250	2260	2280	2290	2300
2200ft [1739ft]	2300	2320	2330	2340	2360	2370	2390	2400	2420
2300ft [1839ft]	2410	2420	2440	2450	2470	2480	2500	2510	2530
2400ft [1939ft]	2510	2530	2540	2560	2580	2590	2610	2620	2640
2500ft [2039ft]	2620	2630	2650	2670	2680	2700	2720	2740	2750
2600ft [2139ft]	2720	2740	2760	2780	2790	2810	2830	2850	2870
2700ft [2239ft]	2830	2850	2870	2880	2900	2920	2940	2960	2980
2800ft [2339ft]	2940	2950	2970	2990	3010	3030	3050	3070	3090
2900ft [2439ft]	3040	3060	3080	3100	3120	3140	3160	3180	3200
3000ft [2539ft]	3150	3170	3190	3210	3230	3250	3270	3290	3320
3100ft [2639ft]	3250	3270	3290	3320	3340	3360	3380	3410	3430
3200ft [2739ft]	3360	3380	3400	3420	3450	3470	3490	3520	3540
3300ft [2839ft]	3460	3490	3510	3530	3560	3580	3600	3630	3650
3400ft [2939ft]	3570	3590	3620	3640	3660	3690	3710	3740	3770
3500ft [3039ft]	3680	3700	3720	3750	3770	3800	3820	3850	3880
3600ft [3139ft]	3780	3810	3830	3860	3880	3910	3940	3960	3990
3700ft [3239ft]	3890	3910	3940	3960	3990	4020	4050	4070	4100
3800ft [3339ft]	3990	4020	4050	4070	4100	4130	4160	4190	4220
3900ft [3439ft]	4100	4130	4150	4180	4210	4240	4270	4300	4330
4000ft [3539ft]	4200	4230	4260	4290	4320	4350	4380	4410	4440
4100ft [3639ft]	4310	4340	4370	4400	4430	4460	4490	4520	4550
4200ft [3739ft]	4410	4440	4470	4510	4540	4570	4600	4630	4660
4300ft [3839ft]	4520	4550	4580	4610	4650	4680	4710	4740	4780
4400ft [3939ft]	4630	4660	4690	4720	4750	4790	4820	4860	4890
4500ft [4039ft]	4730	4760	4800	4830	4860	4900	4930	4970	5000
4600ft [4139ft]	4840	4870	4900	4940	4970	5010	5040	5080	5110
4700ft [4239ft]	4940	4980	5010	5050	5080	5120	5150	5190	5230
4800ft [4339ft]	5050	5080	5120	5150	5190	5230	5260	5300	5340
4900ft [4439ft]	5150	5190	5230	5260	5300	5340	5370	5410	5450
5000ft [4539ft]	5260	5300	5330	5370	5410	5450	5490	5520	5570
5100ft [4639ft]	5370	5400	5440	5480	5520	5560	5600	5640	5680
5200ft [4739ft]	5470	5510	5550	5590	5630	5670	5710	5750	5790
5300ft [4839ft]	5580	5620	5660	5690	5740	5780	5820	5860	5900
5400ft [4939ft]	5680	5720	5760	5800	5840	5890	5930	5970	6020
5461ft [5000ft]	5750	5790	5830	5870	5910	5950	6000	6040	6080

Stefano M. RAPISARDA - flightdeckengineering.com

CYYT - St John's, NL, CANADA

Station Elevation: 461 feet. ISA Standard Temperature: 14.09°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
461ft [0ft]	470	470	470	470	470	470	470	470	470
500ft [39ft]	510	510	510	510	510	510	510	510	510
600ft [139ft]	620	620	620	630	630	630	630	630	630
700ft [239ft]	730	740	740	740	740	740	750	750	750
800ft [339ft]	850	850	850	860	860	860	860	870	870
900ft [439ft]	960	960	970	970	970	980	980	990	990
1000ft [539ft]	1070	1080	1080	1080	1090	1100	1100	1110	1110
1100ft [639ft]	1180	1190	1190	1200	1210	1210	1220	1220	1230
1200ft [739ft]	1290	1300	1310	1310	1320	1330	1340	1340	1350
1300ft [839ft]	1410	1410	1420	1430	1440	1450	1450	1460	1470
1400ft [939ft]	1520	1530	1540	1540	1550	1560	1570	1580	1590
1500ft [1039ft]	1630	1640	1650	1660	1670	1680	1690	1700	1710
1600ft [1139ft]	1740	1750	1760	1770	1780	1800	1810	1820	1830
1700ft [1239ft]	1860	1870	1880	1890	1900	1910	1920	1940	1950
1800ft [1339ft]	1970	1980	1990	2000	2020	2030	2040	2060	2070
1900ft [1439ft]	2080	2090	2110	2120	2130	2150	2160	2170	2190
2000ft [1539ft]	2190	2210	2220	2230	2250	2260	2280	2290	2310
2100ft [1639ft]	2300	2320	2330	2350	2360	2380	2400	2410	2430
2200ft [1739ft]	2420	2430	2450	2460	2480	2500	2510	2530	2550
2300ft [1839ft]	2530	2550	2560	2580	2600	2610	2630	2650	2670
2400ft [1939ft]	2640	2660	2680	2690	2710	2730	2750	2770	2790
2500ft [2039ft]	2750	2770	2790	2810	2830	2850	2870	2890	2910
2600ft [2139ft]	2870	2890	2900	2920	2940	2960	2990	3010	3030
2700ft [2239ft]	2980	3000	3020	3040	3060	3080	3100	3130	3150
2800ft [2339ft]	3090	3110	3130	3150	3180	3200	3220	3240	3270
2900ft [2439ft]	3200	3230	3250	3270	3290	3320	3340	3360	3390
3000ft [2539ft]	3320	3340	3360	3380	3410	3430	3460	3480	3510
3100ft [2639ft]	3430	3450	3480	3500	3520	3550	3580	3600	3630
3200ft [2739ft]	3540	3560	3590	3620	3640	3670	3690	3720	3750
3300ft [2839ft]	3650	3680	3700	3730	3760	3780	3810	3840	3870
3400ft [2939ft]	3770	3790	3820	3850	3870	3900	3930	3960	3990
3500ft [3039ft]	3880	3900	3930	3960	3990	4020	4050	4080	4110
3600ft [3139ft]	3990	4020	4050	4080	4110	4130	4170	4200	4230
3700ft [3239ft]	4100	4130	4160	4190	4220	4250	4280	4320	4350
3800ft [3339ft]	4220	4240	4280	4310	4340	4370	4400	4430	4470
3900ft [3439ft]	4330	4360	4390	4420	4450	4490	4520	4550	4590
4000ft [3539ft]	4440	4470	4500	4540	4570	4600	4640	4670	4710
4100ft [3639ft]	4550	4580	4620	4650	4690	4720	4760	4790	4830
4200ft [3739ft]	4660	4700	4730	4770	4800	4840	4870	4910	4950
4300ft [3839ft]	4780	4810	4850	4880	4920	4960	4990	5030	5070
4400ft [3939ft]	4890	4930	4960	5000	5030	5070	5110	5150	5190
4500ft [4039ft]	5000	5040	5080	5110	5150	5190	5230	5270	5310
4600ft [4139ft]	5110	5150	5190	5230	5270	5310	5350	5390	5430
4700ft [4239ft]	5230	5270	5300	5340	5380	5420	5470	5510	5550
4800ft [4339ft]	5340	5380	5420	5460	5500	5540	5580	5630	5670
4900ft [4439ft]	5450	5490	5530	5570	5620	5660	5700	5750	5790
5000ft [4539ft]	5570	5610	5650	5690	5730	5780	5820	5860	5910
5100ft [4639ft]	5680	5720	5760	5800	5850	5890	5940	5980	6030
5200ft [4739ft]	5790	5830	5880	5920	5960	6010	6060	6100	6150
5300ft [4839ft]	5900	5950	5990	6040	6080	6130	6170	6220	6270
5400ft [4939ft]	6020	6060	6100	6150	6200	6250	6290	6340	6390
5461ft [5000ft]	6080	6130	6170	6220	6270	6320	6370	6420	6470

Stefano M. RAPISARDA - flightdeckengineering.com

CYYT - St John's, NL, CANADA

Station Elevation: 461 feet. ISA Standard Temperature: 14.09°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
461ft [0ft]	470	470	470	470	470	470	470	470	470
500ft [39ft]	510	510	510	510	510	510	520	520	520
600ft [139ft]	630	630	640	640	640	640	640	640	640
700ft [239ft]	750	750	760	760	760	760	770	770	770
800ft [339ft]	870	870	880	880	890	890	890	900	900
900ft [439ft]	990	1000	1000	1000	1010	1010	1020	1020	1030
1000ft [539ft]	1110	1120	1120	1130	1130	1140	1140	1150	1160
1100ft [639ft]	1230	1240	1240	1250	1260	1260	1270	1280	1290
1200ft [739ft]	1350	1360	1370	1370	1380	1390	1400	1400	1420
1300ft [839ft]	1470	1480	1490	1500	1500	1510	1520	1530	1550
1400ft [939ft]	1590	1600	1610	1620	1630	1640	1650	1660	1680
1500ft [1039ft]	1710	1720	1730	1740	1750	1760	1770	1790	1800
1600ft [1139ft]	1830	1840	1850	1860	1880	1890	1900	1910	1930
1700ft [1239ft]	1950	1960	1970	1990	2000	2010	2030	2040	2060
1800ft [1339ft]	2070	2080	2100	2110	2120	2140	2150	2170	2190
1900ft [1439ft]	2190	2200	2220	2230	2250	2260	2280	2300	2320
2000ft [1539ft]	2310	2320	2340	2360	2370	2390	2410	2420	2450
2100ft [1639ft]	2430	2440	2460	2480	2500	2510	2530	2550	2580
2200ft [1739ft]	2550	2570	2580	2600	2620	2640	2660	2680	2710
2300ft [1839ft]	2670	2690	2710	2720	2740	2760	2780	2810	2840
2400ft [1939ft]	2790	2810	2830	2850	2870	2890	2910	2930	2970
2500ft [2039ft]	2910	2930	2950	2970	2990	3010	3040	3060	3100
2600ft [2139ft]	3030	3050	3070	3090	3120	3140	3160	3190	3220
2700ft [2239ft]	3150	3170	3190	3220	3240	3270	3290	3310	3350
2800ft [2339ft]	3270	3290	3320	3340	3360	3390	3420	3440	3480
2900ft [2439ft]	3390	3410	3440	3460	3490	3520	3540	3570	3610
3000ft [2539ft]	3510	3530	3560	3590	3610	3640	3670	3700	3740
3100ft [2639ft]	3630	3650	3680	3710	3740	3770	3800	3830	3870
3200ft [2739ft]	3750	3780	3800	3830	3860	3890	3920	3950	4000
3300ft [2839ft]	3870	3900	3930	3960	3990	4020	4050	4080	4130
3400ft [2939ft]	3990	4020	4050	4080	4110	4140	4170	4210	4260
3500ft [3039ft]	4110	4140	4170	4200	4230	4270	4300	4340	4390
3600ft [3139ft]	4230	4260	4290	4330	4360	4390	4430	4460	4520
3700ft [3239ft]	4350	4380	4410	4450	4480	4520	4550	4590	4650
3800ft [3339ft]	4470	4500	4540	4570	4610	4640	4680	4720	4780
3900ft [3439ft]	4590	4620	4660	4700	4730	4770	4810	4850	4910
4000ft [3539ft]	4710	4740	4780	4820	4860	4900	4930	4970	5040
4100ft [3639ft]	4830	4870	4900	4940	4980	5020	5060	5100	5170
4200ft [3739ft]	4950	4990	5030	5070	5110	5150	5190	5230	5300
4300ft [3839ft]	5070	5110	5150	5190	5230	5270	5310	5360	5430
4400ft [3939ft]	5190	5230	5270	5310	5350	5400	5440	5490	5550
4500ft [4039ft]	5310	5350	5390	5440	5480	5520	5570	5610	5680
4600ft [4139ft]	5430	5470	5510	5560	5600	5650	5700	5740	5810
4700ft [4239ft]	5550	5590	5640	5680	5730	5770	5820	5870	5940
4800ft [4339ft]	5670	5710	5760	5810	5850	5900	5950	6000	6070
4900ft [4439ft]	5790	5840	5880	5930	5980	6030	6080	6130	6200
5000ft [4539ft]	5910	5960	6000	6050	6100	6150	6200	6250	6330
5100ft [4639ft]	6030	6080	6130	6180	6230	6280	6330	6380	6460
5200ft [4739ft]	6150	6200	6250	6300	6350	6400	6460	6510	6590
5300ft [4839ft]	6270	6320	6370	6420	6480	6530	6580	6640	6720
5400ft [4939ft]	6390	6440	6490	6550	6600	6650	6710	6770	6850
5461ft [5000ft]	6470	6520	6570	6620	6680	6730	6790	6840	6930

Stefano M. RAPISARDA - flightdeckengineering.com

7 Northwest Territories Airports

7.1 CYZF - YELLOWKNIFE, NT, CANADA 157

CYZF - Yellowknife, NT, CANADA

Station Elevation: 675 feet. ISA Standard Temperature: 13.66°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
675ft [0ft]	680	680	680	680	680	680	680	680	680
700ft [25ft]	700	710	710	710	710	710	710	710	710
800ft [125ft]	800	810	810	810	810	810	810	810	810
900ft [225ft]	900	910	910	910	910	910	910	920	920
1000ft [325ft]	1000	1010	1010	1010	1010	1020	1020	1020	1020
1100ft [425ft]	1100	1110	1110	1110	1120	1120	1120	1130	1130
1200ft [525ft]	1200	1210	1210	1220	1220	1220	1230	1230	1240
1300ft [625ft]	1300	1310	1310	1320	1320	1330	1330	1340	1340
1400ft [725ft]	1400	1410	1410	1420	1420	1430	1440	1440	1450
1500ft [825ft]	1500	1510	1520	1520	1530	1530	1540	1550	1550
1600ft [925ft]	1600	1610	1620	1620	1630	1640	1640	1650	1660
1700ft [1025ft]	1700	1710	1720	1730	1730	1740	1750	1760	1760
1800ft [1125ft]	1800	1810	1820	1830	1840	1840	1850	1860	1870
1900ft [1225ft]	1900	1910	1920	1930	1940	1950	1960	1970	1980
2000ft [1325ft]	2000	2010	2020	2030	2040	2050	2060	2070	2080
2100ft [1425ft]	2100	2110	2120	2130	2140	2150	2170	2180	2190
2200ft [1525ft]	2200	2210	2220	2240	2250	2260	2270	2280	2290
2300ft [1625ft]	2300	2310	2330	2340	2350	2360	2370	2390	2400
2400ft [1725ft]	2400	2420	2430	2440	2450	2470	2480	2490	2510
2500ft [1825ft]	2500	2520	2530	2540	2560	2570	2580	2600	2610
2600ft [1925ft]	2600	2620	2630	2640	2660	2670	2690	2700	2720
2700ft [2025ft]	2700	2720	2730	2750	2760	2780	2790	2810	2820
2800ft [2125ft]	2800	2820	2830	2850	2860	2880	2900	2910	2930
2900ft [2225ft]	2900	2920	2930	2950	2970	2980	3000	3020	3030
3000ft [2325ft]	3000	3020	3040	3050	3070	3090	3100	3120	3140
3100ft [2425ft]	3100	3120	3140	3150	3170	3190	3210	3230	3250
3200ft [2525ft]	3200	3220	3240	3260	3270	3290	3310	3330	3350
3300ft [2625ft]	3300	3320	3340	3360	3380	3400	3420	3440	3460
3400ft [2725ft]	3400	3420	3440	3460	3480	3500	3520	3540	3560
3500ft [2825ft]	3500	3520	3540	3560	3580	3600	3630	3650	3670
3600ft [2925ft]	3600	3620	3640	3660	3690	3710	3730	3750	3780
3700ft [3025ft]	3700	3720	3740	3770	3790	3810	3830	3860	3880
3800ft [3125ft]	3800	3820	3850	3870	3890	3910	3940	3960	3990
3900ft [3225ft]	3900	3920	3950	3970	3990	4020	4040	4070	4090
4000ft [3325ft]	4000	4020	4050	4070	4100	4120	4150	4170	4200
4100ft [3425ft]	4100	4130	4150	4170	4200	4230	4250	4280	4300
4200ft [3525ft]	4200	4230	4250	4280	4300	4330	4360	4380	4410
4300ft [3625ft]	4300	4330	4350	4380	4410	4430	4460	4490	4520
4400ft [3725ft]	4400	4430	4450	4480	4510	4540	4560	4590	4620
4500ft [3825ft]	4500	4530	4560	4580	4610	4640	4670	4700	4730
4600ft [3925ft]	4600	4630	4660	4690	4710	4740	4770	4800	4830
4700ft [4025ft]	4700	4730	4760	4790	4820	4850	4880	4910	4940
4800ft [4125ft]	4800	4830	4860	4890	4920	4950	4980	5010	5050
4900ft [4225ft]	4900	4930	4960	4990	5020	5050	5090	5120	5150
5000ft [4325ft]	5000	5030	5060	5090	5130	5160	5190	5220	5260
5100ft [4425ft]	5100	5130	5160	5200	5230	5260	5300	5330	5360
5200ft [4525ft]	5200	5230	5260	5300	5330	5370	5400	5430	5470
5300ft [4625ft]	5300	5330	5370	5400	5430	5470	5500	5540	5580
5400ft [4725ft]	5400	5430	5470	5500	5540	5570	5610	5640	5680
5500ft [4825ft]	5500	5530	5570	5600	5640	5680	5710	5750	5790
5600ft [4925ft]	5600	5630	5670	5710	5740	5780	5820	5860	5890
5675ft [5000ft]	5675	5710	5750	5780	5820	5860	5900	5930	5970

Stefano M. RAPISARDA - flightdeckengineering.com

CYZF - Yellowknife, NT, CANADA

Station Elevation: 675 feet. ISA Standard Temperature: 13.66°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
675ft [0ft]	680	680	680	680	680	680	680	680	680
700ft [25ft]	710	710	710	710	710	710	710	710	710
800ft [125ft]	810	810	810	820	820	820	820	820	820
900ft [225ft]	920	920	920	920	930	930	930	930	930
1000ft [325ft]	1020	1030	1030	1030	1030	1040	1040	1040	1050
1100ft [425ft]	1130	1130	1140	1140	1140	1150	1150	1150	1160
1200ft [525ft]	1240	1240	1240	1250	1250	1260	1260	1270	1270
1300ft [625ft]	1340	1350	1350	1360	1360	1370	1370	1380	1380
1400ft [725ft]	1450	1450	1460	1460	1470	1480	1480	1490	1500
1500ft [825ft]	1550	1560	1570	1570	1580	1590	1590	1600	1610
1600ft [925ft]	1660	1670	1670	1680	1690	1700	1700	1710	1720
1700ft [1025ft]	1760	1770	1780	1790	1800	1810	1810	1820	1830
1800ft [1125ft]	1870	1880	1890	1900	1910	1920	1930	1940	1940
1900ft [1225ft]	1980	1990	2000	2010	2020	2030	2040	2050	2060
2000ft [1325ft]	2080	2090	2100	2110	2120	2140	2150	2160	2170
2100ft [1425ft]	2190	2200	2210	2220	2230	2250	2260	2270	2280
2200ft [1525ft]	2290	2310	2320	2330	2340	2360	2370	2380	2390
2300ft [1625ft]	2400	2410	2430	2440	2450	2470	2480	2490	2510
2400ft [1725ft]	2510	2520	2530	2550	2560	2580	2590	2600	2620
2500ft [1825ft]	2610	2630	2640	2650	2670	2690	2700	2720	2730
2600ft [1925ft]	2720	2730	2750	2760	2780	2800	2810	2830	2850
2700ft [2025ft]	2820	2840	2850	2870	2890	2910	2920	2940	2960
2800ft [2125ft]	2930	2950	2960	2980	3000	3020	3030	3050	3070
2900ft [2225ft]	3030	3050	3070	3090	3110	3130	3140	3160	3180
3000ft [2325ft]	3140	3160	3180	3200	3220	3240	3250	3280	3300
3100ft [2425ft]	3250	3270	3280	3300	3320	3350	3370	3390	3410
3200ft [2525ft]	3350	3370	3390	3410	3430	3460	3480	3500	3520
3300ft [2625ft]	3460	3480	3500	3520	3540	3570	3590	3610	3630
3400ft [2725ft]	3560	3590	3610	3630	3650	3680	3700	3720	3750
3500ft [2825ft]	3670	3690	3710	3740	3760	3790	3810	3830	3860
3600ft [2925ft]	3780	3800	3820	3850	3870	3900	3920	3950	3970
3700ft [3025ft]	3880	3910	3930	3950	3980	4010	4030	4060	4080
3800ft [3125ft]	3990	4010	4040	4060	4090	4120	4140	4170	4200
3900ft [3225ft]	4090	4120	4140	4170	4200	4230	4250	4280	4310
4000ft [3325ft]	4200	4230	4250	4280	4310	4340	4360	4390	4420
4100ft [3425ft]	4300	4330	4360	4390	4420	4450	4470	4500	4530
4200ft [3525ft]	4410	4440	4470	4500	4530	4560	4590	4620	4650
4300ft [3625ft]	4520	4550	4570	4600	4630	4670	4700	4730	4760
4400ft [3725ft]	4620	4650	4680	4710	4740	4780	4810	4840	4870
4500ft [3825ft]	4730	4760	4790	4820	4850	4890	4920	4950	4990
4600ft [3925ft]	4830	4870	4900	4930	4960	5000	5030	5060	5100
4700ft [4025ft]	4940	4970	5010	5040	5070	5110	5140	5180	5210
4800ft [4125ft]	5050	5080	5110	5150	5180	5220	5250	5290	5320
4900ft [4225ft]	5150	5190	5220	5260	5290	5330	5360	5400	5440
5000ft [4325ft]	5260	5290	5330	5360	5400	5440	5470	5510	5550
5100ft [4425ft]	5360	5400	5440	5470	5510	5550	5580	5620	5660
5200ft [4525ft]	5470	5510	5540	5580	5620	5660	5700	5740	5780
5300ft [4625ft]	5580	5610	5650	5690	5730	5770	5810	5850	5890
5400ft [4725ft]	5680	5720	5760	5800	5840	5880	5920	5960	6000
5500ft [4825ft]	5790	5830	5870	5910	5950	5990	6030	6070	6110
5600ft [4925ft]	5890	5930	5970	6010	6060	6100	6140	6180	6230
5675ft [5000ft]	5970	6010	6050	6100	6140	6180	6220	6270	6310

Stefano M. RAPISARDA - flightdeckengineering.com

CYZF - Yellowknife, NT, CANADA

Station Elevation: 675 feet. ISA Standard Temperature: 13.66°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
675ft [0ft]	680	680	680	680	680	680	680	680	680
700ft [25ft]	710	710	710	710	710	710	710	710	710
800ft [125ft]	820	820	820	820	830	830	830	830	830
900ft [225ft]	930	930	940	940	940	940	950	950	950
1000ft [325ft]	1050	1050	1050	1050	1060	1060	1060	1070	1070
1100ft [425ft]	1160	1160	1170	1170	1170	1180	1180	1190	1190
1200ft [525ft]	1270	1270	1280	1280	1290	1290	1300	1300	1310
1300ft [625ft]	1380	1390	1390	1400	1410	1410	1420	1420	1430
1400ft [725ft]	1500	1500	1510	1510	1520	1530	1540	1540	1550
1500ft [825ft]	1610	1610	1620	1630	1640	1650	1650	1660	1670
1600ft [925ft]	1720	1730	1740	1750	1750	1760	1770	1780	1790
1700ft [1025ft]	1830	1840	1850	1860	1870	1880	1890	1900	1910
1800ft [1125ft]	1940	1950	1970	1980	1990	2000	2010	2020	2030
1900ft [1225ft]	2060	2070	2080	2090	2100	2110	2130	2140	2150
2000ft [1325ft]	2170	2180	2190	2210	2220	2230	2240	2260	2270
2100ft [1425ft]	2280	2300	2310	2320	2330	2350	2360	2380	2390
2200ft [1525ft]	2390	2410	2420	2440	2450	2470	2480	2490	2510
2300ft [1625ft]	2510	2520	2540	2550	2570	2580	2600	2610	2630
2400ft [1725ft]	2620	2640	2650	2670	2680	2700	2720	2730	2750
2500ft [1825ft]	2730	2750	2770	2780	2800	2820	2830	2850	2870
2600ft [1925ft]	2850	2860	2880	2900	2920	2930	2950	2970	2990
2700ft [2025ft]	2960	2980	2990	3010	3030	3050	3070	3090	3110
2800ft [2125ft]	3070	3090	3110	3130	3150	3170	3190	3210	3230
2900ft [2225ft]	3180	3200	3220	3240	3260	3290	3310	3330	3350
3000ft [2325ft]	3300	3320	3340	3360	3380	3400	3430	3450	3470
3100ft [2425ft]	3410	3430	3450	3470	3500	3520	3540	3570	3590
3200ft [2525ft]	3520	3540	3570	3590	3610	3640	3660	3690	3710
3300ft [2625ft]	3630	3660	3680	3710	3730	3750	3780	3810	3830
3400ft [2725ft]	3750	3770	3800	3820	3850	3870	3900	3930	3950
3500ft [2825ft]	3860	3880	3910	3940	3960	3990	4020	4050	4070
3600ft [2925ft]	3970	4000	4020	4050	4080	4110	4140	4160	4190
3700ft [3025ft]	4080	4110	4140	4170	4200	4220	4250	4280	4310
3800ft [3125ft]	4200	4220	4250	4280	4310	4340	4370	4400	4430
3900ft [3225ft]	4310	4340	4370	4400	4430	4460	4490	4520	4560
4000ft [3325ft]	4420	4450	4480	4510	4540	4580	4610	4640	4680
4100ft [3425ft]	4530	4570	4600	4630	4660	4690	4730	4760	4800
4200ft [3525ft]	4650	4680	4710	4740	4780	4810	4850	4880	4920
4300ft [3625ft]	4760	4790	4830	4860	4890	4930	4960	5000	5040
4400ft [3725ft]	4870	4910	4940	4980	5010	5050	5080	5120	5160
4500ft [3825ft]	4990	5020	5060	5090	5130	5160	5200	5240	5280
4600ft [3925ft]	5100	5130	5170	5210	5240	5280	5320	5360	5400
4700ft [4025ft]	5210	5250	5280	5320	5360	5400	5440	5480	5520
4800ft [4125ft]	5320	5360	5400	5440	5480	5520	5560	5600	5640
4900ft [4225ft]	5440	5480	5510	5550	5590	5630	5680	5720	5760
5000ft [4325ft]	5550	5590	5630	5670	5710	5750	5790	5840	5880
5100ft [4425ft]	5660	5700	5740	5780	5830	5870	5910	5960	6000
5200ft [4525ft]	5780	5820	5860	5900	5940	5990	6030	6080	6120
5300ft [4625ft]	5890	5930	5970	6020	6060	6100	6150	6200	6240
5400ft [4725ft]	6000	6040	6090	6130	6180	6220	6270	6320	6360
5500ft [4825ft]	6110	6160	6200	6250	6290	6340	6390	6440	6480
5600ft [4925ft]	6230	6270	6320	6360	6410	6460	6510	6550	6600
5675ft [5000ft]	6310	6360	6400	6450	6500	6550	6590	6640	6700

Stefano M. RAPISARDA - flightdeckengineering.com

CYZF - Yellowknife, NT, CANADA

Station Elevation: 675 feet. ISA Standard Temperature: 13.66°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
675ft [0ft]	680	680	680	680	680	680	680	680	680
700ft [25ft]	710	710	710	710	710	710	710	710	710
800ft [125ft]	830	830	830	830	840	840	840	840	840
900ft [225ft]	950	950	950	960	960	960	960	970	970
1000ft [325ft]	1070	1070	1080	1080	1080	1090	1090	1090	1100
1100ft [425ft]	1190	1190	1200	1200	1210	1210	1220	1220	1230
1200ft [525ft]	1310	1310	1320	1330	1330	1340	1340	1350	1350
1300ft [625ft]	1430	1440	1440	1450	1460	1460	1470	1480	1480
1400ft [725ft]	1550	1560	1560	1570	1580	1590	1600	1600	1610
1500ft [825ft]	1670	1680	1690	1700	1700	1710	1720	1730	1740
1600ft [925ft]	1790	1800	1810	1820	1830	1840	1850	1860	1870
1700ft [1025ft]	1910	1920	1930	1940	1950	1960	1970	1990	2000
1800ft [1125ft]	2030	2040	2050	2060	2080	2090	2100	2110	2130
1900ft [1225ft]	2150	2160	2170	2190	2200	2210	2230	2240	2260
2000ft [1325ft]	2270	2280	2300	2310	2330	2340	2350	2370	2380
2100ft [1425ft]	2390	2400	2420	2430	2450	2460	2480	2500	2510
2200ft [1525ft]	2510	2530	2540	2560	2570	2590	2610	2620	2640
2300ft [1625ft]	2630	2650	2660	2680	2700	2720	2730	2750	2770
2400ft [1725ft]	2750	2770	2790	2800	2820	2840	2860	2880	2900
2500ft [1825ft]	2870	2890	2910	2930	2950	2970	2990	3010	3030
2600ft [1925ft]	2990	3010	3030	3050	3070	3090	3110	3140	3160
2700ft [2025ft]	3110	3130	3150	3170	3200	3220	3240	3260	3290
2800ft [2125ft]	3230	3250	3280	3300	3320	3340	3370	3390	3420
2900ft [2225ft]	3350	3370	3400	3420	3440	3470	3490	3520	3540
3000ft [2325ft]	3470	3500	3520	3540	3570	3590	3620	3650	3670
3100ft [2425ft]	3590	3620	3640	3670	3690	3720	3750	3770	3800
3200ft [2525ft]	3710	3740	3760	3790	3820	3850	3870	3900	3930
3300ft [2625ft]	3830	3860	3890	3910	3940	3970	4000	4030	4060
3400ft [2725ft]	3950	3980	4010	4040	4070	4100	4130	4160	4190
3500ft [2825ft]	4070	4100	4130	4160	4190	4220	4250	4290	4320
3600ft [2925ft]	4190	4220	4250	4290	4320	4350	4380	4410	4450
3700ft [3025ft]	4310	4350	4380	4410	4440	4470	4510	4540	4580
3800ft [3125ft]	4430	4470	4500	4530	4570	4600	4640	4670	4710
3900ft [3225ft]	4560	4590	4620	4660	4690	4730	4760	4800	4840
4000ft [3325ft]	4680	4710	4740	4780	4820	4850	4890	4930	4970
4100ft [3425ft]	4800	4830	4870	4900	4940	4980	5020	5060	5090
4200ft [3525ft]	4920	4950	4990	5030	5060	5100	5140	5180	5220
4300ft [3625ft]	5040	5070	5110	5150	5190	5230	5270	5310	5350
4400ft [3725ft]	5160	5200	5230	5270	5310	5360	5400	5440	5480
4500ft [3825ft]	5280	5320	5360	5400	5440	5480	5520	5570	5610
4600ft [3925ft]	5400	5440	5480	5520	5560	5610	5650	5700	5740
4700ft [4025ft]	5520	5560	5600	5650	5690	5730	5780	5820	5870
4800ft [4125ft]	5640	5680	5730	5770	5810	5860	5910	5950	6000
4900ft [4225ft]	5760	5800	5850	5890	5940	5990	6030	6080	6130
5000ft [4325ft]	5880	5930	5970	6020	6060	6110	6160	6210	6260
5100ft [4425ft]	6000	6050	6090	6140	6190	6240	6290	6340	6390
5200ft [4525ft]	6120	6170	6220	6260	6310	6360	6410	6470	6520
5300ft [4625ft]	6240	6290	6340	6390	6440	6490	6540	6590	6650
5400ft [4725ft]	6360	6410	6460	6510	6560	6620	6670	6720	6780
5500ft [4825ft]	6480	6530	6580	6640	6690	6740	6800	6850	6910
5600ft [4925ft]	6600	6660	6710	6760	6810	6870	6920	6980	7040
5675ft [5000ft]	6700	6750	6800	6850	6910	6960	7020	7080	7140

Stefano M. RAPISARDA - flightdeckengineering.com

8 Nova Scotia Airports

8.1 CYHZ - HALIFAX, NS, CANADA 162

8.2 CYQY - SYDNEY, NS, CANADA 166

CYHZ - Halifax, NS, CANADA

Station Elevation: 477 feet. ISA Standard Temperature: 14.05°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
477ft [0ft]	480	480	480	480	480	480	480	480	480
500ft [23ft]	500	510	510	510	510	510	510	510	510
600ft [123ft]	600	610	610	610	610	610	610	610	610
700ft [223ft]	700	710	710	710	710	710	710	720	720
800ft [323ft]	800	810	810	810	810	820	820	820	820
900ft [423ft]	900	910	910	910	920	920	920	930	930
1000ft [523ft]	1000	1010	1010	1010	1020	1020	1030	1030	1030
1100ft [623ft]	1100	1110	1110	1120	1120	1130	1130	1130	1140
1200ft [723ft]	1200	1210	1210	1220	1220	1230	1230	1240	1250
1300ft [823ft]	1300	1310	1310	1320	1330	1330	1340	1340	1350
1400ft [923ft]	1400	1410	1410	1420	1430	1440	1440	1450	1460
1500ft [1023ft]	1500	1510	1520	1520	1530	1540	1550	1550	1560
1600ft [1123ft]	1600	1610	1620	1630	1630	1640	1650	1660	1670
1700ft [1223ft]	1700	1710	1720	1730	1740	1740	1750	1760	1770
1800ft [1323ft]	1800	1810	1820	1830	1840	1850	1860	1870	1880
1900ft [1423ft]	1900	1910	1920	1930	1940	1950	1960	1970	1980
2000ft [1523ft]	2000	2010	2020	2030	2040	2050	2070	2080	2090
2100ft [1623ft]	2100	2110	2120	2130	2150	2160	2170	2180	2200
2200ft [1723ft]	2200	2210	2220	2240	2250	2260	2270	2290	2300
2300ft [1823ft]	2300	2310	2320	2340	2350	2360	2380	2390	2410
2400ft [1923ft]	2400	2410	2430	2440	2450	2470	2480	2500	2510
2500ft [2023ft]	2500	2510	2530	2540	2560	2570	2590	2600	2620
2600ft [2123ft]	2600	2610	2630	2640	2660	2670	2690	2710	2720
2700ft [2223ft]	2700	2710	2730	2750	2760	2780	2790	2810	2830
2800ft [2323ft]	2800	2810	2830	2850	2860	2880	2900	2920	2930
2900ft [2423ft]	2900	2910	2930	2950	2970	2980	3000	3020	3040
3000ft [2523ft]	3000	3010	3030	3050	3070	3090	3110	3130	3150
3100ft [2623ft]	3100	3110	3130	3150	3170	3190	3210	3230	3250
3200ft [2723ft]	3200	3220	3230	3250	3270	3290	3310	3340	3360
3300ft [2823ft]	3300	3320	3340	3360	3380	3400	3420	3440	3460
3400ft [2923ft]	3400	3420	3440	3460	3480	3500	3520	3550	3570
3500ft [3023ft]	3500	3520	3540	3560	3580	3600	3630	3650	3670
3600ft [3123ft]	3600	3620	3640	3660	3680	3710	3730	3760	3780
3700ft [3223ft]	3700	3720	3740	3760	3790	3810	3840	3860	3890
3800ft [3323ft]	3800	3820	3840	3870	3890	3910	3940	3960	3990
3900ft [3423ft]	3900	3920	3940	3970	3990	4020	4040	4070	4100
4000ft [3523ft]	4000	4020	4040	4070	4090	4120	4150	4170	4200
4100ft [3623ft]	4100	4120	4140	4170	4200	4220	4250	4280	4310
4200ft [3723ft]	4200	4220	4250	4270	4300	4330	4360	4380	4410
4300ft [3823ft]	4300	4320	4350	4370	4400	4430	4460	4490	4520
4400ft [3923ft]	4400	4420	4450	4480	4510	4530	4560	4590	4620
4500ft [4023ft]	4500	4520	4550	4580	4610	4640	4670	4700	4730
4600ft [4123ft]	4600	4620	4650	4680	4710	4740	4770	4800	4840
4700ft [4223ft]	4700	4720	4750	4780	4810	4840	4880	4910	4940
4800ft [4323ft]	4800	4820	4850	4880	4920	4950	4980	5010	5050
4900ft [4423ft]	4900	4920	4950	4990	5020	5050	5080	5120	5150
5000ft [4523ft]	5000	5020	5050	5090	5120	5150	5190	5220	5260
5100ft [4623ft]	5100	5120	5160	5190	5220	5260	5290	5330	5360
5200ft [4723ft]	5200	5220	5260	5290	5330	5360	5400	5430	5470
5300ft [4823ft]	5300	5320	5360	5390	5430	5460	5500	5540	5580
5400ft [4923ft]	5400	5420	5460	5490	5530	5570	5610	5640	5680
5477ft [5000ft]	5477	5500	5540	5570	5610	5650	5690	5720	5760

Stefano M. RAPISARDA - flightdeckengineering.com

CYHZ - Halifax, NS, CANADA

Station Elevation: 477 feet. ISA Standard Temperature: 14.05°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
477ft [0ft]	480	480	480	480	480	480	480	480	480
500ft [23ft]	510	510	510	510	510	510	510	510	510
600ft [123ft]	610	610	610	610	620	620	620	620	620
700ft [223ft]	720	720	720	720	720	730	730	730	730
800ft [323ft]	820	830	830	830	830	840	840	840	840
900ft [423ft]	930	930	940	940	940	950	950	950	960
1000ft [523ft]	1030	1040	1040	1050	1050	1060	1060	1060	1070
1100ft [623ft]	1140	1140	1150	1150	1160	1160	1170	1180	1180
1200ft [723ft]	1250	1250	1260	1260	1270	1270	1280	1290	1290
1300ft [823ft]	1350	1360	1360	1370	1380	1380	1390	1400	1400
1400ft [923ft]	1460	1460	1470	1480	1490	1490	1500	1510	1520
1500ft [1023ft]	1560	1570	1580	1590	1590	1600	1610	1620	1630
1600ft [1123ft]	1670	1680	1690	1690	1700	1710	1720	1730	1740
1700ft [1223ft]	1770	1780	1790	1800	1810	1820	1830	1840	1850
1800ft [1323ft]	1880	1890	1900	1910	1920	1930	1940	1950	1970
1900ft [1423ft]	1980	2000	2010	2020	2030	2040	2050	2070	2080
2000ft [1523ft]	2090	2100	2110	2130	2140	2150	2160	2180	2190
2100ft [1623ft]	2200	2210	2220	2230	2250	2260	2270	2290	2300
2200ft [1723ft]	2300	2310	2330	2340	2360	2370	2390	2400	2420
2300ft [1823ft]	2410	2420	2440	2450	2470	2480	2500	2510	2530
2400ft [1923ft]	2510	2530	2540	2560	2570	2590	2610	2620	2640
2500ft [2023ft]	2620	2630	2650	2670	2680	2700	2720	2730	2750
2600ft [2123ft]	2720	2740	2760	2770	2790	2810	2830	2850	2860
2700ft [2223ft]	2830	2850	2860	2880	2900	2920	2940	2960	2980
2800ft [2323ft]	2930	2950	2970	2990	3010	3030	3050	3070	3090
2900ft [2423ft]	3040	3060	3080	3100	3120	3140	3160	3180	3200
3000ft [2523ft]	3150	3170	3190	3210	3230	3250	3270	3290	3310
3100ft [2623ft]	3250	3270	3290	3310	3340	3360	3380	3400	3430
3200ft [2723ft]	3360	3380	3400	3420	3440	3470	3490	3510	3540
3300ft [2823ft]	3460	3480	3510	3530	3550	3580	3600	3630	3650
3400ft [2923ft]	3570	3590	3610	3640	3660	3690	3710	3740	3760
3500ft [3023ft]	3670	3700	3720	3750	3770	3800	3820	3850	3880
3600ft [3123ft]	3780	3800	3830	3850	3880	3910	3930	3960	3990
3700ft [3223ft]	3890	3910	3940	3960	3990	4020	4040	4070	4100
3800ft [3323ft]	3990	4020	4040	4070	4100	4130	4150	4180	4210
3900ft [3423ft]	4100	4120	4150	4180	4210	4240	4270	4290	4330
4000ft [3523ft]	4200	4230	4260	4290	4320	4350	4380	4410	4440
4100ft [3623ft]	4310	4340	4370	4400	4430	4460	4490	4520	4550
4200ft [3723ft]	4410	4440	4470	4500	4530	4570	4600	4630	4660
4300ft [3823ft]	4520	4550	4580	4610	4640	4680	4710	4740	4770
4400ft [3923ft]	4620	4660	4690	4720	4750	4790	4820	4850	4890
4500ft [4023ft]	4730	4760	4790	4830	4860	4890	4930	4960	5000
4600ft [4123ft]	4840	4870	4900	4940	4970	5000	5040	5080	5110
4700ft [4223ft]	4940	4980	5010	5040	5080	5110	5150	5190	5220
4800ft [4323ft]	5050	5080	5120	5150	5190	5220	5260	5300	5340
4900ft [4423ft]	5150	5190	5220	5260	5300	5330	5370	5410	5450
5000ft [4523ft]	5260	5290	5330	5370	5410	5440	5480	5520	5560
5100ft [4623ft]	5360	5400	5440	5480	5520	5550	5590	5630	5670
5200ft [4723ft]	5470	5510	5550	5580	5620	5660	5700	5750	5790
5300ft [4823ft]	5580	5610	5650	5690	5730	5770	5820	5860	5900
5400ft [4923ft]	5680	5720	5760	5800	5840	5880	5930	5970	6010
5477ft [5000ft]	5760	5800	5840	5880	5930	5970	6010	6060	6100

Stefano M. RAPISARDA - flightdeckengineering.com

CYHZ - Halifax, NS, CANADA

Station Elevation: 477 feet. ISA Standard Temperature: 14.05°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
477ft [0ft]	480	480	480	480	480	480	480	480	480
500ft [23ft]	510	510	510	510	510	510	510	510	510
600ft [123ft]	620	620	620	620	620	630	630	630	630
700ft [223ft]	730	730	740	740	740	740	740	750	750
800ft [323ft]	840	850	850	850	860	860	860	870	870
900ft [423ft]	960	960	960	970	970	980	980	980	990
1000ft [523ft]	1070	1070	1080	1080	1090	1090	1100	1100	1110
1100ft [623ft]	1180	1190	1190	1200	1200	1210	1210	1220	1230
1200ft [723ft]	1290	1300	1310	1310	1320	1330	1330	1340	1350
1300ft [823ft]	1400	1410	1420	1430	1430	1440	1450	1460	1470
1400ft [923ft]	1520	1530	1530	1540	1550	1560	1570	1580	1590
1500ft [1023ft]	1630	1640	1650	1660	1670	1680	1690	1700	1710
1600ft [1123ft]	1740	1750	1760	1770	1780	1790	1800	1810	1830
1700ft [1223ft]	1850	1860	1880	1890	1900	1910	1920	1930	1950
1800ft [1323ft]	1970	1980	1990	2000	2010	2030	2040	2050	2070
1900ft [1423ft]	2080	2090	2100	2120	2130	2140	2160	2170	2190
2000ft [1523ft]	2190	2200	2220	2230	2250	2260	2270	2290	2300
2100ft [1623ft]	2300	2320	2330	2350	2360	2380	2390	2410	2420
2200ft [1723ft]	2420	2430	2450	2460	2480	2490	2510	2530	2540
2300ft [1823ft]	2530	2540	2560	2580	2590	2610	2630	2650	2660
2400ft [1923ft]	2640	2660	2670	2690	2710	2730	2750	2770	2780
2500ft [2023ft]	2750	2770	2790	2810	2830	2840	2860	2880	2900
2600ft [2123ft]	2860	2880	2900	2920	2940	2960	2980	3000	3020
2700ft [2223ft]	2980	3000	3020	3040	3060	3080	3100	3120	3140
2800ft [2323ft]	3090	3110	3130	3150	3170	3200	3220	3240	3260
2900ft [2423ft]	3200	3220	3240	3270	3290	3310	3340	3360	3380
3000ft [2523ft]	3310	3340	3360	3380	3410	3430	3450	3480	3500
3100ft [2623ft]	3430	3450	3470	3500	3520	3550	3570	3600	3620
3200ft [2723ft]	3540	3560	3590	3610	3640	3660	3690	3720	3740
3300ft [2823ft]	3650	3680	3700	3730	3750	3780	3810	3840	3860
3400ft [2923ft]	3760	3790	3820	3840	3870	3900	3930	3950	3980
3500ft [3023ft]	3880	3900	3930	3960	3990	4010	4040	4070	4100
3600ft [3123ft]	3990	4020	4040	4070	4100	4130	4160	4190	4220
3700ft [3223ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
3800ft [3323ft]	4210	4240	4270	4300	4330	4370	4400	4430	4460
3900ft [3423ft]	4330	4360	4390	4420	4450	4480	4520	4550	4580
4000ft [3523ft]	4440	4470	4500	4530	4570	4600	4630	4670	4700
4100ft [3623ft]	4550	4580	4620	4650	4680	4720	4750	4790	4820
4200ft [3723ft]	4660	4700	4730	4760	4800	4830	4870	4910	4940
4300ft [3823ft]	4770	4810	4840	4880	4920	4950	4990	5030	5070
4400ft [3923ft]	4890	4920	4960	4990	5030	5070	5110	5150	5190
4500ft [4023ft]	5000	5040	5070	5110	5150	5190	5230	5270	5310
4600ft [4123ft]	5110	5150	5190	5230	5260	5300	5340	5380	5430
4700ft [4223ft]	5220	5260	5300	5340	5380	5420	5460	5500	5550
4800ft [4323ft]	5340	5380	5420	5460	5500	5540	5580	5620	5670
4900ft [4423ft]	5450	5490	5530	5570	5610	5660	5700	5740	5790
5000ft [4523ft]	5560	5600	5640	5690	5730	5770	5820	5860	5910
5100ft [4623ft]	5670	5720	5760	5800	5850	5890	5930	5980	6030
5200ft [4723ft]	5790	5830	5870	5920	5960	6010	6050	6100	6150
5300ft [4823ft]	5900	5940	5990	6030	6080	6120	6170	6220	6270
5400ft [4923ft]	6010	6060	6100	6150	6190	6240	6290	6340	6390
5477ft [5000ft]	6100	6140	6190	6240	6280	6330	6380	6430	6480

Stefano M. RAPISARDA - flightdeckengineering.com

CYHZ - Halifax, NS, CANADA

Station Elevation: 477 feet. ISA Standard Temperature: 14.05°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
477ft [0ft]	480	480	480	480	480	480	480	480	480
500ft [23ft]	510	510	510	510	510	510	510	510	510
600ft [123ft]	630	630	630	630	630	640	640	640	640
700ft [223ft]	750	750	750	760	760	760	760	770	770
800ft [323ft]	870	870	870	880	880	890	890	890	900
900ft [423ft]	990	990	1000	1000	1010	1010	1010	1020	1030
1000ft [523ft]	1110	1110	1120	1120	1130	1130	1140	1150	1160
1100ft [623ft]	1230	1230	1240	1250	1250	1260	1270	1270	1280
1200ft [723ft]	1350	1350	1360	1370	1380	1380	1390	1400	1410
1300ft [823ft]	1470	1470	1480	1490	1500	1510	1520	1530	1540
1400ft [923ft]	1590	1600	1610	1610	1620	1630	1640	1650	1670
1500ft [1023ft]	1710	1720	1730	1740	1750	1760	1770	1780	1800
1600ft [1123ft]	1830	1840	1850	1860	1870	1880	1900	1910	1930
1700ft [1223ft]	1950	1960	1970	1980	2000	2010	2020	2040	2060
1800ft [1323ft]	2070	2080	2090	2110	2120	2130	2150	2160	2190
1900ft [1423ft]	2190	2200	2210	2230	2240	2260	2280	2290	2320
2000ft [1523ft]	2300	2320	2340	2350	2370	2380	2400	2420	2440
2100ft [1623ft]	2420	2440	2460	2470	2490	2510	2530	2550	2570
2200ft [1723ft]	2540	2560	2580	2600	2620	2630	2650	2670	2700
2300ft [1823ft]	2660	2680	2700	2720	2740	2760	2780	2800	2830
2400ft [1923ft]	2780	2800	2820	2840	2860	2890	2910	2930	2960
2500ft [2023ft]	2900	2920	2950	2970	2990	3010	3030	3060	3090
2600ft [2123ft]	3020	3050	3070	3090	3110	3140	3160	3180	3220
2700ft [2223ft]	3140	3170	3190	3210	3240	3260	3290	3310	3350
2800ft [2323ft]	3260	3290	3310	3340	3360	3390	3410	3440	3480
2900ft [2423ft]	3380	3410	3430	3460	3480	3510	3540	3570	3610
3000ft [2523ft]	3500	3530	3560	3580	3610	3640	3660	3690	3740
3100ft [2623ft]	3620	3650	3680	3710	3730	3760	3790	3820	3870
3200ft [2723ft]	3740	3770	3800	3830	3860	3890	3920	3950	4000
3300ft [2823ft]	3860	3890	3920	3950	3980	4010	4040	4080	4120
3400ft [2923ft]	3980	4010	4040	4070	4110	4140	4170	4200	4250
3500ft [3023ft]	4100	4130	4170	4200	4230	4260	4300	4330	4380
3600ft [3123ft]	4220	4260	4290	4320	4350	4390	4420	4460	4510
3700ft [3223ft]	4340	4380	4410	4440	4480	4510	4550	4590	4640
3800ft [3323ft]	4460	4500	4530	4570	4600	4640	4680	4710	4770
3900ft [3423ft]	4580	4620	4650	4690	4730	4770	4800	4840	4900
4000ft [3523ft]	4700	4740	4780	4810	4850	4890	4930	4970	5030
4100ft [3623ft]	4820	4860	4900	4940	4980	5020	5060	5100	5160
4200ft [3723ft]	4940	4980	5020	5060	5100	5140	5180	5230	5290
4300ft [3823ft]	5070	5100	5140	5180	5230	5270	5310	5350	5420
4400ft [3923ft]	5190	5230	5270	5310	5350	5390	5440	5480	5550
4500ft [4023ft]	5310	5350	5390	5430	5470	5520	5560	5610	5680
4600ft [4123ft]	5430	5470	5510	5550	5600	5640	5690	5740	5810
4700ft [4223ft]	5550	5590	5630	5680	5720	5770	5820	5860	5940
4800ft [4323ft]	5670	5710	5760	5800	5850	5900	5940	5990	6070
4900ft [4423ft]	5790	5830	5880	5920	5970	6020	6070	6120	6200
5000ft [4523ft]	5910	5950	6000	6050	6100	6150	6200	6250	6330
5100ft [4623ft]	6030	6070	6120	6170	6220	6270	6320	6380	6460
5200ft [4723ft]	6150	6200	6250	6300	6350	6400	6450	6510	6590
5300ft [4823ft]	6270	6320	6370	6420	6470	6520	6580	6630	6720
5400ft [4923ft]	6390	6440	6490	6540	6600	6650	6710	6760	6850
5477ft [5000ft]	6480	6530	6580	6640	6690	6750	6800	6860	6950

Stefano M. RAPISARDA - flightdeckengineering.com

CYQY - Sydney, NS, CANADA

Station Elevation: 203 feet. ISA Standard Temperature: 14.6°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
203ft [0ft]	210	210	210	210	210	210	210	210	210
300ft [97ft]	300	310	310	310	310	310	310	310	310
400ft [197ft]	400	410	410	410	410	410	410	410	420
500ft [297ft]	500	510	510	510	510	520	520	520	520
600ft [397ft]	600	610	610	610	620	620	620	620	630
700ft [497ft]	700	710	710	710	720	720	730	730	730
800ft [597ft]	800	810	810	820	820	830	830	830	840
900ft [697ft]	900	910	910	920	920	930	930	940	950
1000ft [797ft]	1000	1010	1020	1020	1030	1030	1040	1040	1050
1100ft [897ft]	1100	1110	1120	1120	1130	1140	1140	1150	1160
1200ft [997ft]	1200	1210	1220	1220	1230	1240	1250	1250	1260
1300ft [1097ft]	1300	1310	1320	1330	1330	1340	1350	1360	1370
1400ft [1197ft]	1400	1410	1420	1430	1440	1450	1460	1460	1470
1500ft [1297ft]	1500	1510	1520	1530	1540	1550	1560	1570	1580
1600ft [1397ft]	1600	1610	1620	1630	1640	1650	1660	1670	1690
1700ft [1497ft]	1700	1710	1720	1730	1750	1760	1770	1780	1790
1800ft [1597ft]	1800	1810	1830	1840	1850	1860	1870	1880	1900
1900ft [1697ft]	1900	1910	1930	1940	1950	1960	1980	1990	2000
2000ft [1797ft]	2000	2020	2030	2040	2050	2070	2080	2090	2110
2100ft [1897ft]	2100	2120	2130	2140	2160	2170	2190	2200	2210
2200ft [1997ft]	2200	2220	2230	2240	2260	2270	2290	2300	2320
2300ft [2097ft]	2300	2320	2330	2350	2360	2380	2390	2410	2430
2400ft [2197ft]	2400	2420	2430	2450	2470	2480	2500	2510	2530
2500ft [2297ft]	2500	2520	2530	2550	2570	2580	2600	2620	2640
2600ft [2397ft]	2600	2620	2640	2650	2670	2690	2710	2720	2740
2700ft [2497ft]	2700	2720	2740	2750	2770	2790	2810	2830	2850
2800ft [2597ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2697ft]	2900	2920	2940	2960	2980	3000	3020	3040	3060
3000ft [2797ft]	3000	3020	3040	3060	3080	3100	3120	3150	3170
3100ft [2897ft]	3100	3120	3140	3160	3180	3210	3230	3250	3270
3200ft [2997ft]	3200	3220	3240	3270	3290	3310	3330	3360	3380
3300ft [3097ft]	3300	3320	3340	3370	3390	3410	3440	3460	3480
3400ft [3197ft]	3400	3420	3450	3470	3490	3520	3540	3570	3590
3500ft [3297ft]	3500	3520	3550	3570	3600	3620	3650	3670	3700
3600ft [3397ft]	3600	3620	3650	3670	3700	3720	3750	3780	3800
3700ft [3497ft]	3700	3720	3750	3780	3800	3830	3850	3880	3910
3800ft [3597ft]	3800	3830	3850	3880	3900	3930	3960	3990	4010
3900ft [3697ft]	3900	3930	3950	3980	4010	4030	4060	4090	4120
4000ft [3797ft]	4000	4030	4050	4080	4110	4140	4170	4200	4230
4100ft [3897ft]	4100	4130	4160	4180	4210	4240	4270	4300	4330
4200ft [3997ft]	4200	4230	4260	4290	4310	4340	4380	4410	4440
4300ft [4097ft]	4300	4330	4360	4390	4420	4450	4480	4510	4540
4400ft [4197ft]	4400	4430	4460	4490	4520	4550	4580	4620	4650
4500ft [4297ft]	4500	4530	4560	4590	4620	4660	4690	4720	4760
4600ft [4397ft]	4600	4630	4660	4690	4730	4760	4790	4830	4860
4700ft [4497ft]	4700	4730	4760	4800	4830	4860	4900	4930	4970
4800ft [4597ft]	4800	4830	4860	4900	4930	4970	5000	5040	5070
4900ft [4697ft]	4900	4930	4970	5000	5030	5070	5110	5140	5180
5000ft [4797ft]	5000	5030	5070	5100	5140	5170	5210	5250	5280
5100ft [4897ft]	5100	5130	5170	5200	5240	5280	5310	5350	5390
5200ft [4997ft]	5200	5230	5270	5310	5340	5380	5420	5460	5500
5203ft [5000ft]	5203	5240	5270	5310	5350	5380	5420	5460	5500

Stefano M. RAPISARDA - flightdeckengineering.com

CYQY - Sydney, NS, CANADA

Station Elevation: 203 feet. ISA Standard Temperature: 14.6°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
203ft [0ft]	210	210	210	210	210	210	210	210	210
300ft [97ft]	310	310	310	310	310	310	320	320	320
400ft [197ft]	420	420	420	420	420	420	430	430	430
500ft [297ft]	520	520	530	530	530	530	540	540	540
600ft [397ft]	630	630	630	640	640	640	650	650	650
700ft [497ft]	730	740	740	750	750	750	760	760	770
800ft [597ft]	840	840	850	850	860	860	870	870	880
900ft [697ft]	950	950	960	960	970	970	980	990	990
1000ft [797ft]	1050	1060	1060	1070	1080	1080	1090	1100	1100
1100ft [897ft]	1160	1160	1170	1180	1190	1190	1200	1210	1220
1200ft [997ft]	1260	1270	1280	1290	1290	1300	1310	1320	1330
1300ft [1097ft]	1370	1380	1390	1390	1400	1410	1420	1430	1440
1400ft [1197ft]	1470	1480	1490	1500	1510	1520	1530	1540	1550
1500ft [1297ft]	1580	1590	1600	1610	1620	1630	1640	1650	1670
1600ft [1397ft]	1690	1700	1710	1720	1730	1740	1750	1770	1780
1700ft [1497ft]	1790	1800	1810	1830	1840	1850	1860	1880	1890
1800ft [1597ft]	1900	1910	1920	1940	1950	1960	1980	1990	2000
1900ft [1697ft]	2000	2020	2030	2040	2060	2070	2090	2100	2120
2000ft [1797ft]	2110	2120	2140	2150	2170	2180	2200	2210	2230
2100ft [1897ft]	2210	2230	2240	2260	2280	2290	2310	2320	2340
2200ft [1997ft]	2320	2340	2350	2370	2380	2400	2420	2440	2450
2300ft [2097ft]	2430	2440	2460	2480	2490	2510	2530	2550	2570
2400ft [2197ft]	2530	2550	2570	2580	2600	2620	2640	2660	2680
2500ft [2297ft]	2640	2660	2670	2690	2710	2730	2750	2770	2790
2600ft [2397ft]	2740	2760	2780	2800	2820	2840	2860	2880	2900
2700ft [2497ft]	2850	2870	2890	2910	2930	2950	2970	2990	3020
2800ft [2597ft]	2960	2980	3000	3020	3040	3060	3080	3110	3130
2900ft [2697ft]	3060	3080	3100	3130	3150	3170	3190	3220	3240
3000ft [2797ft]	3170	3190	3210	3230	3260	3280	3300	3330	3350
3100ft [2897ft]	3270	3300	3320	3340	3370	3390	3420	3440	3470
3200ft [2997ft]	3380	3400	3430	3450	3480	3500	3530	3550	3580
3300ft [3097ft]	3480	3510	3530	3560	3580	3610	3640	3660	3690
3400ft [3197ft]	3590	3620	3640	3670	3690	3720	3750	3780	3800
3500ft [3297ft]	3700	3720	3750	3780	3800	3830	3860	3890	3920
3600ft [3397ft]	3800	3830	3860	3880	3910	3940	3970	4000	4030
3700ft [3497ft]	3910	3940	3960	3990	4020	4050	4080	4110	4140
3800ft [3597ft]	4010	4040	4070	4100	4130	4160	4190	4220	4250
3900ft [3697ft]	4120	4150	4180	4210	4240	4270	4300	4330	4370
4000ft [3797ft]	4230	4260	4290	4320	4350	4380	4410	4450	4480
4100ft [3897ft]	4330	4360	4390	4430	4460	4490	4520	4560	4590
4200ft [3997ft]	4440	4470	4500	4530	4570	4600	4640	4670	4710
4300ft [4097ft]	4540	4580	4610	4640	4680	4710	4750	4780	4820
4400ft [4197ft]	4650	4680	4720	4750	4790	4820	4860	4890	4930
4500ft [4297ft]	4760	4790	4820	4860	4900	4930	4970	5010	5040
4600ft [4397ft]	4860	4900	4930	4970	5000	5040	5080	5120	5160
4700ft [4497ft]	4970	5000	5040	5080	5110	5150	5190	5230	5270
4800ft [4597ft]	5070	5110	5150	5180	5220	5260	5300	5340	5380
4900ft [4697ft]	5180	5220	5250	5290	5330	5370	5410	5450	5490
5000ft [4797ft]	5280	5320	5360	5400	5440	5480	5520	5570	5610
5100ft [4897ft]	5390	5430	5470	5510	5550	5590	5630	5680	5720
5200ft [4997ft]	5500	5540	5580	5620	5660	5700	5750	5790	5830
5203ft [5000ft]	5500	5540	5580	5620	5660	5710	5750	5790	5840

Stefano M. RAPISARDA - flightdeckengineering.com

CYQY - Sydney, NS, CANADA

Station Elevation: 203 feet. ISA Standard Temperature: 14.6°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
203ft [0ft]	210	210	210	210	210	210	210	210	210
300ft [97ft]	320	320	320	320	320	320	320	320	320
400ft [197ft]	430	430	430	430	440	440	440	440	440
500ft [297ft]	540	540	550	550	550	560	560	560	560
600ft [397ft]	650	660	660	660	670	670	680	680	680
700ft [497ft]	770	770	780	780	780	790	790	800	800
800ft [597ft]	880	880	890	890	900	910	910	920	920
900ft [697ft]	990	1000	1000	1010	1020	1020	1030	1040	1040
1000ft [797ft]	1100	1110	1120	1130	1130	1140	1150	1160	1160
1100ft [897ft]	1220	1220	1230	1240	1250	1260	1270	1270	1280
1200ft [997ft]	1330	1340	1350	1360	1360	1370	1380	1390	1400
1300ft [1097ft]	1440	1450	1460	1470	1480	1490	1500	1510	1520
1400ft [1197ft]	1550	1560	1570	1590	1600	1610	1620	1630	1640
1500ft [1297ft]	1670	1680	1690	1700	1710	1730	1740	1750	1760
1600ft [1397ft]	1780	1790	1800	1820	1830	1840	1860	1870	1880
1700ft [1497ft]	1890	1900	1920	1930	1950	1960	1970	1990	2000
1800ft [1597ft]	2000	2020	2030	2050	2060	2080	2090	2110	2120
1900ft [1697ft]	2120	2130	2150	2160	2180	2190	2210	2230	2240
2000ft [1797ft]	2230	2240	2260	2280	2290	2310	2330	2350	2360
2100ft [1897ft]	2340	2360	2370	2390	2410	2430	2450	2460	2480
2200ft [1997ft]	2450	2470	2490	2510	2530	2550	2560	2580	2600
2300ft [2097ft]	2570	2580	2600	2620	2640	2660	2680	2700	2720
2400ft [2197ft]	2680	2700	2720	2740	2760	2780	2800	2820	2840
2500ft [2297ft]	2790	2810	2830	2850	2870	2900	2920	2940	2960
2600ft [2397ft]	2900	2920	2950	2970	2990	3010	3040	3060	3080
2700ft [2497ft]	3020	3040	3060	3080	3110	3130	3160	3180	3200
2800ft [2597ft]	3130	3150	3180	3200	3220	3250	3270	3300	3330
2900ft [2697ft]	3240	3270	3290	3310	3340	3370	3390	3420	3450
3000ft [2797ft]	3350	3380	3400	3430	3460	3480	3510	3540	3570
3100ft [2897ft]	3470	3490	3520	3550	3570	3600	3630	3660	3690
3200ft [2997ft]	3580	3610	3630	3660	3690	3720	3750	3780	3810
3300ft [3097ft]	3690	3720	3750	3780	3810	3830	3860	3900	3930
3400ft [3197ft]	3800	3830	3860	3890	3920	3950	3980	4010	4050
3500ft [3297ft]	3920	3950	3980	4010	4040	4070	4100	4130	4170
3600ft [3397ft]	4030	4060	4090	4120	4150	4190	4220	4250	4290
3700ft [3497ft]	4140	4170	4210	4240	4270	4300	4340	4370	4410
3800ft [3597ft]	4250	4290	4320	4350	4390	4420	4460	4490	4530
3900ft [3697ft]	4370	4400	4430	4470	4500	4540	4580	4610	4650
4000ft [3797ft]	4480	4510	4550	4580	4620	4660	4690	4730	4770
4100ft [3897ft]	4590	4630	4660	4700	4740	4770	4810	4850	4890
4200ft [3997ft]	4710	4740	4780	4820	4850	4890	4930	4970	5010
4300ft [4097ft]	4820	4860	4890	4930	4970	5010	5050	5090	5130
4400ft [4197ft]	4930	4970	5010	5050	5090	5130	5170	5210	5250
4500ft [4297ft]	5040	5080	5120	5160	5200	5240	5290	5330	5370
4600ft [4397ft]	5160	5200	5240	5280	5320	5360	5400	5450	5490
4700ft [4497ft]	5270	5310	5350	5390	5440	5480	5520	5570	5610
4800ft [4597ft]	5380	5420	5470	5510	5550	5600	5640	5690	5730
4900ft [4697ft]	5490	5540	5580	5620	5670	5710	5760	5810	5850
5000ft [4797ft]	5610	5650	5700	5740	5790	5830	5880	5930	5970
5100ft [4897ft]	5720	5760	5810	5860	5900	5950	6000	6050	6100
5200ft [4997ft]	5830	5880	5920	5970	6020	6070	6120	6170	6220
5203ft [5000ft]	5840	5880	5930	5970	6020	6070	6120	6170	6220

Stefano M. RAPISARDA - flightdeckengineering.com

CYQY - Sydney, NS, CANADA

Station Elevation: 203 feet. ISA Standard Temperature: 14.6°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
203ft [0ft]	210	210	210	210	210	210	210	210	210
300ft [97ft]	320	330	330	330	330	330	330	330	330
400ft [197ft]	440	450	450	450	450	450	460	460	460
500ft [297ft]	560	570	570	570	580	580	580	590	590
600ft [397ft]	680	690	690	700	700	700	710	710	720
700ft [497ft]	800	810	810	820	820	830	840	840	850
800ft [597ft]	920	930	940	940	950	950	960	970	980
900ft [697ft]	1040	1050	1060	1060	1070	1080	1090	1100	1110
1000ft [797ft]	1160	1170	1180	1190	1200	1210	1210	1220	1240
1100ft [897ft]	1280	1290	1300	1310	1320	1330	1340	1350	1370
1200ft [997ft]	1400	1410	1420	1430	1440	1460	1470	1480	1490
1300ft [1097ft]	1520	1530	1550	1560	1570	1580	1590	1610	1620
1400ft [1197ft]	1640	1660	1670	1680	1690	1710	1720	1730	1750
1500ft [1297ft]	1760	1780	1790	1800	1820	1830	1850	1860	1880
1600ft [1397ft]	1880	1900	1910	1930	1940	1960	1970	1990	2010
1700ft [1497ft]	2000	2020	2030	2050	2070	2080	2100	2120	2140
1800ft [1597ft]	2120	2140	2160	2170	2190	2210	2220	2240	2270
1900ft [1697ft]	2240	2260	2280	2300	2310	2330	2350	2370	2400
2000ft [1797ft]	2360	2380	2400	2420	2440	2460	2480	2500	2530
2100ft [1897ft]	2480	2500	2520	2540	2560	2580	2600	2630	2660
2200ft [1997ft]	2600	2620	2640	2670	2690	2710	2730	2750	2790
2300ft [2097ft]	2720	2750	2770	2790	2810	2830	2860	2880	2920
2400ft [2197ft]	2840	2870	2890	2910	2940	2960	2980	3010	3050
2500ft [2297ft]	2960	2990	3010	3040	3060	3090	3110	3140	3180
2600ft [2397ft]	3080	3110	3130	3160	3180	3210	3240	3260	3310
2700ft [2497ft]	3200	3230	3260	3280	3310	3340	3360	3390	3440
2800ft [2597ft]	3330	3350	3380	3410	3430	3460	3490	3520	3570
2900ft [2697ft]	3450	3470	3500	3530	3560	3590	3620	3650	3700
3000ft [2797ft]	3570	3590	3620	3650	3680	3710	3740	3780	3820
3100ft [2897ft]	3690	3720	3750	3780	3810	3840	3870	3900	3950
3200ft [2997ft]	3810	3840	3870	3900	3930	3960	4000	4030	4080
3300ft [3097ft]	3930	3960	3990	4020	4060	4090	4120	4160	4210
3400ft [3197ft]	4050	4080	4110	4150	4180	4220	4250	4290	4340
3500ft [3297ft]	4170	4200	4240	4270	4310	4340	4380	4420	4470
3600ft [3397ft]	4290	4320	4360	4390	4430	4470	4510	4540	4600
3700ft [3497ft]	4410	4440	4480	4520	4550	4590	4630	4670	4730
3800ft [3597ft]	4530	4570	4600	4640	4680	4720	4760	4800	4860
3900ft [3697ft]	4650	4690	4730	4760	4800	4840	4890	4930	4990
4000ft [3797ft]	4770	4810	4850	4890	4930	4970	5010	5060	5120
4100ft [3897ft]	4890	4930	4970	5010	5050	5100	5140	5180	5250
4200ft [3997ft]	5010	5050	5090	5140	5180	5220	5270	5310	5380
4300ft [4097ft]	5130	5170	5220	5260	5300	5350	5390	5440	5510
4400ft [4197ft]	5250	5290	5340	5380	5430	5470	5520	5570	5640
4500ft [4297ft]	5370	5420	5460	5510	5550	5600	5650	5700	5770
4600ft [4397ft]	5490	5540	5580	5630	5680	5730	5780	5830	5900
4700ft [4497ft]	5610	5660	5710	5750	5800	5850	5900	5950	6030
4800ft [4597ft]	5730	5780	5830	5880	5930	5980	6030	6080	6160
4900ft [4697ft]	5850	5900	5950	6000	6050	6100	6160	6210	6290
5000ft [4797ft]	5970	6020	6070	6130	6180	6230	6280	6340	6420
5100ft [4897ft]	6100	6150	6200	6250	6300	6360	6410	6470	6550
5200ft [4997ft]	6220	6270	6320	6370	6430	6480	6540	6600	6680
5203ft [5000ft]	6220	6270	6320	6380	6430	6490	6540	6600	6690

Stefano M. RAPISARDA - flightdeckengineering.com

9 Nunavut Airports

9.1 CYFB - IQALUIT, NU, CANADA 171

CYFB - Iqaluit, NU, CANADA

Station Elevation: 110 feet. ISA Standard Temperature: 14.78°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
110ft [0ft]	110	110	110	110	110	110	110	110	110
200ft [90ft]	200	210	210	210	210	210	210	210	210
300ft [190ft]	300	310	310	310	310	310	310	310	320
400ft [290ft]	400	410	410	410	410	420	420	420	420
500ft [390ft]	500	510	510	510	520	520	520	520	530
600ft [490ft]	600	610	610	620	620	620	630	630	630
700ft [590ft]	700	710	710	720	720	730	730	730	740
800ft [690ft]	800	810	810	820	820	830	830	840	850
900ft [790ft]	900	910	920	920	930	930	940	940	950
1000ft [890ft]	1000	1010	1020	1020	1030	1040	1040	1050	1060
1100ft [990ft]	1100	1110	1120	1130	1130	1140	1150	1150	1160
1200ft [1090ft]	1200	1210	1220	1230	1240	1240	1250	1260	1270
1300ft [1190ft]	1300	1310	1320	1330	1340	1350	1360	1370	1370
1400ft [1290ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1390ft]	1500	1510	1520	1530	1540	1550	1560	1580	1590
1600ft [1490ft]	1600	1610	1620	1640	1650	1660	1670	1680	1690
1700ft [1590ft]	1700	1710	1730	1740	1750	1760	1770	1790	1800
1800ft [1690ft]	1800	1820	1830	1840	1850	1860	1880	1890	1900
1900ft [1790ft]	1900	1920	1930	1940	1960	1970	1980	2000	2010
2000ft [1890ft]	2000	2020	2030	2040	2060	2070	2090	2100	2120
2100ft [1990ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2200ft [2090ft]	2200	2220	2230	2250	2260	2280	2290	2310	2330
2300ft [2190ft]	2300	2320	2330	2350	2370	2380	2400	2420	2430
2400ft [2290ft]	2400	2420	2440	2450	2470	2490	2500	2520	2540
2500ft [2390ft]	2500	2520	2540	2550	2570	2590	2610	2630	2640
2600ft [2490ft]	2600	2620	2640	2660	2670	2690	2710	2730	2750
2700ft [2590ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2690ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2790ft]	2900	2920	2940	2960	2980	3000	3030	3050	3070
3000ft [2890ft]	3000	3020	3040	3060	3090	3110	3130	3150	3170
3100ft [2990ft]	3100	3120	3150	3170	3190	3210	3230	3260	3280
3200ft [3090ft]	3200	3220	3250	3270	3290	3310	3340	3360	3390
3300ft [3190ft]	3300	3330	3350	3370	3390	3420	3440	3470	3490
3400ft [3290ft]	3400	3430	3450	3470	3500	3520	3550	3570	3600
3500ft [3390ft]	3500	3530	3550	3580	3600	3630	3650	3680	3700
3600ft [3490ft]	3600	3630	3650	3680	3700	3730	3760	3780	3810
3700ft [3590ft]	3700	3730	3750	3780	3810	3830	3860	3890	3920
3800ft [3690ft]	3800	3830	3850	3880	3910	3940	3960	3990	4020
3900ft [3790ft]	3900	3930	3960	3980	4010	4040	4070	4100	4130
4000ft [3890ft]	4000	4030	4060	4090	4110	4140	4170	4200	4230
4100ft [3990ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4200ft [4090ft]	4200	4230	4260	4290	4320	4350	4380	4410	4450
4300ft [4190ft]	4300	4330	4360	4390	4420	4450	4490	4520	4550
4400ft [4290ft]	4400	4430	4460	4490	4530	4560	4590	4620	4660
4500ft [4390ft]	4500	4530	4560	4600	4630	4660	4700	4730	4760
4600ft [4490ft]	4600	4630	4670	4700	4730	4770	4800	4830	4870
4700ft [4590ft]	4700	4730	4770	4800	4830	4870	4900	4940	4980
4800ft [4690ft]	4800	4830	4870	4900	4940	4970	5010	5040	5080
4900ft [4790ft]	4900	4940	4970	5000	5040	5080	5110	5150	5190
5000ft [4890ft]	5000	5040	5070	5110	5140	5180	5220	5260	5290
5100ft [4990ft]	5100	5140	5170	5210	5250	5280	5320	5360	5400
5110ft [5000ft]	5110	5150	5180	5220	5260	5290	5330	5370	5410

Stefano M. RAPISARDA - flightdeckengineering.com

CYFB - Iqaluit, NU, CANADA

Station Elevation: 110 feet. ISA Standard Temperature: 14.78°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
110ft [0ft]	110	110	110	110	110	110	110	110	110
200ft [90ft]	210	210	210	210	210	210	210	220	220
300ft [190ft]	320	320	320	320	320	320	330	330	330
400ft [290ft]	420	420	430	430	430	430	440	440	440
500ft [390ft]	530	530	530	540	540	540	550	550	550
600ft [490ft]	630	640	640	650	650	650	660	660	670
700ft [590ft]	740	740	750	750	760	760	770	770	780
800ft [690ft]	850	850	860	860	870	870	880	880	890
900ft [790ft]	950	960	960	970	980	980	990	1000	1000
1000ft [890ft]	1060	1060	1070	1080	1090	1090	1100	1110	1120
1100ft [990ft]	1160	1170	1180	1190	1190	1200	1210	1220	1230
1200ft [1090ft]	1270	1280	1290	1290	1300	1310	1320	1330	1340
1300ft [1190ft]	1370	1380	1390	1400	1410	1420	1430	1440	1450
1400ft [1290ft]	1480	1490	1500	1510	1520	1530	1540	1550	1570
1500ft [1390ft]	1590	1600	1610	1620	1630	1640	1650	1670	1680
1600ft [1490ft]	1690	1700	1720	1730	1740	1750	1770	1780	1790
1700ft [1590ft]	1800	1810	1820	1840	1850	1860	1880	1890	1900
1800ft [1690ft]	1900	1920	1930	1940	1960	1970	1990	2000	2020
1900ft [1790ft]	2010	2020	2040	2050	2070	2080	2100	2110	2130
2000ft [1890ft]	2120	2130	2150	2160	2180	2190	2210	2220	2240
2100ft [1990ft]	2220	2240	2250	2270	2290	2300	2320	2340	2350
2200ft [2090ft]	2330	2340	2360	2380	2390	2410	2430	2450	2470
2300ft [2190ft]	2430	2450	2470	2490	2500	2520	2540	2560	2580
2400ft [2290ft]	2540	2560	2580	2590	2610	2630	2650	2670	2690
2500ft [2390ft]	2640	2660	2680	2700	2720	2740	2760	2780	2800
2600ft [2490ft]	2750	2770	2790	2810	2830	2850	2870	2900	2920
2700ft [2590ft]	2860	2880	2900	2920	2940	2960	2980	3010	3030
2800ft [2690ft]	2960	2980	3010	3030	3050	3070	3100	3120	3140
2900ft [2790ft]	3070	3090	3110	3140	3160	3180	3210	3230	3260
3000ft [2890ft]	3170	3200	3220	3240	3270	3290	3320	3340	3370
3100ft [2990ft]	3280	3300	3330	3350	3380	3400	3430	3450	3480
3200ft [3090ft]	3390	3410	3440	3460	3490	3510	3540	3570	3590
3300ft [3190ft]	3490	3520	3540	3570	3600	3620	3650	3680	3710
3400ft [3290ft]	3600	3620	3650	3680	3700	3730	3760	3790	3820
3500ft [3390ft]	3700	3730	3760	3790	3810	3840	3870	3900	3930
3600ft [3490ft]	3810	3840	3870	3890	3920	3950	3980	4010	4040
3700ft [3590ft]	3920	3940	3970	4000	4030	4060	4090	4130	4160
3800ft [3690ft]	4020	4050	4080	4110	4140	4170	4200	4240	4270
3900ft [3790ft]	4130	4160	4190	4220	4250	4280	4320	4350	4380
4000ft [3890ft]	4230	4260	4300	4330	4360	4390	4430	4460	4500
4100ft [3990ft]	4340	4370	4400	4440	4470	4500	4540	4570	4610
4200ft [4090ft]	4450	4480	4510	4540	4580	4610	4650	4680	4720
4300ft [4190ft]	4550	4590	4620	4650	4690	4720	4760	4800	4830
4400ft [4290ft]	4660	4690	4730	4760	4800	4830	4870	4910	4950
4500ft [4390ft]	4760	4800	4830	4870	4910	4940	4980	5020	5060
4600ft [4490ft]	4870	4910	4940	4980	5020	5050	5090	5130	5170
4700ft [4590ft]	4980	5010	5050	5090	5130	5160	5200	5240	5280
4800ft [4690ft]	5080	5120	5160	5200	5230	5270	5320	5360	5400
4900ft [4790ft]	5190	5230	5260	5300	5340	5380	5430	5470	5510
5000ft [4890ft]	5290	5330	5370	5410	5450	5500	5540	5580	5620
5100ft [4990ft]	5400	5440	5480	5520	5560	5610	5650	5690	5740
5110ft [5000ft]	5410	5450	5490	5530	5570	5620	5660	5700	5750

Stefano M. RAPISARDA - flightdeckengineering.com

CYFB - Iqaluit, NU, CANADA

Station Elevation: 110 feet. ISA Standard Temperature: 14.78°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
110ft [0ft]	110	110	110	110	110	110	110	110	110
200ft [90ft]	220	220	220	220	220	220	220	220	220
300ft [190ft]	330	330	330	330	340	340	340	340	340
400ft [290ft]	440	440	450	450	450	450	460	460	460
500ft [390ft]	550	560	560	560	570	570	580	580	580
600ft [490ft]	670	670	670	680	680	690	690	700	700
700ft [590ft]	780	780	790	790	800	810	810	820	820
800ft [690ft]	890	900	900	910	920	920	930	940	940
900ft [790ft]	1000	1010	1020	1020	1030	1040	1050	1050	1060
1000ft [890ft]	1120	1120	1130	1140	1150	1160	1170	1170	1180
1100ft [990ft]	1230	1240	1250	1260	1260	1270	1280	1290	1300
1200ft [1090ft]	1340	1350	1360	1370	1380	1390	1400	1410	1420
1300ft [1190ft]	1450	1460	1470	1490	1500	1510	1520	1530	1540
1400ft [1290ft]	1570	1580	1590	1600	1610	1630	1640	1650	1660
1500ft [1390ft]	1680	1690	1700	1720	1730	1740	1760	1770	1780
1600ft [1490ft]	1790	1800	1820	1830	1850	1860	1870	1890	1900
1700ft [1590ft]	1900	1920	1930	1950	1960	1980	1990	2010	2020
1800ft [1690ft]	2020	2030	2050	2060	2080	2090	2110	2130	2140
1900ft [1790ft]	2130	2140	2160	2180	2190	2210	2230	2250	2260
2000ft [1890ft]	2240	2260	2280	2290	2310	2330	2350	2370	2380
2100ft [1990ft]	2350	2370	2390	2410	2430	2450	2460	2480	2500
2200ft [2090ft]	2470	2490	2500	2520	2540	2560	2580	2600	2620
2300ft [2190ft]	2580	2600	2620	2640	2660	2680	2700	2720	2740
2400ft [2290ft]	2690	2710	2730	2750	2780	2800	2820	2840	2870
2500ft [2390ft]	2800	2830	2850	2870	2890	2910	2940	2960	2990
2600ft [2490ft]	2920	2940	2960	2980	3010	3030	3060	3080	3110
2700ft [2590ft]	3030	3050	3080	3100	3120	3150	3170	3200	3230
2800ft [2690ft]	3140	3170	3190	3220	3240	3270	3290	3320	3350
2900ft [2790ft]	3260	3280	3310	3330	3360	3380	3410	3440	3470
3000ft [2890ft]	3370	3390	3420	3450	3470	3500	3530	3560	3590
3100ft [2990ft]	3480	3510	3530	3560	3590	3620	3650	3680	3710
3200ft [3090ft]	3590	3620	3650	3680	3710	3740	3770	3800	3830
3300ft [3190ft]	3710	3730	3760	3790	3820	3850	3880	3920	3950
3400ft [3290ft]	3820	3850	3880	3910	3940	3970	4000	4040	4070
3500ft [3390ft]	3930	3960	3990	4020	4060	4090	4120	4160	4190
3600ft [3490ft]	4040	4080	4110	4140	4170	4210	4240	4270	4310
3700ft [3590ft]	4160	4190	4220	4260	4290	4320	4360	4390	4430
3800ft [3690ft]	4270	4300	4340	4370	4410	4440	4480	4510	4550
3900ft [3790ft]	4380	4420	4450	4490	4520	4560	4600	4630	4670
4000ft [3890ft]	4500	4530	4570	4600	4640	4680	4710	4750	4790
4100ft [3990ft]	4610	4640	4680	4720	4760	4790	4830	4870	4910
4200ft [4090ft]	4720	4760	4790	4830	4870	4910	4950	4990	5030
4300ft [4190ft]	4830	4870	4910	4950	4990	5030	5070	5110	5150
4400ft [4290ft]	4950	4990	5020	5060	5100	5150	5190	5230	5270
4500ft [4390ft]	5060	5100	5140	5180	5220	5260	5310	5350	5390
4600ft [4490ft]	5170	5210	5250	5300	5340	5380	5430	5470	5520
4700ft [4590ft]	5280	5330	5370	5410	5450	5500	5540	5590	5640
4800ft [4690ft]	5400	5440	5480	5530	5570	5620	5660	5710	5760
4900ft [4790ft]	5510	5550	5600	5640	5690	5730	5780	5830	5880
5000ft [4890ft]	5620	5670	5710	5760	5800	5850	5900	5950	6000
5100ft [4990ft]	5740	5780	5830	5870	5920	5970	6020	6070	6120
5110ft [5000ft]	5750	5790	5840	5890	5930	5980	6030	6080	6130

Stefano M. RAPISARDA - flightdeckengineering.com

CYFB - Iqaluit, NU, CANADA

Station Elevation: 110 feet. ISA Standard Temperature: 14.78°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
110ft [0ft]	110	110	110	110	110	110	110	110	110
200ft [90ft]	220	220	220	230	230	230	230	230	230
300ft [190ft]	340	340	350	350	350	350	350	360	360
400ft [290ft]	460	470	470	470	470	480	480	480	490
500ft [390ft]	580	590	590	590	600	600	610	610	620
600ft [490ft]	700	710	710	720	720	730	730	740	750
700ft [590ft]	820	830	830	840	850	850	860	870	880
800ft [690ft]	940	950	960	960	970	980	990	990	1010
900ft [790ft]	1060	1070	1080	1090	1100	1100	1110	1120	1140
1000ft [890ft]	1180	1190	1200	1210	1220	1230	1240	1250	1260
1100ft [990ft]	1300	1310	1320	1330	1340	1350	1370	1380	1390
1200ft [1090ft]	1420	1430	1450	1460	1470	1480	1490	1500	1520
1300ft [1190ft]	1540	1560	1570	1580	1590	1610	1620	1630	1650
1400ft [1290ft]	1660	1680	1690	1700	1720	1730	1740	1760	1780
1500ft [1390ft]	1780	1800	1810	1830	1840	1860	1870	1890	1910
1600ft [1490ft]	1900	1920	1930	1950	1970	1980	2000	2010	2040
1700ft [1590ft]	2020	2040	2060	2070	2090	2110	2120	2140	2170
1800ft [1690ft]	2140	2160	2180	2200	2210	2230	2250	2270	2300
1900ft [1790ft]	2260	2280	2300	2320	2340	2360	2380	2400	2430
2000ft [1890ft]	2380	2400	2420	2440	2460	2480	2500	2530	2560
2100ft [1990ft]	2500	2520	2550	2570	2590	2610	2630	2650	2690
2200ft [2090ft]	2620	2650	2670	2690	2710	2730	2760	2780	2820
2300ft [2190ft]	2740	2770	2790	2810	2840	2860	2880	2910	2950
2400ft [2290ft]	2870	2890	2910	2940	2960	2990	3010	3040	3080
2500ft [2390ft]	2990	3010	3030	3060	3090	3110	3140	3160	3210
2600ft [2490ft]	3110	3130	3160	3180	3210	3240	3260	3290	3340
2700ft [2590ft]	3230	3250	3280	3310	3330	3360	3390	3420	3470
2800ft [2690ft]	3350	3370	3400	3430	3460	3490	3520	3550	3600
2900ft [2790ft]	3470	3500	3520	3550	3580	3610	3650	3680	3730
3000ft [2890ft]	3590	3620	3650	3680	3710	3740	3770	3800	3860
3100ft [2990ft]	3710	3740	3770	3800	3830	3870	3900	3930	3980
3200ft [3090ft]	3830	3860	3890	3920	3960	3990	4030	4060	4110
3300ft [3190ft]	3950	3980	4010	4050	4080	4120	4150	4190	4240
3400ft [3290ft]	4070	4100	4140	4170	4210	4240	4280	4320	4370
3500ft [3390ft]	4190	4220	4260	4300	4330	4370	4410	4450	4500
3600ft [3490ft]	4310	4350	4380	4420	4460	4490	4530	4570	4630
3700ft [3590ft]	4430	4470	4500	4540	4580	4620	4660	4700	4760
3800ft [3690ft]	4550	4590	4630	4670	4710	4750	4790	4830	4890
3900ft [3790ft]	4670	4710	4750	4790	4830	4870	4910	4960	5020
4000ft [3890ft]	4790	4830	4870	4910	4960	5000	5040	5090	5150
4100ft [3990ft]	4910	4950	4990	5040	5080	5120	5170	5210	5280
4200ft [4090ft]	5030	5070	5120	5160	5210	5250	5300	5340	5410
4300ft [4190ft]	5150	5200	5240	5280	5330	5380	5420	5470	5540
4400ft [4290ft]	5270	5320	5360	5410	5460	5500	5550	5600	5670
4500ft [4390ft]	5390	5440	5490	5530	5580	5630	5680	5730	5810
4600ft [4490ft]	5520	5560	5610	5660	5710	5750	5810	5860	5940
4700ft [4590ft]	5640	5680	5730	5780	5830	5880	5930	5980	6070
4800ft [4690ft]	5760	5810	5850	5900	5960	6010	6060	6110	6200
4900ft [4790ft]	5880	5930	5980	6030	6080	6130	6190	6240	6330
5000ft [4890ft]	6000	6050	6100	6150	6210	6260	6310	6370	6460
5100ft [4990ft]	6120	6170	6220	6280	6330	6390	6440	6500	6590
5110ft [5000ft]	6130	6180	6240	6290	6340	6400	6450	6510	6600

Stefano M. RAPISARDA - flightdeckengineering.com

10 Ontario Airports

10.1 CYAM - SAULT STE. MARIE, ON, CANADA 176

10.2 CYGK - KINGSTON, ON, CANADA 180

10.3 CYKF - KITCHENER, ON, CANADA 184

10.4 CYOW - OTTAWA, ON, CANADA 188

10.5 CYQT - THUNDER BAY, ON, CANADA 192

10.6 CYSB - SUDBURY, ON, CANADA 196

10.7 CYTS - TIMMINS, ON, CANADA 200

10.8 CYXU - LONDON, ON, CANADA 204

10.9 CYYB - NORTH BAY, ON, CANADA 208

10.10 CYYZ - TORONTO, ON, CANADA 212

10.11 CYZR - SARNIA, ON, CANADA 216

CYAM - Sault Ste. Marie, ON, CANADA

Station Elevation: 632 feet. ISA Standard Temperature: 13.75°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
632ft [0ft]	640	640	640	640	640	640	640	640	640
700ft [68ft]	700	710	710	710	710	710	710	710	710
800ft [168ft]	800	810	810	810	810	810	810	810	810
900ft [268ft]	900	910	910	910	910	910	920	920	920
1000ft [368ft]	1000	1010	1010	1010	1020	1020	1020	1020	1030
1100ft [468ft]	1100	1110	1110	1110	1120	1120	1120	1130	1130
1200ft [568ft]	1200	1210	1210	1220	1220	1220	1230	1230	1240
1300ft [668ft]	1300	1310	1310	1320	1320	1330	1330	1340	1340
1400ft [768ft]	1400	1410	1420	1420	1430	1430	1440	1440	1450
1500ft [868ft]	1500	1510	1520	1520	1530	1540	1540	1550	1560
1600ft [968ft]	1600	1610	1620	1620	1630	1640	1650	1650	1660
1700ft [1068ft]	1700	1710	1720	1730	1730	1740	1750	1760	1770
1800ft [1168ft]	1800	1810	1820	1830	1840	1850	1850	1860	1870
1900ft [1268ft]	1900	1910	1920	1930	1940	1950	1960	1970	1980
2000ft [1368ft]	2000	2010	2020	2030	2040	2050	2060	2070	2080
2100ft [1468ft]	2100	2110	2120	2140	2150	2160	2170	2180	2190
2200ft [1568ft]	2200	2210	2230	2240	2250	2260	2270	2280	2300
2300ft [1668ft]	2300	2320	2330	2340	2350	2360	2380	2390	2400
2400ft [1768ft]	2400	2420	2430	2440	2450	2470	2480	2490	2510
2500ft [1868ft]	2500	2520	2530	2540	2560	2570	2590	2600	2610
2600ft [1968ft]	2600	2620	2630	2650	2660	2670	2690	2700	2720
2700ft [2068ft]	2700	2720	2730	2750	2760	2780	2790	2810	2830
2800ft [2168ft]	2800	2820	2830	2850	2870	2880	2900	2910	2930
2900ft [2268ft]	2900	2920	2940	2950	2970	2990	3000	3020	3040
3000ft [2368ft]	3000	3020	3040	3050	3070	3090	3110	3120	3140
3100ft [2468ft]	3100	3120	3140	3160	3170	3190	3210	3230	3250
3200ft [2568ft]	3200	3220	3240	3260	3280	3300	3320	3340	3360
3300ft [2668ft]	3300	3320	3340	3360	3380	3400	3420	3440	3460
3400ft [2768ft]	3400	3420	3440	3460	3480	3500	3520	3550	3570
3500ft [2868ft]	3500	3520	3540	3560	3590	3610	3630	3650	3670
3600ft [2968ft]	3600	3620	3640	3670	3690	3710	3730	3760	3780
3700ft [3068ft]	3700	3720	3750	3770	3790	3810	3840	3860	3880
3800ft [3168ft]	3800	3820	3850	3870	3890	3920	3940	3970	3990
3900ft [3268ft]	3900	3930	3950	3970	4000	4020	4050	4070	4100
4000ft [3368ft]	4000	4030	4050	4070	4100	4120	4150	4180	4200
4100ft [3468ft]	4100	4130	4150	4180	4200	4230	4250	4280	4310
4200ft [3568ft]	4200	4230	4250	4280	4310	4330	4360	4390	4410
4300ft [3668ft]	4300	4330	4350	4380	4410	4440	4460	4490	4520
4400ft [3768ft]	4400	4430	4460	4480	4510	4540	4570	4600	4630
4500ft [3868ft]	4500	4530	4560	4590	4610	4640	4670	4700	4730
4600ft [3968ft]	4600	4630	4660	4690	4720	4750	4780	4810	4840
4700ft [4068ft]	4700	4730	4760	4790	4820	4850	4880	4910	4940
4800ft [4168ft]	4800	4830	4860	4890	4920	4950	4990	5020	5050
4900ft [4268ft]	4900	4930	4960	4990	5030	5060	5090	5120	5160
5000ft [4368ft]	5000	5030	5060	5100	5130	5160	5190	5230	5260
5100ft [4468ft]	5100	5130	5160	5200	5230	5260	5300	5330	5370
5200ft [4568ft]	5200	5230	5270	5300	5330	5370	5400	5440	5470
5300ft [4668ft]	5300	5330	5370	5400	5440	5470	5510	5540	5580
5400ft [4768ft]	5400	5430	5470	5500	5540	5580	5610	5650	5690
5500ft [4868ft]	5500	5540	5570	5610	5640	5680	5720	5750	5790
5600ft [4968ft]	5600	5640	5670	5710	5750	5780	5820	5860	5900
5632ft [5000ft]	5632	5670	5700	5740	5780	5820	5850	5890	5930

Stefano M. RAPISARDA - flightdeckengineering.com

CYAM - Sault Ste. Marie, ON, CANADA

Station Elevation: 632 feet. ISA Standard Temperature: 13.75°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
632ft [0ft]	640	640	640	640	640	640	640	640	640
700ft [68ft]	710	710	710	710	710	710	710	710	710
800ft [168ft]	810	820	820	820	820	820	820	820	830
900ft [268ft]	920	920	920	930	930	930	930	940	940
1000ft [368ft]	1030	1030	1030	1040	1040	1040	1040	1050	1050
1100ft [468ft]	1130	1140	1140	1140	1150	1150	1160	1160	1160
1200ft [568ft]	1240	1240	1250	1250	1260	1260	1270	1270	1280
1300ft [668ft]	1340	1350	1350	1360	1370	1370	1380	1380	1390
1400ft [768ft]	1450	1460	1460	1470	1470	1480	1490	1490	1500
1500ft [868ft]	1560	1560	1570	1580	1580	1590	1600	1610	1610
1600ft [968ft]	1660	1670	1680	1680	1690	1700	1710	1720	1730
1700ft [1068ft]	1770	1780	1780	1790	1800	1810	1820	1830	1840
1800ft [1168ft]	1870	1880	1890	1900	1910	1920	1930	1940	1950
1900ft [1268ft]	1980	1990	2000	2010	2020	2030	2040	2050	2060
2000ft [1368ft]	2080	2100	2110	2120	2130	2140	2150	2160	2180
2100ft [1468ft]	2190	2200	2210	2230	2240	2250	2260	2280	2290
2200ft [1568ft]	2300	2310	2320	2330	2350	2360	2370	2390	2400
2300ft [1668ft]	2400	2420	2430	2440	2460	2470	2480	2500	2510
2400ft [1768ft]	2510	2520	2540	2550	2570	2580	2600	2610	2630
2500ft [1868ft]	2610	2630	2640	2660	2670	2690	2710	2720	2740
2600ft [1968ft]	2720	2740	2750	2770	2780	2800	2820	2830	2850
2700ft [2068ft]	2830	2840	2860	2880	2890	2910	2930	2950	2960
2800ft [2168ft]	2930	2950	2970	2980	3000	3020	3040	3060	3080
2900ft [2268ft]	3040	3060	3070	3090	3110	3130	3150	3170	3190
3000ft [2368ft]	3140	3160	3180	3200	3220	3240	3260	3280	3300
3100ft [2468ft]	3250	3270	3290	3310	3330	3350	3370	3390	3410
3200ft [2568ft]	3360	3380	3400	3420	3440	3460	3480	3500	3530
3300ft [2668ft]	3460	3480	3500	3530	3550	3570	3590	3620	3640
3400ft [2768ft]	3570	3590	3610	3630	3660	3680	3700	3730	3750
3500ft [2868ft]	3670	3700	3720	3740	3770	3790	3810	3840	3870
3600ft [2968ft]	3780	3800	3830	3850	3880	3900	3930	3950	3980
3700ft [3068ft]	3880	3910	3930	3960	3980	4010	4040	4060	4090
3800ft [3168ft]	3990	4020	4040	4070	4090	4120	4150	4180	4200
3900ft [3268ft]	4100	4120	4150	4180	4200	4230	4260	4290	4320
4000ft [3368ft]	4200	4230	4260	4280	4310	4340	4370	4400	4430
4100ft [3468ft]	4310	4340	4360	4390	4420	4450	4480	4510	4540
4200ft [3568ft]	4410	4440	4470	4500	4530	4560	4590	4620	4650
4300ft [3668ft]	4520	4550	4580	4610	4640	4670	4700	4730	4770
4400ft [3768ft]	4630	4660	4690	4720	4750	4780	4810	4850	4880
4500ft [3868ft]	4730	4760	4790	4830	4860	4890	4920	4960	4990
4600ft [3968ft]	4840	4870	4900	4930	4970	5000	5040	5070	5110
4700ft [4068ft]	4940	4980	5010	5040	5080	5110	5150	5180	5220
4800ft [4168ft]	5050	5080	5120	5150	5190	5220	5260	5290	5330
4900ft [4268ft]	5160	5190	5220	5260	5300	5330	5370	5410	5440
5000ft [4368ft]	5260	5300	5330	5370	5410	5440	5480	5520	5560
5100ft [4468ft]	5370	5400	5440	5480	5510	5550	5590	5630	5670
5200ft [4568ft]	5470	5510	5550	5590	5620	5660	5700	5740	5780
5300ft [4668ft]	5580	5620	5660	5690	5730	5770	5810	5850	5900
5400ft [4768ft]	5690	5720	5760	5800	5840	5880	5920	5970	6010
5500ft [4868ft]	5790	5830	5870	5910	5950	5990	6040	6080	6120
5600ft [4968ft]	5900	5940	5980	6020	6060	6100	6150	6190	6230
5632ft [5000ft]	5930	5970	6010	6050	6100	6140	6180	6230	6270

Stefano M. RAPISARDA - flightdeckengineering.com

CYAM - Sault Ste. Marie, ON, CANADA

Station Elevation: 632 feet. ISA Standard Temperature: 13.75°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
632ft [0ft]	640	640	640	640	640	640	640	640	640
700ft [68ft]	710	710	710	720	720	720	720	720	720
800ft [168ft]	830	830	830	830	830	830	840	840	840
900ft [268ft]	940	940	940	950	950	950	950	960	960
1000ft [368ft]	1050	1050	1060	1060	1060	1070	1070	1070	1080
1100ft [468ft]	1160	1170	1170	1180	1180	1180	1190	1190	1200
1200ft [568ft]	1280	1280	1290	1290	1300	1300	1310	1310	1320
1300ft [668ft]	1390	1390	1400	1410	1410	1420	1430	1430	1440
1400ft [768ft]	1500	1510	1510	1520	1530	1540	1540	1550	1560
1500ft [868ft]	1610	1620	1630	1640	1640	1650	1660	1670	1680
1600ft [968ft]	1730	1730	1740	1750	1760	1770	1780	1790	1800
1700ft [1068ft]	1840	1850	1860	1870	1880	1890	1900	1910	1920
1800ft [1168ft]	1950	1960	1970	1980	1990	2000	2020	2030	2040
1900ft [1268ft]	2060	2070	2090	2100	2110	2120	2130	2150	2160
2000ft [1368ft]	2180	2190	2200	2210	2230	2240	2250	2270	2280
2100ft [1468ft]	2290	2300	2310	2330	2340	2360	2370	2380	2400
2200ft [1568ft]	2400	2410	2430	2440	2460	2470	2490	2500	2520
2300ft [1668ft]	2510	2530	2540	2560	2570	2590	2610	2620	2640
2400ft [1768ft]	2630	2640	2660	2670	2690	2710	2720	2740	2760
2500ft [1868ft]	2740	2760	2770	2790	2810	2820	2840	2860	2880
2600ft [1968ft]	2850	2870	2890	2900	2920	2940	2960	2980	3000
2700ft [2068ft]	2960	2980	3000	3020	3040	3060	3080	3100	3120
2800ft [2168ft]	3080	3100	3120	3140	3160	3180	3200	3220	3240
2900ft [2268ft]	3190	3210	3230	3250	3270	3290	3320	3340	3360
3000ft [2368ft]	3300	3320	3340	3370	3390	3410	3430	3460	3480
3100ft [2468ft]	3410	3440	3460	3480	3510	3530	3550	3580	3600
3200ft [2568ft]	3530	3550	3570	3600	3620	3650	3670	3700	3720
3300ft [2668ft]	3640	3660	3690	3710	3740	3760	3790	3820	3840
3400ft [2768ft]	3750	3780	3800	3830	3850	3880	3910	3940	3960
3500ft [2868ft]	3870	3890	3920	3940	3970	4000	4030	4050	4080
3600ft [2968ft]	3980	4000	4030	4060	4090	4120	4140	4170	4200
3700ft [3068ft]	4090	4120	4150	4170	4200	4230	4260	4290	4320
3800ft [3168ft]	4200	4230	4260	4290	4320	4350	4380	4410	4440
3900ft [3268ft]	4320	4350	4380	4410	4440	4470	4500	4530	4570
4000ft [3368ft]	4430	4460	4490	4520	4550	4590	4620	4650	4690
4100ft [3468ft]	4540	4570	4600	4640	4670	4700	4740	4770	4810
4200ft [3568ft]	4650	4690	4720	4750	4790	4820	4860	4890	4930
4300ft [3668ft]	4770	4800	4830	4870	4900	4940	4970	5010	5050
4400ft [3768ft]	4880	4910	4950	4980	5020	5060	5090	5130	5170
4500ft [3868ft]	4990	5030	5060	5100	5140	5170	5210	5250	5290
4600ft [3968ft]	5110	5140	5180	5210	5250	5290	5330	5370	5410
4700ft [4068ft]	5220	5260	5290	5330	5370	5410	5450	5490	5530
4800ft [4168ft]	5330	5370	5410	5450	5490	5530	5570	5610	5650
4900ft [4268ft]	5440	5480	5520	5560	5600	5640	5680	5730	5770
5000ft [4368ft]	5560	5600	5640	5680	5720	5760	5800	5850	5890
5100ft [4468ft]	5670	5710	5750	5790	5840	5880	5920	5970	6010
5200ft [4568ft]	5780	5820	5870	5910	5950	6000	6040	6090	6130
5300ft [4668ft]	5900	5940	5980	6020	6070	6110	6160	6210	6250
5400ft [4768ft]	6010	6050	6100	6140	6190	6230	6280	6330	6370
5500ft [4868ft]	6120	6170	6210	6260	6300	6350	6400	6450	6490
5600ft [4968ft]	6230	6280	6320	6370	6420	6470	6520	6570	6620
5632ft [5000ft]	6270	6320	6360	6410	6460	6500	6550	6600	6650

Stefano M. RAPISARDA - flightdeckengineering.com

CYAM - Sault Ste. Marie, ON, CANADA

Station Elevation: 632 feet. ISA Standard Temperature: 13.75°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
632ft [0ft]	640	640	640	640	640	640	640	640	640
700ft [68ft]	720	720	720	720	720	720	720	720	720
800ft [168ft]	840	840	840	840	850	850	850	850	850
900ft [268ft]	960	960	960	970	970	970	980	980	980
1000ft [368ft]	1080	1080	1090	1090	1090	1100	1100	1110	1110
1100ft [468ft]	1200	1200	1210	1210	1220	1220	1230	1230	1240
1200ft [568ft]	1320	1320	1330	1340	1340	1350	1350	1360	1370
1300ft [668ft]	1440	1450	1450	1460	1470	1470	1480	1490	1500
1400ft [768ft]	1560	1570	1570	1580	1590	1600	1610	1620	1620
1500ft [868ft]	1680	1690	1700	1710	1710	1720	1730	1740	1750
1600ft [968ft]	1800	1810	1820	1830	1840	1850	1860	1870	1880
1700ft [1068ft]	1920	1930	1940	1950	1960	1970	1990	2000	2010
1800ft [1168ft]	2040	2050	2060	2080	2090	2100	2110	2130	2140
1900ft [1268ft]	2160	2170	2180	2200	2210	2230	2240	2250	2270
2000ft [1368ft]	2280	2290	2310	2320	2340	2350	2370	2380	2400
2100ft [1468ft]	2400	2410	2430	2440	2460	2480	2490	2510	2530
2200ft [1568ft]	2520	2540	2550	2570	2580	2600	2620	2640	2660
2300ft [1668ft]	2640	2660	2670	2690	2710	2730	2750	2760	2780
2400ft [1768ft]	2760	2780	2800	2810	2830	2850	2870	2890	2910
2500ft [1868ft]	2880	2900	2920	2940	2960	2980	3000	3020	3040
2600ft [1968ft]	3000	3020	3040	3060	3080	3100	3130	3150	3170
2700ft [2068ft]	3120	3140	3160	3180	3210	3230	3250	3280	3300
2800ft [2168ft]	3240	3260	3290	3310	3330	3360	3380	3400	3430
2900ft [2268ft]	3360	3380	3410	3430	3460	3480	3510	3530	3560
3000ft [2368ft]	3480	3510	3530	3560	3580	3610	3630	3660	3690
3100ft [2468ft]	3600	3630	3650	3680	3710	3730	3760	3790	3820
3200ft [2568ft]	3720	3750	3780	3800	3830	3860	3890	3920	3950
3300ft [2668ft]	3840	3870	3900	3930	3950	3980	4010	4040	4070
3400ft [2768ft]	3960	3990	4020	4050	4080	4110	4140	4170	4200
3500ft [2868ft]	4080	4110	4140	4170	4200	4240	4270	4300	4330
3600ft [2968ft]	4200	4230	4270	4300	4330	4360	4390	4430	4460
3700ft [3068ft]	4320	4360	4390	4420	4450	4490	4520	4560	4590
3800ft [3168ft]	4440	4480	4510	4540	4580	4610	4650	4680	4720
3900ft [3268ft]	4570	4600	4630	4670	4700	4740	4780	4810	4850
4000ft [3368ft]	4690	4720	4760	4790	4830	4860	4900	4940	4980
4100ft [3468ft]	4810	4840	4880	4910	4950	4990	5030	5070	5110
4200ft [3568ft]	4930	4960	5000	5040	5080	5120	5160	5200	5240
4300ft [3668ft]	5050	5080	5120	5160	5200	5240	5280	5330	5370
4400ft [3768ft]	5170	5210	5250	5290	5330	5370	5410	5450	5500
4500ft [3868ft]	5290	5330	5370	5410	5450	5490	5540	5580	5630
4600ft [3968ft]	5410	5450	5490	5530	5580	5620	5660	5710	5760
4700ft [4068ft]	5530	5570	5610	5660	5700	5750	5790	5840	5890
4800ft [4168ft]	5650	5690	5740	5780	5830	5870	5920	5970	6020
4900ft [4268ft]	5770	5810	5860	5900	5950	6000	6050	6100	6150
5000ft [4368ft]	5890	5940	5980	6030	6080	6120	6170	6220	6270
5100ft [4468ft]	6010	6060	6110	6150	6200	6250	6300	6350	6400
5200ft [4568ft]	6130	6180	6230	6280	6330	6380	6430	6480	6530
5300ft [4668ft]	6250	6300	6350	6400	6450	6500	6560	6610	6660
5400ft [4768ft]	6370	6420	6470	6520	6580	6630	6680	6740	6790
5500ft [4868ft]	6490	6550	6600	6650	6700	6760	6810	6870	6920
5600ft [4968ft]	6620	6670	6720	6770	6830	6880	6940	6990	7050
5632ft [5000ft]	6650	6710	6760	6810	6870	6920	6980	7040	7090

Stefano M. RAPISARDA - flightdeckengineering.com

CYGK - Kingston, ON, CANADA

Station Elevation: 303 feet. ISA Standard Temperature: 14.4°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
303ft [0ft]	310	310	310	310	310	310	310	310	310
400ft [97ft]	400	410	410	410	410	410	410	410	410
500ft [197ft]	500	510	510	510	510	510	510	510	520
600ft [297ft]	600	610	610	610	610	620	620	620	620
700ft [397ft]	700	710	710	710	720	720	720	720	730
800ft [497ft]	800	810	810	810	820	820	830	830	830
900ft [597ft]	900	910	910	920	920	930	930	930	940
1000ft [697ft]	1000	1010	1010	1020	1020	1030	1030	1040	1040
1100ft [797ft]	1100	1110	1110	1120	1130	1130	1140	1140	1150
1200ft [897ft]	1200	1210	1220	1220	1230	1240	1240	1250	1260
1300ft [997ft]	1300	1310	1320	1320	1330	1340	1350	1350	1360
1400ft [1097ft]	1400	1410	1420	1430	1430	1440	1450	1460	1470
1500ft [1197ft]	1500	1510	1520	1530	1540	1550	1550	1560	1570
1600ft [1297ft]	1600	1610	1620	1630	1640	1650	1660	1670	1680
1700ft [1397ft]	1700	1710	1720	1730	1740	1750	1760	1770	1780
1800ft [1497ft]	1800	1810	1820	1830	1840	1860	1870	1880	1890
1900ft [1597ft]	1900	1910	1920	1940	1950	1960	1970	1980	2000
2000ft [1697ft]	2000	2010	2030	2040	2050	2060	2080	2090	2100
2100ft [1797ft]	2100	2110	2130	2140	2150	2170	2180	2190	2210
2200ft [1897ft]	2200	2210	2230	2240	2260	2270	2280	2300	2310
2300ft [1997ft]	2300	2310	2330	2340	2360	2370	2390	2400	2420
2400ft [2097ft]	2400	2420	2430	2450	2460	2480	2490	2510	2520
2500ft [2197ft]	2500	2520	2530	2550	2560	2580	2600	2610	2630
2600ft [2297ft]	2600	2620	2630	2650	2670	2680	2700	2720	2740
2700ft [2397ft]	2700	2720	2730	2750	2770	2790	2800	2820	2840
2800ft [2497ft]	2800	2820	2840	2850	2870	2890	2910	2930	2950
2900ft [2597ft]	2900	2920	2940	2960	2970	2990	3010	3030	3050
3000ft [2697ft]	3000	3020	3040	3060	3080	3100	3120	3140	3160
3100ft [2797ft]	3100	3120	3140	3160	3180	3200	3220	3240	3260
3200ft [2897ft]	3200	3220	3240	3260	3280	3300	3330	3350	3370
3300ft [2997ft]	3300	3320	3340	3360	3380	3410	3430	3450	3480
3400ft [3097ft]	3400	3420	3440	3460	3490	3510	3530	3560	3580
3500ft [3197ft]	3500	3520	3540	3570	3590	3610	3640	3660	3690
3600ft [3297ft]	3600	3620	3640	3670	3690	3720	3740	3770	3790
3700ft [3397ft]	3700	3720	3750	3770	3800	3820	3850	3870	3900
3800ft [3497ft]	3800	3820	3850	3870	3900	3920	3950	3980	4010
3900ft [3597ft]	3900	3920	3950	3970	4000	4030	4060	4080	4110
4000ft [3697ft]	4000	4020	4050	4080	4100	4130	4160	4190	4220
4100ft [3797ft]	4100	4120	4150	4180	4210	4230	4260	4290	4320
4200ft [3897ft]	4200	4220	4250	4280	4310	4340	4370	4400	4430
4300ft [3997ft]	4300	4320	4350	4380	4410	4440	4470	4500	4530
4400ft [4097ft]	4400	4430	4450	4480	4510	4550	4580	4610	4640
4500ft [4197ft]	4500	4530	4560	4590	4620	4650	4680	4710	4750
4600ft [4297ft]	4600	4630	4660	4690	4720	4750	4790	4820	4850
4700ft [4397ft]	4700	4730	4760	4790	4820	4860	4890	4920	4960
4800ft [4497ft]	4800	4830	4860	4890	4930	4960	4990	5030	5060
4900ft [4597ft]	4900	4930	4960	4990	5030	5060	5100	5130	5170
5000ft [4697ft]	5000	5030	5060	5100	5130	5170	5200	5240	5280
5100ft [4797ft]	5100	5130	5160	5200	5230	5270	5310	5340	5380
5200ft [4897ft]	5200	5230	5260	5300	5340	5370	5410	5450	5490
5300ft [4997ft]	5300	5330	5370	5400	5440	5480	5510	5550	5590
5303ft [5000ft]	5303	5330	5370	5410	5440	5480	5520	5560	5600

Stefano M. RAPISARDA - flightdeckengineering.com

CYGK - Kingston, ON, CANADA

Station Elevation: 303 feet. ISA Standard Temperature: 14.4°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
303ft [0ft]	310	310	310	310	310	310	310	310	310
400ft [97ft]	410	410	410	410	410	410	420	420	420
500ft [197ft]	520	520	520	520	520	520	530	530	530
600ft [297ft]	620	620	630	630	630	630	640	640	640
700ft [397ft]	730	730	730	740	740	740	750	750	750
800ft [497ft]	830	840	840	850	850	850	860	860	870
900ft [597ft]	940	940	950	950	960	960	970	970	980
1000ft [697ft]	1040	1050	1060	1060	1070	1070	1080	1080	1090
1100ft [797ft]	1150	1160	1160	1170	1180	1180	1190	1200	1200
1200ft [897ft]	1260	1260	1270	1280	1280	1290	1300	1310	1320
1300ft [997ft]	1360	1370	1380	1390	1390	1400	1410	1420	1430
1400ft [1097ft]	1470	1480	1480	1490	1500	1510	1520	1530	1540
1500ft [1197ft]	1570	1580	1590	1600	1610	1620	1630	1640	1650
1600ft [1297ft]	1680	1690	1700	1710	1720	1730	1740	1750	1760
1700ft [1397ft]	1780	1800	1810	1820	1830	1840	1850	1860	1880
1800ft [1497ft]	1890	1900	1910	1930	1940	1950	1960	1980	1990
1900ft [1597ft]	2000	2010	2020	2030	2050	2060	2070	2090	2100
2000ft [1697ft]	2100	2110	2130	2140	2160	2170	2180	2200	2210
2100ft [1797ft]	2210	2220	2240	2250	2270	2280	2300	2310	2330
2200ft [1897ft]	2310	2330	2340	2360	2370	2390	2410	2420	2440
2300ft [1997ft]	2420	2430	2450	2470	2480	2500	2520	2530	2550
2400ft [2097ft]	2520	2540	2560	2570	2590	2610	2630	2650	2660
2500ft [2197ft]	2630	2650	2670	2680	2700	2720	2740	2760	2780
2600ft [2297ft]	2740	2750	2770	2790	2810	2830	2850	2870	2890
2700ft [2397ft]	2840	2860	2880	2900	2920	2940	2960	2980	3000
2800ft [2497ft]	2950	2970	2990	3010	3030	3050	3070	3090	3110
2900ft [2597ft]	3050	3070	3090	3120	3140	3160	3180	3200	3230
3000ft [2697ft]	3160	3180	3200	3220	3250	3270	3290	3320	3340
3100ft [2797ft]	3260	3290	3310	3330	3360	3380	3400	3430	3450
3200ft [2897ft]	3370	3390	3420	3440	3460	3490	3510	3540	3560
3300ft [2997ft]	3480	3500	3520	3550	3570	3600	3620	3650	3680
3400ft [3097ft]	3580	3610	3630	3660	3680	3710	3730	3760	3790
3500ft [3197ft]	3690	3710	3740	3760	3790	3820	3850	3870	3900
3600ft [3297ft]	3790	3820	3850	3870	3900	3930	3960	3990	4010
3700ft [3397ft]	3900	3930	3950	3980	4010	4040	4070	4100	4130
3800ft [3497ft]	4010	4030	4060	4090	4120	4150	4180	4210	4240
3900ft [3597ft]	4110	4140	4170	4200	4230	4260	4290	4320	4350
4000ft [3697ft]	4220	4250	4280	4310	4340	4370	4400	4430	4460
4100ft [3797ft]	4320	4350	4380	4410	4450	4480	4510	4540	4580
4200ft [3897ft]	4430	4460	4490	4520	4560	4590	4620	4660	4690
4300ft [3997ft]	4530	4570	4600	4630	4660	4700	4730	4770	4800
4400ft [4097ft]	4640	4670	4710	4740	4770	4810	4840	4880	4910
4500ft [4197ft]	4750	4780	4810	4850	4880	4920	4950	4990	5030
4600ft [4297ft]	4850	4890	4920	4960	4990	5030	5060	5100	5140
4700ft [4397ft]	4960	4990	5030	5060	5100	5140	5180	5210	5250
4800ft [4497ft]	5060	5100	5140	5170	5210	5250	5290	5330	5370
4900ft [4597ft]	5170	5210	5240	5280	5320	5360	5400	5440	5480
5000ft [4697ft]	5280	5310	5350	5390	5430	5470	5510	5550	5590
5100ft [4797ft]	5380	5420	5460	5500	5540	5580	5620	5660	5700
5200ft [4897ft]	5490	5530	5570	5610	5650	5690	5730	5770	5820
5300ft [4997ft]	5590	5630	5670	5710	5760	5800	5840	5880	5930
5303ft [5000ft]	5600	5640	5680	5720	5760	5800	5840	5890	5930

Stefano M. RAPISARDA - flightdeckengineering.com

CYGK - Kingston, ON, CANADA

Station Elevation: 303 feet. ISA Standard Temperature: 14.4°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
303ft [0ft]	310	310	310	310	310	310	310	310	310
400ft [97ft]	420	420	420	420	420	420	420	420	420
500ft [197ft]	530	530	530	530	540	540	540	540	540
600ft [297ft]	640	640	650	650	650	650	660	660	660
700ft [397ft]	750	760	760	760	770	770	780	780	780
800ft [497ft]	870	870	870	880	880	890	890	900	900
900ft [597ft]	980	980	990	990	1000	1010	1010	1020	1020
1000ft [697ft]	1090	1100	1100	1110	1120	1120	1130	1140	1140
1100ft [797ft]	1200	1210	1220	1220	1230	1240	1250	1250	1260
1200ft [897ft]	1320	1320	1330	1340	1350	1360	1360	1370	1380
1300ft [997ft]	1430	1440	1450	1450	1460	1470	1480	1490	1500
1400ft [1097ft]	1540	1550	1560	1570	1580	1590	1600	1610	1620
1500ft [1197ft]	1650	1660	1670	1680	1700	1710	1720	1730	1740
1600ft [1297ft]	1760	1780	1790	1800	1810	1820	1840	1850	1860
1700ft [1397ft]	1880	1890	1900	1910	1930	1940	1950	1970	1980
1800ft [1497ft]	1990	2000	2020	2030	2040	2060	2070	2090	2100
1900ft [1597ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2000ft [1697ft]	2210	2230	2240	2260	2280	2290	2310	2330	2340
2100ft [1797ft]	2330	2340	2360	2380	2390	2410	2430	2440	2460
2200ft [1897ft]	2440	2460	2470	2490	2510	2530	2540	2560	2580
2300ft [1997ft]	2550	2570	2590	2610	2620	2640	2660	2680	2700
2400ft [2097ft]	2660	2680	2700	2720	2740	2760	2780	2800	2820
2500ft [2197ft]	2780	2800	2820	2840	2860	2880	2900	2920	2940
2600ft [2297ft]	2890	2910	2930	2950	2970	2990	3020	3040	3060
2700ft [2397ft]	3000	3020	3040	3070	3090	3110	3130	3160	3180
2800ft [2497ft]	3110	3140	3160	3180	3210	3230	3250	3280	3300
2900ft [2597ft]	3230	3250	3270	3300	3320	3350	3370	3400	3420
3000ft [2697ft]	3340	3360	3390	3410	3440	3460	3490	3520	3540
3100ft [2797ft]	3450	3480	3500	3530	3550	3580	3610	3640	3660
3200ft [2897ft]	3560	3590	3620	3640	3670	3700	3730	3750	3780
3300ft [2997ft]	3680	3700	3730	3760	3790	3810	3840	3870	3900
3400ft [3097ft]	3790	3820	3840	3870	3900	3930	3960	3990	4020
3500ft [3197ft]	3900	3930	3960	3990	4020	4050	4080	4110	4140
3600ft [3297ft]	4010	4040	4070	4100	4140	4170	4200	4230	4260
3700ft [3397ft]	4130	4160	4190	4220	4250	4280	4320	4350	4380
3800ft [3497ft]	4240	4270	4300	4330	4370	4400	4440	4470	4500
3900ft [3597ft]	4350	4380	4420	4450	4480	4520	4550	4590	4630
4000ft [3697ft]	4460	4500	4530	4570	4600	4640	4670	4710	4750
4100ft [3797ft]	4580	4610	4650	4680	4720	4750	4790	4830	4870
4200ft [3897ft]	4690	4720	4760	4800	4830	4870	4910	4950	4990
4300ft [3997ft]	4800	4840	4870	4910	4950	4990	5030	5070	5110
4400ft [4097ft]	4910	4950	4990	5030	5070	5110	5150	5190	5230
4500ft [4197ft]	5030	5070	5100	5140	5180	5220	5260	5310	5350
4600ft [4297ft]	5140	5180	5220	5260	5300	5340	5380	5420	5470
4700ft [4397ft]	5250	5290	5330	5370	5420	5460	5500	5540	5590
4800ft [4497ft]	5370	5410	5450	5490	5530	5570	5620	5660	5710
4900ft [4597ft]	5480	5520	5560	5600	5650	5690	5740	5780	5830
5000ft [4697ft]	5590	5630	5680	5720	5760	5810	5860	5900	5950
5100ft [4797ft]	5700	5750	5790	5840	5880	5930	5970	6020	6070
5200ft [4897ft]	5820	5860	5910	5950	6000	6040	6090	6140	6190
5300ft [4997ft]	5930	5970	6020	6070	6110	6160	6210	6260	6310
5303ft [5000ft]	5930	5980	6020	6070	6120	6170	6210	6260	6310

Stefano M. RAPISARDA - flightdeckengineering.com

CYGK - Kingston, ON, CANADA

Station Elevation: 303 feet. ISA Standard Temperature: 14.4°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
303ft [0ft]	310	310	310	310	310	310	310	310	310
400ft [97ft]	420	430	430	430	430	430	430	430	430
500ft [197ft]	540	550	550	550	550	550	560	560	560
600ft [297ft]	660	670	670	670	680	680	680	690	690
700ft [397ft]	780	790	790	800	800	800	810	810	820
800ft [497ft]	900	910	910	920	920	930	930	940	950
900ft [597ft]	1020	1030	1040	1040	1050	1050	1060	1070	1080
1000ft [697ft]	1140	1150	1160	1160	1170	1180	1190	1190	1210
1100ft [797ft]	1260	1270	1280	1290	1300	1300	1310	1320	1340
1200ft [897ft]	1380	1390	1400	1410	1420	1430	1440	1450	1460
1300ft [997ft]	1500	1510	1520	1530	1540	1550	1570	1580	1590
1400ft [1097ft]	1620	1630	1640	1660	1670	1680	1690	1700	1720
1500ft [1197ft]	1740	1750	1770	1780	1790	1800	1820	1830	1850
1600ft [1297ft]	1860	1880	1890	1900	1920	1930	1940	1960	1980
1700ft [1397ft]	1980	2000	2010	2030	2040	2060	2070	2090	2110
1800ft [1497ft]	2100	2120	2130	2150	2160	2180	2200	2210	2240
1900ft [1597ft]	2220	2240	2250	2270	2290	2310	2320	2340	2370
2000ft [1697ft]	2340	2360	2380	2390	2410	2430	2450	2470	2500
2100ft [1797ft]	2460	2480	2500	2520	2540	2560	2580	2600	2630
2200ft [1897ft]	2580	2600	2620	2640	2660	2680	2700	2720	2760
2300ft [1997ft]	2700	2720	2740	2760	2790	2810	2830	2850	2890
2400ft [2097ft]	2820	2840	2870	2890	2910	2930	2960	2980	3020
2500ft [2197ft]	2940	2960	2990	3010	3030	3060	3080	3110	3140
2600ft [2297ft]	3060	3090	3110	3130	3160	3180	3210	3230	3270
2700ft [2397ft]	3180	3210	3230	3260	3280	3310	3340	3360	3400
2800ft [2497ft]	3300	3330	3350	3380	3410	3430	3460	3490	3530
2900ft [2597ft]	3420	3450	3480	3500	3530	3560	3590	3620	3660
3000ft [2697ft]	3540	3570	3600	3630	3660	3690	3720	3750	3790
3100ft [2797ft]	3660	3690	3720	3750	3780	3810	3840	3870	3920
3200ft [2897ft]	3780	3810	3840	3870	3900	3940	3970	4000	4050
3300ft [2997ft]	3900	3930	3970	4000	4030	4060	4100	4130	4180
3400ft [3097ft]	4020	4060	4090	4120	4150	4190	4220	4260	4310
3500ft [3197ft]	4140	4180	4210	4240	4280	4310	4350	4380	4440
3600ft [3297ft]	4260	4300	4330	4370	4400	4440	4480	4510	4570
3700ft [3397ft]	4380	4420	4450	4490	4530	4560	4600	4640	4700
3800ft [3497ft]	4500	4540	4580	4610	4650	4690	4730	4770	4830
3900ft [3597ft]	4630	4660	4700	4740	4780	4820	4860	4900	4960
4000ft [3697ft]	4750	4780	4820	4860	4900	4940	4980	5020	5090
4100ft [3797ft]	4870	4900	4940	4980	5030	5070	5110	5150	5220
4200ft [3897ft]	4990	5030	5070	5110	5150	5190	5240	5280	5350
4300ft [3997ft]	5110	5150	5190	5230	5270	5320	5360	5410	5480
4400ft [4097ft]	5230	5270	5310	5360	5400	5440	5490	5540	5610
4500ft [4197ft]	5350	5390	5430	5480	5520	5570	5620	5670	5740
4600ft [4297ft]	5470	5510	5560	5600	5650	5700	5740	5790	5870
4700ft [4397ft]	5590	5630	5680	5730	5770	5820	5870	5920	6000
4800ft [4497ft]	5710	5750	5800	5850	5900	5950	6000	6050	6130
4900ft [4597ft]	5830	5880	5920	5970	6020	6070	6130	6180	6260
5000ft [4697ft]	5950	6000	6050	6100	6150	6200	6250	6310	6390
5100ft [4797ft]	6070	6120	6170	6220	6270	6330	6380	6430	6520
5200ft [4897ft]	6190	6240	6290	6340	6400	6450	6510	6560	6650
5300ft [4997ft]	6310	6360	6420	6470	6520	6580	6630	6690	6780
5303ft [5000ft]	6310	6370	6420	6470	6530	6580	6640	6690	6780

Stefano M. RAPISARDA - flightdeckengineering.com

CYKF - Kitchener, ON, CANADA

Station Elevation: 1055 feet. ISA Standard Temperature: 12.91°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+2)	13°C (ISA+0)	11°C (ISA-2)	9°C (ISA-4)	7°C (ISA-6)	5°C (ISA-8)	3°C (ISA-10)	1°C (ISA-12)	-1°C (ISA-14)
1055ft [0ft]	---	1060	1060	1060	1060	1060	1060	1060	1060
1100ft [45ft]	---	1100	1110	1110	1110	1110	1110	1110	1110
1200ft [145ft]	---	1200	1210	1210	1210	1210	1210	1210	1210
1300ft [245ft]	---	1300	1310	1310	1310	1310	1310	1320	1320
1400ft [345ft]	---	1400	1410	1410	1410	1410	1420	1420	1420
1500ft [445ft]	---	1500	1510	1510	1510	1520	1520	1520	1530
1600ft [545ft]	---	1600	1610	1610	1620	1620	1620	1630	1630
1700ft [645ft]	---	1700	1710	1710	1720	1720	1730	1730	1740
1800ft [745ft]	---	1800	1810	1820	1820	1830	1830	1840	1840
1900ft [845ft]	---	1900	1910	1920	1920	1930	1940	1940	1950
2000ft [945ft]	---	2000	2010	2020	2020	2030	2040	2050	2050
2100ft [1045ft]	---	2100	2110	2120	2130	2130	2140	2150	2160
2200ft [1145ft]	---	2200	2210	2220	2230	2240	2250	2250	2260
2300ft [1245ft]	---	2300	2310	2320	2330	2340	2350	2360	2370
2400ft [1345ft]	---	2400	2410	2420	2430	2440	2450	2460	2470
2500ft [1445ft]	---	2500	2510	2530	2540	2550	2560	2570	2580
2600ft [1545ft]	---	2600	2620	2630	2640	2650	2660	2670	2680
2700ft [1645ft]	---	2700	2720	2730	2740	2750	2760	2780	2790
2800ft [1745ft]	---	2800	2820	2830	2840	2850	2870	2880	2890
2900ft [1845ft]	---	2900	2920	2930	2940	2960	2970	2990	3000
3000ft [1945ft]	---	3000	3020	3030	3050	3060	3080	3090	3100
3100ft [2045ft]	---	3100	3120	3130	3150	3160	3180	3190	3210
3200ft [2145ft]	---	3200	3220	3230	3250	3270	3280	3300	3320
3300ft [2245ft]	---	3300	3320	3340	3350	3370	3390	3400	3420
3400ft [2345ft]	---	3400	3420	3440	3450	3470	3490	3510	3530
3500ft [2445ft]	---	3500	3520	3540	3560	3570	3590	3610	3630
3600ft [2545ft]	---	3600	3620	3640	3660	3680	3700	3720	3740
3700ft [2645ft]	---	3700	3720	3740	3760	3780	3800	3820	3840
3800ft [2745ft]	---	3800	3820	3840	3860	3880	3900	3930	3950
3900ft [2845ft]	---	3900	3920	3940	3970	3990	4010	4030	4050
4000ft [2945ft]	---	4000	4020	4050	4070	4090	4110	4130	4160
4100ft [3045ft]	---	4100	4130	4150	4170	4190	4220	4240	4260
4200ft [3145ft]	---	4200	4230	4250	4270	4300	4320	4340	4370
4300ft [3245ft]	---	4300	4330	4350	4370	4400	4420	4450	4470
4400ft [3345ft]	---	4400	4430	4450	4480	4500	4530	4550	4580
4500ft [3445ft]	---	4500	4530	4550	4580	4600	4630	4660	4680
4600ft [3545ft]	---	4600	4630	4650	4680	4710	4730	4760	4790
4700ft [3645ft]	---	4700	4730	4760	4780	4810	4840	4860	4890
4800ft [3745ft]	---	4800	4830	4860	4880	4910	4940	4970	5000
4900ft [3845ft]	---	4900	4930	4960	4990	5020	5040	5070	5100
5000ft [3945ft]	---	5000	5030	5060	5090	5120	5150	5180	5210
5100ft [4045ft]	---	5100	5130	5160	5190	5220	5250	5280	5310
5200ft [4145ft]	---	5200	5230	5260	5290	5320	5360	5390	5420
5300ft [4245ft]	---	5300	5330	5360	5400	5430	5460	5490	5520
5400ft [4345ft]	---	5400	5430	5470	5500	5530	5560	5600	5630
5500ft [4445ft]	---	5500	5540	5570	5600	5630	5670	5700	5740
5600ft [4545ft]	---	5600	5640	5670	5700	5740	5770	5810	5840
5700ft [4645ft]	---	5700	5740	5770	5800	5840	5870	5910	5950
5800ft [4745ft]	---	5800	5840	5870	5910	5940	5980	6010	6050
5900ft [4845ft]	---	5900	5940	5970	6010	6040	6080	6120	6160
6000ft [4945ft]	---	6000	6040	6070	6110	6150	6190	6220	6260
6055ft [5000ft]	---	6060	6090	6130	6170	6200	6240	6280	6320

Stefano M. RAPISARDA - flightdeckengineering.com

CYKF - Kitchener, ON, CANADA

Station Elevation: 1055 feet. ISA Standard Temperature: 12.91°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-14)	-3°C (ISA-16)	-5°C (ISA-18)	-7°C (ISA-20)	-9°C (ISA-22)	-11°C (ISA-24)	-13°C (ISA-26)	-15°C (ISA-28)	-17°C (ISA-30)
1055ft [0ft]	1060	1060	1060	1060	1060	1060	1060	1060	1060
1100ft [45ft]	1110	1110	1110	1110	1110	1110	1110	1110	1110
1200ft [145ft]	1210	1210	1210	1220	1220	1220	1220	1220	1220
1300ft [245ft]	1320	1320	1320	1320	1330	1330	1330	1330	1330
1400ft [345ft]	1420	1430	1430	1430	1430	1440	1440	1440	1450
1500ft [445ft]	1530	1530	1530	1540	1540	1550	1550	1550	1560
1600ft [545ft]	1630	1640	1640	1650	1650	1650	1660	1660	1670
1700ft [645ft]	1740	1740	1750	1750	1760	1760	1770	1770	1780
1800ft [745ft]	1840	1850	1850	1860	1870	1870	1880	1890	1890
1900ft [845ft]	1950	1950	1960	1970	1980	1980	1990	2000	2000
2000ft [945ft]	2050	2060	2070	2080	2080	2090	2100	2110	2120
2100ft [1045ft]	2160	2170	2170	2180	2190	2200	2210	2220	2230
2200ft [1145ft]	2260	2270	2280	2290	2300	2310	2320	2330	2340
2300ft [1245ft]	2370	2380	2390	2400	2410	2420	2430	2440	2450
2400ft [1345ft]	2470	2480	2490	2510	2520	2530	2540	2550	2560
2500ft [1445ft]	2580	2590	2600	2610	2630	2640	2650	2660	2670
2600ft [1545ft]	2680	2700	2710	2720	2730	2750	2760	2770	2790
2700ft [1645ft]	2790	2800	2820	2830	2840	2860	2870	2880	2900
2800ft [1745ft]	2890	2910	2920	2940	2950	2960	2980	2990	3010
2900ft [1845ft]	3000	3010	3030	3040	3060	3070	3090	3110	3120
3000ft [1945ft]	3100	3120	3140	3150	3170	3180	3200	3220	3230
3100ft [2045ft]	3210	3230	3240	3260	3280	3290	3310	3330	3340
3200ft [2145ft]	3320	3330	3350	3370	3380	3400	3420	3440	3460
3300ft [2245ft]	3420	3440	3460	3470	3490	3510	3530	3550	3570
3400ft [2345ft]	3530	3540	3560	3580	3600	3620	3640	3660	3680
3500ft [2445ft]	3630	3650	3670	3690	3710	3730	3750	3770	3790
3600ft [2545ft]	3740	3760	3780	3800	3820	3840	3860	3880	3900
3700ft [2645ft]	3840	3860	3880	3900	3930	3950	3970	3990	4020
3800ft [2745ft]	3950	3970	3990	4010	4030	4060	4080	4100	4130
3900ft [2845ft]	4050	4070	4100	4120	4140	4170	4190	4210	4240
4000ft [2945ft]	4160	4180	4200	4230	4250	4280	4300	4330	4350
4100ft [3045ft]	4260	4290	4310	4330	4360	4380	4410	4440	4460
4200ft [3145ft]	4370	4390	4420	4440	4470	4490	4520	4550	4580
4300ft [3245ft]	4470	4500	4520	4550	4580	4600	4630	4660	4690
4400ft [3345ft]	4580	4600	4630	4660	4680	4710	4740	4770	4800
4500ft [3445ft]	4680	4710	4740	4770	4790	4820	4850	4880	4910
4600ft [3545ft]	4790	4820	4840	4870	4900	4930	4960	4990	5020
4700ft [3645ft]	4890	4920	4950	4980	5010	5040	5070	5100	5140
4800ft [3745ft]	5000	5030	5060	5090	5120	5150	5180	5210	5250
4900ft [3845ft]	5100	5130	5160	5200	5230	5260	5290	5330	5360
5000ft [3945ft]	5210	5240	5270	5300	5340	5370	5400	5440	5470
5100ft [4045ft]	5310	5350	5380	5410	5440	5480	5510	5550	5580
5200ft [4145ft]	5420	5450	5490	5520	5550	5590	5620	5660	5700
5300ft [4245ft]	5520	5560	5590	5630	5660	5700	5730	5770	5810
5400ft [4345ft]	5630	5660	5700	5730	5770	5810	5840	5880	5920
5500ft [4445ft]	5740	5770	5810	5840	5880	5920	5950	5990	6030
5600ft [4545ft]	5840	5880	5910	5950	5990	6030	6060	6100	6140
5700ft [4645ft]	5950	5980	6020	6060	6100	6130	6170	6210	6260
5800ft [4745ft]	6050	6090	6130	6170	6200	6240	6280	6330	6370
5900ft [4845ft]	6160	6190	6230	6270	6310	6350	6390	6440	6480
6000ft [4945ft]	6260	6300	6340	6380	6420	6460	6510	6550	6590
6055ft [5000ft]	6320	6360	6400	6440	6480	6520	6570	6610	6650

Stefano M. RAPISARDA - flightdeckengineering.com

CYKF - Kitchener, ON, CANADA

Station Elevation: 1055 feet. ISA Standard Temperature: 12.91°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-30)	-19°C (ISA-32)	-21°C (ISA-34)	-23°C (ISA-36)	-25°C (ISA-38)	-27°C (ISA-40)	-29°C (ISA-42)	-31°C (ISA-44)	-33°C (ISA-46)
1055ft [0ft]	1060	1060	1060	1060	1060	1060	1060	1060	1060
1100ft [45ft]	1110	1110	1110	1110	1110	1110	1110	1110	1110
1200ft [145ft]	1220	1220	1220	1230	1230	1230	1230	1230	1230
1300ft [245ft]	1330	1340	1340	1340	1340	1340	1350	1350	1350
1400ft [345ft]	1450	1450	1450	1450	1460	1460	1460	1470	1470
1500ft [445ft]	1560	1560	1560	1570	1570	1580	1580	1590	1590
1600ft [545ft]	1670	1670	1680	1680	1690	1690	1700	1700	1710
1700ft [645ft]	1780	1790	1790	1800	1800	1810	1820	1820	1830
1800ft [745ft]	1890	1900	1910	1910	1920	1930	1930	1940	1950
1900ft [845ft]	2000	2010	2020	2030	2030	2040	2050	2060	2070
2000ft [945ft]	2120	2120	2130	2140	2150	2160	2170	2180	2190
2100ft [1045ft]	2230	2240	2250	2260	2260	2270	2280	2290	2300
2200ft [1145ft]	2340	2350	2360	2370	2380	2390	2400	2410	2420
2300ft [1245ft]	2450	2460	2470	2480	2500	2510	2520	2530	2540
2400ft [1345ft]	2560	2570	2590	2600	2610	2620	2640	2650	2660
2500ft [1445ft]	2670	2690	2700	2710	2730	2740	2750	2770	2780
2600ft [1545ft]	2790	2800	2810	2830	2840	2860	2870	2890	2900
2700ft [1645ft]	2900	2910	2930	2940	2960	2970	2990	3000	3020
2800ft [1745ft]	3010	3020	3040	3060	3070	3090	3110	3120	3140
2900ft [1845ft]	3120	3140	3150	3170	3190	3210	3220	3240	3260
3000ft [1945ft]	3230	3250	3270	3290	3300	3320	3340	3360	3380
3100ft [2045ft]	3340	3360	3380	3400	3420	3440	3460	3480	3500
3200ft [2145ft]	3460	3480	3490	3510	3530	3550	3580	3600	3620
3300ft [2245ft]	3570	3590	3610	3630	3650	3670	3690	3710	3740
3400ft [2345ft]	3680	3700	3720	3740	3770	3790	3810	3830	3860
3500ft [2445ft]	3790	3810	3840	3860	3880	3900	3930	3950	3980
3600ft [2545ft]	3900	3930	3950	3970	4000	4020	4040	4070	4090
3700ft [2645ft]	4020	4040	4060	4090	4110	4140	4160	4190	4210
3800ft [2745ft]	4130	4150	4180	4200	4230	4250	4280	4310	4330
3900ft [2845ft]	4240	4260	4290	4320	4340	4370	4400	4430	4450
4000ft [2945ft]	4350	4380	4400	4430	4460	4490	4510	4540	4570
4100ft [3045ft]	4460	4490	4520	4550	4570	4600	4630	4660	4690
4200ft [3145ft]	4580	4600	4630	4660	4690	4720	4750	4780	4810
4300ft [3245ft]	4690	4720	4750	4780	4810	4840	4870	4900	4930
4400ft [3345ft]	4800	4830	4860	4890	4920	4950	4980	5020	5050
4500ft [3445ft]	4910	4940	4970	5000	5040	5070	5100	5140	5170
4600ft [3545ft]	5020	5050	5090	5120	5150	5190	5220	5250	5290
4700ft [3645ft]	5140	5170	5200	5230	5270	5300	5340	5370	5410
4800ft [3745ft]	5250	5280	5310	5350	5380	5420	5460	5490	5530
4900ft [3845ft]	5360	5390	5430	5460	5500	5540	5570	5610	5650
5000ft [3945ft]	5470	5510	5540	5580	5620	5650	5690	5730	5770
5100ft [4045ft]	5580	5620	5660	5690	5730	5770	5810	5850	5890
5200ft [4145ft]	5700	5730	5770	5810	5850	5890	5930	5970	6010
5300ft [4245ft]	5810	5840	5880	5920	5960	6000	6040	6090	6130
5400ft [4345ft]	5920	5960	6000	6040	6080	6120	6160	6200	6250
5500ft [4445ft]	6030	6070	6110	6150	6190	6240	6280	6320	6370
5600ft [4545ft]	6140	6180	6230	6270	6310	6350	6400	6440	6490
5700ft [4645ft]	6260	6300	6340	6380	6430	6470	6510	6560	6610
5800ft [4745ft]	6370	6410	6450	6500	6540	6590	6630	6680	6730
5900ft [4845ft]	6480	6520	6570	6610	6660	6700	6750	6800	6850
6000ft [4945ft]	6590	6640	6680	6730	6770	6820	6870	6920	6970
6055ft [5000ft]	6650	6700	6740	6790	6840	6880	6930	6980	7030

Stefano M. RAPISARDA - flightdeckengineering.com

CYKF - Kitchener, ON, CANADA

Station Elevation: 1055 feet. ISA Standard Temperature: 12.91°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-46)	-35°C (ISA-48)	-37°C (ISA-50)	-39°C (ISA-52)	-41°C (ISA-54)	-43°C (ISA-56)	-45°C (ISA-58)	-47°C (ISA-60)	-50°C (ISA-63)
1055ft [0ft]	1060	1060	1060	1060	1060	1060	1060	1060	1060
1100ft [45ft]	1110	1110	1110	1110	1120	1120	1120	1120	1120
1200ft [145ft]	1230	1230	1240	1240	1240	1240	1240	1240	1250
1300ft [245ft]	1350	1350	1360	1360	1360	1360	1370	1370	1370
1400ft [345ft]	1470	1470	1480	1480	1480	1490	1490	1500	1500
1500ft [445ft]	1590	1590	1600	1600	1610	1610	1620	1620	1630
1600ft [545ft]	1710	1710	1720	1730	1730	1740	1740	1750	1760
1700ft [645ft]	1830	1830	1840	1850	1850	1860	1870	1880	1890
1800ft [745ft]	1950	1950	1960	1970	1980	1990	1990	2000	2010
1900ft [845ft]	2070	2070	2080	2090	2100	2110	2120	2130	2140
2000ft [945ft]	2190	2200	2200	2210	2220	2230	2240	2260	2270
2100ft [1045ft]	2300	2320	2330	2340	2350	2360	2370	2380	2400
2200ft [1145ft]	2420	2440	2450	2460	2470	2480	2500	2510	2530
2300ft [1245ft]	2540	2560	2570	2580	2590	2610	2620	2640	2660
2400ft [1345ft]	2660	2680	2690	2700	2720	2730	2750	2760	2780
2500ft [1445ft]	2780	2800	2810	2830	2840	2860	2870	2890	2910
2600ft [1545ft]	2900	2920	2930	2950	2960	2980	3000	3020	3040
2700ft [1645ft]	3020	3040	3050	3070	3090	3110	3120	3140	3170
2800ft [1745ft]	3140	3160	3180	3190	3210	3230	3250	3270	3300
2900ft [1845ft]	3260	3280	3300	3320	3340	3360	3380	3400	3430
3000ft [1945ft]	3380	3400	3420	3440	3460	3480	3500	3520	3560
3100ft [2045ft]	3500	3520	3540	3560	3580	3600	3630	3650	3680
3200ft [2145ft]	3620	3640	3660	3680	3710	3730	3750	3780	3810
3300ft [2245ft]	3740	3760	3780	3810	3830	3850	3880	3900	3940
3400ft [2345ft]	3860	3880	3900	3930	3950	3980	4000	4030	4070
3500ft [2445ft]	3980	4000	4030	4050	4080	4100	4130	4160	4200
3600ft [2545ft]	4090	4120	4150	4170	4200	4230	4260	4280	4330
3700ft [2645ft]	4210	4240	4270	4300	4320	4350	4380	4410	4460
3800ft [2745ft]	4330	4360	4390	4420	4450	4480	4510	4540	4590
3900ft [2845ft]	4450	4480	4510	4540	4570	4600	4630	4670	4710
4000ft [2945ft]	4570	4600	4630	4660	4690	4730	4760	4790	4840
4100ft [3045ft]	4690	4720	4750	4790	4820	4850	4890	4920	4970
4200ft [3145ft]	4810	4840	4880	4910	4940	4980	5010	5050	5100
4300ft [3245ft]	4930	4960	5000	5030	5070	5100	5140	5170	5230
4400ft [3345ft]	5050	5080	5120	5150	5190	5230	5260	5300	5360
4500ft [3445ft]	5170	5210	5240	5280	5310	5350	5390	5430	5490
4600ft [3545ft]	5290	5330	5360	5400	5440	5480	5520	5560	5620
4700ft [3645ft]	5410	5450	5480	5520	5560	5600	5640	5680	5750
4800ft [3745ft]	5530	5570	5610	5650	5690	5730	5770	5810	5870
4900ft [3845ft]	5650	5690	5730	5770	5810	5850	5890	5940	6000
5000ft [3945ft]	5770	5810	5850	5890	5930	5980	6020	6060	6130
5100ft [4045ft]	5890	5930	5970	6010	6060	6100	6150	6190	6260
5200ft [4145ft]	6010	6050	6090	6140	6180	6230	6270	6320	6390
5300ft [4245ft]	6130	6170	6210	6260	6300	6350	6400	6450	6520
5400ft [4345ft]	6250	6290	6340	6380	6430	6480	6520	6570	6650
5500ft [4445ft]	6370	6410	6460	6510	6550	6600	6650	6700	6780
5600ft [4545ft]	6490	6530	6580	6630	6680	6730	6780	6830	6910
5700ft [4645ft]	6610	6650	6700	6750	6800	6850	6900	6960	7040
5800ft [4745ft]	6730	6780	6820	6870	6930	6980	7030	7080	7170
5900ft [4845ft]	6850	6900	6950	7000	7050	7100	7160	7210	7300
6000ft [4945ft]	6970	7020	7070	7120	7170	7230	7280	7340	7420
6055ft [5000ft]	7030	7080	7140	7190	7240	7300	7350	7410	7500

Stefano M. RAPISARDA - flightdeckengineering.com

CYOW - Ottawa, ON, CANADA

Station Elevation: 377 feet. ISA Standard Temperature: 14.25°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
377ft [0ft]	380	380	380	380	380	380	380	380	380
400ft [23ft]	400	410	410	410	410	410	410	410	410
500ft [123ft]	500	510	510	510	510	510	510	510	510
600ft [223ft]	600	610	610	610	610	610	610	620	620
700ft [323ft]	700	710	710	710	710	720	720	720	720
800ft [423ft]	800	810	810	810	820	820	820	830	830
900ft [523ft]	900	910	910	910	920	920	930	930	930
1000ft [623ft]	1000	1010	1010	1020	1020	1030	1030	1040	1040
1100ft [723ft]	1100	1110	1110	1120	1120	1130	1130	1140	1150
1200ft [823ft]	1200	1210	1210	1220	1230	1230	1240	1240	1250
1300ft [923ft]	1300	1310	1320	1320	1330	1340	1340	1350	1360
1400ft [1023ft]	1400	1410	1420	1420	1430	1440	1450	1450	1460
1500ft [1123ft]	1500	1510	1520	1530	1530	1540	1550	1560	1570
1600ft [1223ft]	1600	1610	1620	1630	1640	1650	1660	1660	1670
1700ft [1323ft]	1700	1710	1720	1730	1740	1750	1760	1770	1780
1800ft [1423ft]	1800	1810	1820	1830	1840	1850	1860	1870	1890
1900ft [1523ft]	1900	1910	1920	1930	1940	1960	1970	1980	1990
2000ft [1623ft]	2000	2010	2020	2040	2050	2060	2070	2080	2100
2100ft [1723ft]	2100	2110	2120	2140	2150	2160	2180	2190	2200
2200ft [1823ft]	2200	2210	2230	2240	2250	2270	2280	2290	2310
2300ft [1923ft]	2300	2310	2330	2340	2360	2370	2380	2400	2410
2400ft [2023ft]	2400	2410	2430	2440	2460	2470	2490	2500	2520
2500ft [2123ft]	2500	2510	2530	2540	2560	2580	2590	2610	2620
2600ft [2223ft]	2600	2610	2630	2650	2660	2680	2700	2710	2730
2700ft [2323ft]	2700	2720	2730	2750	2770	2780	2800	2820	2840
2800ft [2423ft]	2800	2820	2830	2850	2870	2890	2900	2920	2940
2900ft [2523ft]	2900	2920	2930	2950	2970	2990	3010	3030	3050
3000ft [2623ft]	3000	3020	3040	3050	3070	3090	3110	3130	3150
3100ft [2723ft]	3100	3120	3140	3160	3180	3200	3220	3240	3260
3200ft [2823ft]	3200	3220	3240	3260	3280	3300	3320	3340	3360
3300ft [2923ft]	3300	3320	3340	3360	3380	3400	3430	3450	3470
3400ft [3023ft]	3400	3420	3440	3460	3480	3510	3530	3550	3580
3500ft [3123ft]	3500	3520	3540	3560	3590	3610	3630	3660	3680
3600ft [3223ft]	3600	3620	3640	3670	3690	3710	3740	3760	3790
3700ft [3323ft]	3700	3720	3740	3770	3790	3820	3840	3870	3890
3800ft [3423ft]	3800	3820	3840	3870	3890	3920	3950	3970	4000
3900ft [3523ft]	3900	3920	3950	3970	4000	4020	4050	4080	4100
4000ft [3623ft]	4000	4020	4050	4070	4100	4130	4150	4180	4210
4100ft [3723ft]	4100	4120	4150	4180	4200	4230	4260	4290	4320
4200ft [3823ft]	4200	4220	4250	4280	4310	4330	4360	4390	4420
4300ft [3923ft]	4300	4320	4350	4380	4410	4440	4470	4500	4530
4400ft [4023ft]	4400	4420	4450	4480	4510	4540	4570	4600	4630
4500ft [4123ft]	4500	4520	4550	4580	4610	4640	4680	4710	4740
4600ft [4223ft]	4600	4620	4650	4680	4720	4750	4780	4810	4850
4700ft [4323ft]	4700	4720	4760	4790	4820	4850	4880	4920	4950
4800ft [4423ft]	4800	4820	4860	4890	4920	4950	4990	5020	5060
4900ft [4523ft]	4900	4930	4960	4990	5020	5060	5090	5130	5160
5000ft [4623ft]	5000	5030	5060	5090	5130	5160	5200	5230	5270
5100ft [4723ft]	5100	5130	5160	5190	5230	5260	5300	5340	5370
5200ft [4823ft]	5200	5230	5260	5300	5330	5370	5400	5440	5480
5300ft [4923ft]	5300	5330	5360	5400	5430	5470	5510	5550	5590
5377ft [5000ft]	5377	5400	5440	5480	5510	5550	5590	5630	5670

Stefano M. RAPISARDA - flightdeckengineering.com

CYOW - Ottawa, ON, CANADA

Station Elevation: 377 feet. ISA Standard Temperature: 14.25°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
377ft [0ft]	380	380	380	380	380	380	380	380	380
400ft [23ft]	410	410	410	410	410	410	410	410	410
500ft [123ft]	510	510	510	510	520	520	520	520	520
600ft [223ft]	620	620	620	620	620	630	630	630	630
700ft [323ft]	720	730	730	730	730	740	740	740	740
800ft [423ft]	830	830	840	840	840	850	850	850	860
900ft [523ft]	930	940	940	950	950	960	960	960	970
1000ft [623ft]	1040	1040	1050	1050	1060	1070	1070	1080	1080
1100ft [723ft]	1150	1150	1160	1160	1170	1170	1180	1190	1190
1200ft [823ft]	1250	1260	1260	1270	1280	1280	1290	1300	1310
1300ft [923ft]	1360	1360	1370	1380	1390	1390	1400	1410	1420
1400ft [1023ft]	1460	1470	1480	1490	1500	1500	1510	1520	1530
1500ft [1123ft]	1570	1580	1590	1590	1600	1610	1620	1630	1640
1600ft [1223ft]	1670	1680	1690	1700	1710	1720	1730	1740	1750
1700ft [1323ft]	1780	1790	1800	1810	1820	1830	1840	1860	1870
1800ft [1423ft]	1890	1900	1910	1920	1930	1940	1950	1970	1980
1900ft [1523ft]	1990	2000	2010	2030	2040	2050	2070	2080	2090
2000ft [1623ft]	2100	2110	2120	2140	2150	2160	2180	2190	2200
2100ft [1723ft]	2200	2220	2230	2240	2260	2270	2290	2300	2320
2200ft [1823ft]	2310	2320	2340	2350	2370	2380	2400	2410	2430
2300ft [1923ft]	2410	2430	2440	2460	2480	2490	2510	2520	2540
2400ft [2023ft]	2520	2540	2550	2570	2580	2600	2620	2640	2650
2500ft [2123ft]	2620	2640	2660	2680	2690	2710	2730	2750	2770
2600ft [2223ft]	2730	2750	2770	2780	2800	2820	2840	2860	2880
2700ft [2323ft]	2840	2850	2870	2890	2910	2930	2950	2970	2990
2800ft [2423ft]	2940	2960	2980	3000	3020	3040	3060	3080	3100
2900ft [2523ft]	3050	3070	3090	3110	3130	3150	3170	3190	3220
3000ft [2623ft]	3150	3170	3200	3220	3240	3260	3280	3300	3330
3100ft [2723ft]	3260	3280	3300	3320	3350	3370	3390	3420	3440
3200ft [2823ft]	3360	3390	3410	3430	3460	3480	3500	3530	3550
3300ft [2923ft]	3470	3490	3520	3540	3560	3590	3610	3640	3670
3400ft [3023ft]	3580	3600	3620	3650	3670	3700	3730	3750	3780
3500ft [3123ft]	3680	3710	3730	3760	3780	3810	3840	3860	3890
3600ft [3223ft]	3790	3810	3840	3870	3890	3920	3950	3970	4000
3700ft [3323ft]	3890	3920	3950	3970	4000	4030	4060	4090	4120
3800ft [3423ft]	4000	4030	4050	4080	4110	4140	4170	4200	4230
3900ft [3523ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4000ft [3623ft]	4210	4240	4270	4300	4330	4360	4390	4420	4450
4100ft [3723ft]	4320	4350	4380	4410	4440	4470	4500	4530	4570
4200ft [3823ft]	4420	4450	4480	4510	4550	4580	4610	4640	4680
4300ft [3923ft]	4530	4560	4590	4620	4660	4690	4720	4760	4790
4400ft [4023ft]	4630	4670	4700	4730	4760	4800	4830	4870	4900
4500ft [4123ft]	4740	4770	4810	4840	4870	4910	4940	4980	5020
4600ft [4223ft]	4850	4880	4910	4950	4980	5020	5050	5090	5130
4700ft [4323ft]	4950	4990	5020	5060	5090	5130	5170	5200	5240
4800ft [4423ft]	5060	5090	5130	5160	5200	5240	5280	5310	5350
4900ft [4523ft]	5160	5200	5230	5270	5310	5350	5390	5430	5470
5000ft [4623ft]	5270	5310	5340	5380	5420	5460	5500	5540	5580
5100ft [4723ft]	5370	5410	5450	5490	5530	5570	5610	5650	5690
5200ft [4823ft]	5480	5520	5560	5600	5640	5680	5720	5760	5800
5300ft [4923ft]	5590	5620	5660	5710	5750	5790	5830	5870	5920
5377ft [5000ft]	5670	5710	5750	5790	5830	5870	5920	5960	6000

Stefano M. RAPISARDA - flightdeckengineering.com

CYOW - Ottawa, ON, CANADA

Station Elevation: 377 feet. ISA Standard Temperature: 14.25°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
377ft [0ft]	380	380	380	380	380	380	380	380	380
400ft [23ft]	410	410	410	410	410	410	410	410	410
500ft [123ft]	520	520	520	520	520	530	530	530	530
600ft [223ft]	630	630	640	640	640	640	640	650	650
700ft [323ft]	740	750	750	750	760	760	760	770	770
800ft [423ft]	860	860	860	870	870	880	880	880	890
900ft [523ft]	970	970	980	980	990	990	1000	1000	1010
1000ft [623ft]	1080	1090	1090	1100	1100	1110	1120	1120	1130
1100ft [723ft]	1190	1200	1210	1210	1220	1230	1230	1240	1250
1200ft [823ft]	1310	1310	1320	1330	1340	1340	1350	1360	1370
1300ft [923ft]	1420	1430	1430	1440	1450	1460	1470	1480	1490
1400ft [1023ft]	1530	1540	1550	1560	1570	1580	1590	1600	1610
1500ft [1123ft]	1640	1650	1660	1670	1680	1690	1700	1720	1730
1600ft [1223ft]	1750	1770	1780	1790	1800	1810	1820	1830	1850
1700ft [1323ft]	1870	1880	1890	1900	1920	1930	1940	1950	1970
1800ft [1423ft]	1980	1990	2000	2020	2030	2040	2060	2070	2090
1900ft [1523ft]	2090	2110	2120	2130	2150	2160	2180	2190	2210
2000ft [1623ft]	2200	2220	2230	2250	2260	2280	2290	2310	2330
2100ft [1723ft]	2320	2330	2350	2360	2380	2400	2410	2430	2450
2200ft [1823ft]	2430	2450	2460	2480	2500	2510	2530	2550	2570
2300ft [1923ft]	2540	2560	2580	2590	2610	2630	2650	2670	2690
2400ft [2023ft]	2650	2670	2690	2710	2730	2750	2770	2790	2810
2500ft [2123ft]	2770	2780	2800	2820	2840	2860	2880	2900	2930
2600ft [2223ft]	2880	2900	2920	2940	2960	2980	3000	3020	3050
2700ft [2323ft]	2990	3010	3030	3050	3080	3100	3120	3140	3170
2800ft [2423ft]	3100	3120	3150	3170	3190	3210	3240	3260	3290
2900ft [2523ft]	3220	3240	3260	3280	3310	3330	3360	3380	3410
3000ft [2623ft]	3330	3350	3380	3400	3420	3450	3470	3500	3530
3100ft [2723ft]	3440	3460	3490	3510	3540	3570	3590	3620	3650
3200ft [2823ft]	3550	3580	3600	3630	3660	3680	3710	3740	3770
3300ft [2923ft]	3670	3690	3720	3740	3770	3800	3830	3860	3890
3400ft [3023ft]	3780	3800	3830	3860	3890	3920	3950	3980	4010
3500ft [3123ft]	3890	3920	3950	3980	4000	4030	4060	4100	4130
3600ft [3223ft]	4000	4030	4060	4090	4120	4150	4180	4210	4250
3700ft [3323ft]	4120	4150	4180	4210	4240	4270	4300	4330	4370
3800ft [3423ft]	4230	4260	4290	4320	4350	4390	4420	4450	4490
3900ft [3523ft]	4340	4370	4400	4440	4470	4500	4540	4570	4610
4000ft [3623ft]	4450	4490	4520	4550	4590	4620	4660	4690	4730
4100ft [3723ft]	4570	4600	4630	4670	4700	4740	4770	4810	4850
4200ft [3823ft]	4680	4710	4750	4780	4820	4860	4890	4930	4970
4300ft [3923ft]	4790	4830	4860	4900	4930	4970	5010	5050	5090
4400ft [4023ft]	4900	4940	4980	5010	5050	5090	5130	5170	5210
4500ft [4123ft]	5020	5050	5090	5130	5170	5210	5250	5290	5330
4600ft [4223ft]	5130	5170	5200	5240	5280	5320	5370	5410	5450
4700ft [4323ft]	5240	5280	5320	5360	5400	5440	5480	5530	5570
4800ft [4423ft]	5350	5390	5430	5470	5520	5560	5600	5650	5690
4900ft [4523ft]	5470	5510	5550	5590	5630	5680	5720	5770	5810
5000ft [4623ft]	5580	5620	5660	5710	5750	5790	5840	5880	5930
5100ft [4723ft]	5690	5730	5780	5820	5870	5910	5960	6000	6050
5200ft [4823ft]	5800	5850	5890	5940	5980	6030	6080	6120	6170
5300ft [4923ft]	5920	5960	6010	6050	6100	6150	6190	6240	6290
5377ft [5000ft]	6000	6050	6090	6140	6190	6240	6290	6330	6390

Stefano M. RAPISARDA - flightdeckengineering.com

CYOW - Ottawa, ON, CANADA

Station Elevation: 377 feet. ISA Standard Temperature: 14.25°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
377ft [0ft]	380	380	380	380	380	380	380	380	380
400ft [23ft]	410	410	410	410	410	410	410	410	410
500ft [123ft]	530	530	530	530	530	540	540	540	540
600ft [223ft]	650	650	650	660	660	660	660	670	670
700ft [323ft]	770	770	780	780	780	790	790	790	800
800ft [423ft]	890	890	900	900	910	910	910	920	930
900ft [523ft]	1010	1010	1020	1020	1030	1040	1040	1050	1060
1000ft [623ft]	1130	1130	1140	1150	1150	1160	1170	1170	1180
1100ft [723ft]	1250	1250	1260	1270	1280	1290	1290	1300	1310
1200ft [823ft]	1370	1380	1380	1390	1400	1410	1420	1430	1440
1300ft [923ft]	1490	1500	1510	1520	1530	1540	1550	1560	1570
1400ft [1023ft]	1610	1620	1630	1640	1650	1660	1670	1680	1700
1500ft [1123ft]	1730	1740	1750	1760	1770	1790	1800	1810	1830
1600ft [1223ft]	1850	1860	1870	1880	1900	1910	1920	1940	1960
1700ft [1323ft]	1970	1980	1990	2010	2020	2040	2050	2070	2090
1800ft [1423ft]	2090	2100	2120	2130	2150	2160	2180	2190	2220
1900ft [1523ft]	2210	2220	2240	2250	2270	2290	2300	2320	2350
2000ft [1623ft]	2330	2340	2360	2380	2390	2410	2430	2450	2480
2100ft [1723ft]	2450	2460	2480	2500	2520	2540	2560	2570	2600
2200ft [1823ft]	2570	2580	2600	2620	2640	2660	2680	2700	2730
2300ft [1923ft]	2690	2710	2730	2750	2770	2790	2810	2830	2860
2400ft [2023ft]	2810	2830	2850	2870	2890	2910	2930	2960	2990
2500ft [2123ft]	2930	2950	2970	2990	3010	3040	3060	3080	3120
2600ft [2223ft]	3050	3070	3090	3110	3140	3160	3190	3210	3250
2700ft [2323ft]	3170	3190	3210	3240	3260	3290	3310	3340	3380
2800ft [2423ft]	3290	3310	3340	3360	3390	3410	3440	3470	3510
2900ft [2523ft]	3410	3430	3460	3480	3510	3540	3570	3600	3640
3000ft [2623ft]	3530	3550	3580	3610	3640	3660	3690	3720	3770
3100ft [2723ft]	3650	3670	3700	3730	3760	3790	3820	3850	3900
3200ft [2823ft]	3770	3800	3820	3850	3880	3920	3950	3980	4030
3300ft [2923ft]	3890	3920	3950	3980	4010	4040	4070	4110	4160
3400ft [3023ft]	4010	4040	4070	4100	4130	4170	4200	4230	4290
3500ft [3123ft]	4130	4160	4190	4220	4260	4290	4330	4360	4420
3600ft [3223ft]	4250	4280	4310	4350	4380	4420	4450	4490	4550
3700ft [3323ft]	4370	4400	4440	4470	4510	4540	4580	4620	4680
3800ft [3423ft]	4490	4520	4560	4590	4630	4670	4710	4750	4800
3900ft [3523ft]	4610	4640	4680	4720	4760	4790	4830	4870	4930
4000ft [3623ft]	4730	4770	4800	4840	4880	4920	4960	5000	5060
4100ft [3723ft]	4850	4890	4930	4960	5000	5050	5090	5130	5190
4200ft [3823ft]	4970	5010	5050	5090	5130	5170	5210	5260	5320
4300ft [3923ft]	5090	5130	5170	5210	5250	5300	5340	5390	5450
4400ft [4023ft]	5210	5250	5290	5330	5380	5420	5470	5510	5580
4500ft [4123ft]	5330	5370	5410	5460	5500	5550	5590	5640	5710
4600ft [4223ft]	5450	5490	5540	5580	5630	5670	5720	5770	5840
4700ft [4323ft]	5570	5610	5660	5710	5750	5800	5850	5900	5970
4800ft [4423ft]	5690	5740	5780	5830	5880	5930	5980	6030	6100
4900ft [4523ft]	5810	5860	5900	5950	6000	6050	6100	6150	6230
5000ft [4623ft]	5930	5980	6030	6080	6130	6180	6230	6280	6360
5100ft [4723ft]	6050	6100	6150	6200	6250	6300	6360	6410	6490
5200ft [4823ft]	6170	6220	6270	6320	6380	6430	6480	6540	6620
5300ft [4923ft]	6290	6340	6390	6450	6500	6550	6610	6670	6750
5377ft [5000ft]	6390	6440	6490	6540	6600	6650	6710	6770	6850

Stefano M. RAPISARDA - flightdeckengineering.com

CYQT - Thunder Bay, ON, CANADA

Station Elevation: 654 feet. ISA Standard Temperature: 13.7°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
654ft [0ft]	660	660	660	660	660	660	660	660	660
700ft [46ft]	700	710	710	710	710	710	710	710	710
800ft [146ft]	800	810	810	810	810	810	810	810	810
900ft [246ft]	900	910	910	910	910	910	920	920	920
1000ft [346ft]	1000	1010	1010	1010	1010	1020	1020	1020	1030
1100ft [446ft]	1100	1110	1110	1110	1120	1120	1120	1130	1130
1200ft [546ft]	1200	1210	1210	1220	1220	1220	1230	1230	1240
1300ft [646ft]	1300	1310	1310	1320	1320	1330	1330	1340	1340
1400ft [746ft]	1400	1410	1410	1420	1430	1430	1440	1440	1450
1500ft [846ft]	1500	1510	1520	1520	1530	1530	1540	1550	1550
1600ft [946ft]	1600	1610	1620	1620	1630	1640	1650	1650	1660
1700ft [1046ft]	1700	1710	1720	1730	1730	1740	1750	1760	1770
1800ft [1146ft]	1800	1810	1820	1830	1840	1850	1850	1860	1870
1900ft [1246ft]	1900	1910	1920	1930	1940	1950	1960	1970	1980
2000ft [1346ft]	2000	2010	2020	2030	2040	2050	2060	2070	2080
2100ft [1446ft]	2100	2110	2120	2130	2150	2160	2170	2180	2190
2200ft [1546ft]	2200	2210	2230	2240	2250	2260	2270	2280	2290
2300ft [1646ft]	2300	2310	2330	2340	2350	2360	2380	2390	2400
2400ft [1746ft]	2400	2420	2430	2440	2450	2470	2480	2490	2510
2500ft [1846ft]	2500	2520	2530	2540	2560	2570	2580	2600	2610
2600ft [1946ft]	2600	2620	2630	2640	2660	2670	2690	2700	2720
2700ft [2046ft]	2700	2720	2730	2750	2760	2780	2790	2810	2820
2800ft [2146ft]	2800	2820	2830	2850	2860	2880	2900	2910	2930
2900ft [2246ft]	2900	2920	2930	2950	2970	2980	3000	3020	3040
3000ft [2346ft]	3000	3020	3040	3050	3070	3090	3110	3120	3140
3100ft [2446ft]	3100	3120	3140	3150	3170	3190	3210	3230	3250
3200ft [2546ft]	3200	3220	3240	3260	3280	3290	3310	3330	3350
3300ft [2646ft]	3300	3320	3340	3360	3380	3400	3420	3440	3460
3400ft [2746ft]	3400	3420	3440	3460	3480	3500	3520	3540	3570
3500ft [2846ft]	3500	3520	3540	3560	3580	3610	3630	3650	3670
3600ft [2946ft]	3600	3620	3640	3670	3690	3710	3730	3750	3780
3700ft [3046ft]	3700	3720	3750	3770	3790	3810	3840	3860	3880
3800ft [3146ft]	3800	3820	3850	3870	3890	3920	3940	3960	3990
3900ft [3246ft]	3900	3920	3950	3970	4000	4020	4040	4070	4090
4000ft [3346ft]	4000	4030	4050	4070	4100	4120	4150	4170	4200
4100ft [3446ft]	4100	4130	4150	4180	4200	4230	4250	4280	4310
4200ft [3546ft]	4200	4230	4250	4280	4300	4330	4360	4380	4410
4300ft [3646ft]	4300	4330	4350	4380	4410	4430	4460	4490	4520
4400ft [3746ft]	4400	4430	4450	4480	4510	4540	4570	4600	4620
4500ft [3846ft]	4500	4530	4560	4580	4610	4640	4670	4700	4730
4600ft [3946ft]	4600	4630	4660	4690	4720	4740	4770	4810	4840
4700ft [4046ft]	4700	4730	4760	4790	4820	4850	4880	4910	4940
4800ft [4146ft]	4800	4830	4860	4890	4920	4950	4980	5020	5050
4900ft [4246ft]	4900	4930	4960	4990	5020	5060	5090	5120	5150
5000ft [4346ft]	5000	5030	5060	5090	5130	5160	5190	5230	5260
5100ft [4446ft]	5100	5130	5160	5200	5230	5260	5300	5330	5370
5200ft [4546ft]	5200	5230	5270	5300	5330	5370	5400	5440	5470
5300ft [4646ft]	5300	5330	5370	5400	5440	5470	5510	5540	5580
5400ft [4746ft]	5400	5430	5470	5500	5540	5570	5610	5650	5680
5500ft [4846ft]	5500	5530	5570	5600	5640	5680	5710	5750	5790
5600ft [4946ft]	5600	5640	5670	5710	5740	5780	5820	5860	5900
5654ft [5000ft]	5654	5690	5730	5760	5800	5840	5880	5910	5950

Stefano M. RAPISARDA - flightdeckengineering.com

CYQT - Thunder Bay, ON, CANADA

Station Elevation: 654 feet. ISA Standard Temperature: 13.7°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
654ft [0ft]	660	660	660	660	660	660	660	660	660
700ft [46ft]	710	710	710	710	710	710	710	710	710
800ft [146ft]	810	810	820	820	820	820	820	820	820
900ft [246ft]	920	920	920	930	930	930	930	930	940
1000ft [346ft]	1030	1030	1030	1030	1040	1040	1040	1040	1050
1100ft [446ft]	1130	1130	1140	1140	1150	1150	1150	1160	1160
1200ft [546ft]	1240	1240	1250	1250	1250	1260	1260	1270	1270
1300ft [646ft]	1340	1350	1350	1360	1360	1370	1370	1380	1390
1400ft [746ft]	1450	1450	1460	1470	1470	1480	1480	1490	1500
1500ft [846ft]	1550	1560	1570	1570	1580	1590	1600	1600	1610
1600ft [946ft]	1660	1670	1670	1680	1690	1700	1710	1710	1720
1700ft [1046ft]	1770	1770	1780	1790	1800	1810	1820	1830	1840
1800ft [1146ft]	1870	1880	1890	1900	1910	1920	1930	1940	1950
1900ft [1246ft]	1980	1990	2000	2010	2020	2030	2040	2050	2060
2000ft [1346ft]	2080	2090	2100	2120	2130	2140	2150	2160	2170
2100ft [1446ft]	2190	2200	2210	2220	2240	2250	2260	2270	2290
2200ft [1546ft]	2290	2310	2320	2330	2340	2360	2370	2380	2400
2300ft [1646ft]	2400	2410	2430	2440	2450	2470	2480	2500	2510
2400ft [1746ft]	2510	2520	2530	2550	2560	2580	2590	2610	2620
2500ft [1846ft]	2610	2630	2640	2660	2670	2690	2700	2720	2740
2600ft [1946ft]	2720	2730	2750	2770	2780	2800	2810	2830	2850
2700ft [2046ft]	2820	2840	2860	2870	2890	2910	2930	2940	2960
2800ft [2146ft]	2930	2950	2960	2980	3000	3020	3040	3050	3070
2900ft [2246ft]	3040	3050	3070	3090	3110	3130	3150	3170	3190
3000ft [2346ft]	3140	3160	3180	3200	3220	3240	3260	3280	3300
3100ft [2446ft]	3250	3270	3290	3310	3330	3350	3370	3390	3410
3200ft [2546ft]	3350	3370	3390	3420	3440	3460	3480	3500	3520
3300ft [2646ft]	3460	3480	3500	3520	3550	3570	3590	3610	3640
3400ft [2746ft]	3570	3590	3610	3630	3650	3680	3700	3720	3750
3500ft [2846ft]	3670	3690	3720	3740	3760	3790	3810	3840	3860
3600ft [2946ft]	3780	3800	3820	3850	3870	3900	3920	3950	3970
3700ft [3046ft]	3880	3910	3930	3960	3980	4010	4030	4060	4090
3800ft [3146ft]	3990	4010	4040	4070	4090	4120	4140	4170	4200
3900ft [3246ft]	4090	4120	4150	4170	4200	4230	4260	4280	4310
4000ft [3346ft]	4200	4230	4250	4280	4310	4340	4370	4400	4430
4100ft [3446ft]	4310	4330	4360	4390	4420	4450	4480	4510	4540
4200ft [3546ft]	4410	4440	4470	4500	4530	4560	4590	4620	4650
4300ft [3646ft]	4520	4550	4580	4610	4640	4670	4700	4730	4760
4400ft [3746ft]	4620	4650	4680	4720	4750	4780	4810	4840	4880
4500ft [3846ft]	4730	4760	4790	4820	4860	4890	4920	4960	4990
4600ft [3946ft]	4840	4870	4900	4930	4970	5000	5030	5070	5100
4700ft [4046ft]	4940	4970	5010	5040	5070	5110	5140	5180	5210
4800ft [4146ft]	5050	5080	5110	5150	5180	5220	5250	5290	5330
4900ft [4246ft]	5150	5190	5220	5260	5290	5330	5370	5400	5440
5000ft [4346ft]	5260	5290	5330	5370	5400	5440	5480	5510	5550
5100ft [4446ft]	5370	5400	5440	5470	5510	5550	5590	5630	5670
5200ft [4546ft]	5470	5510	5550	5580	5620	5660	5700	5740	5780
5300ft [4646ft]	5580	5620	5650	5690	5730	5770	5810	5850	5890
5400ft [4746ft]	5680	5720	5760	5800	5840	5880	5920	5960	6000
5500ft [4846ft]	5790	5830	5870	5910	5950	5990	6030	6070	6120
5600ft [4946ft]	5900	5940	5980	6020	6060	6100	6140	6190	6230
5654ft [5000ft]	5950	5990	6030	6080	6120	6160	6200	6250	6290

Stefano M. RAPISARDA - flightdeckengineering.com

CYQT - Thunder Bay, ON, CANADA

Station Elevation: 654 feet. ISA Standard Temperature: 13.7°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
654ft [0ft]	660	660	660	660	660	660	660	660	660
700ft [46ft]	710	710	710	710	710	710	710	710	710
800ft [146ft]	820	820	830	830	830	830	830	830	830
900ft [246ft]	940	940	940	940	940	950	950	950	950
1000ft [346ft]	1050	1050	1050	1060	1060	1060	1070	1070	1070
1100ft [446ft]	1160	1160	1170	1170	1180	1180	1190	1190	1190
1200ft [546ft]	1270	1280	1280	1290	1290	1300	1300	1310	1310
1300ft [646ft]	1390	1390	1400	1400	1410	1410	1420	1430	1430
1400ft [746ft]	1500	1500	1510	1520	1520	1530	1540	1550	1550
1500ft [846ft]	1610	1620	1630	1630	1640	1650	1660	1670	1670
1600ft [946ft]	1720	1730	1740	1750	1760	1770	1780	1780	1790
1700ft [1046ft]	1840	1840	1850	1860	1870	1880	1890	1900	1910
1800ft [1146ft]	1950	1960	1970	1980	1990	2000	2010	2020	2030
1900ft [1246ft]	2060	2070	2080	2090	2110	2120	2130	2140	2150
2000ft [1346ft]	2170	2180	2200	2210	2220	2230	2250	2260	2270
2100ft [1446ft]	2290	2300	2310	2320	2340	2350	2370	2380	2390
2200ft [1546ft]	2400	2410	2430	2440	2450	2470	2480	2500	2510
2300ft [1646ft]	2510	2530	2540	2560	2570	2590	2600	2620	2630
2400ft [1746ft]	2620	2640	2650	2670	2690	2700	2720	2740	2760
2500ft [1846ft]	2740	2750	2770	2790	2800	2820	2840	2860	2880
2600ft [1946ft]	2850	2870	2880	2900	2920	2940	2960	2980	3000
2700ft [2046ft]	2960	2980	3000	3020	3040	3060	3080	3100	3120
2800ft [2146ft]	3070	3090	3110	3130	3150	3170	3190	3210	3240
2900ft [2246ft]	3190	3210	3230	3250	3270	3290	3310	3330	3360
3000ft [2346ft]	3300	3320	3340	3360	3380	3410	3430	3450	3480
3100ft [2446ft]	3410	3430	3460	3480	3500	3520	3550	3570	3600
3200ft [2546ft]	3520	3550	3570	3590	3620	3640	3670	3690	3720
3300ft [2646ft]	3640	3660	3680	3710	3730	3760	3780	3810	3840
3400ft [2746ft]	3750	3770	3800	3820	3850	3880	3900	3930	3960
3500ft [2846ft]	3860	3890	3910	3940	3970	3990	4020	4050	4080
3600ft [2946ft]	3970	4000	4030	4060	4080	4110	4140	4170	4200
3700ft [3046ft]	4090	4110	4140	4170	4200	4230	4260	4290	4320
3800ft [3146ft]	4200	4230	4260	4290	4320	4350	4380	4410	4440
3900ft [3246ft]	4310	4340	4370	4400	4430	4460	4500	4530	4560
4000ft [3346ft]	4430	4460	4490	4520	4550	4580	4610	4650	4680
4100ft [3446ft]	4540	4570	4600	4630	4670	4700	4730	4770	4800
4200ft [3546ft]	4650	4680	4720	4750	4780	4820	4850	4890	4920
4300ft [3646ft]	4760	4800	4830	4860	4900	4930	4970	5010	5040
4400ft [3746ft]	4880	4910	4940	4980	5010	5050	5090	5120	5160
4500ft [3846ft]	4990	5020	5060	5090	5130	5170	5210	5240	5280
4600ft [3946ft]	5100	5140	5170	5210	5250	5290	5320	5360	5400
4700ft [4046ft]	5210	5250	5290	5330	5360	5400	5440	5480	5520
4800ft [4146ft]	5330	5360	5400	5440	5480	5520	5560	5600	5640
4900ft [4246ft]	5440	5480	5520	5560	5600	5640	5680	5720	5770
5000ft [4346ft]	5550	5590	5630	5670	5710	5760	5800	5840	5890
5100ft [4446ft]	5670	5710	5750	5790	5830	5870	5920	5960	6010
5200ft [4546ft]	5780	5820	5860	5900	5950	5990	6040	6080	6130
5300ft [4646ft]	5890	5930	5980	6020	6060	6110	6150	6200	6250
5400ft [4746ft]	6000	6050	6090	6140	6180	6230	6270	6320	6370
5500ft [4846ft]	6120	6160	6210	6250	6300	6340	6390	6440	6490
5600ft [4946ft]	6230	6280	6320	6370	6410	6460	6510	6560	6610
5654ft [5000ft]	6290	6340	6380	6430	6480	6530	6570	6620	6680

Stefano M. RAPISARDA - flightdeckengineering.com

CYQT - Thunder Bay, ON, CANADA

Station Elevation: 654 feet. ISA Standard Temperature: 13.7°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
654ft [0ft]	660	660	660	660	660	660	660	660	660
700ft [46ft]	710	710	720	720	720	720	720	720	720
800ft [146ft]	830	840	840	840	840	840	840	840	850
900ft [246ft]	950	960	960	960	960	970	970	970	980
1000ft [346ft]	1070	1080	1080	1080	1090	1090	1100	1100	1100
1100ft [446ft]	1190	1200	1200	1210	1210	1220	1220	1230	1230
1200ft [546ft]	1310	1320	1330	1330	1340	1340	1350	1350	1360
1300ft [646ft]	1430	1440	1450	1450	1460	1470	1470	1480	1490
1400ft [746ft]	1550	1560	1570	1580	1580	1590	1600	1610	1620
1500ft [846ft]	1670	1680	1690	1700	1710	1720	1730	1740	1750
1600ft [946ft]	1790	1800	1810	1820	1830	1840	1850	1860	1880
1700ft [1046ft]	1910	1920	1940	1950	1960	1970	1980	1990	2000
1800ft [1146ft]	2030	2050	2060	2070	2080	2090	2110	2120	2130
1900ft [1246ft]	2150	2170	2180	2190	2210	2220	2230	2250	2260
2000ft [1346ft]	2270	2290	2300	2320	2330	2350	2360	2380	2390
2100ft [1446ft]	2390	2410	2420	2440	2450	2470	2490	2500	2520
2200ft [1546ft]	2510	2530	2550	2560	2580	2600	2610	2630	2650
2300ft [1646ft]	2630	2650	2670	2690	2700	2720	2740	2760	2780
2400ft [1746ft]	2760	2770	2790	2810	2830	2850	2870	2890	2910
2500ft [1846ft]	2880	2890	2910	2930	2950	2970	2990	3010	3040
2600ft [1946ft]	3000	3020	3040	3060	3080	3100	3120	3140	3160
2700ft [2046ft]	3120	3140	3160	3180	3200	3220	3250	3270	3290
2800ft [2146ft]	3240	3260	3280	3300	3330	3350	3370	3400	3420
2900ft [2246ft]	3360	3380	3400	3430	3450	3470	3500	3530	3550
3000ft [2346ft]	3480	3500	3520	3550	3570	3600	3630	3650	3680
3100ft [2446ft]	3600	3620	3650	3670	3700	3730	3750	3780	3810
3200ft [2546ft]	3720	3740	3770	3800	3820	3850	3880	3910	3940
3300ft [2646ft]	3840	3860	3890	3920	3950	3980	4010	4040	4070
3400ft [2746ft]	3960	3990	4010	4040	4070	4100	4130	4170	4200
3500ft [2846ft]	4080	4110	4140	4170	4200	4230	4260	4290	4330
3600ft [2946ft]	4200	4230	4260	4290	4320	4350	4390	4420	4460
3700ft [3046ft]	4320	4350	4380	4410	4450	4480	4510	4550	4580
3800ft [3146ft]	4440	4470	4500	4540	4570	4610	4640	4680	4710
3900ft [3246ft]	4560	4590	4630	4660	4700	4730	4770	4810	4840
4000ft [3346ft]	4680	4710	4750	4790	4820	4860	4900	4930	4970
4100ft [3446ft]	4800	4840	4870	4910	4950	4980	5020	5060	5100
4200ft [3546ft]	4920	4960	4990	5030	5070	5110	5150	5190	5230
4300ft [3646ft]	5040	5080	5120	5160	5200	5240	5280	5320	5360
4400ft [3746ft]	5160	5200	5240	5280	5320	5360	5400	5450	5490
4500ft [3846ft]	5280	5320	5360	5400	5450	5490	5530	5570	5620
4600ft [3946ft]	5400	5440	5490	5530	5570	5610	5660	5700	5750
4700ft [4046ft]	5520	5570	5610	5650	5700	5740	5790	5830	5880
4800ft [4146ft]	5640	5690	5730	5770	5820	5870	5910	5960	6010
4900ft [4246ft]	5770	5810	5850	5900	5940	5990	6040	6090	6140
5000ft [4346ft]	5890	5930	5980	6020	6070	6120	6170	6220	6270
5100ft [4446ft]	6010	6050	6100	6150	6190	6240	6290	6340	6400
5200ft [4546ft]	6130	6170	6220	6270	6320	6370	6420	6470	6530
5300ft [4646ft]	6250	6300	6340	6390	6440	6500	6550	6600	6660
5400ft [4746ft]	6370	6420	6470	6520	6570	6620	6680	6730	6790
5500ft [4846ft]	6490	6540	6590	6640	6690	6750	6800	6860	6920
5600ft [4946ft]	6610	6660	6710	6770	6820	6870	6930	6990	7050
5654ft [5000ft]	6680	6730	6780	6830	6890	6940	7000	7060	7120

Stefano M. RAPISARDA - flightdeckengineering.com

CYSB - Sudbury, ON, CANADA

Station Elevation: 1143 feet. ISA Standard Temperature: 12.73°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+2)	13°C (ISA+0)	11°C (ISA-2)	9°C (ISA-4)	7°C (ISA-6)	5°C (ISA-8)	3°C (ISA-10)	1°C (ISA-12)	-1°C (ISA-14)
1143ft [0ft]	---	1150	1150	1150	1150	1150	1150	1150	1150
1200ft [57ft]	---	1200	1210	1210	1210	1210	1210	1210	1210
1300ft [157ft]	---	1300	1310	1310	1310	1310	1310	1310	1310
1400ft [257ft]	---	1400	1410	1410	1410	1410	1410	1420	1420
1500ft [357ft]	---	1500	1510	1510	1510	1510	1520	1520	1520
1600ft [457ft]	---	1600	1610	1610	1610	1620	1620	1620	1630
1700ft [557ft]	---	1700	1710	1710	1720	1720	1720	1730	1730
1800ft [657ft]	---	1800	1810	1810	1820	1820	1830	1830	1840
1900ft [757ft]	---	1900	1910	1920	1920	1930	1930	1940	1940
2000ft [857ft]	---	2000	2010	2020	2020	2030	2040	2040	2050
2100ft [957ft]	---	2100	2110	2120	2120	2130	2140	2150	2150
2200ft [1057ft]	---	2200	2210	2220	2230	2230	2240	2250	2260
2300ft [1157ft]	---	2300	2310	2320	2330	2340	2350	2350	2360
2400ft [1257ft]	---	2400	2410	2420	2430	2440	2450	2460	2470
2500ft [1357ft]	---	2500	2510	2520	2530	2540	2550	2560	2570
2600ft [1457ft]	---	2600	2610	2620	2630	2650	2660	2670	2680
2700ft [1557ft]	---	2700	2710	2730	2740	2750	2760	2770	2780
2800ft [1657ft]	---	2800	2820	2830	2840	2850	2860	2880	2890
2900ft [1757ft]	---	2900	2920	2930	2940	2950	2970	2980	2990
3000ft [1857ft]	---	3000	3020	3030	3040	3060	3070	3080	3100
3100ft [1957ft]	---	3100	3120	3130	3150	3160	3170	3190	3200
3200ft [2057ft]	---	3200	3220	3230	3250	3260	3280	3290	3310
3300ft [2157ft]	---	3300	3320	3330	3350	3370	3380	3400	3410
3400ft [2257ft]	---	3400	3420	3440	3450	3470	3480	3500	3520
3500ft [2357ft]	---	3500	3520	3540	3550	3570	3590	3610	3620
3600ft [2457ft]	---	3600	3620	3640	3660	3670	3690	3710	3730
3700ft [2557ft]	---	3700	3720	3740	3760	3780	3800	3820	3830
3800ft [2657ft]	---	3800	3820	3840	3860	3880	3900	3920	3940
3900ft [2757ft]	---	3900	3920	3940	3960	3980	4000	4020	4050
4000ft [2857ft]	---	4000	4020	4040	4060	4080	4110	4130	4150
4100ft [2957ft]	---	4100	4120	4140	4170	4190	4210	4230	4260
4200ft [3057ft]	---	4200	4220	4250	4270	4290	4310	4340	4360
4300ft [3157ft]	---	4300	4320	4350	4370	4390	4420	4440	4470
4400ft [3257ft]	---	4400	4430	4450	4470	4500	4520	4550	4570
4500ft [3357ft]	---	4500	4530	4550	4570	4600	4620	4650	4680
4600ft [3457ft]	---	4600	4630	4650	4680	4700	4730	4750	4780
4700ft [3557ft]	---	4700	4730	4750	4780	4800	4830	4860	4890
4800ft [3657ft]	---	4800	4830	4850	4880	4910	4940	4960	4990
4900ft [3757ft]	---	4900	4930	4960	4980	5010	5040	5070	5100
5000ft [3857ft]	---	5000	5030	5060	5080	5110	5140	5170	5200
5100ft [3957ft]	---	5100	5130	5160	5190	5220	5250	5280	5310
5200ft [4057ft]	---	5200	5230	5260	5290	5320	5350	5380	5410
5300ft [4157ft]	---	5300	5330	5360	5390	5420	5450	5480	5520
5400ft [4257ft]	---	5400	5430	5460	5490	5520	5560	5590	5620
5500ft [4357ft]	---	5500	5530	5560	5600	5630	5660	5690	5730
5600ft [4457ft]	---	5600	5630	5660	5700	5730	5760	5800	5830
5700ft [4557ft]	---	5700	5730	5770	5800	5830	5870	5900	5940
5800ft [4657ft]	---	5800	5830	5870	5900	5940	5970	6010	6040
5900ft [4757ft]	---	5900	5930	5970	6000	6040	6070	6110	6150
6000ft [4857ft]	---	6000	6040	6070	6110	6140	6180	6220	6250
6100ft [4957ft]	---	6100	6140	6170	6210	6240	6280	6320	6360
6143ft [5000ft]	---	6143	6180	6220	6250	6290	6330	6370	6400

Stefano M. RAPISARDA - flightdeckengineering.com

CYSB - Sudbury, ON, CANADA

Station Elevation: 1143 feet. ISA Standard Temperature: 12.73°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-14)	-3°C (ISA-16)	-5°C (ISA-18)	-7°C (ISA-20)	-9°C (ISA-22)	-11°C (ISA-24)	-13°C (ISA-26)	-15°C (ISA-28)	-17°C (ISA-30)
1143ft [0ft]	1150	1150	1150	1150	1150	1150	1150	1150	1150
1200ft [57ft]	1210	1210	1210	1210	1210	1210	1210	1210	1210
1300ft [157ft]	1310	1310	1320	1320	1320	1320	1320	1320	1320
1400ft [257ft]	1420	1420	1420	1420	1430	1430	1430	1430	1430
1500ft [357ft]	1520	1530	1530	1530	1530	1540	1540	1540	1550
1600ft [457ft]	1630	1630	1640	1640	1640	1650	1650	1650	1660
1700ft [557ft]	1730	1740	1740	1750	1750	1760	1760	1760	1770
1800ft [657ft]	1840	1840	1850	1850	1860	1860	1870	1880	1880
1900ft [757ft]	1940	1950	1960	1960	1970	1970	1980	1990	1990
2000ft [857ft]	2050	2050	2060	2070	2080	2080	2090	2100	2100
2100ft [957ft]	2150	2160	2170	2180	2180	2190	2200	2210	2220
2200ft [1057ft]	2260	2270	2270	2280	2290	2300	2310	2320	2330
2300ft [1157ft]	2360	2370	2380	2390	2400	2410	2420	2430	2440
2400ft [1257ft]	2470	2480	2490	2500	2510	2520	2530	2540	2550
2500ft [1357ft]	2570	2580	2590	2610	2620	2630	2640	2650	2660
2600ft [1457ft]	2680	2690	2700	2710	2730	2740	2750	2760	2770
2700ft [1557ft]	2780	2800	2810	2820	2830	2850	2860	2870	2890
2800ft [1657ft]	2890	2900	2910	2930	2940	2960	2970	2980	3000
2900ft [1757ft]	2990	3010	3020	3040	3050	3060	3080	3090	3110
3000ft [1857ft]	3100	3110	3130	3140	3160	3170	3190	3210	3220
3100ft [1957ft]	3200	3220	3230	3250	3270	3280	3300	3320	3330
3200ft [2057ft]	3310	3330	3340	3360	3370	3390	3410	3430	3440
3300ft [2157ft]	3410	3430	3450	3470	3480	3500	3520	3540	3560
3400ft [2257ft]	3520	3540	3550	3570	3590	3610	3630	3650	3670
3500ft [2357ft]	3620	3640	3660	3680	3700	3720	3740	3760	3780
3600ft [2457ft]	3730	3750	3770	3790	3810	3830	3850	3870	3890
3700ft [2557ft]	3830	3850	3880	3900	3920	3940	3960	3980	4000
3800ft [2657ft]	3940	3960	3980	4000	4020	4050	4070	4090	4120
3900ft [2757ft]	4050	4070	4090	4110	4130	4160	4180	4200	4230
4000ft [2857ft]	4150	4170	4200	4220	4240	4270	4290	4310	4340
4100ft [2957ft]	4260	4280	4300	4330	4350	4370	4400	4430	4450
4200ft [3057ft]	4360	4380	4410	4430	4460	4480	4510	4540	4560
4300ft [3157ft]	4470	4490	4520	4540	4570	4590	4620	4650	4670
4400ft [3257ft]	4570	4600	4620	4650	4680	4700	4730	4760	4790
4500ft [3357ft]	4680	4700	4730	4760	4780	4810	4840	4870	4900
4600ft [3457ft]	4780	4810	4840	4860	4890	4920	4950	4980	5010
4700ft [3557ft]	4890	4910	4940	4970	5000	5030	5060	5090	5120
4800ft [3657ft]	4990	5020	5050	5080	5110	5140	5170	5200	5230
4900ft [3757ft]	5100	5130	5160	5190	5220	5250	5280	5310	5350
5000ft [3857ft]	5200	5230	5260	5290	5330	5360	5390	5420	5460
5100ft [3957ft]	5310	5340	5370	5400	5430	5470	5500	5540	5570
5200ft [4057ft]	5410	5440	5480	5510	5540	5580	5610	5650	5680
5300ft [4157ft]	5520	5550	5580	5620	5650	5690	5720	5760	5790
5400ft [4257ft]	5620	5660	5690	5720	5760	5800	5830	5870	5910
5500ft [4357ft]	5730	5760	5800	5830	5870	5900	5940	5980	6020
5600ft [4457ft]	5830	5870	5900	5940	5980	6010	6050	6090	6130
5700ft [4557ft]	5940	5970	6010	6050	6090	6120	6160	6200	6240
5800ft [4657ft]	6040	6080	6120	6160	6190	6230	6270	6310	6350
5900ft [4757ft]	6150	6190	6220	6260	6300	6340	6380	6420	6470
6000ft [4857ft]	6250	6290	6330	6370	6410	6450	6490	6530	6580
6100ft [4957ft]	6360	6400	6440	6480	6520	6560	6600	6650	6690
6143ft [5000ft]	6400	6440	6480	6520	6570	6610	6650	6690	6740

Stefano M. RAPISARDA - flightdeckengineering.com

CYSB - Sudbury, ON, CANADA

Station Elevation: 1143 feet. ISA Standard Temperature: 12.73°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-30)	-19°C (ISA-32)	-21°C (ISA-34)	-23°C (ISA-36)	-25°C (ISA-38)	-27°C (ISA-40)	-29°C (ISA-42)	-31°C (ISA-44)	-33°C (ISA-46)
1143ft [0ft]	1150	1150	1150	1150	1150	1150	1150	1150	1150
1200ft [57ft]	1210	1210	1210	1210	1210	1210	1210	1220	1220
1300ft [157ft]	1320	1320	1330	1330	1330	1330	1330	1330	1330
1400ft [257ft]	1430	1440	1440	1440	1440	1450	1450	1450	1450
1500ft [357ft]	1550	1550	1550	1560	1560	1560	1570	1570	1570
1600ft [457ft]	1660	1660	1670	1670	1670	1680	1680	1690	1690
1700ft [557ft]	1770	1770	1780	1780	1790	1790	1800	1810	1810
1800ft [657ft]	1880	1890	1890	1900	1900	1910	1920	1920	1930
1900ft [757ft]	1990	2000	2010	2010	2020	2030	2030	2040	2050
2000ft [857ft]	2100	2110	2120	2130	2140	2140	2150	2160	2170
2100ft [957ft]	2220	2220	2230	2240	2250	2260	2270	2280	2290
2200ft [1057ft]	2330	2340	2350	2360	2370	2380	2390	2400	2410
2300ft [1157ft]	2440	2450	2460	2470	2480	2490	2500	2510	2530
2400ft [1257ft]	2550	2560	2570	2580	2600	2610	2620	2630	2640
2500ft [1357ft]	2660	2670	2690	2700	2710	2720	2740	2750	2760
2600ft [1457ft]	2770	2790	2800	2810	2830	2840	2850	2870	2880
2700ft [1557ft]	2890	2900	2910	2930	2940	2960	2970	2990	3000
2800ft [1657ft]	3000	3010	3030	3040	3060	3070	3090	3110	3120
2900ft [1757ft]	3110	3130	3140	3160	3170	3190	3210	3220	3240
3000ft [1857ft]	3220	3240	3250	3270	3290	3310	3320	3340	3360
3100ft [1957ft]	3330	3350	3370	3390	3400	3420	3440	3460	3480
3200ft [2057ft]	3440	3460	3480	3500	3520	3540	3560	3580	3600
3300ft [2157ft]	3560	3580	3590	3610	3630	3650	3680	3700	3720
3400ft [2257ft]	3670	3690	3710	3730	3750	3770	3790	3810	3840
3500ft [2357ft]	3780	3800	3820	3840	3870	3890	3910	3930	3960
3600ft [2457ft]	3890	3910	3940	3960	3980	4000	4030	4050	4080
3700ft [2557ft]	4000	4030	4050	4070	4100	4120	4140	4170	4200
3800ft [2657ft]	4120	4140	4160	4190	4210	4240	4260	4290	4310
3900ft [2757ft]	4230	4250	4280	4300	4330	4350	4380	4410	4430
4000ft [2857ft]	4340	4360	4390	4420	4440	4470	4500	4520	4550
4100ft [2957ft]	4450	4480	4500	4530	4560	4590	4610	4640	4670
4200ft [3057ft]	4560	4590	4620	4650	4670	4700	4730	4760	4790
4300ft [3157ft]	4670	4700	4730	4760	4790	4820	4850	4880	4910
4400ft [3257ft]	4790	4820	4840	4870	4900	4940	4970	5000	5030
4500ft [3357ft]	4900	4930	4960	4990	5020	5050	5080	5120	5150
4600ft [3457ft]	5010	5040	5070	5100	5140	5170	5200	5240	5270
4700ft [3557ft]	5120	5150	5190	5220	5250	5290	5320	5350	5390
4800ft [3657ft]	5230	5270	5300	5330	5370	5400	5440	5470	5510
4900ft [3757ft]	5350	5380	5410	5450	5480	5520	5550	5590	5630
5000ft [3857ft]	5460	5490	5530	5560	5600	5630	5670	5710	5750
5100ft [3957ft]	5570	5600	5640	5680	5710	5750	5790	5830	5870
5200ft [4057ft]	5680	5720	5750	5790	5830	5870	5910	5950	5990
5300ft [4157ft]	5790	5830	5870	5910	5950	5980	6020	6070	6110
5400ft [4257ft]	5910	5940	5980	6020	6060	6100	6140	6180	6230
5500ft [4357ft]	6020	6060	6100	6140	6180	6220	6260	6300	6350
5600ft [4457ft]	6130	6170	6210	6250	6290	6330	6380	6420	6470
5700ft [4557ft]	6240	6280	6320	6370	6410	6450	6500	6540	6590
5800ft [4657ft]	6350	6390	6440	6480	6520	6570	6610	6660	6710
5900ft [4757ft]	6470	6510	6550	6590	6640	6680	6730	6780	6830
6000ft [4857ft]	6580	6620	6660	6710	6760	6800	6850	6900	6940
6100ft [4957ft]	6690	6730	6780	6820	6870	6920	6970	7020	7060
6143ft [5000ft]	6740	6780	6830	6870	6920	6970	7020	7070	7120

Stefano M. RAPISARDA - flightdeckengineering.com

CYSB - Sudbury, ON, CANADA

Station Elevation: 1143 feet. ISA Standard Temperature: 12.73°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-46)	-35°C (ISA-48)	-37°C (ISA-50)	-39°C (ISA-52)	-41°C (ISA-54)	-43°C (ISA-56)	-45°C (ISA-58)	-47°C (ISA-60)	-50°C (ISA-63)
1143ft [0ft]	1150	1150	1150	1150	1150	1150	1150	1150	1150
1200ft [57ft]	1220	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [157ft]	1330	1340	1340	1340	1340	1340	1340	1350	1350
1400ft [257ft]	1450	1460	1460	1460	1460	1470	1470	1470	1480
1500ft [357ft]	1570	1580	1580	1580	1590	1590	1600	1600	1610
1600ft [457ft]	1690	1700	1700	1710	1710	1720	1720	1730	1730
1700ft [557ft]	1810	1820	1820	1830	1830	1840	1850	1850	1860
1800ft [657ft]	1930	1940	1940	1950	1960	1960	1970	1980	1990
1900ft [757ft]	2050	2060	2060	2070	2080	2090	2100	2100	2120
2000ft [857ft]	2170	2180	2190	2190	2200	2210	2220	2230	2250
2100ft [957ft]	2290	2300	2310	2320	2330	2340	2350	2360	2370
2200ft [1057ft]	2410	2420	2430	2440	2450	2460	2470	2480	2500
2300ft [1157ft]	2530	2540	2550	2560	2570	2590	2600	2610	2630
2400ft [1257ft]	2640	2660	2670	2680	2700	2710	2720	2740	2760
2500ft [1357ft]	2760	2780	2790	2810	2820	2830	2850	2860	2890
2600ft [1457ft]	2880	2900	2910	2930	2940	2960	2970	2990	3020
2700ft [1557ft]	3000	3020	3030	3050	3070	3080	3100	3120	3140
2800ft [1657ft]	3120	3140	3150	3170	3190	3210	3230	3240	3270
2900ft [1757ft]	3240	3260	3280	3290	3310	3330	3350	3370	3400
3000ft [1857ft]	3360	3380	3400	3420	3440	3460	3480	3500	3530
3100ft [1957ft]	3480	3500	3520	3540	3560	3580	3600	3620	3660
3200ft [2057ft]	3600	3620	3640	3660	3680	3710	3730	3750	3790
3300ft [2157ft]	3720	3740	3760	3780	3810	3830	3850	3880	3910
3400ft [2257ft]	3840	3860	3880	3910	3930	3950	3980	4000	4040
3500ft [2357ft]	3960	3980	4000	4030	4050	4080	4110	4130	4170
3600ft [2457ft]	4080	4100	4130	4150	4180	4200	4230	4260	4300
3700ft [2557ft]	4200	4220	4250	4270	4300	4330	4360	4390	4430
3800ft [2657ft]	4310	4340	4370	4400	4420	4450	4480	4510	4560
3900ft [2757ft]	4430	4460	4490	4520	4550	4580	4610	4640	4690
4000ft [2857ft]	4550	4580	4610	4640	4670	4700	4730	4770	4810
4100ft [2957ft]	4670	4700	4730	4760	4800	4830	4860	4890	4940
4200ft [3057ft]	4790	4820	4850	4890	4920	4950	4990	5020	5070
4300ft [3157ft]	4910	4940	4980	5010	5040	5080	5110	5150	5200
4400ft [3257ft]	5030	5060	5100	5130	5170	5200	5240	5270	5330
4500ft [3357ft]	5150	5180	5220	5250	5290	5330	5360	5400	5460
4600ft [3457ft]	5270	5310	5340	5380	5410	5450	5490	5530	5590
4700ft [3557ft]	5390	5430	5460	5500	5540	5580	5620	5660	5720
4800ft [3657ft]	5510	5550	5580	5620	5660	5700	5740	5780	5850
4900ft [3757ft]	5630	5670	5710	5740	5780	5830	5870	5910	5970
5000ft [3857ft]	5750	5790	5830	5870	5910	5950	5990	6040	6100
5100ft [3957ft]	5870	5910	5950	5990	6030	6080	6120	6160	6230
5200ft [4057ft]	5990	6030	6070	6110	6160	6200	6250	6290	6360
5300ft [4157ft]	6110	6150	6190	6240	6280	6330	6370	6420	6490
5400ft [4257ft]	6230	6270	6310	6360	6400	6450	6500	6550	6620
5500ft [4357ft]	6350	6390	6440	6480	6530	6580	6620	6670	6750
5600ft [4457ft]	6470	6510	6560	6600	6650	6700	6750	6800	6880
5700ft [4557ft]	6590	6630	6680	6730	6780	6830	6880	6930	7010
5800ft [4657ft]	6710	6750	6800	6850	6900	6950	7000	7060	7140
5900ft [4757ft]	6830	6870	6920	6970	7020	7080	7130	7180	7270
6000ft [4857ft]	6940	6990	7040	7100	7150	7200	7260	7310	7390
6100ft [4957ft]	7060	7120	7170	7220	7270	7330	7380	7440	7520
6143ft [5000ft]	7120	7170	7220	7270	7330	7380	7440	7490	7580

Stefano M. RAPISARDA - flightdeckengineering.com

CYTS - Timmins, ON, CANADA

Station Elevation: 968 feet. ISA Standard Temperature: 13.08°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
968ft [0ft]	970	970	970	970	970	970	970	970	970
1000ft [32ft]	1000	1010	1010	1010	1010	1010	1010	1010	1010
1100ft [132ft]	1100	1110	1110	1110	1110	1110	1110	1110	1110
1200ft [232ft]	1200	1210	1210	1210	1210	1210	1210	1220	1220
1300ft [332ft]	1300	1310	1310	1310	1310	1320	1320	1320	1320
1400ft [432ft]	1400	1410	1410	1410	1420	1420	1420	1430	1430
1500ft [532ft]	1500	1510	1510	1510	1520	1520	1530	1530	1530
1600ft [632ft]	1600	1610	1610	1620	1620	1630	1630	1640	1640
1700ft [732ft]	1700	1710	1710	1720	1720	1730	1730	1740	1750
1800ft [832ft]	1800	1810	1810	1820	1830	1830	1840	1840	1850
1900ft [932ft]	1900	1910	1920	1920	1930	1940	1940	1950	1960
2000ft [1032ft]	2000	2010	2020	2020	2030	2040	2050	2050	2060
2100ft [1132ft]	2100	2110	2120	2130	2130	2140	2150	2160	2170
2200ft [1232ft]	2200	2210	2220	2230	2240	2250	2250	2260	2270
2300ft [1332ft]	2300	2310	2320	2330	2340	2350	2360	2370	2380
2400ft [1432ft]	2400	2410	2420	2430	2440	2450	2460	2470	2480
2500ft [1532ft]	2500	2510	2520	2530	2540	2560	2570	2580	2590
2600ft [1632ft]	2600	2610	2620	2630	2650	2660	2670	2680	2700
2700ft [1732ft]	2700	2710	2720	2740	2750	2760	2770	2790	2800
2800ft [1832ft]	2800	2810	2830	2840	2850	2870	2880	2890	2910
2900ft [1932ft]	2900	2910	2930	2940	2950	2970	2980	3000	3010
3000ft [2032ft]	3000	3010	3030	3040	3060	3070	3090	3100	3120
3100ft [2132ft]	3100	3110	3130	3140	3160	3180	3190	3210	3220
3200ft [2232ft]	3200	3210	3230	3250	3260	3280	3300	3310	3330
3300ft [2332ft]	3300	3310	3330	3350	3360	3380	3400	3420	3440
3400ft [2432ft]	3400	3410	3430	3450	3470	3490	3500	3520	3540
3500ft [2532ft]	3500	3510	3530	3550	3570	3590	3610	3630	3650
3600ft [2632ft]	3600	3620	3630	3650	3670	3690	3710	3730	3750
3700ft [2732ft]	3700	3720	3730	3750	3770	3800	3820	3840	3860
3800ft [2832ft]	3800	3820	3840	3860	3880	3900	3920	3940	3960
3900ft [2932ft]	3900	3920	3940	3960	3980	4000	4020	4050	4070
4000ft [3032ft]	4000	4020	4040	4060	4080	4110	4130	4150	4180
4100ft [3132ft]	4100	4120	4140	4160	4190	4210	4230	4260	4280
4200ft [3232ft]	4200	4220	4240	4260	4290	4310	4340	4360	4390
4300ft [3332ft]	4300	4320	4340	4370	4390	4420	4440	4470	4490
4400ft [3432ft]	4400	4420	4440	4470	4490	4520	4540	4570	4600
4500ft [3532ft]	4500	4520	4540	4570	4600	4620	4650	4680	4700
4600ft [3632ft]	4600	4620	4640	4670	4700	4730	4750	4780	4810
4700ft [3732ft]	4700	4720	4750	4770	4800	4830	4860	4890	4910
4800ft [3832ft]	4800	4820	4850	4880	4900	4930	4960	4990	5020
4900ft [3932ft]	4900	4920	4950	4980	5010	5040	5070	5100	5130
5000ft [4032ft]	5000	5020	5050	5080	5110	5140	5170	5200	5230
5100ft [4132ft]	5100	5120	5150	5180	5210	5240	5270	5310	5340
5200ft [4232ft]	5200	5220	5250	5280	5310	5350	5380	5410	5440
5300ft [4332ft]	5300	5320	5350	5380	5420	5450	5480	5520	5550
5400ft [4432ft]	5400	5420	5450	5490	5520	5550	5590	5620	5650
5500ft [4532ft]	5500	5520	5550	5590	5620	5660	5690	5730	5760
5600ft [4632ft]	5600	5620	5660	5690	5720	5760	5790	5830	5870
5700ft [4732ft]	5700	5720	5760	5790	5830	5860	5900	5930	5970
5800ft [4832ft]	5800	5820	5860	5890	5930	5970	6000	6040	6080
5900ft [4932ft]	5900	5920	5960	6000	6030	6070	6110	6140	6180
5968ft [5000ft]	5968	5990	6030	6060	6100	6140	6180	6220	6260

Stefano M. RAPISARDA - flightdeckengineering.com

CYTS - Timmins, ON, CANADA

Station Elevation: 968 feet. ISA Standard Temperature: 13.08°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
968ft [0ft]	970	970	970	970	970	970	970	970	970
1000ft [32ft]	1010	1010	1010	1010	1010	1010	1010	1010	1010
1100ft [132ft]	1110	1110	1110	1120	1120	1120	1120	1120	1120
1200ft [232ft]	1220	1220	1220	1220	1230	1230	1230	1230	1230
1300ft [332ft]	1320	1330	1330	1330	1330	1340	1340	1340	1350
1400ft [432ft]	1430	1430	1440	1440	1440	1450	1450	1450	1460
1500ft [532ft]	1530	1540	1540	1550	1550	1560	1560	1570	1570
1600ft [632ft]	1640	1650	1650	1660	1660	1670	1670	1680	1680
1700ft [732ft]	1750	1750	1760	1760	1770	1780	1780	1790	1790
1800ft [832ft]	1850	1860	1860	1870	1880	1880	1890	1900	1910
1900ft [932ft]	1960	1960	1970	1980	1990	1990	2000	2010	2020
2000ft [1032ft]	2060	2070	2080	2090	2100	2100	2110	2120	2130
2100ft [1132ft]	2170	2180	2190	2200	2200	2210	2220	2230	2240
2200ft [1232ft]	2270	2280	2290	2300	2310	2320	2330	2340	2360
2300ft [1332ft]	2380	2390	2400	2410	2420	2430	2440	2460	2470
2400ft [1432ft]	2480	2500	2510	2520	2530	2540	2550	2570	2580
2500ft [1532ft]	2590	2600	2610	2630	2640	2650	2670	2680	2690
2600ft [1632ft]	2700	2710	2720	2740	2750	2760	2780	2790	2800
2700ft [1732ft]	2800	2820	2830	2840	2860	2870	2890	2900	2920
2800ft [1832ft]	2910	2920	2940	2950	2970	2980	3000	3010	3030
2900ft [1932ft]	3010	3030	3040	3060	3080	3090	3110	3120	3140
3000ft [2032ft]	3120	3130	3150	3170	3180	3200	3220	3240	3250
3100ft [2132ft]	3220	3240	3260	3280	3290	3310	3330	3350	3370
3200ft [2232ft]	3330	3350	3370	3380	3400	3420	3440	3460	3480
3300ft [2332ft]	3440	3450	3470	3490	3510	3530	3550	3570	3590
3400ft [2432ft]	3540	3560	3580	3600	3620	3640	3660	3680	3700
3500ft [2532ft]	3650	3670	3690	3710	3730	3750	3770	3790	3820
3600ft [2632ft]	3750	3770	3790	3820	3840	3860	3880	3900	3930
3700ft [2732ft]	3860	3880	3900	3920	3950	3970	3990	4020	4040
3800ft [2832ft]	3960	3990	4010	4030	4060	4080	4100	4130	4150
3900ft [2932ft]	4070	4090	4120	4140	4160	4190	4210	4240	4270
4000ft [3032ft]	4180	4200	4220	4250	4270	4300	4320	4350	4380
4100ft [3132ft]	4280	4310	4330	4360	4380	4410	4440	4460	4490
4200ft [3232ft]	4390	4410	4440	4460	4490	4520	4550	4570	4600
4300ft [3332ft]	4490	4520	4550	4570	4600	4630	4660	4690	4710
4400ft [3432ft]	4600	4620	4650	4680	4710	4740	4770	4800	4830
4500ft [3532ft]	4700	4730	4760	4790	4820	4850	4880	4910	4940
4600ft [3632ft]	4810	4840	4870	4900	4930	4960	4990	5020	5050
4700ft [3732ft]	4910	4940	4970	5000	5040	5070	5100	5130	5160
4800ft [3832ft]	5020	5050	5080	5110	5140	5180	5210	5240	5280
4900ft [3932ft]	5130	5160	5190	5220	5250	5290	5320	5360	5390
5000ft [4032ft]	5230	5260	5300	5330	5360	5400	5430	5470	5500
5100ft [4132ft]	5340	5370	5400	5440	5470	5510	5540	5580	5610
5200ft [4232ft]	5440	5480	5510	5550	5580	5620	5650	5690	5730
5300ft [4332ft]	5550	5580	5620	5650	5690	5730	5760	5800	5840
5400ft [4432ft]	5650	5690	5730	5760	5800	5840	5870	5910	5950
5500ft [4532ft]	5760	5800	5830	5870	5910	5950	5990	6020	6070
5600ft [4632ft]	5870	5900	5940	5980	6020	6060	6100	6140	6180
5700ft [4732ft]	5970	6010	6050	6090	6130	6170	6210	6250	6290
5800ft [4832ft]	6080	6120	6160	6200	6240	6280	6320	6360	6400
5900ft [4932ft]	6180	6220	6260	6300	6340	6390	6430	6470	6520
5968ft [5000ft]	6260	6300	6340	6380	6420	6460	6500	6550	6590

Stefano M. RAPISARDA - flightdeckengineering.com

CYTS - Timmins, ON, CANADA

Station Elevation: 968 feet. ISA Standard Temperature: 13.08°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
968ft [0ft]	970	970	970	970	970	970	970	970	970
1000ft [32ft]	1010	1010	1010	1010	1010	1010	1010	1010	1010
1100ft [132ft]	1120	1120	1120	1120	1130	1130	1130	1130	1130
1200ft [232ft]	1230	1240	1240	1240	1240	1240	1250	1250	1250
1300ft [332ft]	1350	1350	1350	1350	1360	1360	1360	1370	1370
1400ft [432ft]	1460	1460	1470	1470	1470	1480	1480	1490	1490
1500ft [532ft]	1570	1570	1580	1580	1590	1590	1600	1600	1610
1600ft [632ft]	1680	1690	1690	1700	1700	1710	1720	1720	1730
1700ft [732ft]	1790	1800	1810	1810	1820	1830	1830	1840	1850
1800ft [832ft]	1910	1910	1920	1930	1940	1940	1950	1960	1970
1900ft [932ft]	2020	2030	2040	2040	2050	2060	2070	2080	2090
2000ft [1032ft]	2130	2140	2150	2160	2170	2180	2190	2200	2210
2100ft [1132ft]	2240	2250	2260	2270	2280	2290	2310	2320	2330
2200ft [1232ft]	2360	2370	2380	2390	2400	2410	2420	2440	2450
2300ft [1332ft]	2470	2480	2490	2500	2520	2530	2540	2550	2570
2400ft [1432ft]	2580	2590	2610	2620	2630	2650	2660	2670	2690
2500ft [1532ft]	2690	2710	2720	2730	2750	2760	2780	2790	2810
2600ft [1632ft]	2800	2820	2830	2850	2860	2880	2900	2910	2930
2700ft [1732ft]	2920	2930	2950	2960	2980	3000	3010	3030	3050
2800ft [1832ft]	3030	3050	3060	3080	3100	3110	3130	3150	3170
2900ft [1932ft]	3140	3160	3180	3190	3210	3230	3250	3270	3290
3000ft [2032ft]	3250	3270	3290	3310	3330	3350	3370	3390	3410
3100ft [2132ft]	3370	3390	3400	3420	3440	3460	3480	3510	3530
3200ft [2232ft]	3480	3500	3520	3540	3560	3580	3600	3620	3650
3300ft [2332ft]	3590	3610	3630	3650	3680	3700	3720	3740	3770
3400ft [2432ft]	3700	3720	3750	3770	3790	3820	3840	3860	3890
3500ft [2532ft]	3820	3840	3860	3880	3910	3930	3960	3980	4010
3600ft [2632ft]	3930	3950	3980	4000	4020	4050	4070	4100	4130
3700ft [2732ft]	4040	4060	4090	4110	4140	4170	4190	4220	4250
3800ft [2832ft]	4150	4180	4200	4230	4260	4280	4310	4340	4370
3900ft [2932ft]	4270	4290	4320	4350	4370	4400	4430	4460	4490
4000ft [3032ft]	4380	4400	4430	4460	4490	4520	4550	4580	4610
4100ft [3132ft]	4490	4520	4550	4580	4600	4630	4670	4700	4730
4200ft [3232ft]	4600	4630	4660	4690	4720	4750	4780	4820	4850
4300ft [3332ft]	4710	4740	4780	4810	4840	4870	4900	4930	4970
4400ft [3432ft]	4830	4860	4890	4920	4950	4990	5020	5050	5090
4500ft [3532ft]	4940	4970	5000	5040	5070	5100	5140	5170	5210
4600ft [3632ft]	5050	5080	5120	5150	5190	5220	5260	5290	5330
4700ft [3732ft]	5160	5200	5230	5270	5300	5340	5370	5410	5450
4800ft [3832ft]	5280	5310	5350	5380	5420	5460	5490	5530	5570
4900ft [3932ft]	5390	5430	5460	5500	5530	5570	5610	5650	5690
5000ft [4032ft]	5500	5540	5580	5610	5650	5690	5730	5770	5810
5100ft [4132ft]	5610	5650	5690	5730	5770	5810	5850	5890	5930
5200ft [4232ft]	5730	5770	5800	5840	5880	5920	5970	6010	6050
5300ft [4332ft]	5840	5880	5920	5960	6000	6040	6080	6130	6170
5400ft [4432ft]	5950	5990	6030	6070	6120	6160	6200	6250	6290
5500ft [4532ft]	6070	6110	6150	6190	6230	6280	6320	6370	6410
5600ft [4632ft]	6180	6220	6260	6300	6350	6390	6440	6480	6530
5700ft [4732ft]	6290	6330	6380	6420	6470	6510	6560	6600	6650
5800ft [4832ft]	6400	6450	6490	6540	6580	6630	6680	6720	6770
5900ft [4932ft]	6520	6560	6610	6650	6700	6750	6790	6840	6890
5968ft [5000ft]	6590	6640	6680	6730	6780	6830	6870	6920	6970

Stefano M. RAPISARDA - flightdeckengineering.com

CYTS - Timmins, ON, CANADA

Station Elevation: 968 feet. ISA Standard Temperature: 13.08°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
968ft [0ft]	970	970	970	970	970	970	970	970	970
1000ft [32ft]	1010	1010	1010	1010	1010	1010	1010	1010	1010
1100ft [132ft]	1130	1130	1130	1130	1140	1140	1140	1140	1140
1200ft [232ft]	1250	1250	1260	1260	1260	1260	1270	1270	1270
1300ft [332ft]	1370	1370	1380	1380	1380	1390	1390	1390	1400
1400ft [432ft]	1490	1490	1500	1500	1510	1510	1520	1520	1530
1500ft [532ft]	1610	1610	1620	1630	1630	1640	1640	1650	1660
1600ft [632ft]	1730	1740	1740	1750	1760	1760	1770	1780	1780
1700ft [732ft]	1850	1860	1860	1870	1880	1890	1900	1900	1910
1800ft [832ft]	1970	1980	1990	1990	2000	2010	2020	2030	2040
1900ft [932ft]	2090	2100	2110	2120	2130	2140	2150	2160	2170
2000ft [1032ft]	2210	2220	2230	2240	2250	2260	2270	2290	2300
2100ft [1132ft]	2330	2340	2350	2360	2380	2390	2400	2410	2430
2200ft [1232ft]	2450	2460	2470	2490	2500	2510	2530	2540	2550
2300ft [1332ft]	2570	2580	2590	2610	2620	2640	2650	2670	2680
2400ft [1432ft]	2690	2700	2720	2730	2750	2760	2780	2790	2810
2500ft [1532ft]	2810	2820	2840	2850	2870	2890	2900	2920	2940
2600ft [1632ft]	2930	2940	2960	2980	3000	3010	3030	3050	3070
2700ft [1732ft]	3050	3060	3080	3100	3120	3140	3160	3180	3200
2800ft [1832ft]	3170	3190	3200	3220	3240	3260	3280	3300	3330
2900ft [1932ft]	3290	3310	3330	3350	3370	3390	3410	3430	3450
3000ft [2032ft]	3410	3430	3450	3470	3490	3510	3540	3560	3580
3100ft [2132ft]	3530	3550	3570	3590	3620	3640	3660	3690	3710
3200ft [2232ft]	3650	3670	3690	3720	3740	3760	3790	3810	3840
3300ft [2332ft]	3770	3790	3810	3840	3860	3890	3920	3940	3970
3400ft [2432ft]	3890	3910	3940	3960	3990	4020	4040	4070	4100
3500ft [2532ft]	4010	4030	4060	4090	4110	4140	4170	4200	4230
3600ft [2632ft]	4130	4150	4180	4210	4240	4270	4300	4320	4360
3700ft [2732ft]	4250	4270	4300	4330	4360	4390	4420	4450	4480
3800ft [2832ft]	4370	4400	4430	4460	4490	4520	4550	4580	4610
3900ft [2932ft]	4490	4520	4550	4580	4610	4640	4670	4710	4740
4000ft [3032ft]	4610	4640	4670	4700	4730	4770	4800	4840	4870
4100ft [3132ft]	4730	4760	4790	4830	4860	4890	4930	4960	5000
4200ft [3232ft]	4850	4880	4910	4950	4980	5020	5050	5090	5130
4300ft [3332ft]	4970	5000	5040	5070	5110	5140	5180	5220	5260
4400ft [3432ft]	5090	5120	5160	5200	5230	5270	5310	5350	5390
4500ft [3532ft]	5210	5240	5280	5320	5360	5400	5430	5470	5520
4600ft [3632ft]	5330	5370	5400	5440	5480	5520	5560	5600	5640
4700ft [3732ft]	5450	5490	5530	5570	5610	5650	5690	5730	5770
4800ft [3832ft]	5570	5610	5650	5690	5730	5770	5810	5860	5900
4900ft [3932ft]	5690	5730	5770	5810	5850	5900	5940	5990	6030
5000ft [4032ft]	5810	5850	5890	5940	5980	6020	6070	6110	6160
5100ft [4132ft]	5930	5970	6020	6060	6100	6150	6200	6240	6290
5200ft [4232ft]	6050	6090	6140	6180	6230	6270	6320	6370	6420
5300ft [4332ft]	6170	6210	6260	6310	6350	6400	6450	6500	6550
5400ft [4432ft]	6290	6340	6380	6430	6480	6530	6580	6630	6680
5500ft [4532ft]	6410	6460	6510	6550	6600	6650	6700	6750	6810
5600ft [4632ft]	6530	6580	6630	6680	6730	6780	6830	6880	6940
5700ft [4732ft]	6650	6700	6750	6800	6850	6900	6960	7010	7070
5800ft [4832ft]	6770	6820	6870	6920	6980	7030	7080	7140	7200
5900ft [4932ft]	6890	6940	7000	7050	7100	7160	7210	7270	7330
5968ft [5000ft]	6970	7030	7080	7130	7190	7240	7300	7350	7410

Stefano M. RAPISARDA - flightdeckengineering.com

CYXU - London, ON, CANADA

Station Elevation: 912 feet. ISA Standard Temperature: 13.19°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
912ft [0ft]	920	920	920	920	920	920	920	920	920
1000ft [88ft]	1000	1010	1010	1010	1010	1010	1010	1010	1010
1100ft [188ft]	1100	1110	1110	1110	1110	1110	1110	1110	1120
1200ft [288ft]	1200	1210	1210	1210	1210	1210	1220	1220	1220
1300ft [388ft]	1300	1310	1310	1310	1310	1320	1320	1320	1330
1400ft [488ft]	1400	1410	1410	1410	1420	1420	1420	1430	1430
1500ft [588ft]	1500	1510	1510	1520	1520	1520	1530	1530	1540
1600ft [688ft]	1600	1610	1610	1620	1620	1630	1630	1640	1640
1700ft [788ft]	1700	1710	1710	1720	1730	1730	1740	1740	1750
1800ft [888ft]	1800	1810	1820	1820	1830	1830	1840	1850	1850
1900ft [988ft]	1900	1910	1920	1920	1930	1940	1950	1950	1960
2000ft [1088ft]	2000	2010	2020	2030	2030	2040	2050	2060	2070
2100ft [1188ft]	2100	2110	2120	2130	2140	2140	2150	2160	2170
2200ft [1288ft]	2200	2210	2220	2230	2240	2250	2260	2270	2280
2300ft [1388ft]	2300	2310	2320	2330	2340	2350	2360	2370	2380
2400ft [1488ft]	2400	2410	2420	2430	2440	2450	2470	2480	2490
2500ft [1588ft]	2500	2510	2520	2530	2550	2560	2570	2580	2590
2600ft [1688ft]	2600	2610	2620	2640	2650	2660	2670	2690	2700
2700ft [1788ft]	2700	2710	2730	2740	2750	2760	2780	2790	2810
2800ft [1888ft]	2800	2810	2830	2840	2850	2870	2880	2900	2910
2900ft [1988ft]	2900	2910	2930	2940	2960	2970	2990	3000	3020
3000ft [2088ft]	3000	3010	3030	3040	3060	3070	3090	3110	3120
3100ft [2188ft]	3100	3110	3130	3150	3160	3180	3190	3210	3230
3200ft [2288ft]	3200	3210	3230	3250	3260	3280	3300	3320	3330
3300ft [2388ft]	3300	3320	3330	3350	3370	3380	3400	3420	3440
3400ft [2488ft]	3400	3420	3430	3450	3470	3490	3510	3530	3550
3500ft [2588ft]	3500	3520	3530	3550	3570	3590	3610	3630	3650
3600ft [2688ft]	3600	3620	3640	3650	3670	3690	3720	3740	3760
3700ft [2788ft]	3700	3720	3740	3760	3780	3800	3820	3840	3860
3800ft [2888ft]	3800	3820	3840	3860	3880	3900	3920	3950	3970
3900ft [2988ft]	3900	3920	3940	3960	3980	4000	4030	4050	4070
4000ft [3088ft]	4000	4020	4040	4060	4090	4110	4130	4160	4180
4100ft [3188ft]	4100	4120	4140	4160	4190	4210	4240	4260	4290
4200ft [3288ft]	4200	4220	4240	4270	4290	4320	4340	4370	4390
4300ft [3388ft]	4300	4320	4340	4370	4390	4420	4440	4470	4500
4400ft [3488ft]	4400	4420	4440	4470	4500	4520	4550	4580	4600
4500ft [3588ft]	4500	4520	4550	4570	4600	4630	4650	4680	4710
4600ft [3688ft]	4600	4620	4650	4670	4700	4730	4760	4790	4810
4700ft [3788ft]	4700	4720	4750	4780	4800	4830	4860	4890	4920
4800ft [3888ft]	4800	4820	4850	4880	4910	4940	4960	4990	5030
4900ft [3988ft]	4900	4920	4950	4980	5010	5040	5070	5100	5130
5000ft [4088ft]	5000	5020	5050	5080	5110	5140	5170	5200	5240
5100ft [4188ft]	5100	5120	5150	5180	5210	5250	5280	5310	5340
5200ft [4288ft]	5200	5220	5250	5290	5320	5350	5380	5410	5450
5300ft [4388ft]	5300	5320	5360	5390	5420	5450	5490	5520	5550
5400ft [4488ft]	5400	5420	5460	5490	5520	5560	5590	5620	5660
5500ft [4588ft]	5500	5520	5560	5590	5620	5660	5690	5730	5770
5600ft [4688ft]	5600	5620	5660	5690	5730	5760	5800	5830	5870
5700ft [4788ft]	5700	5730	5760	5790	5830	5870	5900	5940	5980
5800ft [4888ft]	5800	5830	5860	5900	5930	5970	6010	6040	6080
5900ft [4988ft]	5900	5930	5960	6000	6040	6070	6110	6150	6190
5912ft [5000ft]	5912	5940	5970	6010	6050	6090	6120	6160	6200

Stefano M. RAPISARDA - flightdeckengineering.com

CYXU - London, ON, CANADA

Station Elevation: 912 feet. ISA Standard Temperature: 13.19°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
912ft [0ft]	920	920	920	920	920	920	920	920	920
1000ft [88ft]	1010	1010	1010	1010	1010	1010	1010	1010	1020
1100ft [188ft]	1120	1120	1120	1120	1120	1120	1120	1130	1130
1200ft [288ft]	1220	1220	1230	1230	1230	1230	1240	1240	1240
1300ft [388ft]	1330	1330	1330	1340	1340	1340	1350	1350	1350
1400ft [488ft]	1430	1440	1440	1440	1450	1450	1460	1460	1460
1500ft [588ft]	1540	1540	1550	1550	1560	1560	1570	1570	1580
1600ft [688ft]	1640	1650	1650	1660	1670	1670	1680	1680	1690
1700ft [788ft]	1750	1760	1760	1770	1770	1780	1790	1790	1800
1800ft [888ft]	1850	1860	1870	1880	1880	1890	1900	1910	1910
1900ft [988ft]	1960	1970	1980	1980	1990	2000	2010	2020	2030
2000ft [1088ft]	2070	2070	2080	2090	2100	2110	2120	2130	2140
2100ft [1188ft]	2170	2180	2190	2200	2210	2220	2230	2240	2250
2200ft [1288ft]	2280	2290	2300	2310	2320	2330	2340	2350	2360
2300ft [1388ft]	2380	2390	2400	2420	2430	2440	2450	2460	2480
2400ft [1488ft]	2490	2500	2510	2520	2540	2550	2560	2570	2590
2500ft [1588ft]	2590	2610	2620	2630	2650	2660	2670	2690	2700
2600ft [1688ft]	2700	2710	2730	2740	2750	2770	2780	2800	2810
2700ft [1788ft]	2810	2820	2830	2850	2860	2880	2890	2910	2920
2800ft [1888ft]	2910	2930	2940	2960	2970	2990	3000	3020	3040
2900ft [1988ft]	3020	3030	3050	3060	3080	3100	3110	3130	3150
3000ft [2088ft]	3120	3140	3160	3170	3190	3210	3230	3240	3260
3100ft [2188ft]	3230	3250	3260	3280	3300	3320	3340	3350	3370
3200ft [2288ft]	3330	3350	3370	3390	3410	3430	3450	3470	3490
3300ft [2388ft]	3440	3460	3480	3500	3520	3540	3560	3580	3600
3400ft [2488ft]	3550	3560	3580	3610	3630	3650	3670	3690	3710
3500ft [2588ft]	3650	3670	3690	3710	3730	3760	3780	3800	3820
3600ft [2688ft]	3760	3780	3800	3820	3840	3870	3890	3910	3940
3700ft [2788ft]	3860	3880	3910	3930	3950	3980	4000	4020	4050
3800ft [2888ft]	3970	3990	4010	4040	4060	4090	4110	4140	4160
3900ft [2988ft]	4070	4100	4120	4150	4170	4200	4220	4250	4270
4000ft [3088ft]	4180	4200	4230	4250	4280	4310	4330	4360	4390
4100ft [3188ft]	4290	4310	4340	4360	4390	4420	4440	4470	4500
4200ft [3288ft]	4390	4420	4440	4470	4500	4530	4550	4580	4610
4300ft [3388ft]	4500	4520	4550	4580	4610	4640	4660	4690	4720
4400ft [3488ft]	4600	4630	4660	4690	4720	4740	4770	4810	4840
4500ft [3588ft]	4710	4740	4770	4790	4820	4850	4890	4920	4950
4600ft [3688ft]	4810	4840	4870	4900	4930	4960	5000	5030	5060
4700ft [3788ft]	4920	4950	4980	5010	5040	5070	5110	5140	5170
4800ft [3888ft]	5030	5060	5090	5120	5150	5180	5220	5250	5290
4900ft [3988ft]	5130	5160	5190	5230	5260	5290	5330	5360	5400
5000ft [4088ft]	5240	5270	5300	5340	5370	5400	5440	5480	5510
5100ft [4188ft]	5340	5380	5410	5440	5480	5510	5550	5590	5620
5200ft [4288ft]	5450	5480	5520	5550	5590	5620	5660	5700	5740
5300ft [4388ft]	5550	5590	5620	5660	5700	5730	5770	5810	5850
5400ft [4488ft]	5660	5700	5730	5770	5810	5840	5880	5920	5960
5500ft [4588ft]	5770	5800	5840	5880	5920	5950	5990	6030	6070
5600ft [4688ft]	5870	5910	5950	5990	6020	6060	6100	6150	6190
5700ft [4788ft]	5980	6020	6050	6090	6130	6170	6220	6260	6300
5800ft [4888ft]	6080	6120	6160	6200	6240	6280	6330	6370	6410
5900ft [4988ft]	6190	6230	6270	6310	6350	6390	6440	6480	6520
5912ft [5000ft]	6200	6240	6280	6320	6360	6410	6450	6490	6540

Stefano M. RAPISARDA - flightdeckengineering.com

CYXU - London, ON, CANADA

Station Elevation: 912 feet. ISA Standard Temperature: 13.19°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
912ft [0ft]	920	920	920	920	920	920	920	920	920
1000ft [88ft]	1020	1020	1020	1020	1020	1020	1020	1020	1020
1100ft [188ft]	1130	1130	1130	1130	1130	1140	1140	1140	1140
1200ft [288ft]	1240	1240	1250	1250	1250	1250	1260	1260	1260
1300ft [388ft]	1350	1360	1360	1360	1370	1370	1370	1380	1380
1400ft [488ft]	1460	1470	1470	1480	1480	1490	1490	1500	1500
1500ft [588ft]	1580	1580	1590	1590	1600	1600	1610	1620	1620
1600ft [688ft]	1690	1700	1700	1710	1710	1720	1730	1730	1740
1700ft [788ft]	1800	1810	1820	1820	1830	1840	1840	1850	1860
1800ft [888ft]	1910	1920	1930	1940	1950	1950	1960	1970	1980
1900ft [988ft]	2030	2030	2040	2050	2060	2070	2080	2090	2100
2000ft [1088ft]	2140	2150	2160	2170	2180	2190	2200	2210	2220
2100ft [1188ft]	2250	2260	2270	2280	2290	2300	2320	2330	2340
2200ft [1288ft]	2360	2370	2390	2400	2410	2420	2430	2450	2460
2300ft [1388ft]	2480	2490	2500	2510	2530	2540	2550	2570	2580
2400ft [1488ft]	2590	2600	2610	2630	2640	2660	2670	2680	2700
2500ft [1588ft]	2700	2710	2730	2740	2760	2770	2790	2800	2820
2600ft [1688ft]	2810	2830	2840	2860	2870	2890	2910	2920	2940
2700ft [1788ft]	2920	2940	2960	2970	2990	3010	3020	3040	3060
2800ft [1888ft]	3040	3050	3070	3090	3110	3120	3140	3160	3180
2900ft [1988ft]	3150	3170	3180	3200	3220	3240	3260	3280	3300
3000ft [2088ft]	3260	3280	3300	3320	3340	3360	3380	3400	3420
3100ft [2188ft]	3370	3390	3410	3430	3450	3470	3500	3520	3540
3200ft [2288ft]	3490	3510	3530	3550	3570	3590	3610	3640	3660
3300ft [2388ft]	3600	3620	3640	3660	3690	3710	3730	3760	3780
3400ft [2488ft]	3710	3730	3760	3780	3800	3830	3850	3870	3900
3500ft [2588ft]	3820	3850	3870	3890	3920	3940	3970	3990	4020
3600ft [2688ft]	3940	3960	3980	4010	4030	4060	4090	4110	4140
3700ft [2788ft]	4050	4070	4100	4120	4150	4180	4200	4230	4260
3800ft [2888ft]	4160	4190	4210	4240	4270	4290	4320	4350	4380
3900ft [2988ft]	4270	4300	4330	4360	4380	4410	4440	4470	4500
4000ft [3088ft]	4390	4410	4440	4470	4500	4530	4560	4590	4620
4100ft [3188ft]	4500	4530	4560	4590	4620	4650	4680	4710	4740
4200ft [3288ft]	4610	4640	4670	4700	4730	4760	4800	4830	4860
4300ft [3388ft]	4720	4750	4780	4820	4850	4880	4910	4950	4980
4400ft [3488ft]	4840	4870	4900	4930	4960	5000	5030	5070	5100
4500ft [3588ft]	4950	4980	5010	5050	5080	5110	5150	5190	5220
4600ft [3688ft]	5060	5090	5130	5160	5200	5230	5270	5300	5340
4700ft [3788ft]	5170	5210	5240	5280	5310	5350	5390	5420	5460
4800ft [3888ft]	5290	5320	5360	5390	5430	5470	5500	5540	5580
4900ft [3988ft]	5400	5430	5470	5510	5550	5580	5620	5660	5700
5000ft [4088ft]	5510	5550	5590	5620	5660	5700	5740	5780	5820
5100ft [4188ft]	5620	5660	5700	5740	5780	5820	5860	5900	5940
5200ft [4288ft]	5740	5780	5810	5850	5890	5940	5980	6020	6060
5300ft [4388ft]	5850	5890	5930	5970	6010	6050	6100	6140	6180
5400ft [4488ft]	5960	6000	6040	6090	6130	6170	6210	6260	6300
5500ft [4588ft]	6070	6120	6160	6200	6240	6290	6330	6380	6420
5600ft [4688ft]	6190	6230	6270	6320	6360	6410	6450	6500	6550
5700ft [4788ft]	6300	6340	6390	6430	6480	6520	6570	6620	6670
5800ft [4888ft]	6410	6460	6500	6550	6590	6640	6690	6740	6790
5900ft [4988ft]	6520	6570	6620	6660	6710	6760	6810	6860	6910
5912ft [5000ft]	6540	6580	6630	6680	6720	6770	6820	6870	6920

Stefano M. RAPISARDA - flightdeckengineering.com

CYXU - London, ON, CANADA

Station Elevation: 912 feet. ISA Standard Temperature: 13.19°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
912ft [0ft]	920	920	920	920	920	920	920	920	920
1000ft [88ft]	1020	1020	1020	1030	1030	1030	1030	1030	1030
1100ft [188ft]	1140	1140	1150	1150	1150	1150	1150	1160	1160
1200ft [288ft]	1260	1260	1270	1270	1270	1280	1280	1280	1290
1300ft [388ft]	1380	1390	1390	1390	1400	1400	1410	1410	1410
1400ft [488ft]	1500	1510	1510	1520	1520	1530	1530	1540	1540
1500ft [588ft]	1620	1630	1630	1640	1650	1650	1660	1660	1670
1600ft [688ft]	1740	1750	1750	1760	1770	1780	1780	1790	1800
1700ft [788ft]	1860	1870	1880	1880	1890	1900	1910	1920	1930
1800ft [888ft]	1980	1990	2000	2010	2020	2030	2040	2050	2060
1900ft [988ft]	2100	2110	2120	2130	2140	2150	2160	2170	2190
2000ft [1088ft]	2220	2230	2240	2250	2270	2280	2290	2300	2310
2100ft [1188ft]	2340	2350	2360	2380	2390	2400	2420	2430	2440
2200ft [1288ft]	2460	2470	2490	2500	2510	2530	2540	2560	2570
2300ft [1388ft]	2580	2590	2610	2620	2640	2650	2670	2680	2700
2400ft [1488ft]	2700	2710	2730	2750	2760	2780	2790	2810	2830
2500ft [1588ft]	2820	2840	2850	2870	2890	2900	2920	2940	2960
2600ft [1688ft]	2940	2960	2970	2990	3010	3030	3050	3070	3080
2700ft [1788ft]	3060	3080	3100	3110	3130	3150	3170	3190	3210
2800ft [1888ft]	3180	3200	3220	3240	3260	3280	3300	3320	3340
2900ft [1988ft]	3300	3320	3340	3360	3380	3400	3430	3450	3470
3000ft [2088ft]	3420	3440	3460	3480	3510	3530	3550	3580	3600
3100ft [2188ft]	3540	3560	3580	3610	3630	3650	3680	3700	3730
3200ft [2288ft]	3660	3680	3710	3730	3750	3780	3810	3830	3860
3300ft [2388ft]	3780	3800	3830	3850	3880	3910	3930	3960	3990
3400ft [2488ft]	3900	3920	3950	3980	4000	4030	4060	4090	4110
3500ft [2588ft]	4020	4050	4070	4100	4130	4160	4180	4210	4240
3600ft [2688ft]	4140	4170	4190	4220	4250	4280	4310	4340	4370
3700ft [2788ft]	4260	4290	4320	4350	4380	4410	4440	4470	4500
3800ft [2888ft]	4380	4410	4440	4470	4500	4530	4560	4600	4630
3900ft [2988ft]	4500	4530	4560	4590	4630	4660	4690	4730	4760
4000ft [3088ft]	4620	4650	4680	4720	4750	4780	4820	4850	4890
4100ft [3188ft]	4740	4770	4810	4840	4870	4910	4940	4980	5020
4200ft [3288ft]	4860	4890	4930	4960	5000	5030	5070	5110	5150
4300ft [3388ft]	4980	5020	5050	5090	5120	5160	5200	5240	5280
4400ft [3488ft]	5100	5140	5170	5210	5250	5290	5320	5360	5400
4500ft [3588ft]	5220	5260	5300	5330	5370	5410	5450	5490	5530
4600ft [3688ft]	5340	5380	5420	5460	5500	5540	5580	5620	5660
4700ft [3788ft]	5460	5500	5540	5580	5620	5660	5710	5750	5790
4800ft [3888ft]	5580	5620	5660	5700	5750	5790	5830	5880	5920
4900ft [3988ft]	5700	5740	5790	5830	5870	5910	5960	6000	6050
5000ft [4088ft]	5820	5860	5910	5950	6000	6040	6090	6130	6180
5100ft [4188ft]	5940	5990	6030	6070	6120	6170	6210	6260	6310
5200ft [4288ft]	6060	6110	6150	6200	6240	6290	6340	6390	6440
5300ft [4388ft]	6180	6230	6280	6320	6370	6420	6470	6520	6570
5400ft [4488ft]	6300	6350	6400	6450	6490	6540	6590	6650	6700
5500ft [4588ft]	6420	6470	6520	6570	6620	6670	6720	6770	6830
5600ft [4688ft]	6550	6590	6640	6690	6740	6800	6850	6900	6960
5700ft [4788ft]	6670	6720	6770	6820	6870	6920	6970	7030	7090
5800ft [4888ft]	6790	6840	6890	6940	6990	7050	7100	7160	7220
5900ft [4988ft]	6910	6960	7010	7060	7120	7170	7230	7290	7340
5912ft [5000ft]	6920	6970	7030	7080	7130	7190	7240	7300	7360

Stefano M. RAPISARDA - flightdeckengineering.com

CYYB - North Bay, ON, CANADA

Station Elevation: 1215 feet. ISA Standard Temperature: 12.59°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+2)	13°C (ISA+0)	11°C (ISA-2)	9°C (ISA-4)	7°C (ISA-6)	5°C (ISA-8)	3°C (ISA-10)	1°C (ISA-12)	-1°C (ISA-14)
1215ft [0ft]	---	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [85ft]	---	1300	1310	1310	1310	1310	1310	1310	1310
1400ft [185ft]	---	1400	1410	1410	1410	1410	1410	1410	1410
1500ft [285ft]	---	1500	1510	1510	1510	1510	1510	1520	1520
1600ft [385ft]	---	1600	1610	1610	1610	1620	1620	1620	1620
1700ft [485ft]	---	1700	1710	1710	1710	1720	1720	1730	1730
1800ft [585ft]	---	1800	1810	1810	1820	1820	1830	1830	1830
1900ft [685ft]	---	1900	1910	1910	1920	1920	1930	1930	1940
2000ft [785ft]	---	2000	2010	2010	2020	2030	2030	2040	2040
2100ft [885ft]	---	2100	2110	2120	2120	2130	2140	2140	2150
2200ft [985ft]	---	2200	2210	2220	2220	2230	2240	2250	2250
2300ft [1085ft]	---	2300	2310	2320	2330	2330	2340	2350	2360
2400ft [1185ft]	---	2400	2410	2420	2430	2440	2450	2460	2460
2500ft [1285ft]	---	2500	2510	2520	2530	2540	2550	2560	2570
2600ft [1385ft]	---	2600	2610	2620	2630	2640	2650	2660	2670
2700ft [1485ft]	---	2700	2710	2720	2730	2750	2760	2770	2780
2800ft [1585ft]	---	2800	2810	2830	2840	2850	2860	2870	2880
2900ft [1685ft]	---	2900	2910	2930	2940	2950	2960	2980	2990
3000ft [1785ft]	---	3000	3020	3030	3040	3050	3070	3080	3090
3100ft [1885ft]	---	3100	3120	3130	3140	3160	3170	3180	3200
3200ft [1985ft]	---	3200	3220	3230	3240	3260	3270	3290	3300
3300ft [2085ft]	---	3300	3320	3330	3350	3360	3380	3390	3410
3400ft [2185ft]	---	3400	3420	3430	3450	3460	3480	3500	3510
3500ft [2285ft]	---	3500	3520	3530	3550	3570	3580	3600	3620
3600ft [2385ft]	---	3600	3620	3640	3650	3670	3690	3710	3720
3700ft [2485ft]	---	3700	3720	3740	3750	3770	3790	3810	3830
3800ft [2585ft]	---	3800	3820	3840	3860	3880	3900	3910	3930
3900ft [2685ft]	---	3900	3920	3940	3960	3980	4000	4020	4040
4000ft [2785ft]	---	4000	4020	4040	4060	4080	4100	4120	4140
4100ft [2885ft]	---	4100	4120	4140	4160	4180	4210	4230	4250
4200ft [2985ft]	---	4200	4220	4240	4260	4290	4310	4330	4360
4300ft [3085ft]	---	4300	4320	4340	4370	4390	4410	4440	4460
4400ft [3185ft]	---	4400	4420	4450	4470	4490	4520	4540	4570
4500ft [3285ft]	---	4500	4520	4550	4570	4600	4620	4650	4670
4600ft [3385ft]	---	4600	4620	4650	4670	4700	4720	4750	4780
4700ft [3485ft]	---	4700	4720	4750	4780	4800	4830	4850	4880
4800ft [3585ft]	---	4800	4830	4850	4880	4900	4930	4960	4990
4900ft [3685ft]	---	4900	4930	4950	4980	5010	5030	5060	5090
5000ft [3785ft]	---	5000	5030	5050	5080	5110	5140	5170	5200
5100ft [3885ft]	---	5100	5130	5150	5180	5210	5240	5270	5300
5200ft [3985ft]	---	5200	5230	5260	5290	5310	5340	5380	5410
5300ft [4085ft]	---	5300	5330	5360	5390	5420	5450	5480	5510
5400ft [4185ft]	---	5400	5430	5460	5490	5520	5550	5580	5620
5500ft [4285ft]	---	5500	5530	5560	5590	5620	5660	5690	5720
5600ft [4385ft]	---	5600	5630	5660	5690	5730	5760	5790	5830
5700ft [4485ft]	---	5700	5730	5760	5800	5830	5860	5900	5930
5800ft [4585ft]	---	5800	5830	5860	5900	5930	5970	6000	6040
5900ft [4685ft]	---	5900	5930	5970	6000	6030	6070	6110	6140
6000ft [4785ft]	---	6000	6030	6070	6100	6140	6170	6210	6250
6100ft [4885ft]	---	6100	6130	6170	6200	6240	6280	6310	6350
6200ft [4985ft]	---	6200	6230	6270	6310	6340	6380	6420	6460
6215ft [5000ft]	---	6215	6250	6280	6320	6360	6400	6430	6470

Stefano M. RAPISARDA - flightdeckengineering.com

CYYB - North Bay, ON, CANADA

Station Elevation: 1215 feet. ISA Standard Temperature: 12.59°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-14)	-3°C (ISA-16)	-5°C (ISA-18)	-7°C (ISA-20)	-9°C (ISA-22)	-11°C (ISA-24)	-13°C (ISA-26)	-15°C (ISA-28)	-17°C (ISA-30)
1215ft [0ft]	1220	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [85ft]	1310	1310	1310	1310	1310	1310	1310	1310	1310
1400ft [185ft]	1410	1420	1420	1420	1420	1420	1420	1420	1430
1500ft [285ft]	1520	1520	1520	1530	1530	1530	1530	1540	1540
1600ft [385ft]	1620	1630	1630	1630	1640	1640	1640	1650	1650
1700ft [485ft]	1730	1730	1740	1740	1740	1750	1750	1760	1760
1800ft [585ft]	1830	1840	1840	1850	1850	1860	1860	1870	1870
1900ft [685ft]	1940	1940	1950	1960	1960	1970	1970	1980	1980
2000ft [785ft]	2040	2050	2060	2060	2070	2080	2080	2090	2100
2100ft [885ft]	2150	2160	2160	2170	2180	2180	2190	2200	2210
2200ft [985ft]	2250	2260	2270	2280	2290	2290	2300	2310	2320
2300ft [1085ft]	2360	2370	2380	2380	2390	2400	2410	2420	2430
2400ft [1185ft]	2460	2470	2480	2490	2500	2510	2520	2530	2540
2500ft [1285ft]	2570	2580	2590	2600	2610	2620	2630	2640	2650
2600ft [1385ft]	2670	2690	2700	2710	2720	2730	2740	2750	2770
2700ft [1485ft]	2780	2790	2800	2810	2830	2840	2850	2860	2880
2800ft [1585ft]	2880	2900	2910	2920	2930	2950	2960	2970	2990
2900ft [1685ft]	2990	3000	3020	3030	3040	3060	3070	3090	3100
3000ft [1785ft]	3090	3110	3120	3140	3150	3170	3180	3200	3210
3100ft [1885ft]	3200	3210	3230	3240	3260	3280	3290	3310	3320
3200ft [1985ft]	3300	3320	3340	3350	3370	3380	3400	3420	3440
3300ft [2085ft]	3410	3430	3440	3460	3480	3490	3510	3530	3550
3400ft [2185ft]	3510	3530	3550	3570	3580	3600	3620	3640	3660
3500ft [2285ft]	3620	3640	3660	3670	3690	3710	3730	3750	3770
3600ft [2385ft]	3720	3740	3760	3780	3800	3820	3840	3860	3880
3700ft [2485ft]	3830	3850	3870	3890	3910	3930	3950	3970	3990
3800ft [2585ft]	3930	3960	3980	4000	4020	4040	4060	4080	4110
3900ft [2685ft]	4040	4060	4080	4100	4130	4150	4170	4190	4220
4000ft [2785ft]	4140	4170	4190	4210	4230	4260	4280	4300	4330
4100ft [2885ft]	4250	4270	4300	4320	4340	4370	4390	4420	4440
4200ft [2985ft]	4360	4380	4400	4430	4450	4480	4500	4530	4550
4300ft [3085ft]	4460	4480	4510	4530	4560	4580	4610	4640	4660
4400ft [3185ft]	4570	4590	4620	4640	4670	4690	4720	4750	4780
4500ft [3285ft]	4670	4700	4720	4750	4780	4800	4830	4860	4890
4600ft [3385ft]	4780	4800	4830	4860	4880	4910	4940	4970	5000
4700ft [3485ft]	4880	4910	4940	4960	4990	5020	5050	5080	5110
4800ft [3585ft]	4990	5010	5040	5070	5100	5130	5160	5190	5220
4900ft [3685ft]	5090	5120	5150	5180	5210	5240	5270	5300	5340
5000ft [3785ft]	5200	5230	5260	5290	5320	5350	5380	5410	5450
5100ft [3885ft]	5300	5330	5360	5390	5430	5460	5490	5520	5560
5200ft [3985ft]	5410	5440	5470	5500	5530	5570	5600	5640	5670
5300ft [4085ft]	5510	5540	5580	5610	5640	5680	5710	5750	5780
5400ft [4185ft]	5620	5650	5680	5720	5750	5790	5820	5860	5890
5500ft [4285ft]	5720	5760	5790	5820	5860	5900	5930	5970	6010
5600ft [4385ft]	5830	5860	5900	5930	5970	6000	6040	6080	6120
5700ft [4485ft]	5930	5970	6000	6040	6080	6110	6150	6190	6230
5800ft [4585ft]	6040	6070	6110	6150	6180	6220	6260	6300	6340
5900ft [4685ft]	6140	6180	6220	6250	6290	6330	6370	6410	6450
6000ft [4785ft]	6250	6280	6320	6360	6400	6440	6480	6520	6570
6100ft [4885ft]	6350	6390	6430	6470	6510	6550	6590	6630	6680
6200ft [4985ft]	6460	6500	6540	6580	6620	6660	6700	6750	6790
6215ft [5000ft]	6470	6510	6550	6590	6630	6680	6720	6760	6810

Stefano M. RAPISARDA - flightdeckengineering.com

CYYB - North Bay, ON, CANADA

Station Elevation: 1215 feet. ISA Standard Temperature: 12.59°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-30)	-19°C (ISA-32)	-21°C (ISA-34)	-23°C (ISA-36)	-25°C (ISA-38)	-27°C (ISA-40)	-29°C (ISA-42)	-31°C (ISA-44)	-33°C (ISA-46)
1215ft [0ft]	1220	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [85ft]	1310	1320	1320	1320	1320	1320	1320	1320	1320
1400ft [185ft]	1430	1430	1430	1430	1430	1430	1440	1440	1440
1500ft [285ft]	1540	1540	1540	1550	1550	1550	1550	1560	1560
1600ft [385ft]	1650	1650	1660	1660	1660	1670	1670	1670	1680
1700ft [485ft]	1760	1770	1770	1770	1780	1780	1790	1790	1800
1800ft [585ft]	1870	1880	1880	1890	1890	1900	1900	1910	1920
1900ft [685ft]	1980	1990	2000	2000	2010	2020	2020	2030	2030
2000ft [785ft]	2100	2100	2110	2120	2120	2130	2140	2150	2150
2100ft [885ft]	2210	2210	2220	2230	2240	2250	2260	2260	2270
2200ft [985ft]	2320	2330	2340	2350	2350	2360	2370	2380	2390
2300ft [1085ft]	2430	2440	2450	2460	2470	2480	2490	2500	2510
2400ft [1185ft]	2540	2550	2560	2570	2580	2600	2610	2620	2630
2500ft [1285ft]	2650	2660	2680	2690	2700	2710	2720	2740	2750
2600ft [1385ft]	2770	2780	2790	2800	2820	2830	2840	2850	2870
2700ft [1485ft]	2880	2890	2900	2920	2930	2940	2960	2970	2990
2800ft [1585ft]	2990	3000	3020	3030	3050	3060	3080	3090	3110
2900ft [1685ft]	3100	3110	3130	3150	3160	3180	3190	3210	3230
3000ft [1785ft]	3210	3230	3240	3260	3280	3290	3310	3330	3340
3100ft [1885ft]	3320	3340	3360	3370	3390	3410	3430	3450	3460
3200ft [1985ft]	3440	3450	3470	3490	3510	3530	3540	3560	3580
3300ft [2085ft]	3550	3570	3580	3600	3620	3640	3660	3680	3700
3400ft [2185ft]	3660	3680	3700	3720	3740	3760	3780	3800	3820
3500ft [2285ft]	3770	3790	3810	3830	3850	3870	3900	3920	3940
3600ft [2385ft]	3880	3900	3920	3950	3970	3990	4010	4040	4060
3700ft [2485ft]	3990	4020	4040	4060	4080	4110	4130	4150	4180
3800ft [2585ft]	4110	4130	4150	4180	4200	4220	4250	4270	4300
3900ft [2685ft]	4220	4240	4260	4290	4310	4340	4370	4390	4420
4000ft [2785ft]	4330	4350	4380	4400	4430	4460	4480	4510	4540
4100ft [2885ft]	4440	4470	4490	4520	4550	4570	4600	4630	4660
4200ft [2985ft]	4550	4580	4610	4630	4660	4690	4720	4750	4780
4300ft [3085ft]	4660	4690	4720	4750	4780	4810	4830	4860	4900
4400ft [3185ft]	4780	4800	4830	4860	4890	4920	4950	4980	5010
4500ft [3285ft]	4890	4920	4950	4980	5010	5040	5070	5100	5130
4600ft [3385ft]	5000	5030	5060	5090	5120	5150	5190	5220	5250
4700ft [3485ft]	5110	5140	5170	5210	5240	5270	5300	5340	5370
4800ft [3585ft]	5220	5260	5290	5320	5350	5390	5420	5460	5490
4900ft [3685ft]	5340	5370	5400	5430	5470	5500	5540	5580	5610
5000ft [3785ft]	5450	5480	5510	5550	5580	5620	5660	5690	5730
5100ft [3885ft]	5560	5590	5630	5660	5700	5740	5770	5810	5850
5200ft [3985ft]	5670	5710	5740	5780	5820	5850	5890	5930	5970
5300ft [4085ft]	5780	5820	5860	5890	5930	5970	6010	6050	6090
5400ft [4185ft]	5890	5930	5970	6010	6050	6090	6130	6170	6210
5500ft [4285ft]	6010	6040	6080	6120	6160	6200	6240	6290	6330
5600ft [4385ft]	6120	6160	6200	6240	6280	6320	6360	6410	6450
5700ft [4485ft]	6230	6270	6310	6350	6390	6440	6480	6520	6570
5800ft [4585ft]	6340	6380	6420	6470	6510	6550	6600	6640	6690
5900ft [4685ft]	6450	6500	6540	6580	6630	6670	6710	6760	6810
6000ft [4785ft]	6570	6610	6650	6700	6740	6790	6830	6880	6930
6100ft [4885ft]	6680	6720	6770	6810	6860	6900	6950	7000	7050
6200ft [4985ft]	6790	6830	6880	6930	6970	7020	7070	7120	7170
6215ft [5000ft]	6810	6850	6900	6940	6990	7040	7090	7130	7180

Stefano M. RAPISARDA - flightdeckengineering.com

CYYB - North Bay, ON, CANADA

Station Elevation: 1215 feet. ISA Standard Temperature: 12.59°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-46)	-35°C (ISA-48)	-37°C (ISA-50)	-39°C (ISA-52)	-41°C (ISA-54)	-43°C (ISA-56)	-45°C (ISA-58)	-47°C (ISA-60)	-50°C (ISA-63)
1215ft [0ft]	1220	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [85ft]	1320	1320	1320	1320	1320	1330	1330	1330	1330
1400ft [185ft]	1440	1440	1440	1450	1450	1450	1450	1450	1460
1500ft [285ft]	1560	1560	1560	1570	1570	1570	1580	1580	1580
1600ft [385ft]	1680	1680	1690	1690	1690	1700	1700	1710	1710
1700ft [485ft]	1800	1800	1810	1810	1820	1820	1830	1830	1840
1800ft [585ft]	1920	1920	1930	1930	1940	1950	1950	1960	1970
1900ft [685ft]	2030	2040	2050	2060	2060	2070	2080	2090	2100
2000ft [785ft]	2150	2160	2170	2180	2190	2190	2200	2210	2220
2100ft [885ft]	2270	2280	2290	2300	2310	2320	2330	2340	2350
2200ft [985ft]	2390	2400	2410	2420	2430	2440	2450	2460	2480
2300ft [1085ft]	2510	2520	2530	2540	2560	2570	2580	2590	2610
2400ft [1185ft]	2630	2640	2650	2670	2680	2690	2700	2720	2740
2500ft [1285ft]	2750	2760	2780	2790	2800	2820	2830	2840	2870
2600ft [1385ft]	2870	2880	2900	2910	2930	2940	2960	2970	2990
2700ft [1485ft]	2990	3000	3020	3030	3050	3060	3080	3100	3120
2800ft [1585ft]	3110	3120	3140	3160	3170	3190	3210	3220	3250
2900ft [1685ft]	3230	3240	3260	3280	3300	3310	3330	3350	3380
3000ft [1785ft]	3340	3360	3380	3400	3420	3440	3460	3480	3510
3100ft [1885ft]	3460	3480	3500	3520	3540	3560	3580	3600	3640
3200ft [1985ft]	3580	3600	3620	3640	3670	3690	3710	3730	3760
3300ft [2085ft]	3700	3720	3740	3770	3790	3810	3830	3860	3890
3400ft [2185ft]	3820	3840	3870	3890	3910	3940	3960	3980	4020
3500ft [2285ft]	3940	3960	3990	4010	4040	4060	4080	4110	4150
3600ft [2385ft]	4060	4080	4110	4130	4160	4180	4210	4240	4280
3700ft [2485ft]	4180	4200	4230	4260	4280	4310	4340	4360	4410
3800ft [2585ft]	4300	4320	4350	4380	4410	4430	4460	4490	4530
3900ft [2685ft]	4420	4450	4470	4500	4530	4560	4590	4620	4660
4000ft [2785ft]	4540	4570	4590	4620	4650	4680	4710	4740	4790
4100ft [2885ft]	4660	4690	4720	4750	4780	4810	4840	4870	4920
4200ft [2985ft]	4780	4810	4840	4870	4900	4930	4960	5000	5050
4300ft [3085ft]	4900	4930	4960	4990	5020	5060	5090	5130	5180
4400ft [3185ft]	5010	5050	5080	5110	5150	5180	5220	5250	5310
4500ft [3285ft]	5130	5170	5200	5240	5270	5310	5340	5380	5440
4600ft [3385ft]	5250	5290	5320	5360	5390	5430	5470	5510	5560
4700ft [3485ft]	5370	5410	5440	5480	5520	5560	5590	5630	5690
4800ft [3585ft]	5490	5530	5570	5600	5640	5680	5720	5760	5820
4900ft [3685ft]	5610	5650	5690	5730	5770	5810	5850	5890	5950
5000ft [3785ft]	5730	5770	5810	5850	5890	5930	5970	6010	6080
5100ft [3885ft]	5850	5890	5930	5970	6010	6050	6100	6140	6210
5200ft [3985ft]	5970	6010	6050	6090	6140	6180	6220	6270	6340
5300ft [4085ft]	6090	6130	6170	6220	6260	6300	6350	6400	6470
5400ft [4185ft]	6210	6250	6300	6340	6380	6430	6480	6520	6600
5500ft [4285ft]	6330	6370	6420	6460	6510	6550	6600	6650	6720
5600ft [4385ft]	6450	6490	6540	6580	6630	6680	6730	6780	6850
5700ft [4485ft]	6570	6610	6660	6710	6760	6800	6850	6900	6980
5800ft [4585ft]	6690	6730	6780	6830	6880	6930	6980	7030	7110
5900ft [4685ft]	6810	6860	6900	6950	7000	7050	7110	7160	7240
6000ft [4785ft]	6930	6980	7030	7080	7130	7180	7230	7290	7370
6100ft [4885ft]	7050	7100	7150	7200	7250	7300	7360	7410	7500
6200ft [4985ft]	7170	7220	7270	7320	7380	7430	7490	7540	7630
6215ft [5000ft]	7180	7240	7290	7340	7390	7450	7500	7560	7650

Stefano M. RAPISARDA - flightdeckengineering.com

CYYZ - Toronto, ON, CANADA

Station Elevation: 569 feet. ISA Standard Temperature: 13.87°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
569ft [0ft]	570	570	570	570	570	570	570	570	570
600ft [31ft]	600	610	610	610	610	610	610	610	610
700ft [131ft]	700	710	710	710	710	710	710	710	710
800ft [231ft]	800	810	810	810	810	810	810	820	820
900ft [331ft]	900	910	910	910	910	920	920	920	920
1000ft [431ft]	1000	1010	1010	1010	1020	1020	1020	1030	1030
1100ft [531ft]	1100	1110	1110	1120	1120	1120	1130	1130	1140
1200ft [631ft]	1200	1210	1210	1220	1220	1230	1230	1240	1240
1300ft [731ft]	1300	1310	1320	1320	1330	1330	1340	1340	1350
1400ft [831ft]	1400	1410	1420	1420	1430	1430	1440	1450	1450
1500ft [931ft]	1500	1510	1520	1520	1530	1540	1550	1550	1560
1600ft [1031ft]	1600	1610	1620	1630	1630	1640	1650	1660	1670
1700ft [1131ft]	1700	1710	1720	1730	1740	1750	1750	1760	1770
1800ft [1231ft]	1800	1810	1820	1830	1840	1850	1860	1870	1880
1900ft [1331ft]	1900	1910	1920	1930	1940	1950	1960	1970	1980
2000ft [1431ft]	2000	2010	2020	2030	2050	2060	2070	2080	2090
2100ft [1531ft]	2100	2120	2130	2140	2150	2160	2170	2180	2190
2200ft [1631ft]	2200	2220	2230	2240	2250	2260	2280	2290	2300
2300ft [1731ft]	2300	2320	2330	2340	2350	2370	2380	2390	2410
2400ft [1831ft]	2400	2420	2430	2440	2460	2470	2480	2500	2510
2500ft [1931ft]	2500	2520	2530	2550	2560	2570	2590	2600	2620
2600ft [2031ft]	2600	2620	2630	2650	2660	2680	2690	2710	2720
2700ft [2131ft]	2700	2720	2730	2750	2770	2780	2800	2810	2830
2800ft [2231ft]	2800	2820	2840	2850	2870	2880	2900	2920	2940
2900ft [2331ft]	2900	2920	2940	2950	2970	2990	3010	3020	3040
3000ft [2431ft]	3000	3020	3040	3060	3070	3090	3110	3130	3150
3100ft [2531ft]	3100	3120	3140	3160	3180	3200	3220	3230	3250
3200ft [2631ft]	3200	3220	3240	3260	3280	3300	3320	3340	3360
3300ft [2731ft]	3300	3320	3340	3360	3380	3400	3420	3440	3470
3400ft [2831ft]	3400	3420	3440	3460	3490	3510	3530	3550	3570
3500ft [2931ft]	3500	3520	3550	3570	3590	3610	3630	3660	3680
3600ft [3031ft]	3600	3630	3650	3670	3690	3710	3740	3760	3780
3700ft [3131ft]	3700	3730	3750	3770	3790	3820	3840	3870	3890
3800ft [3231ft]	3800	3830	3850	3870	3900	3920	3950	3970	4000
3900ft [3331ft]	3900	3930	3950	3980	4000	4020	4050	4080	4100
4000ft [3431ft]	4000	4030	4050	4080	4100	4130	4150	4180	4210
4100ft [3531ft]	4100	4130	4150	4180	4210	4230	4260	4290	4310
4200ft [3631ft]	4200	4230	4260	4280	4310	4340	4360	4390	4420
4300ft [3731ft]	4300	4330	4360	4380	4410	4440	4470	4500	4530
4400ft [3831ft]	4400	4430	4460	4490	4510	4540	4570	4600	4630
4500ft [3931ft]	4500	4530	4560	4590	4620	4650	4680	4710	4740
4600ft [4031ft]	4600	4630	4660	4690	4720	4750	4780	4810	4840
4700ft [4131ft]	4700	4730	4760	4790	4820	4850	4890	4920	4950
4800ft [4231ft]	4800	4830	4860	4890	4930	4960	4990	5020	5060
4900ft [4331ft]	4900	4930	4970	5000	5030	5060	5090	5130	5160
5000ft [4431ft]	5000	5030	5070	5100	5130	5170	5200	5230	5270
5100ft [4531ft]	5100	5140	5170	5200	5230	5270	5300	5340	5370
5200ft [4631ft]	5200	5240	5270	5300	5340	5370	5410	5440	5480
5300ft [4731ft]	5300	5340	5370	5410	5440	5480	5510	5550	5590
5400ft [4831ft]	5400	5440	5470	5510	5540	5580	5620	5650	5690
5500ft [4931ft]	5500	5540	5570	5610	5650	5680	5720	5760	5800
5569ft [5000ft]	5570	5610	5640	5680	5720	5760	5790	5830	5870

Stefano M. RAPISARDA - flightdeckengineering.com

CYYZ - Toronto, ON, CANADA

Station Elevation: 569 feet. ISA Standard Temperature: 13.87°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
569ft [0ft]	570	570	570	570	570	570	570	570	570
600ft [31ft]	610	610	610	610	610	610	610	610	610
700ft [131ft]	710	710	710	720	720	720	720	720	720
800ft [231ft]	820	820	820	820	830	830	830	830	830
900ft [331ft]	920	930	930	930	940	940	940	940	950
1000ft [431ft]	1030	1030	1040	1040	1040	1050	1050	1060	1060
1100ft [531ft]	1140	1140	1140	1150	1150	1160	1160	1170	1170
1200ft [631ft]	1240	1250	1250	1260	1260	1270	1270	1280	1280
1300ft [731ft]	1350	1350	1360	1370	1370	1380	1380	1390	1400
1400ft [831ft]	1450	1460	1470	1470	1480	1490	1490	1500	1510
1500ft [931ft]	1560	1570	1570	1580	1590	1600	1610	1610	1620
1600ft [1031ft]	1670	1670	1680	1690	1700	1710	1720	1730	1730
1700ft [1131ft]	1770	1780	1790	1800	1810	1820	1830	1840	1850
1800ft [1231ft]	1880	1890	1900	1910	1920	1930	1940	1950	1960
1900ft [1331ft]	1980	1990	2000	2020	2030	2040	2050	2060	2070
2000ft [1431ft]	2090	2100	2110	2120	2140	2150	2160	2170	2180
2100ft [1531ft]	2190	2210	2220	2230	2240	2260	2270	2280	2300
2200ft [1631ft]	2300	2310	2330	2340	2350	2370	2380	2400	2410
2300ft [1731ft]	2410	2420	2430	2450	2460	2480	2490	2510	2520
2400ft [1831ft]	2510	2530	2540	2560	2570	2590	2600	2620	2630
2500ft [1931ft]	2620	2630	2650	2670	2680	2700	2710	2730	2750
2600ft [2031ft]	2720	2740	2760	2770	2790	2810	2820	2840	2860
2700ft [2131ft]	2830	2850	2860	2880	2900	2920	2940	2950	2970
2800ft [2231ft]	2940	2950	2970	2990	3010	3030	3050	3070	3090
2900ft [2331ft]	3040	3060	3080	3100	3120	3140	3160	3180	3200
3000ft [2431ft]	3150	3170	3190	3210	3230	3250	3270	3290	3310
3100ft [2531ft]	3250	3270	3290	3320	3340	3360	3380	3400	3420
3200ft [2631ft]	3360	3380	3400	3420	3450	3470	3490	3510	3540
3300ft [2731ft]	3470	3490	3510	3530	3550	3580	3600	3630	3650
3400ft [2831ft]	3570	3590	3620	3640	3660	3690	3710	3740	3760
3500ft [2931ft]	3680	3700	3730	3750	3770	3800	3820	3850	3870
3600ft [3031ft]	3780	3810	3830	3860	3880	3910	3930	3960	3990
3700ft [3131ft]	3890	3920	3940	3970	3990	4020	4050	4070	4100
3800ft [3231ft]	4000	4020	4050	4070	4100	4130	4160	4180	4210
3900ft [3331ft]	4100	4130	4160	4180	4210	4240	4270	4300	4330
4000ft [3431ft]	4210	4240	4260	4290	4320	4350	4380	4410	4440
4100ft [3531ft]	4310	4340	4370	4400	4430	4460	4490	4520	4550
4200ft [3631ft]	4420	4450	4480	4510	4540	4570	4600	4630	4660
4300ft [3731ft]	4530	4560	4590	4620	4650	4680	4710	4740	4780
4400ft [3831ft]	4630	4660	4690	4730	4760	4790	4820	4860	4890
4500ft [3931ft]	4740	4770	4800	4830	4870	4900	4930	4970	5000
4600ft [4031ft]	4840	4880	4910	4940	4980	5010	5040	5080	5120
4700ft [4131ft]	4950	4980	5020	5050	5090	5120	5160	5190	5230
4800ft [4231ft]	5060	5090	5120	5160	5190	5230	5270	5300	5340
4900ft [4331ft]	5160	5200	5230	5270	5300	5340	5380	5420	5450
5000ft [4431ft]	5270	5300	5340	5380	5410	5450	5490	5530	5570
5100ft [4531ft]	5370	5410	5450	5480	5520	5560	5600	5640	5680
5200ft [4631ft]	5480	5520	5550	5590	5630	5670	5710	5750	5790
5300ft [4731ft]	5590	5620	5660	5700	5740	5780	5820	5860	5910
5400ft [4831ft]	5690	5730	5770	5810	5850	5890	5930	5980	6020
5500ft [4931ft]	5800	5840	5880	5920	5960	6000	6040	6090	6130
5569ft [5000ft]	5870	5910	5950	5990	6040	6080	6120	6170	6210

Stefano M. RAPISARDA - flightdeckengineering.com

CYYZ - Toronto, ON, CANADA

Station Elevation: 569 feet. ISA Standard Temperature: 13.87°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
569ft [0ft]	570	570	570	570	570	570	570	570	570
600ft [31ft]	610	610	610	610	610	610	610	610	610
700ft [131ft]	720	720	720	720	730	730	730	730	730
800ft [231ft]	830	840	840	840	840	840	850	850	850
900ft [331ft]	950	950	950	960	960	960	960	970	970
1000ft [431ft]	1060	1060	1070	1070	1070	1080	1080	1090	1090
1100ft [531ft]	1170	1180	1180	1190	1190	1200	1200	1210	1210
1200ft [631ft]	1280	1290	1300	1300	1310	1310	1320	1330	1330
1300ft [731ft]	1400	1400	1410	1420	1420	1430	1440	1440	1450
1400ft [831ft]	1510	1520	1520	1530	1540	1550	1560	1560	1570
1500ft [931ft]	1620	1630	1640	1650	1660	1660	1670	1680	1690
1600ft [1031ft]	1730	1740	1750	1760	1770	1780	1790	1800	1810
1700ft [1131ft]	1850	1860	1870	1880	1890	1900	1910	1920	1930
1800ft [1231ft]	1960	1970	1980	1990	2000	2020	2030	2040	2050
1900ft [1331ft]	2070	2080	2100	2110	2120	2130	2150	2160	2170
2000ft [1431ft]	2180	2200	2210	2220	2240	2250	2260	2280	2290
2100ft [1531ft]	2300	2310	2320	2340	2350	2370	2380	2400	2410
2200ft [1631ft]	2410	2420	2440	2450	2470	2480	2500	2520	2530
2300ft [1731ft]	2520	2540	2550	2570	2590	2600	2620	2640	2650
2400ft [1831ft]	2630	2650	2670	2680	2700	2720	2740	2760	2770
2500ft [1931ft]	2750	2760	2780	2800	2820	2840	2860	2870	2890
2600ft [2031ft]	2860	2880	2900	2920	2930	2950	2970	2990	3010
2700ft [2131ft]	2970	2990	3010	3030	3050	3070	3090	3110	3130
2800ft [2231ft]	3090	3110	3130	3150	3170	3190	3210	3230	3250
2900ft [2331ft]	3200	3220	3240	3260	3280	3310	3330	3350	3380
3000ft [2431ft]	3310	3330	3360	3380	3400	3420	3450	3470	3500
3100ft [2531ft]	3420	3450	3470	3490	3520	3540	3570	3590	3620
3200ft [2631ft]	3540	3560	3580	3610	3630	3660	3680	3710	3740
3300ft [2731ft]	3650	3670	3700	3720	3750	3780	3800	3830	3860
3400ft [2831ft]	3760	3790	3810	3840	3870	3890	3920	3950	3980
3500ft [2931ft]	3870	3900	3930	3960	3980	4010	4040	4070	4100
3600ft [3031ft]	3990	4010	4040	4070	4100	4130	4160	4190	4220
3700ft [3131ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
3800ft [3231ft]	4210	4240	4270	4300	4330	4360	4390	4430	4460
3900ft [3331ft]	4330	4360	4390	4420	4450	4480	4510	4550	4580
4000ft [3431ft]	4440	4470	4500	4530	4570	4600	4630	4670	4700
4100ft [3531ft]	4550	4580	4620	4650	4680	4720	4750	4790	4820
4200ft [3631ft]	4660	4700	4730	4760	4800	4830	4870	4900	4940
4300ft [3731ft]	4780	4810	4840	4880	4920	4950	4990	5020	5060
4400ft [3831ft]	4890	4920	4960	5000	5030	5070	5110	5140	5180
4500ft [3931ft]	5000	5040	5070	5110	5150	5190	5220	5260	5300
4600ft [4031ft]	5120	5150	5190	5230	5260	5300	5340	5380	5420
4700ft [4131ft]	5230	5270	5300	5340	5380	5420	5460	5500	5540
4800ft [4231ft]	5340	5380	5420	5460	5500	5540	5580	5620	5670
4900ft [4331ft]	5450	5490	5530	5570	5610	5660	5700	5740	5790
5000ft [4431ft]	5570	5610	5650	5690	5730	5770	5820	5860	5910
5100ft [4531ft]	5680	5720	5760	5810	5850	5890	5940	5980	6030
5200ft [4631ft]	5790	5840	5880	5920	5960	6010	6060	6100	6150
5300ft [4731ft]	5910	5950	5990	6040	6080	6130	6170	6220	6270
5400ft [4831ft]	6020	6060	6110	6150	6200	6250	6290	6340	6390
5500ft [4931ft]	6130	6180	6220	6270	6320	6360	6410	6460	6510
5569ft [5000ft]	6210	6260	6300	6350	6400	6440	6490	6540	6590

Stefano M. RAPISARDA - flightdeckengineering.com

CYYZ - Toronto, ON, CANADA

Station Elevation: 569 feet. ISA Standard Temperature: 13.87°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
569ft [0ft]	570	570	570	570	570	570	570	570	570
600ft [31ft]	610	610	610	610	610	610	610	610	610
700ft [131ft]	730	730	730	740	740	740	740	740	740
800ft [231ft]	850	850	860	860	860	860	870	870	870
900ft [331ft]	970	970	980	980	980	990	990	1000	1000
1000ft [431ft]	1090	1100	1100	1100	1110	1110	1120	1120	1130
1100ft [531ft]	1210	1220	1220	1230	1230	1240	1250	1250	1260
1200ft [631ft]	1330	1340	1340	1350	1360	1360	1370	1380	1390
1300ft [731ft]	1450	1460	1470	1470	1480	1490	1500	1510	1510
1400ft [831ft]	1570	1580	1590	1600	1610	1620	1620	1630	1640
1500ft [931ft]	1690	1700	1710	1720	1730	1740	1750	1760	1770
1600ft [1031ft]	1810	1820	1830	1840	1850	1870	1880	1890	1900
1700ft [1131ft]	1930	1940	1960	1970	1980	1990	2000	2020	2030
1800ft [1231ft]	2050	2060	2080	2090	2100	2120	2130	2140	2160
1900ft [1331ft]	2170	2190	2200	2210	2230	2240	2260	2270	2290
2000ft [1431ft]	2290	2310	2320	2340	2350	2370	2380	2400	2420
2100ft [1531ft]	2410	2430	2440	2460	2480	2490	2510	2530	2550
2200ft [1631ft]	2530	2550	2570	2580	2600	2620	2640	2660	2670
2300ft [1731ft]	2650	2670	2690	2710	2730	2740	2760	2780	2800
2400ft [1831ft]	2770	2790	2810	2830	2850	2870	2890	2910	2930
2500ft [1931ft]	2890	2910	2930	2950	2970	3000	3020	3040	3060
2600ft [2031ft]	3010	3040	3060	3080	3100	3120	3140	3170	3190
2700ft [2131ft]	3130	3160	3180	3200	3220	3250	3270	3300	3320
2800ft [2231ft]	3250	3280	3300	3320	3350	3370	3400	3420	3450
2900ft [2331ft]	3380	3400	3420	3450	3470	3500	3520	3550	3580
3000ft [2431ft]	3500	3520	3550	3570	3600	3620	3650	3680	3710
3100ft [2531ft]	3620	3640	3670	3700	3720	3750	3780	3810	3840
3200ft [2631ft]	3740	3760	3790	3820	3850	3880	3910	3940	3970
3300ft [2731ft]	3860	3880	3910	3940	3970	4000	4030	4060	4090
3400ft [2831ft]	3980	4010	4040	4070	4100	4130	4160	4190	4220
3500ft [2931ft]	4100	4130	4160	4190	4220	4250	4290	4320	4350
3600ft [3031ft]	4220	4250	4280	4310	4350	4380	4410	4450	4480
3700ft [3131ft]	4340	4370	4400	4440	4470	4510	4540	4580	4610
3800ft [3231ft]	4460	4490	4530	4560	4600	4630	4670	4700	4740
3900ft [3331ft]	4580	4610	4650	4680	4720	4760	4790	4830	4870
4000ft [3431ft]	4700	4740	4770	4810	4850	4880	4920	4960	5000
4100ft [3531ft]	4820	4860	4890	4930	4970	5010	5050	5090	5130
4200ft [3631ft]	4940	4980	5020	5060	5090	5130	5180	5220	5260
4300ft [3731ft]	5060	5100	5140	5180	5220	5260	5300	5350	5390
4400ft [3831ft]	5180	5220	5260	5300	5340	5390	5430	5470	5520
4500ft [3931ft]	5300	5340	5390	5430	5470	5510	5560	5600	5650
4600ft [4031ft]	5420	5470	5510	5550	5590	5640	5680	5730	5780
4700ft [4131ft]	5540	5590	5630	5670	5720	5770	5810	5860	5910
4800ft [4231ft]	5670	5710	5750	5800	5840	5890	5940	5990	6040
4900ft [4331ft]	5790	5830	5880	5920	5970	6020	6070	6120	6170
5000ft [4431ft]	5910	5950	6000	6050	6090	6140	6190	6240	6300
5100ft [4531ft]	6030	6070	6120	6170	6220	6270	6320	6370	6430
5200ft [4631ft]	6150	6200	6250	6290	6340	6400	6450	6500	6560
5300ft [4731ft]	6270	6320	6370	6420	6470	6520	6580	6630	6690
5400ft [4831ft]	6390	6440	6490	6540	6600	6650	6700	6760	6820
5500ft [4931ft]	6510	6560	6610	6670	6720	6780	6830	6890	6950
5569ft [5000ft]	6590	6650	6700	6750	6810	6860	6920	6980	7030

Stefano M. RAPISARDA - flightdeckengineering.com

CYZR - Sarnia, ON, CANADA

Station Elevation: 595 feet. ISA Standard Temperature: 13.82°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
595ft [0ft]	600	600	600	600	600	600	600	600	600
600ft [5ft]	600	610	610	610	610	610	610	610	610
700ft [105ft]	700	710	710	710	710	710	710	710	710
800ft [205ft]	800	810	810	810	810	810	810	820	820
900ft [305ft]	900	910	910	910	910	920	920	920	920
1000ft [405ft]	1000	1010	1010	1010	1020	1020	1020	1030	1030
1100ft [505ft]	1100	1110	1110	1120	1120	1120	1130	1130	1130
1200ft [605ft]	1200	1210	1210	1220	1220	1230	1230	1240	1240
1300ft [705ft]	1300	1310	1310	1320	1320	1330	1340	1340	1350
1400ft [805ft]	1400	1410	1420	1420	1430	1430	1440	1450	1450
1500ft [905ft]	1500	1510	1520	1520	1530	1540	1540	1550	1560
1600ft [1005ft]	1600	1610	1620	1630	1630	1640	1650	1660	1660
1700ft [1105ft]	1700	1710	1720	1730	1740	1740	1750	1760	1770
1800ft [1205ft]	1800	1810	1820	1830	1840	1850	1860	1870	1880
1900ft [1305ft]	1900	1910	1920	1930	1940	1950	1960	1970	1980
2000ft [1405ft]	2000	2010	2020	2030	2040	2050	2070	2080	2090
2100ft [1505ft]	2100	2110	2130	2140	2150	2160	2170	2180	2190
2200ft [1605ft]	2200	2220	2230	2240	2250	2260	2270	2290	2300
2300ft [1705ft]	2300	2320	2330	2340	2350	2370	2380	2390	2400
2400ft [1805ft]	2400	2420	2430	2440	2460	2470	2480	2500	2510
2500ft [1905ft]	2500	2520	2530	2540	2560	2570	2590	2600	2620
2600ft [2005ft]	2600	2620	2630	2650	2660	2680	2690	2710	2720
2700ft [2105ft]	2700	2720	2730	2750	2760	2780	2800	2810	2830
2800ft [2205ft]	2800	2820	2830	2850	2870	2880	2900	2920	2930
2900ft [2305ft]	2900	2920	2940	2950	2970	2990	3000	3020	3040
3000ft [2405ft]	3000	3020	3040	3060	3070	3090	3110	3130	3150
3100ft [2505ft]	3100	3120	3140	3160	3180	3190	3210	3230	3250
3200ft [2605ft]	3200	3220	3240	3260	3280	3300	3320	3340	3360
3300ft [2705ft]	3300	3320	3340	3360	3380	3400	3420	3440	3460
3400ft [2805ft]	3400	3420	3440	3460	3480	3510	3530	3550	3570
3500ft [2905ft]	3500	3520	3540	3570	3590	3610	3630	3650	3680
3600ft [3005ft]	3600	3620	3650	3670	3690	3710	3740	3760	3780
3700ft [3105ft]	3700	3730	3750	3770	3790	3820	3840	3860	3890
3800ft [3205ft]	3800	3830	3850	3870	3900	3920	3940	3970	3990
3900ft [3305ft]	3900	3930	3950	3970	4000	4020	4050	4070	4100
4000ft [3405ft]	4000	4030	4050	4080	4100	4130	4150	4180	4210
4100ft [3505ft]	4100	4130	4150	4180	4200	4230	4260	4280	4310
4200ft [3605ft]	4200	4230	4250	4280	4310	4330	4360	4390	4420
4300ft [3705ft]	4300	4330	4360	4380	4410	4440	4470	4490	4520
4400ft [3805ft]	4400	4430	4460	4480	4510	4540	4570	4600	4630
4500ft [3905ft]	4500	4530	4560	4590	4620	4650	4670	4710	4740
4600ft [4005ft]	4600	4630	4660	4690	4720	4750	4780	4810	4840
4700ft [4105ft]	4700	4730	4760	4790	4820	4850	4880	4920	4950
4800ft [4205ft]	4800	4830	4860	4890	4920	4960	4990	5020	5050
4900ft [4305ft]	4900	4930	4960	5000	5030	5060	5090	5130	5160
5000ft [4405ft]	5000	5030	5070	5100	5130	5160	5200	5230	5270
5100ft [4505ft]	5100	5130	5170	5200	5230	5270	5300	5340	5370
5200ft [4605ft]	5200	5230	5270	5300	5340	5370	5410	5440	5480
5300ft [4705ft]	5300	5340	5370	5400	5440	5470	5510	5550	5580
5400ft [4805ft]	5400	5440	5470	5510	5540	5580	5610	5650	5690
5500ft [4905ft]	5500	5540	5570	5610	5640	5680	5720	5760	5800
5595ft [5000ft]	5600	5630	5670	5710	5740	5780	5820	5860	5900

Stefano M. RAPISARDA - flightdeckengineering.com

CYZR - Sarnia, ON, CANADA

Station Elevation: 595 feet. ISA Standard Temperature: 13.82°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
595ft [0ft]	600	600	600	600	600	600	600	600	600
600ft [5ft]	610	610	610	610	610	610	610	610	610
700ft [105ft]	710	710	710	710	710	720	720	720	720
800ft [205ft]	820	820	820	820	820	830	830	830	830
900ft [305ft]	920	930	930	930	930	940	940	940	940
1000ft [405ft]	1030	1030	1040	1040	1040	1050	1050	1050	1060
1100ft [505ft]	1130	1140	1140	1150	1150	1150	1160	1160	1170
1200ft [605ft]	1240	1250	1250	1250	1260	1260	1270	1280	1280
1300ft [705ft]	1350	1350	1360	1360	1370	1370	1380	1390	1390
1400ft [805ft]	1450	1460	1460	1470	1480	1480	1490	1500	1510
1500ft [905ft]	1560	1570	1570	1580	1590	1590	1600	1610	1620
1600ft [1005ft]	1660	1670	1680	1690	1700	1700	1710	1720	1730
1700ft [1105ft]	1770	1780	1790	1800	1810	1810	1820	1830	1840
1800ft [1205ft]	1880	1890	1890	1900	1910	1920	1930	1950	1960
1900ft [1305ft]	1980	1990	2000	2010	2020	2030	2050	2060	2070
2000ft [1405ft]	2090	2100	2110	2120	2130	2140	2160	2170	2180
2100ft [1505ft]	2190	2210	2220	2230	2240	2250	2270	2280	2290
2200ft [1605ft]	2300	2310	2320	2340	2350	2360	2380	2390	2410
2300ft [1705ft]	2400	2420	2430	2450	2460	2470	2490	2500	2520
2400ft [1805ft]	2510	2530	2540	2550	2570	2580	2600	2620	2630
2500ft [1905ft]	2620	2630	2650	2660	2680	2690	2710	2730	2740
2600ft [2005ft]	2720	2740	2750	2770	2790	2800	2820	2840	2860
2700ft [2105ft]	2830	2850	2860	2880	2900	2910	2930	2950	2970
2800ft [2205ft]	2930	2950	2970	2990	3010	3020	3040	3060	3080
2900ft [2305ft]	3040	3060	3080	3100	3120	3130	3150	3170	3190
3000ft [2405ft]	3150	3170	3180	3200	3220	3240	3270	3290	3310
3100ft [2505ft]	3250	3270	3290	3310	3330	3350	3380	3400	3420
3200ft [2605ft]	3360	3380	3400	3420	3440	3460	3490	3510	3530
3300ft [2705ft]	3460	3490	3510	3530	3550	3570	3600	3620	3650
3400ft [2805ft]	3570	3590	3610	3640	3660	3680	3710	3730	3760
3500ft [2905ft]	3680	3700	3720	3750	3770	3790	3820	3850	3870
3600ft [3005ft]	3780	3810	3830	3850	3880	3910	3930	3960	3980
3700ft [3105ft]	3890	3910	3940	3960	3990	4020	4040	4070	4100
3800ft [3205ft]	3990	4020	4050	4070	4100	4130	4150	4180	4210
3900ft [3305ft]	4100	4130	4150	4180	4210	4240	4260	4290	4320
4000ft [3405ft]	4210	4230	4260	4290	4320	4350	4370	4400	4430
4100ft [3505ft]	4310	4340	4370	4400	4430	4460	4490	4520	4550
4200ft [3605ft]	4420	4450	4480	4510	4540	4570	4600	4630	4660
4300ft [3705ft]	4520	4550	4580	4610	4640	4680	4710	4740	4770
4400ft [3805ft]	4630	4660	4690	4720	4750	4790	4820	4850	4890
4500ft [3905ft]	4740	4770	4800	4830	4860	4900	4930	4960	5000
4600ft [4005ft]	4840	4870	4910	4940	4970	5010	5040	5080	5110
4700ft [4105ft]	4950	4980	5010	5050	5080	5120	5150	5190	5220
4800ft [4205ft]	5050	5090	5120	5160	5190	5230	5260	5300	5340
4900ft [4305ft]	5160	5190	5230	5260	5300	5340	5370	5410	5450
5000ft [4405ft]	5270	5300	5340	5370	5410	5450	5490	5520	5560
5100ft [4505ft]	5370	5410	5440	5480	5520	5560	5600	5640	5680
5200ft [4605ft]	5480	5510	5550	5590	5630	5670	5710	5750	5790
5300ft [4705ft]	5580	5620	5660	5700	5740	5780	5820	5860	5900
5400ft [4805ft]	5690	5730	5770	5810	5850	5890	5930	5970	6010
5500ft [4905ft]	5800	5840	5880	5920	5960	6000	6040	6080	6130
5595ft [5000ft]	5900	5940	5980	6020	6060	6100	6150	6190	6230

Stefano M. RAPISARDA - flightdeckengineering.com

CYZR - Sarnia, ON, CANADA

Station Elevation: 595 feet. ISA Standard Temperature: 13.82°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
595ft [0ft]	600	600	600	600	600	600	600	600	600
600ft [5ft]	610	610	610	610	610	610	610	610	610
700ft [105ft]	720	720	720	720	720	720	720	720	730
800ft [205ft]	830	830	830	840	840	840	840	840	850
900ft [305ft]	940	950	950	950	950	960	960	960	970
1000ft [405ft]	1060	1060	1060	1070	1070	1070	1080	1080	1090
1100ft [505ft]	1170	1170	1180	1180	1190	1190	1200	1200	1210
1200ft [605ft]	1280	1290	1290	1300	1300	1310	1310	1320	1330
1300ft [705ft]	1390	1400	1410	1410	1420	1430	1430	1440	1450
1400ft [805ft]	1510	1510	1520	1530	1530	1540	1550	1560	1570
1500ft [905ft]	1620	1630	1630	1640	1650	1660	1670	1680	1690
1600ft [1005ft]	1730	1740	1750	1760	1770	1780	1790	1800	1810
1700ft [1105ft]	1840	1850	1860	1870	1880	1890	1900	1920	1930
1800ft [1205ft]	1960	1970	1980	1990	2000	2010	2020	2030	2050
1900ft [1305ft]	2070	2080	2090	2100	2120	2130	2140	2150	2170
2000ft [1405ft]	2180	2190	2210	2220	2230	2250	2260	2270	2290
2100ft [1505ft]	2290	2310	2320	2330	2350	2360	2380	2390	2410
2200ft [1605ft]	2410	2420	2430	2450	2460	2480	2500	2510	2530
2300ft [1705ft]	2520	2530	2550	2570	2580	2600	2610	2630	2650
2400ft [1805ft]	2630	2650	2660	2680	2700	2710	2730	2750	2770
2500ft [1905ft]	2740	2760	2780	2800	2810	2830	2850	2870	2890
2600ft [2005ft]	2860	2870	2890	2910	2930	2950	2970	2990	3010
2700ft [2105ft]	2970	2990	3010	3030	3050	3070	3090	3110	3130
2800ft [2205ft]	3080	3100	3120	3140	3160	3180	3210	3230	3250
2900ft [2305ft]	3190	3220	3240	3260	3280	3300	3320	3350	3370
3000ft [2405ft]	3310	3330	3350	3370	3400	3420	3440	3470	3490
3100ft [2505ft]	3420	3440	3470	3490	3510	3540	3560	3590	3610
3200ft [2605ft]	3530	3560	3580	3600	3630	3650	3680	3700	3730
3300ft [2705ft]	3650	3670	3690	3720	3740	3770	3800	3820	3850
3400ft [2805ft]	3760	3780	3810	3830	3860	3890	3920	3940	3970
3500ft [2905ft]	3870	3900	3920	3950	3980	4010	4030	4060	4090
3600ft [3005ft]	3980	4010	4040	4070	4090	4120	4150	4180	4210
3700ft [3105ft]	4100	4120	4150	4180	4210	4240	4270	4300	4330
3800ft [3205ft]	4210	4240	4270	4300	4330	4360	4390	4420	4450
3900ft [3305ft]	4320	4350	4380	4410	4440	4480	4510	4540	4570
4000ft [3405ft]	4430	4470	4500	4530	4560	4590	4630	4660	4690
4100ft [3505ft]	4550	4580	4610	4640	4680	4710	4740	4780	4810
4200ft [3605ft]	4660	4690	4730	4760	4790	4830	4860	4900	4940
4300ft [3705ft]	4770	4810	4840	4870	4910	4950	4980	5020	5060
4400ft [3805ft]	4890	4920	4950	4990	5030	5060	5100	5140	5180
4500ft [3905ft]	5000	5030	5070	5110	5140	5180	5220	5260	5300
4600ft [4005ft]	5110	5150	5180	5220	5260	5300	5340	5380	5420
4700ft [4105ft]	5220	5260	5300	5340	5380	5420	5460	5500	5540
4800ft [4205ft]	5340	5380	5410	5450	5490	5530	5570	5620	5660
4900ft [4305ft]	5450	5490	5530	5570	5610	5650	5690	5740	5780
5000ft [4405ft]	5560	5600	5640	5680	5730	5770	5810	5860	5900
5100ft [4505ft]	5680	5720	5760	5800	5840	5890	5930	5980	6020
5200ft [4605ft]	5790	5830	5870	5920	5960	6000	6050	6100	6140
5300ft [4705ft]	5900	5940	5990	6030	6080	6120	6170	6210	6260
5400ft [4805ft]	6010	6060	6100	6150	6190	6240	6290	6330	6380
5500ft [4905ft]	6130	6170	6220	6260	6310	6360	6410	6450	6500
5595ft [5000ft]	6230	6280	6330	6370	6420	6470	6520	6570	6620

Stefano M. RAPISARDA - flightdeckengineering.com

CYZR - Sarnia, ON, CANADA

Station Elevation: 595 feet. ISA Standard Temperature: 13.82°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
595ft [0ft]	600	600	600	600	600	600	600	600	600
600ft [5ft]	610	610	610	610	610	610	610	610	610
700ft [105ft]	730	730	730	730	730	730	730	730	730
800ft [205ft]	850	850	850	850	850	860	860	860	860
900ft [305ft]	970	970	970	980	980	980	990	990	990
1000ft [405ft]	1090	1090	1090	1100	1100	1110	1110	1120	1120
1100ft [505ft]	1210	1210	1220	1220	1230	1230	1240	1240	1250
1200ft [605ft]	1330	1330	1340	1340	1350	1360	1360	1370	1380
1300ft [705ft]	1450	1450	1460	1470	1480	1480	1490	1500	1510
1400ft [805ft]	1570	1570	1580	1590	1600	1610	1620	1630	1640
1500ft [905ft]	1690	1700	1700	1710	1720	1730	1740	1750	1760
1600ft [1005ft]	1810	1820	1830	1840	1850	1860	1870	1880	1890
1700ft [1105ft]	1930	1940	1950	1960	1970	1980	2000	2010	2020
1800ft [1205ft]	2050	2060	2070	2080	2100	2110	2120	2140	2150
1900ft [1305ft]	2170	2180	2190	2210	2220	2240	2250	2260	2280
2000ft [1405ft]	2290	2300	2320	2330	2350	2360	2380	2390	2410
2100ft [1505ft]	2410	2420	2440	2450	2470	2490	2500	2520	2540
2200ft [1605ft]	2530	2540	2560	2580	2590	2610	2630	2650	2670
2300ft [1705ft]	2650	2670	2680	2700	2720	2740	2760	2780	2800
2400ft [1805ft]	2770	2790	2810	2820	2840	2860	2880	2900	2920
2500ft [1905ft]	2890	2910	2930	2950	2970	2990	3010	3030	3050
2600ft [2005ft]	3010	3030	3050	3070	3090	3110	3140	3160	3180
2700ft [2105ft]	3130	3150	3170	3190	3220	3240	3260	3290	3310
2800ft [2205ft]	3250	3270	3290	3320	3340	3370	3390	3420	3440
2900ft [2305ft]	3370	3390	3420	3440	3470	3490	3520	3540	3570
3000ft [2405ft]	3490	3510	3540	3560	3590	3620	3640	3670	3700
3100ft [2505ft]	3610	3640	3660	3690	3720	3740	3770	3800	3830
3200ft [2605ft]	3730	3760	3780	3810	3840	3870	3900	3930	3960
3300ft [2705ft]	3850	3880	3910	3940	3960	3990	4020	4060	4090
3400ft [2805ft]	3970	4000	4030	4060	4090	4120	4150	4180	4220
3500ft [2905ft]	4090	4120	4150	4180	4210	4250	4280	4310	4340
3600ft [3005ft]	4210	4240	4270	4310	4340	4370	4410	4440	4470
3700ft [3105ft]	4330	4360	4400	4430	4460	4500	4530	4570	4600
3800ft [3205ft]	4450	4490	4520	4550	4590	4620	4660	4700	4730
3900ft [3305ft]	4570	4610	4640	4680	4710	4750	4790	4820	4860
4000ft [3405ft]	4690	4730	4760	4800	4840	4880	4910	4950	4990
4100ft [3505ft]	4810	4850	4890	4920	4960	5000	5040	5080	5120
4200ft [3605ft]	4940	4970	5010	5050	5090	5130	5170	5210	5250
4300ft [3705ft]	5060	5090	5130	5170	5210	5250	5290	5340	5380
4400ft [3805ft]	5180	5220	5260	5300	5340	5380	5420	5470	5510
4500ft [3905ft]	5300	5340	5380	5420	5460	5510	5550	5590	5640
4600ft [4005ft]	5420	5460	5500	5540	5590	5630	5680	5720	5770
4700ft [4105ft]	5540	5580	5620	5670	5710	5760	5800	5850	5900
4800ft [4205ft]	5660	5700	5750	5790	5840	5880	5930	5980	6030
4900ft [4305ft]	5780	5820	5870	5920	5960	6010	6060	6110	6160
5000ft [4405ft]	5900	5950	5990	6040	6090	6140	6190	6240	6290
5100ft [4505ft]	6020	6070	6120	6160	6210	6260	6310	6360	6420
5200ft [4605ft]	6140	6190	6240	6290	6340	6390	6440	6490	6550
5300ft [4705ft]	6260	6310	6360	6410	6460	6510	6570	6620	6680
5400ft [4805ft]	6380	6430	6480	6540	6590	6640	6690	6750	6810
5500ft [4905ft]	6500	6550	6610	6660	6710	6770	6820	6880	6940
5595ft [5000ft]	6620	6670	6720	6780	6830	6890	6940	7000	7060

Stefano M. RAPISARDA - flightdeckengineering.com

11 Prince Edward Island Airports

11.1 CYYG - CHARLOTTETOWN, PE, CANADA 221

CYYG - Charlottetown, PE, CANADA

Station Elevation: 201 feet. ISA Standard Temperature: 14.6°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
201ft [0ft]	210	210	210	210	210	210	210	210	210
300ft [99ft]	300	310	310	310	310	310	310	310	310
400ft [199ft]	400	410	410	410	410	410	410	410	420
500ft [299ft]	500	510	510	510	510	520	520	520	520
600ft [399ft]	600	610	610	610	620	620	620	620	630
700ft [499ft]	700	710	710	710	720	720	730	730	730
800ft [599ft]	800	810	810	820	820	830	830	830	840
900ft [699ft]	900	910	910	920	920	930	930	940	950
1000ft [799ft]	1000	1010	1020	1020	1030	1030	1040	1040	1050
1100ft [899ft]	1100	1110	1120	1120	1130	1140	1140	1150	1160
1200ft [999ft]	1200	1210	1220	1220	1230	1240	1250	1250	1260
1300ft [1099ft]	1300	1310	1320	1330	1330	1340	1350	1360	1370
1400ft [1199ft]	1400	1410	1420	1430	1440	1450	1460	1460	1470
1500ft [1299ft]	1500	1510	1520	1530	1540	1550	1560	1570	1580
1600ft [1399ft]	1600	1610	1620	1630	1640	1650	1660	1670	1690
1700ft [1499ft]	1700	1710	1720	1730	1750	1760	1770	1780	1790
1800ft [1599ft]	1800	1810	1830	1840	1850	1860	1870	1880	1900
1900ft [1699ft]	1900	1910	1930	1940	1950	1960	1980	1990	2000
2000ft [1799ft]	2000	2020	2030	2040	2050	2070	2080	2090	2110
2100ft [1899ft]	2100	2120	2130	2140	2160	2170	2190	2200	2210
2200ft [1999ft]	2200	2220	2230	2240	2260	2270	2290	2300	2320
2300ft [2099ft]	2300	2320	2330	2350	2360	2380	2390	2410	2430
2400ft [2199ft]	2400	2420	2430	2450	2470	2480	2500	2510	2530
2500ft [2299ft]	2500	2520	2530	2550	2570	2590	2600	2620	2640
2600ft [2399ft]	2600	2620	2640	2650	2670	2690	2710	2730	2740
2700ft [2499ft]	2700	2720	2740	2760	2770	2790	2810	2830	2850
2800ft [2599ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2699ft]	2900	2920	2940	2960	2980	3000	3020	3040	3060
3000ft [2799ft]	3000	3020	3040	3060	3080	3100	3120	3150	3170
3100ft [2899ft]	3100	3120	3140	3160	3180	3210	3230	3250	3270
3200ft [2999ft]	3200	3220	3240	3270	3290	3310	3330	3360	3380
3300ft [3099ft]	3300	3320	3340	3370	3390	3410	3440	3460	3480
3400ft [3199ft]	3400	3420	3450	3470	3490	3520	3540	3570	3590
3500ft [3299ft]	3500	3520	3550	3570	3600	3620	3650	3670	3700
3600ft [3399ft]	3600	3620	3650	3670	3700	3720	3750	3780	3800
3700ft [3499ft]	3700	3720	3750	3780	3800	3830	3850	3880	3910
3800ft [3599ft]	3800	3830	3850	3880	3900	3930	3960	3990	4010
3900ft [3699ft]	3900	3930	3950	3980	4010	4030	4060	4090	4120
4000ft [3799ft]	4000	4030	4050	4080	4110	4140	4170	4200	4230
4100ft [3899ft]	4100	4130	4160	4180	4210	4240	4270	4300	4330
4200ft [3999ft]	4200	4230	4260	4290	4320	4350	4380	4410	4440
4300ft [4099ft]	4300	4330	4360	4390	4420	4450	4480	4510	4540
4400ft [4199ft]	4400	4430	4460	4490	4520	4550	4580	4620	4650
4500ft [4299ft]	4500	4530	4560	4590	4620	4660	4690	4720	4760
4600ft [4399ft]	4600	4630	4660	4690	4730	4760	4790	4830	4860
4700ft [4499ft]	4700	4730	4760	4800	4830	4860	4900	4930	4970
4800ft [4599ft]	4800	4830	4860	4900	4930	4970	5000	5040	5070
4900ft [4699ft]	4900	4930	4970	5000	5030	5070	5110	5140	5180
5000ft [4799ft]	5000	5030	5070	5100	5140	5170	5210	5250	5280
5100ft [4899ft]	5100	5130	5170	5200	5240	5280	5310	5350	5390
5200ft [4999ft]	5200	5230	5270	5310	5340	5380	5420	5460	5500
5201ft [5000ft]	5201	5230	5270	5310	5340	5380	5420	5460	5500

Stefano M. RAPISARDA - flightdeckengineering.com

CYYG - Charlottetown, PE, CANADA

Station Elevation: 201 feet. ISA Standard Temperature: 14.6°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
201ft [0ft]	210	210	210	210	210	210	210	210	210
300ft [99ft]	310	310	310	310	310	310	320	320	320
400ft [199ft]	420	420	420	420	420	420	430	430	430
500ft [299ft]	520	520	530	530	530	530	540	540	540
600ft [399ft]	630	630	630	640	640	640	650	650	650
700ft [499ft]	730	740	740	750	750	750	760	760	770
800ft [599ft]	840	840	850	850	860	860	870	870	880
900ft [699ft]	950	950	960	960	970	970	980	990	990
1000ft [799ft]	1050	1060	1060	1070	1080	1080	1090	1100	1100
1100ft [899ft]	1160	1160	1170	1180	1190	1190	1200	1210	1220
1200ft [999ft]	1260	1270	1280	1290	1290	1300	1310	1320	1330
1300ft [1099ft]	1370	1380	1390	1390	1400	1410	1420	1430	1440
1400ft [1199ft]	1470	1480	1490	1500	1510	1520	1530	1540	1550
1500ft [1299ft]	1580	1590	1600	1610	1620	1630	1640	1650	1670
1600ft [1399ft]	1690	1700	1710	1720	1730	1740	1750	1770	1780
1700ft [1499ft]	1790	1800	1820	1830	1840	1850	1860	1880	1890
1800ft [1599ft]	1900	1910	1920	1940	1950	1960	1980	1990	2000
1900ft [1699ft]	2000	2020	2030	2040	2060	2070	2090	2100	2120
2000ft [1799ft]	2110	2120	2140	2150	2170	2180	2200	2210	2230
2100ft [1899ft]	2210	2230	2240	2260	2280	2290	2310	2320	2340
2200ft [1999ft]	2320	2340	2350	2370	2380	2400	2420	2440	2450
2300ft [2099ft]	2430	2440	2460	2480	2490	2510	2530	2550	2570
2400ft [2199ft]	2530	2550	2570	2580	2600	2620	2640	2660	2680
2500ft [2299ft]	2640	2660	2670	2690	2710	2730	2750	2770	2790
2600ft [2399ft]	2740	2760	2780	2800	2820	2840	2860	2880	2900
2700ft [2499ft]	2850	2870	2890	2910	2930	2950	2970	2990	3020
2800ft [2599ft]	2960	2980	3000	3020	3040	3060	3080	3110	3130
2900ft [2699ft]	3060	3080	3100	3130	3150	3170	3190	3220	3240
3000ft [2799ft]	3170	3190	3210	3230	3260	3280	3310	3330	3350
3100ft [2899ft]	3270	3300	3320	3340	3370	3390	3420	3440	3470
3200ft [2999ft]	3380	3400	3430	3450	3480	3500	3530	3550	3580
3300ft [3099ft]	3480	3510	3530	3560	3590	3610	3640	3660	3690
3400ft [3199ft]	3590	3620	3640	3670	3690	3720	3750	3780	3800
3500ft [3299ft]	3700	3720	3750	3780	3800	3830	3860	3890	3920
3600ft [3399ft]	3800	3830	3860	3880	3910	3940	3970	4000	4030
3700ft [3499ft]	3910	3940	3960	3990	4020	4050	4080	4110	4140
3800ft [3599ft]	4010	4040	4070	4100	4130	4160	4190	4220	4260
3900ft [3699ft]	4120	4150	4180	4210	4240	4270	4300	4340	4370
4000ft [3799ft]	4230	4260	4290	4320	4350	4380	4410	4450	4480
4100ft [3899ft]	4330	4360	4390	4430	4460	4490	4520	4560	4590
4200ft [3999ft]	4440	4470	4500	4530	4570	4600	4640	4670	4710
4300ft [4099ft]	4540	4580	4610	4640	4680	4710	4750	4780	4820
4400ft [4199ft]	4650	4680	4720	4750	4790	4820	4860	4890	4930
4500ft [4299ft]	4760	4790	4820	4860	4900	4930	4970	5010	5040
4600ft [4399ft]	4860	4900	4930	4970	5000	5040	5080	5120	5160
4700ft [4499ft]	4970	5000	5040	5080	5110	5150	5190	5230	5270
4800ft [4599ft]	5070	5110	5150	5180	5220	5260	5300	5340	5380
4900ft [4699ft]	5180	5220	5250	5290	5330	5370	5410	5450	5500
5000ft [4799ft]	5280	5320	5360	5400	5440	5480	5520	5570	5610
5100ft [4899ft]	5390	5430	5470	5510	5550	5590	5630	5680	5720
5200ft [4999ft]	5500	5540	5580	5620	5660	5700	5750	5790	5830
5201ft [5000ft]	5500	5540	5580	5620	5660	5700	5750	5790	5830

Stefano M. RAPISARDA - flightdeckengineering.com

CYYG - Charlottetown, PE, CANADA

Station Elevation: 201 feet. ISA Standard Temperature: 14.6°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
201ft [0ft]	210	210	210	210	210	210	210	210	210
300ft [99ft]	320	320	320	320	320	320	320	320	320
400ft [199ft]	430	430	430	430	440	440	440	440	440
500ft [299ft]	540	540	550	550	550	560	560	560	560
600ft [399ft]	650	660	660	670	670	670	680	680	680
700ft [499ft]	770	770	780	780	780	790	790	800	800
800ft [599ft]	880	880	890	900	900	910	910	920	920
900ft [699ft]	990	1000	1000	1010	1020	1020	1030	1040	1040
1000ft [799ft]	1100	1110	1120	1130	1130	1140	1150	1160	1160
1100ft [899ft]	1220	1220	1230	1240	1250	1260	1270	1270	1280
1200ft [999ft]	1330	1340	1350	1360	1370	1370	1380	1390	1400
1300ft [1099ft]	1440	1450	1460	1470	1480	1490	1500	1510	1520
1400ft [1199ft]	1550	1560	1580	1590	1600	1610	1620	1630	1640
1500ft [1299ft]	1670	1680	1690	1700	1710	1730	1740	1750	1760
1600ft [1399ft]	1780	1790	1800	1820	1830	1840	1860	1870	1880
1700ft [1499ft]	1890	1900	1920	1930	1950	1960	1970	1990	2000
1800ft [1599ft]	2000	2020	2030	2050	2060	2080	2090	2110	2120
1900ft [1699ft]	2120	2130	2150	2160	2180	2190	2210	2230	2240
2000ft [1799ft]	2230	2240	2260	2280	2290	2310	2330	2350	2360
2100ft [1899ft]	2340	2360	2380	2390	2410	2430	2450	2470	2480
2200ft [1999ft]	2450	2470	2490	2510	2530	2550	2560	2580	2600
2300ft [2099ft]	2570	2580	2600	2620	2640	2660	2680	2700	2720
2400ft [2199ft]	2680	2700	2720	2740	2760	2780	2800	2820	2840
2500ft [2299ft]	2790	2810	2830	2850	2880	2900	2920	2940	2960
2600ft [2399ft]	2900	2930	2950	2970	2990	3010	3040	3060	3090
2700ft [2499ft]	3020	3040	3060	3080	3110	3130	3160	3180	3210
2800ft [2599ft]	3130	3150	3180	3200	3220	3250	3270	3300	3330
2900ft [2699ft]	3240	3270	3290	3320	3340	3370	3390	3420	3450
3000ft [2799ft]	3350	3380	3400	3430	3460	3480	3510	3540	3570
3100ft [2899ft]	3470	3490	3520	3550	3570	3600	3630	3660	3690
3200ft [2999ft]	3580	3610	3630	3660	3690	3720	3750	3780	3810
3300ft [3099ft]	3690	3720	3750	3780	3810	3840	3870	3900	3930
3400ft [3199ft]	3800	3830	3860	3890	3920	3950	3980	4020	4050
3500ft [3299ft]	3920	3950	3980	4010	4040	4070	4100	4130	4170
3600ft [3399ft]	4030	4060	4090	4120	4150	4190	4220	4250	4290
3700ft [3499ft]	4140	4170	4210	4240	4270	4300	4340	4370	4410
3800ft [3599ft]	4260	4290	4320	4350	4390	4420	4460	4490	4530
3900ft [3699ft]	4370	4400	4430	4470	4500	4540	4580	4610	4650
4000ft [3799ft]	4480	4510	4550	4580	4620	4660	4690	4730	4770
4100ft [3899ft]	4590	4630	4660	4700	4740	4770	4810	4850	4890
4200ft [3999ft]	4710	4740	4780	4820	4850	4890	4930	4970	5010
4300ft [4099ft]	4820	4860	4890	4930	4970	5010	5050	5090	5130
4400ft [4199ft]	4930	4970	5010	5050	5090	5130	5170	5210	5250
4500ft [4299ft]	5040	5080	5120	5160	5200	5240	5290	5330	5370
4600ft [4399ft]	5160	5200	5240	5280	5320	5360	5400	5450	5490
4700ft [4499ft]	5270	5310	5350	5390	5440	5480	5520	5570	5610
4800ft [4599ft]	5380	5420	5470	5510	5550	5600	5640	5690	5730
4900ft [4699ft]	5500	5540	5580	5620	5670	5710	5760	5810	5850
5000ft [4799ft]	5610	5650	5700	5740	5790	5830	5880	5930	5980
5100ft [4899ft]	5720	5770	5810	5860	5900	5950	6000	6050	6100
5200ft [4999ft]	5830	5880	5920	5970	6020	6070	6120	6170	6220
5201ft [5000ft]	5830	5880	5930	5970	6020	6070	6120	6170	6220

Stefano M. RAPISARDA - flightdeckengineering.com

CYYG - Charlottetown, PE, CANADA

Station Elevation: 201 feet. ISA Standard Temperature: 14.6°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
201ft [0ft]	210	210	210	210	210	210	210	210	210
300ft [99ft]	320	330	330	330	330	330	330	330	330
400ft [199ft]	440	450	450	450	450	450	460	460	460
500ft [299ft]	560	570	570	570	580	580	580	590	590
600ft [399ft]	680	690	690	700	700	710	710	710	720
700ft [499ft]	800	810	810	820	820	830	840	840	850
800ft [599ft]	920	930	940	940	950	960	960	970	980
900ft [699ft]	1040	1050	1060	1070	1070	1080	1090	1100	1110
1000ft [799ft]	1160	1170	1180	1190	1200	1210	1210	1220	1240
1100ft [899ft]	1280	1290	1300	1310	1320	1330	1340	1350	1370
1200ft [999ft]	1400	1410	1420	1430	1450	1460	1470	1480	1500
1300ft [1099ft]	1520	1530	1550	1560	1570	1580	1590	1610	1620
1400ft [1199ft]	1640	1660	1670	1680	1690	1710	1720	1730	1750
1500ft [1299ft]	1760	1780	1790	1800	1820	1830	1850	1860	1880
1600ft [1399ft]	1880	1900	1910	1930	1940	1960	1970	1990	2010
1700ft [1499ft]	2000	2020	2030	2050	2070	2080	2100	2120	2140
1800ft [1599ft]	2120	2140	2160	2170	2190	2210	2230	2240	2270
1900ft [1699ft]	2240	2260	2280	2300	2310	2330	2350	2370	2400
2000ft [1799ft]	2360	2380	2400	2420	2440	2460	2480	2500	2530
2100ft [1899ft]	2480	2500	2520	2540	2560	2580	2610	2630	2660
2200ft [1999ft]	2600	2620	2650	2670	2690	2710	2730	2750	2790
2300ft [2099ft]	2720	2750	2770	2790	2810	2840	2860	2880	2920
2400ft [2199ft]	2840	2870	2890	2910	2940	2960	2980	3010	3050
2500ft [2299ft]	2960	2990	3010	3040	3060	3090	3110	3140	3180
2600ft [2399ft]	3090	3110	3130	3160	3190	3210	3240	3270	3310
2700ft [2499ft]	3210	3230	3260	3280	3310	3340	3360	3390	3440
2800ft [2599ft]	3330	3350	3380	3410	3430	3460	3490	3520	3570
2900ft [2699ft]	3450	3470	3500	3530	3560	3590	3620	3650	3700
3000ft [2799ft]	3570	3590	3620	3650	3680	3710	3750	3780	3830
3100ft [2899ft]	3690	3720	3750	3780	3810	3840	3870	3900	3960
3200ft [2999ft]	3810	3840	3870	3900	3930	3970	4000	4030	4080
3300ft [3099ft]	3930	3960	3990	4020	4060	4090	4130	4160	4210
3400ft [3199ft]	4050	4080	4110	4150	4180	4220	4250	4290	4340
3500ft [3299ft]	4170	4200	4240	4270	4310	4340	4380	4420	4470
3600ft [3399ft]	4290	4320	4360	4390	4430	4470	4510	4540	4600
3700ft [3499ft]	4410	4440	4480	4520	4560	4590	4630	4670	4730
3800ft [3599ft]	4530	4570	4600	4640	4680	4720	4760	4800	4860
3900ft [3699ft]	4650	4690	4730	4770	4800	4850	4890	4930	4990
4000ft [3799ft]	4770	4810	4850	4890	4930	4970	5010	5060	5120
4100ft [3899ft]	4890	4930	4970	5010	5050	5100	5140	5190	5250
4200ft [3999ft]	5010	5050	5090	5140	5180	5220	5270	5310	5380
4300ft [4099ft]	5130	5170	5220	5260	5300	5350	5390	5440	5510
4400ft [4199ft]	5250	5290	5340	5380	5430	5480	5520	5570	5640
4500ft [4299ft]	5370	5420	5460	5510	5550	5600	5650	5700	5770
4600ft [4399ft]	5490	5540	5580	5630	5680	5730	5780	5830	5900
4700ft [4499ft]	5610	5660	5710	5750	5800	5850	5900	5950	6030
4800ft [4599ft]	5730	5780	5830	5880	5930	5980	6030	6080	6160
4900ft [4699ft]	5850	5900	5950	6000	6050	6110	6160	6210	6290
5000ft [4799ft]	5980	6020	6070	6130	6180	6230	6290	6340	6420
5100ft [4899ft]	6100	6150	6200	6250	6300	6360	6410	6470	6550
5200ft [4999ft]	6220	6270	6320	6370	6430	6480	6540	6600	6680
5201ft [5000ft]	6220	6270	6320	6380	6430	6480	6540	6600	6690

Stefano M. RAPISARDA - flightdeckengineering.com

12 Quebec Airports

12.1 CYBC - Baie Comeau, QC, CANADA 226

12.2 CYBG - Bagotville, QC, CANADA 230

12.3 CYFJ - Mont Tremblant, QC, CANADA 234

12.4 CYGP - Gaspe, QC, CANADA 238

12.5 CYGR - Iles de La Madeleine, QC, CANADA 242

12.6 CYQB - Quebec, QC, CANADA 246

12.7 CYUL - Montreal, QC, CANADA 250

12.8 CYUY - Rouyn-Noranda, QC, CANADA 254

12.9 CYVO - Val d'Or, QC, CANADA 258

12.10 CYYY - Mont Joli, QC, CANADA 262

12.11 CYZV - Sept-Iles, QC, CANADA 266

CYBC - Baie Comeau, QC, CANADA

Station Elevation: 71 feet. ISA Standard Temperature: 14.86°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
71ft [0ft]	80	80	80	80	80	80	80	80	80
100ft [29ft]	100	110	110	110	110	110	110	110	110
200ft [129ft]	200	210	210	210	210	210	210	210	210
300ft [229ft]	300	310	310	310	310	310	310	320	320
400ft [329ft]	400	410	410	410	410	420	420	420	420
500ft [429ft]	500	510	510	510	520	520	520	530	530
600ft [529ft]	600	610	610	620	620	620	630	630	640
700ft [629ft]	700	710	710	720	720	730	730	740	740
800ft [729ft]	800	810	810	820	830	830	840	840	850
900ft [829ft]	900	910	920	920	930	930	940	950	950
1000ft [929ft]	1000	1010	1020	1020	1030	1040	1050	1050	1060
1100ft [1029ft]	1100	1110	1120	1130	1130	1140	1150	1160	1170
1200ft [1129ft]	1200	1210	1220	1230	1240	1250	1250	1260	1270
1300ft [1229ft]	1300	1310	1320	1330	1340	1350	1360	1370	1380
1400ft [1329ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1429ft]	1500	1510	1520	1530	1550	1560	1570	1580	1590
1600ft [1529ft]	1600	1610	1630	1640	1650	1660	1670	1680	1690
1700ft [1629ft]	1700	1720	1730	1740	1750	1760	1780	1790	1800
1800ft [1729ft]	1800	1820	1830	1840	1850	1870	1880	1890	1910
1900ft [1829ft]	1900	1920	1930	1940	1960	1970	1980	2000	2010
2000ft [1929ft]	2000	2020	2030	2050	2060	2070	2090	2100	2120
2100ft [2029ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2200ft [2129ft]	2200	2220	2230	2250	2270	2280	2300	2310	2330
2300ft [2229ft]	2300	2320	2340	2350	2370	2380	2400	2420	2440
2400ft [2329ft]	2400	2420	2440	2450	2470	2490	2510	2520	2540
2500ft [2429ft]	2500	2520	2540	2560	2570	2590	2610	2630	2650
2600ft [2529ft]	2600	2620	2640	2660	2680	2700	2710	2730	2750
2700ft [2629ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2729ft]	2800	2820	2840	2860	2880	2900	2920	2940	2970
2900ft [2829ft]	2900	2920	2940	2960	2990	3010	3030	3050	3070
3000ft [2929ft]	3000	3020	3050	3070	3090	3110	3130	3150	3180
3100ft [3029ft]	3100	3120	3150	3170	3190	3210	3240	3260	3280
3200ft [3129ft]	3200	3230	3250	3270	3290	3320	3340	3370	3390
3300ft [3229ft]	3300	3330	3350	3370	3400	3420	3450	3470	3500
3400ft [3329ft]	3400	3430	3450	3470	3500	3520	3550	3580	3600
3500ft [3429ft]	3500	3530	3550	3580	3600	3630	3650	3680	3710
3600ft [3529ft]	3600	3630	3650	3680	3710	3730	3760	3790	3810
3700ft [3629ft]	3700	3730	3750	3780	3810	3840	3860	3890	3920
3800ft [3729ft]	3800	3830	3860	3880	3910	3940	3970	4000	4030
3900ft [3829ft]	3900	3930	3960	3990	4010	4040	4070	4100	4130
4000ft [3929ft]	4000	4030	4060	4090	4120	4150	4180	4210	4240
4100ft [4029ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4200ft [4129ft]	4200	4230	4260	4290	4320	4350	4390	4420	4450
4300ft [4229ft]	4300	4330	4360	4390	4430	4460	4490	4520	4560
4400ft [4329ft]	4400	4430	4460	4500	4530	4560	4590	4630	4660
4500ft [4429ft]	4500	4530	4570	4600	4630	4660	4700	4730	4770
4600ft [4529ft]	4600	4630	4670	4700	4730	4770	4800	4840	4870
4700ft [4629ft]	4700	4740	4770	4800	4840	4870	4910	4940	4980
4800ft [4729ft]	4800	4840	4870	4900	4940	4980	5010	5050	5090
4900ft [4829ft]	4900	4940	4970	5010	5040	5080	5120	5150	5190
5000ft [4929ft]	5000	5040	5070	5110	5150	5180	5220	5260	5300
5071ft [5000ft]	5071	5110	5150	5180	5220	5260	5290	5330	5370

Stefano M. RAPISARDA - flightdeckengineering.com

CYBC - Baie Comeau, QC, CANADA

Station Elevation: 71 feet. ISA Standard Temperature: 14.86°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
71ft [0ft]	80	80	80	80	80	80	80	80	80
100ft [29ft]	110	110	110	110	110	110	110	110	110
200ft [129ft]	210	210	210	220	220	220	220	220	220
300ft [229ft]	320	320	320	320	330	330	330	330	330
400ft [329ft]	420	430	430	430	430	440	440	440	450
500ft [429ft]	530	530	540	540	540	550	550	550	560
600ft [529ft]	640	640	640	650	650	660	660	670	670
700ft [629ft]	740	750	750	760	760	770	770	780	780
800ft [729ft]	850	850	860	870	870	880	880	890	900
900ft [829ft]	950	960	970	970	980	990	990	1000	1010
1000ft [929ft]	1060	1070	1070	1080	1090	1100	1100	1110	1120
1100ft [1029ft]	1170	1170	1180	1190	1200	1210	1220	1220	1230
1200ft [1129ft]	1270	1280	1290	1300	1310	1320	1330	1340	1350
1300ft [1229ft]	1380	1390	1400	1410	1420	1430	1440	1450	1460
1400ft [1329ft]	1480	1490	1500	1510	1530	1540	1550	1560	1570
1500ft [1429ft]	1590	1600	1610	1620	1630	1650	1660	1670	1680
1600ft [1529ft]	1690	1710	1720	1730	1740	1760	1770	1780	1800
1700ft [1629ft]	1800	1810	1830	1840	1850	1870	1880	1890	1910
1800ft [1729ft]	1910	1920	1930	1950	1960	1980	1990	2010	2020
1900ft [1829ft]	2010	2030	2040	2060	2070	2090	2100	2120	2130
2000ft [1929ft]	2120	2130	2150	2160	2180	2200	2210	2230	2250
2100ft [2029ft]	2220	2240	2260	2270	2290	2310	2320	2340	2360
2200ft [2129ft]	2330	2350	2360	2380	2400	2420	2430	2450	2470
2300ft [2229ft]	2440	2450	2470	2490	2510	2530	2550	2570	2580
2400ft [2329ft]	2540	2560	2580	2600	2620	2640	2660	2680	2700
2500ft [2429ft]	2650	2670	2690	2710	2730	2750	2770	2790	2810
2600ft [2529ft]	2750	2770	2790	2810	2840	2860	2880	2900	2920
2700ft [2629ft]	2860	2880	2900	2920	2940	2970	2990	3010	3040
2800ft [2729ft]	2970	2990	3010	3030	3050	3080	3100	3120	3150
2900ft [2829ft]	3070	3090	3120	3140	3160	3190	3210	3240	3260
3000ft [2929ft]	3180	3200	3220	3250	3270	3300	3320	3350	3370
3100ft [3029ft]	3280	3310	3330	3360	3380	3410	3430	3460	3490
3200ft [3129ft]	3390	3410	3440	3470	3490	3520	3540	3570	3600
3300ft [3229ft]	3500	3520	3550	3570	3600	3630	3660	3680	3710
3400ft [3329ft]	3600	3630	3650	3680	3710	3740	3770	3800	3820
3500ft [3429ft]	3710	3730	3760	3790	3820	3850	3880	3910	3940
3600ft [3529ft]	3810	3840	3870	3900	3930	3960	3990	4020	4050
3700ft [3629ft]	3920	3950	3980	4010	4040	4070	4100	4130	4160
3800ft [3729ft]	4030	4060	4090	4120	4150	4180	4210	4240	4280
3900ft [3829ft]	4130	4160	4190	4220	4260	4290	4320	4350	4390
4000ft [3929ft]	4240	4270	4300	4330	4370	4400	4430	4470	4500
4100ft [4029ft]	4340	4380	4410	4440	4470	4510	4540	4580	4610
4200ft [4129ft]	4450	4480	4520	4550	4580	4620	4650	4690	4730
4300ft [4229ft]	4560	4590	4620	4660	4690	4730	4770	4800	4840
4400ft [4329ft]	4660	4700	4730	4770	4800	4840	4880	4910	4950
4500ft [4429ft]	4770	4800	4840	4870	4910	4950	4990	5030	5070
4600ft [4529ft]	4870	4910	4950	4980	5020	5060	5100	5140	5180
4700ft [4629ft]	4980	5020	5050	5090	5130	5170	5210	5250	5290
4800ft [4729ft]	5090	5120	5160	5200	5240	5280	5320	5360	5400
4900ft [4829ft]	5190	5230	5270	5310	5350	5390	5430	5470	5520
5000ft [4929ft]	5300	5340	5380	5420	5460	5500	5540	5590	5630
5071ft [5000ft]	5370	5410	5450	5490	5540	5580	5620	5670	5710

Stefano M. RAPISARDA - flightdeckengineering.com

CYBC - Baie Comeau, QC, CANADA

Station Elevation: 71 feet. ISA Standard Temperature: 14.86°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
71ft [0ft]	80	80	80	80	80	80	80	80	80
100ft [29ft]	110	110	110	110	110	110	110	110	110
200ft [129ft]	220	220	220	220	230	230	230	230	230
300ft [229ft]	330	340	340	340	340	340	350	350	350
400ft [329ft]	450	450	450	450	460	460	460	470	470
500ft [429ft]	560	560	570	570	570	580	580	590	590
600ft [529ft]	670	680	680	690	690	700	700	710	710
700ft [629ft]	780	790	790	800	810	810	820	820	830
800ft [729ft]	900	900	910	920	920	930	940	940	950
900ft [829ft]	1010	1020	1020	1030	1040	1050	1050	1060	1070
1000ft [929ft]	1120	1130	1140	1150	1150	1160	1170	1180	1190
1100ft [1029ft]	1230	1240	1250	1260	1270	1280	1290	1300	1310
1200ft [1129ft]	1350	1360	1370	1380	1390	1400	1410	1420	1430
1300ft [1229ft]	1460	1470	1480	1490	1500	1520	1530	1540	1550
1400ft [1329ft]	1570	1580	1600	1610	1620	1630	1650	1660	1670
1500ft [1429ft]	1680	1700	1710	1720	1740	1750	1760	1780	1790
1600ft [1529ft]	1800	1810	1820	1840	1850	1870	1880	1900	1910
1700ft [1629ft]	1910	1920	1940	1950	1970	1980	2000	2020	2030
1800ft [1729ft]	2020	2040	2050	2070	2080	2100	2120	2130	2150
1900ft [1829ft]	2130	2150	2170	2180	2200	2220	2240	2250	2270
2000ft [1929ft]	2250	2260	2280	2300	2320	2340	2350	2370	2390
2100ft [2029ft]	2360	2380	2400	2410	2430	2450	2470	2490	2510
2200ft [2129ft]	2470	2490	2510	2530	2550	2570	2590	2610	2630
2300ft [2229ft]	2580	2600	2620	2650	2670	2690	2710	2730	2750
2400ft [2329ft]	2700	2720	2740	2760	2780	2800	2830	2850	2870
2500ft [2429ft]	2810	2830	2850	2880	2900	2920	2950	2970	2990
2600ft [2529ft]	2920	2950	2970	2990	3020	3040	3060	3090	3110
2700ft [2629ft]	3040	3060	3080	3110	3130	3160	3180	3210	3230
2800ft [2729ft]	3150	3170	3200	3220	3250	3270	3300	3330	3360
2900ft [2829ft]	3260	3290	3310	3340	3360	3390	3420	3450	3480
3000ft [2929ft]	3370	3400	3430	3450	3480	3510	3540	3570	3600
3100ft [3029ft]	3490	3510	3540	3570	3600	3630	3660	3690	3720
3200ft [3129ft]	3600	3630	3660	3680	3710	3740	3770	3810	3840
3300ft [3229ft]	3710	3740	3770	3800	3830	3860	3890	3920	3960
3400ft [3329ft]	3820	3850	3880	3920	3950	3980	4010	4040	4080
3500ft [3429ft]	3940	3970	4000	4030	4060	4100	4130	4160	4200
3600ft [3529ft]	4050	4080	4110	4150	4180	4210	4250	4280	4320
3700ft [3629ft]	4160	4200	4230	4260	4300	4330	4370	4400	4440
3800ft [3729ft]	4280	4310	4340	4380	4410	4450	4490	4520	4560
3900ft [3829ft]	4390	4420	4460	4490	4530	4570	4600	4640	4680
4000ft [3929ft]	4500	4540	4570	4610	4650	4680	4720	4760	4800
4100ft [4029ft]	4610	4650	4690	4720	4760	4800	4840	4880	4920
4200ft [4129ft]	4730	4760	4800	4840	4880	4920	4960	5000	5040
4300ft [4229ft]	4840	4880	4920	4960	5000	5040	5080	5120	5160
4400ft [4329ft]	4950	4990	5030	5070	5110	5150	5200	5240	5280
4500ft [4429ft]	5070	5110	5150	5190	5230	5270	5320	5360	5400
4600ft [4529ft]	5180	5220	5260	5300	5350	5390	5430	5480	5530
4700ft [4629ft]	5290	5330	5380	5420	5460	5510	5550	5600	5650
4800ft [4729ft]	5400	5450	5490	5530	5580	5630	5670	5720	5770
4900ft [4829ft]	5520	5560	5610	5650	5700	5740	5790	5840	5890
5000ft [4929ft]	5630	5670	5720	5770	5810	5860	5910	5960	6010
5071ft [5000ft]	5710	5760	5800	5850	5900	5940	5990	6040	6090

Stefano M. RAPISARDA - flightdeckengineering.com

CYBC - Baie Comeau, QC, CANADA

Station Elevation: 71 feet. ISA Standard Temperature: 14.86°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
71ft [0ft]	80	80	80	80	80	80	80	80	80
100ft [29ft]	110	110	110	110	110	110	110	110	110
200ft [129ft]	230	230	230	230	240	240	240	240	240
300ft [229ft]	350	350	360	360	360	360	370	370	370
400ft [329ft]	470	470	480	480	480	490	490	500	500
500ft [429ft]	590	600	600	600	610	610	620	620	630
600ft [529ft]	710	720	720	730	730	740	740	750	760
700ft [629ft]	830	840	840	850	860	860	870	880	890
800ft [729ft]	950	960	970	970	980	990	1000	1010	1020
900ft [829ft]	1070	1080	1090	1100	1110	1110	1120	1130	1150
1000ft [929ft]	1190	1200	1210	1220	1230	1240	1250	1260	1280
1100ft [1029ft]	1310	1320	1330	1340	1350	1360	1380	1390	1410
1200ft [1129ft]	1430	1440	1450	1470	1480	1490	1500	1520	1530
1300ft [1229ft]	1550	1560	1580	1590	1600	1620	1630	1640	1660
1400ft [1329ft]	1670	1680	1700	1710	1730	1740	1760	1770	1790
1500ft [1429ft]	1790	1810	1820	1840	1850	1870	1880	1900	1920
1600ft [1529ft]	1910	1930	1940	1960	1980	1990	2010	2030	2050
1700ft [1629ft]	2030	2050	2070	2080	2100	2120	2140	2150	2180
1800ft [1729ft]	2150	2170	2190	2210	2220	2240	2260	2280	2310
1900ft [1829ft]	2270	2290	2310	2330	2350	2370	2390	2410	2440
2000ft [1929ft]	2390	2410	2430	2450	2470	2490	2520	2540	2570
2100ft [2029ft]	2510	2530	2550	2580	2600	2620	2640	2670	2700
2200ft [2129ft]	2630	2650	2680	2700	2720	2750	2770	2790	2830
2300ft [2229ft]	2750	2780	2800	2820	2850	2870	2900	2920	2960
2400ft [2329ft]	2870	2900	2920	2950	2970	3000	3020	3050	3090
2500ft [2429ft]	2990	3020	3040	3070	3100	3120	3150	3180	3220
2600ft [2529ft]	3110	3140	3170	3190	3220	3250	3280	3300	3350
2700ft [2629ft]	3230	3260	3290	3320	3340	3370	3400	3430	3480
2800ft [2729ft]	3360	3380	3410	3440	3470	3500	3530	3560	3610
2900ft [2829ft]	3480	3500	3530	3560	3590	3630	3660	3690	3740
3000ft [2929ft]	3600	3630	3660	3690	3720	3750	3780	3820	3870
3100ft [3029ft]	3720	3750	3780	3810	3840	3880	3910	3940	4000
3200ft [3129ft]	3840	3870	3900	3930	3970	4000	4040	4070	4130
3300ft [3229ft]	3960	3990	4020	4060	4090	4130	4160	4200	4260
3400ft [3329ft]	4080	4110	4150	4180	4220	4250	4290	4330	4390
3500ft [3429ft]	4200	4230	4270	4310	4340	4380	4420	4460	4520
3600ft [3529ft]	4320	4360	4390	4430	4470	4510	4550	4590	4650
3700ft [3629ft]	4440	4480	4510	4550	4590	4630	4670	4710	4780
3800ft [3729ft]	4560	4600	4640	4680	4720	4760	4800	4840	4910
3900ft [3829ft]	4680	4720	4760	4800	4840	4880	4930	4970	5040
4000ft [3929ft]	4800	4840	4880	4920	4970	5010	5050	5100	5170
4100ft [4029ft]	4920	4960	5010	5050	5090	5140	5180	5230	5300
4200ft [4129ft]	5040	5080	5130	5170	5220	5260	5310	5360	5430
4300ft [4229ft]	5160	5210	5250	5300	5340	5390	5440	5480	5560
4400ft [4329ft]	5280	5330	5370	5420	5470	5510	5560	5610	5690
4500ft [4429ft]	5400	5450	5500	5540	5590	5640	5690	5740	5820
4600ft [4529ft]	5530	5570	5620	5670	5720	5770	5820	5870	5950
4700ft [4629ft]	5650	5690	5740	5790	5840	5890	5940	6000	6080
4800ft [4729ft]	5770	5820	5860	5920	5970	6020	6070	6130	6210
4900ft [4829ft]	5890	5940	5990	6040	6090	6150	6200	6250	6340
5000ft [4929ft]	6010	6060	6110	6160	6220	6270	6330	6380	6470
5071ft [5000ft]	6090	6150	6200	6250	6310	6360	6420	6470	6560

Stefano M. RAPISARDA - flightdeckengineering.com

CYBG - Bagotville, QC, CANADA

Station Elevation: 522 feet. ISA Standard Temperature: 13.97°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
522ft [0ft]	530	530	530	530	530	530	530	530	530
600ft [78ft]	600	610	610	610	610	610	610	610	610
700ft [178ft]	700	710	710	710	710	710	710	710	720
800ft [278ft]	800	810	810	810	810	810	820	820	820
900ft [378ft]	900	910	910	910	920	920	920	920	930
1000ft [478ft]	1000	1010	1010	1020	1020	1020	1030	1030	1030
1100ft [578ft]	1100	1110	1110	1120	1120	1130	1130	1130	1140
1200ft [678ft]	1200	1210	1210	1220	1220	1230	1230	1240	1240
1300ft [778ft]	1300	1310	1320	1320	1330	1330	1340	1340	1350
1400ft [878ft]	1400	1410	1420	1420	1430	1440	1440	1450	1460
1500ft [978ft]	1500	1510	1520	1530	1530	1540	1550	1560	1560
1600ft [1078ft]	1600	1610	1620	1630	1640	1640	1650	1660	1670
1700ft [1178ft]	1700	1710	1720	1730	1740	1750	1760	1770	1770
1800ft [1278ft]	1800	1810	1820	1830	1840	1850	1860	1870	1880
1900ft [1378ft]	1900	1910	1920	1930	1940	1950	1970	1980	1990
2000ft [1478ft]	2000	2020	2030	2040	2050	2060	2070	2080	2090
2100ft [1578ft]	2100	2120	2130	2140	2150	2160	2170	2190	2200
2200ft [1678ft]	2200	2220	2230	2240	2250	2270	2280	2290	2300
2300ft [1778ft]	2300	2320	2330	2340	2360	2370	2380	2400	2410
2400ft [1878ft]	2400	2420	2430	2450	2460	2470	2490	2500	2520
2500ft [1978ft]	2500	2520	2530	2550	2560	2580	2590	2610	2620
2600ft [2078ft]	2600	2620	2630	2650	2660	2680	2700	2710	2730
2700ft [2178ft]	2700	2720	2740	2750	2770	2780	2800	2820	2830
2800ft [2278ft]	2800	2820	2840	2850	2870	2890	2900	2920	2940
2900ft [2378ft]	2900	2920	2940	2960	2970	2990	3010	3030	3050
3000ft [2478ft]	3000	3020	3040	3060	3080	3090	3110	3130	3150
3100ft [2578ft]	3100	3120	3140	3160	3180	3200	3220	3240	3260
3200ft [2678ft]	3200	3220	3240	3260	3280	3300	3320	3340	3360
3300ft [2778ft]	3300	3320	3340	3360	3380	3410	3430	3450	3470
3400ft [2878ft]	3400	3430	3450	3470	3490	3510	3530	3550	3580
3500ft [2978ft]	3500	3530	3550	3570	3590	3610	3640	3660	3680
3600ft [3078ft]	3600	3630	3650	3670	3690	3720	3740	3760	3790
3700ft [3178ft]	3700	3730	3750	3770	3800	3820	3840	3870	3890
3800ft [3278ft]	3800	3830	3850	3880	3900	3920	3950	3970	4000
3900ft [3378ft]	3900	3930	3950	3980	4000	4030	4050	4080	4110
4000ft [3478ft]	4000	4030	4050	4080	4110	4130	4160	4180	4210
4100ft [3578ft]	4100	4130	4160	4180	4210	4240	4260	4290	4320
4200ft [3678ft]	4200	4230	4260	4280	4310	4340	4370	4400	4420
4300ft [3778ft]	4300	4330	4360	4390	4410	4440	4470	4500	4530
4400ft [3878ft]	4400	4430	4460	4490	4520	4550	4580	4610	4640
4500ft [3978ft]	4500	4530	4560	4590	4620	4650	4680	4710	4740
4600ft [4078ft]	4600	4630	4660	4690	4720	4750	4780	4820	4850
4700ft [4178ft]	4700	4730	4760	4790	4830	4860	4890	4920	4950
4800ft [4278ft]	4800	4830	4870	4900	4930	4960	4990	5030	5060
4900ft [4378ft]	4900	4940	4970	5000	5030	5060	5100	5130	5170
5000ft [4478ft]	5000	5040	5070	5100	5130	5170	5200	5240	5270
5100ft [4578ft]	5100	5140	5170	5200	5240	5270	5310	5340	5380
5200ft [4678ft]	5200	5240	5270	5310	5340	5380	5410	5450	5480
5300ft [4778ft]	5300	5340	5370	5410	5440	5480	5520	5550	5590
5400ft [4878ft]	5400	5440	5470	5510	5550	5580	5620	5660	5700
5500ft [4978ft]	5500	5540	5580	5610	5650	5690	5730	5760	5800
5522ft [5000ft]	5530	5560	5600	5630	5670	5710	5750	5790	5830

Stefano M. RAPISARDA - flightdeckengineering.com

CYBG - Bagotville, QC, CANADA

Station Elevation: 522 feet. ISA Standard Temperature: 13.97°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
522ft [0ft]	530	530	530	530	530	530	530	530	530
600ft [78ft]	610	610	610	610	610	610	610	610	610
700ft [178ft]	720	720	720	720	720	720	720	730	730
800ft [278ft]	820	820	830	830	830	830	830	840	840
900ft [378ft]	930	930	930	940	940	940	950	950	950
1000ft [478ft]	1030	1040	1040	1040	1050	1050	1060	1060	1060
1100ft [578ft]	1140	1140	1150	1150	1160	1160	1170	1170	1180
1200ft [678ft]	1240	1250	1260	1260	1270	1270	1280	1280	1290
1300ft [778ft]	1350	1360	1360	1370	1380	1380	1390	1400	1400
1400ft [878ft]	1460	1460	1470	1480	1490	1490	1500	1510	1520
1500ft [978ft]	1560	1570	1580	1590	1590	1600	1610	1620	1630
1600ft [1078ft]	1670	1680	1690	1690	1700	1710	1720	1730	1740
1700ft [1178ft]	1770	1780	1790	1800	1810	1820	1830	1840	1850
1800ft [1278ft]	1880	1890	1900	1910	1920	1930	1940	1950	1970
1900ft [1378ft]	1990	2000	2010	2020	2030	2040	2050	2070	2080
2000ft [1478ft]	2090	2100	2120	2130	2140	2150	2170	2180	2190
2100ft [1578ft]	2200	2210	2220	2240	2250	2260	2280	2290	2300
2200ft [1678ft]	2300	2320	2330	2340	2360	2370	2390	2400	2420
2300ft [1778ft]	2410	2420	2440	2450	2470	2480	2500	2510	2530
2400ft [1878ft]	2520	2530	2550	2560	2580	2590	2610	2630	2640
2500ft [1978ft]	2620	2640	2650	2670	2690	2700	2720	2740	2750
2600ft [2078ft]	2730	2740	2760	2780	2800	2810	2830	2850	2870
2700ft [2178ft]	2830	2850	2870	2890	2900	2920	2940	2960	2980
2800ft [2278ft]	2940	2960	2980	3000	3010	3030	3050	3070	3090
2900ft [2378ft]	3050	3060	3080	3100	3120	3140	3160	3180	3210
3000ft [2478ft]	3150	3170	3190	3210	3230	3250	3270	3300	3320
3100ft [2578ft]	3260	3280	3300	3320	3340	3360	3390	3410	3430
3200ft [2678ft]	3360	3390	3410	3430	3450	3470	3500	3520	3540
3300ft [2778ft]	3470	3490	3510	3540	3560	3580	3610	3630	3660
3400ft [2878ft]	3580	3600	3620	3650	3670	3690	3720	3740	3770
3500ft [2978ft]	3680	3710	3730	3750	3780	3800	3830	3860	3880
3600ft [3078ft]	3790	3810	3840	3860	3890	3910	3940	3970	3990
3700ft [3178ft]	3890	3920	3950	3970	4000	4020	4050	4080	4110
3800ft [3278ft]	4000	4030	4050	4080	4110	4130	4160	4190	4220
3900ft [3378ft]	4110	4130	4160	4190	4220	4240	4270	4300	4330
4000ft [3478ft]	4210	4240	4270	4300	4330	4350	4380	4420	4450
4100ft [3578ft]	4320	4350	4380	4400	4430	4470	4500	4530	4560
4200ft [3678ft]	4420	4450	4480	4510	4540	4580	4610	4640	4670
4300ft [3778ft]	4530	4560	4590	4620	4650	4690	4720	4750	4780
4400ft [3878ft]	4640	4670	4700	4730	4760	4800	4830	4860	4900
4500ft [3978ft]	4740	4770	4810	4840	4870	4910	4940	4980	5010
4600ft [4078ft]	4850	4880	4910	4950	4980	5020	5050	5090	5120
4700ft [4178ft]	4950	4990	5020	5060	5090	5130	5160	5200	5240
4800ft [4278ft]	5060	5090	5130	5160	5200	5240	5270	5310	5350
4900ft [4378ft]	5170	5200	5240	5270	5310	5350	5380	5420	5460
5000ft [4478ft]	5270	5310	5340	5380	5420	5460	5500	5540	5580
5100ft [4578ft]	5380	5420	5450	5490	5530	5570	5610	5650	5690
5200ft [4678ft]	5480	5520	5560	5600	5640	5680	5720	5760	5800
5300ft [4778ft]	5590	5630	5670	5710	5750	5790	5830	5870	5910
5400ft [4878ft]	5700	5740	5780	5820	5860	5900	5940	5980	6030
5500ft [4978ft]	5800	5840	5880	5920	5970	6010	6050	6100	6140
5522ft [5000ft]	5830	5870	5910	5950	5990	6030	6080	6120	6160

Stefano M. RAPISARDA - flightdeckengineering.com

CYBG - Bagotville, QC, CANADA

Station Elevation: 522 feet. ISA Standard Temperature: 13.97°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
522ft [0ft]	530	530	530	530	530	530	530	530	530
600ft [78ft]	610	620	620	620	620	620	620	620	620
700ft [178ft]	730	730	730	730	730	740	740	740	740
800ft [278ft]	840	840	840	850	850	850	860	860	860
900ft [378ft]	950	960	960	960	970	970	970	980	980
1000ft [478ft]	1060	1070	1070	1080	1080	1090	1090	1100	1100
1100ft [578ft]	1180	1180	1190	1190	1200	1200	1210	1220	1220
1200ft [678ft]	1290	1300	1300	1310	1310	1320	1330	1330	1340
1300ft [778ft]	1400	1410	1420	1420	1430	1440	1450	1450	1460
1400ft [878ft]	1520	1520	1530	1540	1550	1560	1560	1570	1580
1500ft [978ft]	1630	1640	1650	1650	1660	1670	1680	1690	1700
1600ft [1078ft]	1740	1750	1760	1770	1780	1790	1800	1810	1820
1700ft [1178ft]	1850	1860	1870	1890	1900	1910	1920	1930	1940
1800ft [1278ft]	1970	1980	1990	2000	2010	2020	2040	2050	2060
1900ft [1378ft]	2080	2090	2100	2120	2130	2140	2160	2170	2180
2000ft [1478ft]	2190	2200	2220	2230	2250	2260	2270	2290	2300
2100ft [1578ft]	2300	2320	2330	2350	2360	2380	2390	2410	2420
2200ft [1678ft]	2420	2430	2450	2460	2480	2490	2510	2530	2540
2300ft [1778ft]	2530	2540	2560	2580	2590	2610	2630	2650	2660
2400ft [1878ft]	2640	2660	2680	2690	2710	2730	2750	2770	2780
2500ft [1978ft]	2750	2770	2790	2810	2830	2850	2870	2880	2900
2600ft [2078ft]	2870	2890	2900	2920	2940	2960	2980	3000	3020
2700ft [2178ft]	2980	3000	3020	3040	3060	3080	3100	3120	3150
2800ft [2278ft]	3090	3110	3130	3150	3180	3200	3220	3240	3270
2900ft [2378ft]	3210	3230	3250	3270	3290	3320	3340	3360	3390
3000ft [2478ft]	3320	3340	3360	3390	3410	3430	3460	3480	3510
3100ft [2578ft]	3430	3450	3480	3500	3530	3550	3580	3600	3630
3200ft [2678ft]	3540	3570	3590	3620	3640	3670	3690	3720	3750
3300ft [2778ft]	3660	3680	3710	3730	3760	3790	3810	3840	3870
3400ft [2878ft]	3770	3790	3820	3850	3880	3900	3930	3960	3990
3500ft [2978ft]	3880	3910	3940	3960	3990	4020	4050	4080	4110
3600ft [3078ft]	3990	4020	4050	4080	4110	4140	4170	4200	4230
3700ft [3178ft]	4110	4140	4170	4190	4220	4260	4290	4320	4350
3800ft [3278ft]	4220	4250	4280	4310	4340	4370	4400	4440	4470
3900ft [3378ft]	4330	4360	4390	4430	4460	4490	4520	4560	4590
4000ft [3478ft]	4450	4480	4510	4540	4570	4610	4640	4680	4710
4100ft [3578ft]	4560	4590	4620	4660	4690	4730	4760	4800	4830
4200ft [3678ft]	4670	4700	4740	4770	4810	4840	4880	4920	4950
4300ft [3778ft]	4780	4820	4850	4890	4920	4960	5000	5040	5070
4400ft [3878ft]	4900	4930	4970	5000	5040	5080	5120	5150	5190
4500ft [3978ft]	5010	5050	5080	5120	5160	5200	5240	5270	5310
4600ft [4078ft]	5120	5160	5200	5240	5270	5310	5350	5390	5440
4700ft [4178ft]	5240	5270	5310	5350	5390	5430	5470	5510	5560
4800ft [4278ft]	5350	5390	5430	5470	5510	5550	5590	5630	5680
4900ft [4378ft]	5460	5500	5540	5580	5620	5670	5710	5750	5800
5000ft [4478ft]	5580	5620	5660	5700	5740	5780	5830	5870	5920
5100ft [4578ft]	5690	5730	5770	5810	5860	5900	5950	5990	6040
5200ft [4678ft]	5800	5840	5890	5930	5970	6020	6070	6110	6160
5300ft [4778ft]	5910	5960	6000	6050	6090	6140	6180	6230	6280
5400ft [4878ft]	6030	6070	6120	6160	6210	6260	6300	6350	6400
5500ft [4978ft]	6140	6190	6230	6280	6330	6370	6420	6470	6520
5522ft [5000ft]	6160	6210	6260	6300	6350	6400	6450	6500	6550

Stefano M. RAPISARDA - flightdeckengineering.com

CYBG - Bagotville, QC, CANADA

Station Elevation: 522 feet. ISA Standard Temperature: 13.97°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
522ft [0ft]	530	530	530	530	530	530	530	530	530
600ft [78ft]	620	620	620	620	620	620	630	630	630
700ft [178ft]	740	740	740	750	750	750	750	750	760
800ft [278ft]	860	860	870	870	870	880	880	880	880
900ft [378ft]	980	980	990	990	1000	1000	1000	1010	1010
1000ft [478ft]	1100	1110	1110	1120	1120	1130	1130	1140	1140
1100ft [578ft]	1220	1230	1230	1240	1250	1250	1260	1260	1270
1200ft [678ft]	1340	1350	1360	1360	1370	1380	1380	1390	1400
1300ft [778ft]	1460	1470	1480	1490	1490	1500	1510	1520	1530
1400ft [878ft]	1580	1590	1600	1610	1620	1630	1640	1650	1660
1500ft [978ft]	1700	1710	1720	1730	1740	1750	1760	1770	1790
1600ft [1078ft]	1820	1830	1840	1860	1870	1880	1890	1900	1910
1700ft [1178ft]	1940	1950	1970	1980	1990	2000	2020	2030	2040
1800ft [1278ft]	2060	2080	2090	2100	2120	2130	2140	2160	2170
1900ft [1378ft]	2180	2200	2210	2230	2240	2260	2270	2290	2300
2000ft [1478ft]	2300	2320	2330	2350	2360	2380	2400	2410	2430
2100ft [1578ft]	2420	2440	2460	2470	2490	2510	2520	2540	2560
2200ft [1678ft]	2540	2560	2580	2600	2610	2630	2650	2670	2690
2300ft [1778ft]	2660	2680	2700	2720	2740	2760	2780	2800	2820
2400ft [1878ft]	2780	2800	2820	2840	2860	2880	2900	2930	2950
2500ft [1978ft]	2900	2920	2950	2970	2990	3010	3030	3050	3080
2600ft [2078ft]	3020	3050	3070	3090	3110	3130	3160	3180	3210
2700ft [2178ft]	3150	3170	3190	3210	3240	3260	3280	3310	3330
2800ft [2278ft]	3270	3290	3310	3340	3360	3390	3410	3440	3460
2900ft [2378ft]	3390	3410	3430	3460	3490	3510	3540	3570	3590
3000ft [2478ft]	3510	3530	3560	3580	3610	3640	3670	3690	3720
3100ft [2578ft]	3630	3650	3680	3710	3740	3760	3790	3820	3850
3200ft [2678ft]	3750	3770	3800	3830	3860	3890	3920	3950	3980
3300ft [2778ft]	3870	3900	3930	3950	3980	4020	4050	4080	4110
3400ft [2878ft]	3990	4020	4050	4080	4110	4140	4170	4210	4240
3500ft [2978ft]	4110	4140	4170	4200	4230	4270	4300	4330	4370
3600ft [3078ft]	4230	4260	4290	4330	4360	4390	4430	4460	4500
3700ft [3178ft]	4350	4380	4420	4450	4480	4520	4550	4590	4630
3800ft [3278ft]	4470	4500	4540	4570	4610	4640	4680	4720	4760
3900ft [3378ft]	4590	4630	4660	4700	4730	4770	4810	4850	4890
4000ft [3478ft]	4710	4750	4780	4820	4860	4900	4940	4980	5020
4100ft [3578ft]	4830	4870	4910	4940	4980	5020	5060	5100	5150
4200ft [3678ft]	4950	4990	5030	5070	5110	5150	5190	5230	5270
4300ft [3778ft]	5070	5110	5150	5190	5230	5270	5320	5360	5400
4400ft [3878ft]	5190	5230	5270	5320	5360	5400	5440	5490	5530
4500ft [3978ft]	5310	5360	5400	5440	5480	5530	5570	5620	5660
4600ft [4078ft]	5440	5480	5520	5560	5610	5650	5700	5750	5790
4700ft [4178ft]	5560	5600	5640	5690	5730	5780	5830	5870	5920
4800ft [4278ft]	5680	5720	5770	5810	5860	5910	5950	6000	6050
4900ft [4378ft]	5800	5840	5890	5940	5980	6030	6080	6130	6180
5000ft [4478ft]	5920	5960	6010	6060	6110	6160	6210	6260	6310
5100ft [4578ft]	6040	6090	6130	6180	6230	6280	6340	6390	6440
5200ft [4678ft]	6160	6210	6260	6310	6360	6410	6460	6520	6570
5300ft [4778ft]	6280	6330	6380	6430	6480	6540	6590	6650	6700
5400ft [4878ft]	6400	6450	6500	6560	6610	6660	6720	6770	6830
5500ft [4978ft]	6520	6570	6630	6680	6730	6790	6850	6900	6960
5522ft [5000ft]	6550	6600	6650	6710	6760	6820	6870	6930	6990

Stefano M. RAPISARDA - flightdeckengineering.com

CYFJ - Mont Tremblant, QC, CANADA

Station Elevation: 825 feet. ISA Standard Temperature: 13.36°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
825ft [0ft]	830	830	830	830	830	830	830	830	830
900ft [75ft]	900	910	910	910	910	910	910	910	910
1000ft [175ft]	1000	1010	1010	1010	1010	1010	1010	1010	1010
1100ft [275ft]	1100	1110	1110	1110	1110	1110	1120	1120	1120
1200ft [375ft]	1200	1210	1210	1210	1210	1220	1220	1220	1230
1300ft [475ft]	1300	1310	1310	1310	1320	1320	1320	1330	1330
1400ft [575ft]	1400	1410	1410	1420	1420	1420	1430	1430	1440
1500ft [675ft]	1500	1510	1510	1520	1520	1530	1530	1540	1540
1600ft [775ft]	1600	1610	1610	1620	1630	1630	1640	1640	1650
1700ft [875ft]	1700	1710	1720	1720	1730	1730	1740	1750	1750
1800ft [975ft]	1800	1810	1820	1820	1830	1840	1850	1850	1860
1900ft [1075ft]	1900	1910	1920	1930	1930	1940	1950	1960	1970
2000ft [1175ft]	2000	2010	2020	2030	2040	2040	2050	2060	2070
2100ft [1275ft]	2100	2110	2120	2130	2140	2150	2160	2170	2180
2200ft [1375ft]	2200	2210	2220	2230	2240	2250	2260	2270	2280
2300ft [1475ft]	2300	2310	2320	2330	2340	2350	2370	2380	2390
2400ft [1575ft]	2400	2410	2420	2440	2450	2460	2470	2480	2490
2500ft [1675ft]	2500	2510	2520	2540	2550	2560	2570	2590	2600
2600ft [1775ft]	2600	2610	2630	2640	2650	2670	2680	2690	2710
2700ft [1875ft]	2700	2710	2730	2740	2750	2770	2780	2800	2810
2800ft [1975ft]	2800	2810	2830	2840	2860	2870	2890	2900	2920
2900ft [2075ft]	2900	2910	2930	2940	2960	2980	2990	3010	3020
3000ft [2175ft]	3000	3020	3030	3050	3060	3080	3100	3110	3130
3100ft [2275ft]	3100	3120	3130	3150	3170	3180	3200	3220	3230
3200ft [2375ft]	3200	3220	3230	3250	3270	3290	3300	3320	3340
3300ft [2475ft]	3300	3320	3330	3350	3370	3390	3410	3430	3450
3400ft [2575ft]	3400	3420	3440	3450	3470	3490	3510	3530	3550
3500ft [2675ft]	3500	3520	3540	3560	3580	3600	3620	3640	3660
3600ft [2775ft]	3600	3620	3640	3660	3680	3700	3720	3740	3760
3700ft [2875ft]	3700	3720	3740	3760	3780	3800	3820	3850	3870
3800ft [2975ft]	3800	3820	3840	3860	3880	3910	3930	3950	3980
3900ft [3075ft]	3900	3920	3940	3960	3990	4010	4030	4060	4080
4000ft [3175ft]	4000	4020	4040	4070	4090	4110	4140	4160	4190
4100ft [3275ft]	4100	4120	4140	4170	4190	4220	4240	4270	4290
4200ft [3375ft]	4200	4220	4250	4270	4290	4320	4350	4370	4400
4300ft [3475ft]	4300	4320	4350	4370	4400	4420	4450	4480	4500
4400ft [3575ft]	4400	4420	4450	4470	4500	4530	4550	4580	4610
4500ft [3675ft]	4500	4520	4550	4580	4600	4630	4660	4690	4720
4600ft [3775ft]	4600	4620	4650	4680	4710	4730	4760	4790	4820
4700ft [3875ft]	4700	4720	4750	4780	4810	4840	4870	4900	4930
4800ft [3975ft]	4800	4820	4850	4880	4910	4940	4970	5000	5030
4900ft [4075ft]	4900	4920	4950	4980	5010	5040	5080	5110	5140
5000ft [4175ft]	5000	5030	5060	5090	5120	5150	5180	5210	5240
5100ft [4275ft]	5100	5130	5160	5190	5220	5250	5280	5320	5350
5200ft [4375ft]	5200	5230	5260	5290	5320	5350	5390	5420	5460
5300ft [4475ft]	5300	5330	5360	5390	5420	5460	5490	5530	5560
5400ft [4575ft]	5400	5430	5460	5490	5530	5560	5600	5630	5670
5500ft [4675ft]	5500	5530	5560	5600	5630	5670	5700	5740	5770
5600ft [4775ft]	5600	5630	5660	5700	5730	5770	5810	5840	5880
5700ft [4875ft]	5700	5730	5760	5800	5840	5870	5910	5950	5990
5800ft [4975ft]	5800	5830	5870	5900	5940	5980	6010	6050	6090
5825ft [5000ft]	5825	5850	5890	5930	5960	6000	6040	6080	6120

Stefano M. RAPISARDA - flightdeckengineering.com

CYFJ - Mont Tremblant, QC, CANADA

Station Elevation: 825 feet. ISA Standard Temperature: 13.36°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
825ft [0ft]	830	830	830	830	830	830	830	830	830
900ft [75ft]	910	910	910	910	910	910	910	910	910
1000ft [175ft]	1010	1020	1020	1020	1020	1020	1020	1020	1030
1100ft [275ft]	1120	1120	1120	1130	1130	1130	1130	1140	1140
1200ft [375ft]	1230	1230	1230	1240	1240	1240	1240	1250	1250
1300ft [475ft]	1330	1340	1340	1340	1350	1350	1360	1360	1360
1400ft [575ft]	1440	1440	1450	1450	1460	1460	1470	1470	1480
1500ft [675ft]	1540	1550	1550	1560	1560	1570	1580	1580	1590
1600ft [775ft]	1650	1660	1660	1670	1670	1680	1690	1690	1700
1700ft [875ft]	1750	1760	1770	1780	1780	1790	1800	1800	1810
1800ft [975ft]	1860	1870	1880	1880	1890	1900	1910	1920	1920
1900ft [1075ft]	1970	1970	1980	1990	2000	2010	2020	2030	2040
2000ft [1175ft]	2070	2080	2090	2100	2110	2120	2130	2140	2150
2100ft [1275ft]	2180	2190	2200	2210	2220	2230	2240	2250	2260
2200ft [1375ft]	2280	2290	2300	2320	2330	2340	2350	2360	2370
2300ft [1475ft]	2390	2400	2410	2420	2440	2450	2460	2470	2490
2400ft [1575ft]	2490	2510	2520	2530	2550	2560	2570	2590	2600
2500ft [1675ft]	2600	2610	2630	2640	2650	2670	2680	2700	2710
2600ft [1775ft]	2710	2720	2730	2750	2760	2780	2790	2810	2820
2700ft [1875ft]	2810	2830	2840	2860	2870	2890	2900	2920	2940
2800ft [1975ft]	2920	2930	2950	2960	2980	3000	3010	3030	3050
2900ft [2075ft]	3020	3040	3060	3070	3090	3110	3130	3140	3160
3000ft [2175ft]	3130	3150	3160	3180	3200	3220	3240	3250	3270
3100ft [2275ft]	3230	3250	3270	3290	3310	3330	3350	3370	3390
3200ft [2375ft]	3340	3360	3380	3400	3420	3440	3460	3480	3500
3300ft [2475ft]	3450	3470	3490	3510	3530	3550	3570	3590	3610
3400ft [2575ft]	3550	3570	3590	3610	3640	3660	3680	3700	3720
3500ft [2675ft]	3660	3680	3700	3720	3740	3770	3790	3810	3840
3600ft [2775ft]	3760	3790	3810	3830	3850	3880	3900	3920	3950
3700ft [2875ft]	3870	3890	3920	3940	3960	3990	4010	4040	4060
3800ft [2975ft]	3980	4000	4020	4050	4070	4100	4120	4150	4170
3900ft [3075ft]	4080	4110	4130	4160	4180	4210	4230	4260	4290
4000ft [3175ft]	4190	4210	4240	4260	4290	4320	4340	4370	4400
4100ft [3275ft]	4290	4320	4340	4370	4400	4430	4450	4480	4510
4200ft [3375ft]	4400	4420	4450	4480	4510	4540	4570	4590	4620
4300ft [3475ft]	4500	4530	4560	4590	4620	4650	4680	4710	4740
4400ft [3575ft]	4610	4640	4670	4700	4730	4760	4790	4820	4850
4500ft [3675ft]	4720	4740	4770	4800	4840	4870	4900	4930	4960
4600ft [3775ft]	4820	4850	4880	4910	4940	4980	5010	5040	5070
4700ft [3875ft]	4930	4960	4990	5020	5050	5090	5120	5150	5190
4800ft [3975ft]	5030	5060	5100	5130	5160	5200	5230	5260	5300
4900ft [4075ft]	5140	5170	5200	5240	5270	5310	5340	5380	5410
5000ft [4175ft]	5240	5280	5310	5350	5380	5420	5450	5490	5530
5100ft [4275ft]	5350	5380	5420	5450	5490	5530	5560	5600	5640
5200ft [4375ft]	5460	5490	5530	5560	5600	5640	5670	5710	5750
5300ft [4475ft]	5560	5600	5630	5670	5710	5750	5780	5820	5860
5400ft [4575ft]	5670	5700	5740	5780	5820	5860	5900	5940	5980
5500ft [4675ft]	5770	5810	5850	5890	5930	5970	6010	6050	6090
5600ft [4775ft]	5880	5920	5960	6000	6040	6080	6120	6160	6200
5700ft [4875ft]	5990	6020	6060	6100	6140	6190	6230	6270	6310
5800ft [4975ft]	6090	6130	6170	6210	6250	6300	6340	6380	6430
5825ft [5000ft]	6120	6160	6200	6240	6280	6320	6370	6410	6460

Stefano M. RAPISARDA - flightdeckengineering.com

CYFJ - Mont Tremblant, QC, CANADA

Station Elevation: 825 feet. ISA Standard Temperature: 13.36°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
825ft [0ft]	830	830	830	830	830	830	830	830	830
900ft [75ft]	910	910	920	920	920	920	920	920	920
1000ft [175ft]	1030	1030	1030	1030	1030	1030	1040	1040	1040
1100ft [275ft]	1140	1140	1140	1150	1150	1150	1150	1160	1160
1200ft [375ft]	1250	1250	1260	1260	1260	1270	1270	1280	1280
1300ft [475ft]	1360	1370	1370	1380	1380	1390	1390	1390	1400
1400ft [575ft]	1480	1480	1490	1490	1500	1500	1510	1510	1520
1500ft [675ft]	1590	1590	1600	1610	1610	1620	1630	1630	1640
1600ft [775ft]	1700	1710	1710	1720	1730	1740	1740	1750	1760
1700ft [875ft]	1810	1820	1830	1840	1840	1850	1860	1870	1880
1800ft [975ft]	1920	1930	1940	1950	1960	1970	1980	1990	2000
1900ft [1075ft]	2040	2050	2060	2070	2080	2090	2100	2110	2120
2000ft [1175ft]	2150	2160	2170	2180	2190	2200	2210	2230	2240
2100ft [1275ft]	2260	2270	2280	2300	2310	2320	2330	2350	2360
2200ft [1375ft]	2370	2390	2400	2410	2420	2440	2450	2460	2480
2300ft [1475ft]	2490	2500	2510	2530	2540	2550	2570	2580	2600
2400ft [1575ft]	2600	2610	2630	2640	2660	2670	2690	2700	2720
2500ft [1675ft]	2710	2730	2740	2760	2770	2790	2800	2820	2840
2600ft [1775ft]	2820	2840	2860	2870	2890	2910	2920	2940	2960
2700ft [1875ft]	2940	2950	2970	2990	3010	3020	3040	3060	3080
2800ft [1975ft]	3050	3070	3080	3100	3120	3140	3160	3180	3200
2900ft [2075ft]	3160	3180	3200	3220	3240	3260	3280	3300	3320
3000ft [2175ft]	3270	3290	3310	3330	3350	3370	3400	3420	3440
3100ft [2275ft]	3390	3410	3430	3450	3470	3490	3510	3540	3560
3200ft [2375ft]	3500	3520	3540	3560	3590	3610	3630	3650	3680
3300ft [2475ft]	3610	3630	3660	3680	3700	3730	3750	3770	3800
3400ft [2575ft]	3720	3750	3770	3790	3820	3840	3870	3890	3920
3500ft [2675ft]	3840	3860	3880	3910	3930	3960	3990	4010	4040
3600ft [2775ft]	3950	3970	4000	4020	4050	4080	4100	4130	4160
3700ft [2875ft]	4060	4090	4110	4140	4170	4190	4220	4250	4280
3800ft [2975ft]	4170	4200	4230	4260	4280	4310	4340	4370	4400
3900ft [3075ft]	4290	4310	4340	4370	4400	4430	4460	4490	4520
4000ft [3175ft]	4400	4430	4460	4490	4520	4550	4580	4610	4640
4100ft [3275ft]	4510	4540	4570	4600	4630	4660	4700	4730	4760
4200ft [3375ft]	4620	4650	4690	4720	4750	4780	4810	4850	4880
4300ft [3475ft]	4740	4770	4800	4830	4860	4900	4930	4970	5000
4400ft [3575ft]	4850	4880	4910	4950	4980	5020	5050	5090	5120
4500ft [3675ft]	4960	5000	5030	5060	5100	5130	5170	5200	5240
4600ft [3775ft]	5070	5110	5140	5180	5210	5250	5290	5320	5360
4700ft [3875ft]	5190	5220	5260	5290	5330	5370	5410	5440	5480
4800ft [3975ft]	5300	5340	5370	5410	5450	5480	5520	5560	5600
4900ft [4075ft]	5410	5450	5490	5520	5560	5600	5640	5680	5720
5000ft [4175ft]	5530	5560	5600	5640	5680	5720	5760	5800	5840
5100ft [4275ft]	5640	5680	5720	5760	5800	5840	5880	5920	5960
5200ft [4375ft]	5750	5790	5830	5870	5910	5950	6000	6040	6080
5300ft [4475ft]	5860	5900	5940	5990	6030	6070	6120	6160	6210
5400ft [4575ft]	5980	6020	6060	6100	6150	6190	6230	6280	6330
5500ft [4675ft]	6090	6130	6170	6220	6260	6310	6350	6400	6450
5600ft [4775ft]	6200	6240	6290	6330	6380	6420	6470	6520	6570
5700ft [4875ft]	6310	6360	6400	6450	6490	6540	6590	6640	6690
5800ft [4975ft]	6430	6470	6520	6560	6610	6660	6710	6760	6810
5825ft [5000ft]	6460	6500	6550	6590	6640	6690	6740	6790	6840

Stefano M. RAPISARDA - flightdeckengineering.com

CYFJ - Mont Tremblant, QC, CANADA

Station Elevation: 825 feet. ISA Standard Temperature: 13.36°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
825ft [0ft]	830	830	830	830	830	830	830	830	830
900ft [75ft]	920	920	920	920	920	920	920	930	930
1000ft [175ft]	1040	1040	1040	1040	1050	1050	1050	1050	1050
1100ft [275ft]	1160	1160	1160	1170	1170	1170	1180	1180	1180
1200ft [375ft]	1280	1280	1290	1290	1290	1300	1300	1310	1310
1300ft [475ft]	1400	1400	1410	1410	1420	1420	1430	1430	1440
1400ft [575ft]	1520	1520	1530	1540	1540	1550	1560	1560	1570
1500ft [675ft]	1640	1650	1650	1660	1670	1670	1680	1690	1700
1600ft [775ft]	1760	1770	1770	1780	1790	1800	1810	1820	1830
1700ft [875ft]	1880	1890	1900	1910	1910	1920	1930	1940	1950
1800ft [975ft]	2000	2010	2020	2030	2040	2050	2060	2070	2080
1900ft [1075ft]	2120	2130	2140	2150	2160	2170	2190	2200	2210
2000ft [1175ft]	2240	2250	2260	2270	2290	2300	2310	2330	2340
2100ft [1275ft]	2360	2370	2380	2400	2410	2430	2440	2450	2470
2200ft [1375ft]	2480	2490	2510	2520	2540	2550	2570	2580	2600
2300ft [1475ft]	2600	2610	2630	2640	2660	2680	2690	2710	2730
2400ft [1575ft]	2720	2730	2750	2770	2780	2800	2820	2840	2850
2500ft [1675ft]	2840	2860	2870	2890	2910	2930	2940	2960	2980
2600ft [1775ft]	2960	2980	2990	3010	3030	3050	3070	3090	3110
2700ft [1875ft]	3080	3100	3120	3140	3160	3180	3200	3220	3240
2800ft [1975ft]	3200	3220	3240	3260	3280	3300	3320	3350	3370
2900ft [2075ft]	3320	3340	3360	3380	3400	3430	3450	3470	3500
3000ft [2175ft]	3440	3460	3480	3510	3530	3550	3580	3600	3630
3100ft [2275ft]	3560	3580	3610	3630	3650	3680	3700	3730	3760
3200ft [2375ft]	3680	3700	3730	3750	3780	3800	3830	3860	3880
3300ft [2475ft]	3800	3820	3850	3880	3900	3930	3960	3980	4010
3400ft [2575ft]	3920	3950	3970	4000	4030	4050	4080	4110	4140
3500ft [2675ft]	4040	4070	4090	4120	4150	4180	4210	4240	4270
3600ft [2775ft]	4160	4190	4220	4250	4280	4310	4340	4370	4400
3700ft [2875ft]	4280	4310	4340	4370	4400	4430	4460	4500	4530
3800ft [2975ft]	4400	4430	4460	4490	4520	4560	4590	4620	4660
3900ft [3075ft]	4520	4550	4580	4620	4650	4680	4720	4750	4790
4000ft [3175ft]	4640	4670	4710	4740	4770	4810	4840	4880	4920
4100ft [3275ft]	4760	4790	4830	4860	4900	4930	4970	5010	5050
4200ft [3375ft]	4880	4920	4950	4990	5020	5060	5100	5140	5170
4300ft [3475ft]	5000	5040	5070	5110	5150	5190	5220	5260	5300
4400ft [3575ft]	5120	5160	5200	5230	5270	5310	5350	5390	5430
4500ft [3675ft]	5240	5280	5320	5360	5400	5440	5480	5520	5560
4600ft [3775ft]	5360	5400	5440	5480	5520	5560	5610	5650	5690
4700ft [3875ft]	5480	5520	5560	5600	5650	5690	5730	5780	5820
4800ft [3975ft]	5600	5640	5690	5730	5770	5810	5860	5900	5950
4900ft [4075ft]	5720	5770	5810	5850	5900	5940	5990	6030	6080
5000ft [4175ft]	5840	5890	5930	5980	6020	6070	6110	6160	6210
5100ft [4275ft]	5960	6010	6050	6100	6140	6190	6240	6290	6340
5200ft [4375ft]	6080	6130	6180	6220	6270	6320	6370	6420	6470
5300ft [4475ft]	6210	6250	6300	6350	6390	6440	6490	6550	6600
5400ft [4575ft]	6330	6370	6420	6470	6520	6570	6620	6670	6730
5500ft [4675ft]	6450	6490	6540	6590	6640	6700	6750	6800	6860
5600ft [4775ft]	6570	6620	6670	6720	6770	6820	6880	6930	6990
5700ft [4875ft]	6690	6740	6790	6840	6890	6950	7000	7060	7120
5800ft [4975ft]	6810	6860	6910	6960	7020	7070	7130	7190	7250
5825ft [5000ft]	6840	6890	6940	7000	7050	7110	7160	7220	7280

Stefano M. RAPISARDA - flightdeckengineering.com

CYGP - Gaspe, QC, CANADA

Station Elevation: 112 feet. ISA Standard Temperature: 14.78°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
112ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [88ft]	200	210	210	210	210	210	210	210	210
300ft [188ft]	300	310	310	310	310	310	310	310	320
400ft [288ft]	400	410	410	410	410	420	420	420	420
500ft [388ft]	500	510	510	510	520	520	520	520	530
600ft [488ft]	600	610	610	620	620	620	630	630	630
700ft [588ft]	700	710	710	720	720	730	730	730	740
800ft [688ft]	800	810	810	820	820	830	830	840	840
900ft [788ft]	900	910	920	920	930	930	940	940	950
1000ft [888ft]	1000	1010	1020	1020	1030	1040	1040	1050	1060
1100ft [988ft]	1100	1110	1120	1130	1130	1140	1150	1150	1160
1200ft [1088ft]	1200	1210	1220	1230	1240	1240	1250	1260	1270
1300ft [1188ft]	1300	1310	1320	1330	1340	1350	1360	1360	1370
1400ft [1288ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1388ft]	1500	1510	1520	1530	1540	1550	1560	1580	1590
1600ft [1488ft]	1600	1610	1620	1640	1650	1660	1670	1680	1690
1700ft [1588ft]	1700	1710	1730	1740	1750	1760	1770	1790	1800
1800ft [1688ft]	1800	1820	1830	1840	1850	1860	1880	1890	1900
1900ft [1788ft]	1900	1920	1930	1940	1950	1970	1980	2000	2010
2000ft [1888ft]	2000	2020	2030	2040	2060	2070	2090	2100	2120
2100ft [1988ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2200ft [2088ft]	2200	2220	2230	2250	2260	2280	2290	2310	2330
2300ft [2188ft]	2300	2320	2330	2350	2370	2380	2400	2420	2430
2400ft [2288ft]	2400	2420	2440	2450	2470	2490	2500	2520	2540
2500ft [2388ft]	2500	2520	2540	2550	2570	2590	2610	2630	2640
2600ft [2488ft]	2600	2620	2640	2660	2670	2690	2710	2730	2750
2700ft [2588ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2688ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2788ft]	2900	2920	2940	2960	2980	3000	3030	3050	3070
3000ft [2888ft]	3000	3020	3040	3060	3090	3110	3130	3150	3170
3100ft [2988ft]	3100	3120	3150	3170	3190	3210	3230	3260	3280
3200ft [3088ft]	3200	3220	3250	3270	3290	3310	3340	3360	3390
3300ft [3188ft]	3300	3330	3350	3370	3390	3420	3440	3470	3490
3400ft [3288ft]	3400	3430	3450	3470	3500	3520	3550	3570	3600
3500ft [3388ft]	3500	3530	3550	3580	3600	3630	3650	3680	3700
3600ft [3488ft]	3600	3630	3650	3680	3700	3730	3760	3780	3810
3700ft [3588ft]	3700	3730	3750	3780	3810	3830	3860	3890	3920
3800ft [3688ft]	3800	3830	3850	3880	3910	3940	3960	3990	4020
3900ft [3788ft]	3900	3930	3960	3980	4010	4040	4070	4100	4130
4000ft [3888ft]	4000	4030	4060	4090	4110	4140	4170	4200	4230
4100ft [3988ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4200ft [4088ft]	4200	4230	4260	4290	4320	4350	4380	4410	4450
4300ft [4188ft]	4300	4330	4360	4390	4420	4450	4490	4520	4550
4400ft [4288ft]	4400	4430	4460	4490	4530	4560	4590	4620	4660
4500ft [4388ft]	4500	4530	4560	4600	4630	4660	4700	4730	4760
4600ft [4488ft]	4600	4630	4670	4700	4730	4770	4800	4830	4870
4700ft [4588ft]	4700	4730	4770	4800	4830	4870	4900	4940	4980
4800ft [4688ft]	4800	4830	4870	4900	4940	4970	5010	5040	5080
4900ft [4788ft]	4900	4940	4970	5000	5040	5080	5110	5150	5190
5000ft [4888ft]	5000	5040	5070	5110	5140	5180	5220	5260	5290
5100ft [4988ft]	5100	5140	5170	5210	5250	5280	5320	5360	5400
5112ft [5000ft]	5112	5150	5180	5220	5260	5300	5330	5370	5410

Stefano M. RAPISARDA - flightdeckengineering.com

CYGP - Gaspe, QC, CANADA

Station Elevation: 112 feet. ISA Standard Temperature: 14.78°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
112ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [88ft]	210	210	210	210	210	210	210	220	220
300ft [188ft]	320	320	320	320	320	320	330	330	330
400ft [288ft]	420	420	430	430	430	430	440	440	440
500ft [388ft]	530	530	530	540	540	540	550	550	550
600ft [488ft]	630	640	640	650	650	650	660	660	670
700ft [588ft]	740	740	750	750	760	760	770	770	780
800ft [688ft]	840	850	860	860	870	870	880	880	890
900ft [788ft]	950	960	960	970	980	980	990	1000	1000
1000ft [888ft]	1060	1060	1070	1080	1090	1090	1100	1110	1120
1100ft [988ft]	1160	1170	1180	1190	1190	1200	1210	1220	1230
1200ft [1088ft]	1270	1280	1290	1290	1300	1310	1320	1330	1340
1300ft [1188ft]	1370	1380	1390	1400	1410	1420	1430	1440	1450
1400ft [1288ft]	1480	1490	1500	1510	1520	1530	1540	1550	1570
1500ft [1388ft]	1590	1600	1610	1620	1630	1640	1650	1670	1680
1600ft [1488ft]	1690	1700	1720	1730	1740	1750	1760	1780	1790
1700ft [1588ft]	1800	1810	1820	1840	1850	1860	1880	1890	1900
1800ft [1688ft]	1900	1920	1930	1940	1960	1970	1990	2000	2020
1900ft [1788ft]	2010	2020	2040	2050	2070	2080	2100	2110	2130
2000ft [1888ft]	2120	2130	2150	2160	2180	2190	2210	2220	2240
2100ft [1988ft]	2220	2240	2250	2270	2290	2300	2320	2340	2350
2200ft [2088ft]	2330	2340	2360	2380	2390	2410	2430	2450	2470
2300ft [2188ft]	2430	2450	2470	2490	2500	2520	2540	2560	2580
2400ft [2288ft]	2540	2560	2580	2590	2610	2630	2650	2670	2690
2500ft [2388ft]	2640	2660	2680	2700	2720	2740	2760	2780	2800
2600ft [2488ft]	2750	2770	2790	2810	2830	2850	2870	2890	2920
2700ft [2588ft]	2860	2880	2900	2920	2940	2960	2980	3010	3030
2800ft [2688ft]	2960	2980	3010	3030	3050	3070	3100	3120	3140
2900ft [2788ft]	3070	3090	3110	3140	3160	3180	3210	3230	3250
3000ft [2888ft]	3170	3200	3220	3240	3270	3290	3320	3340	3370
3100ft [2988ft]	3280	3300	3330	3350	3380	3400	3430	3450	3480
3200ft [3088ft]	3390	3410	3440	3460	3490	3510	3540	3570	3590
3300ft [3188ft]	3490	3520	3540	3570	3600	3620	3650	3680	3710
3400ft [3288ft]	3600	3620	3650	3680	3700	3730	3760	3790	3820
3500ft [3388ft]	3700	3730	3760	3790	3810	3840	3870	3900	3930
3600ft [3488ft]	3810	3840	3870	3890	3920	3950	3980	4010	4040
3700ft [3588ft]	3920	3940	3970	4000	4030	4060	4090	4120	4160
3800ft [3688ft]	4020	4050	4080	4110	4140	4170	4200	4240	4270
3900ft [3788ft]	4130	4160	4190	4220	4250	4280	4320	4350	4380
4000ft [3888ft]	4230	4260	4300	4330	4360	4390	4430	4460	4490
4100ft [3988ft]	4340	4370	4400	4440	4470	4500	4540	4570	4610
4200ft [4088ft]	4450	4480	4510	4540	4580	4610	4650	4680	4720
4300ft [4188ft]	4550	4580	4620	4650	4690	4720	4760	4800	4830
4400ft [4288ft]	4660	4690	4730	4760	4800	4830	4870	4910	4950
4500ft [4388ft]	4760	4800	4830	4870	4910	4940	4980	5020	5060
4600ft [4488ft]	4870	4910	4940	4980	5020	5050	5090	5130	5170
4700ft [4588ft]	4980	5010	5050	5090	5130	5160	5200	5240	5280
4800ft [4688ft]	5080	5120	5160	5200	5230	5270	5310	5360	5400
4900ft [4788ft]	5190	5230	5260	5300	5340	5380	5430	5470	5510
5000ft [4888ft]	5290	5330	5370	5410	5450	5490	5540	5580	5620
5100ft [4988ft]	5400	5440	5480	5520	5560	5600	5650	5690	5740
5112ft [5000ft]	5410	5450	5490	5530	5580	5620	5660	5710	5750

Stefano M. RAPISARDA - flightdeckengineering.com

CYGP - Gaspe, QC, CANADA

Station Elevation: 112 feet. ISA Standard Temperature: 14.78°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
112ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [88ft]	220	220	220	220	220	220	220	220	220
300ft [188ft]	330	330	330	330	340	340	340	340	340
400ft [288ft]	440	440	450	450	450	450	460	460	460
500ft [388ft]	550	560	560	560	570	570	570	580	580
600ft [488ft]	670	670	670	680	680	690	690	700	700
700ft [588ft]	780	780	790	790	800	810	810	820	820
800ft [688ft]	890	900	900	910	920	920	930	940	940
900ft [788ft]	1000	1010	1020	1020	1030	1040	1050	1050	1060
1000ft [888ft]	1120	1120	1130	1140	1150	1160	1160	1170	1180
1100ft [988ft]	1230	1240	1250	1250	1260	1270	1280	1290	1300
1200ft [1088ft]	1340	1350	1360	1370	1380	1390	1400	1410	1420
1300ft [1188ft]	1450	1460	1470	1490	1500	1510	1520	1530	1540
1400ft [1288ft]	1570	1580	1590	1600	1610	1620	1640	1650	1660
1500ft [1388ft]	1680	1690	1700	1720	1730	1740	1760	1770	1780
1600ft [1488ft]	1790	1800	1820	1830	1840	1860	1870	1890	1900
1700ft [1588ft]	1900	1920	1930	1950	1960	1980	1990	2010	2020
1800ft [1688ft]	2020	2030	2050	2060	2080	2090	2110	2130	2140
1900ft [1788ft]	2130	2140	2160	2180	2190	2210	2230	2250	2260
2000ft [1888ft]	2240	2260	2270	2290	2310	2330	2350	2360	2380
2100ft [1988ft]	2350	2370	2390	2410	2430	2450	2460	2480	2500
2200ft [2088ft]	2470	2480	2500	2520	2540	2560	2580	2600	2620
2300ft [2188ft]	2580	2600	2620	2640	2660	2680	2700	2720	2740
2400ft [2288ft]	2690	2710	2730	2750	2780	2800	2820	2840	2860
2500ft [2388ft]	2800	2830	2850	2870	2890	2910	2940	2960	2980
2600ft [2488ft]	2920	2940	2960	2980	3010	3030	3060	3080	3110
2700ft [2588ft]	3030	3050	3080	3100	3120	3150	3170	3200	3230
2800ft [2688ft]	3140	3170	3190	3220	3240	3270	3290	3320	3350
2900ft [2788ft]	3250	3280	3310	3330	3360	3380	3410	3440	3470
3000ft [2888ft]	3370	3390	3420	3450	3470	3500	3530	3560	3590
3100ft [2988ft]	3480	3510	3530	3560	3590	3620	3650	3680	3710
3200ft [3088ft]	3590	3620	3650	3680	3710	3740	3770	3800	3830
3300ft [3188ft]	3710	3730	3760	3790	3820	3850	3880	3920	3950
3400ft [3288ft]	3820	3850	3880	3910	3940	3970	4000	4040	4070
3500ft [3388ft]	3930	3960	3990	4020	4060	4090	4120	4150	4190
3600ft [3488ft]	4040	4080	4110	4140	4170	4210	4240	4270	4310
3700ft [3588ft]	4160	4190	4220	4250	4290	4320	4360	4390	4430
3800ft [3688ft]	4270	4300	4340	4370	4410	4440	4480	4510	4550
3900ft [3788ft]	4380	4420	4450	4490	4520	4560	4590	4630	4670
4000ft [3888ft]	4490	4530	4570	4600	4640	4680	4710	4750	4790
4100ft [3988ft]	4610	4640	4680	4720	4750	4790	4830	4870	4910
4200ft [4088ft]	4720	4760	4790	4830	4870	4910	4950	4990	5030
4300ft [4188ft]	4830	4870	4910	4950	4990	5030	5070	5110	5150
4400ft [4288ft]	4950	4980	5020	5060	5100	5150	5190	5230	5270
4500ft [4388ft]	5060	5100	5140	5180	5220	5260	5310	5350	5390
4600ft [4488ft]	5170	5210	5250	5300	5340	5380	5420	5470	5510
4700ft [4588ft]	5280	5330	5370	5410	5450	5500	5540	5590	5640
4800ft [4688ft]	5400	5440	5480	5530	5570	5620	5660	5710	5760
4900ft [4788ft]	5510	5550	5600	5640	5690	5730	5780	5830	5880
5000ft [4888ft]	5620	5670	5710	5760	5800	5850	5900	5950	6000
5100ft [4988ft]	5740	5780	5830	5870	5920	5970	6020	6070	6120
5112ft [5000ft]	5750	5790	5840	5890	5930	5980	6030	6080	6130

Stefano M. RAPISARDA - flightdeckengineering.com

CYGP - Gaspe, QC, CANADA

Station Elevation: 112 feet. ISA Standard Temperature: 14.78°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
112ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [88ft]	220	220	220	230	230	230	230	230	230
300ft [188ft]	340	340	350	350	350	350	350	360	360
400ft [288ft]	460	470	470	470	470	480	480	480	490
500ft [388ft]	580	590	590	590	600	600	610	610	620
600ft [488ft]	700	710	710	720	720	730	730	740	750
700ft [588ft]	820	830	830	840	850	850	860	870	880
800ft [688ft]	940	950	960	960	970	980	990	990	1010
900ft [788ft]	1060	1070	1080	1090	1100	1100	1110	1120	1130
1000ft [888ft]	1180	1190	1200	1210	1220	1230	1240	1250	1260
1100ft [988ft]	1300	1310	1320	1330	1340	1350	1370	1380	1390
1200ft [1088ft]	1420	1430	1440	1460	1470	1480	1490	1500	1520
1300ft [1188ft]	1540	1550	1570	1580	1590	1600	1620	1630	1650
1400ft [1288ft]	1660	1680	1690	1700	1720	1730	1740	1760	1780
1500ft [1388ft]	1780	1800	1810	1830	1840	1860	1870	1890	1910
1600ft [1488ft]	1900	1920	1930	1950	1960	1980	2000	2010	2040
1700ft [1588ft]	2020	2040	2060	2070	2090	2110	2120	2140	2170
1800ft [1688ft]	2140	2160	2180	2200	2210	2230	2250	2270	2300
1900ft [1788ft]	2260	2280	2300	2320	2340	2360	2380	2400	2430
2000ft [1888ft]	2380	2400	2420	2440	2460	2480	2500	2530	2560
2100ft [1988ft]	2500	2520	2540	2570	2590	2610	2630	2650	2690
2200ft [2088ft]	2620	2650	2670	2690	2710	2730	2760	2780	2820
2300ft [2188ft]	2740	2770	2790	2810	2840	2860	2880	2910	2950
2400ft [2288ft]	2860	2890	2910	2940	2960	2990	3010	3040	3080
2500ft [2388ft]	2980	3010	3030	3060	3080	3110	3140	3160	3210
2600ft [2488ft]	3110	3130	3160	3180	3210	3240	3260	3290	3340
2700ft [2588ft]	3230	3250	3280	3310	3330	3360	3390	3420	3470
2800ft [2688ft]	3350	3370	3400	3430	3460	3490	3520	3550	3590
2900ft [2788ft]	3470	3490	3520	3550	3580	3610	3640	3680	3720
3000ft [2888ft]	3590	3620	3650	3680	3710	3740	3770	3800	3850
3100ft [2988ft]	3710	3740	3770	3800	3830	3870	3900	3930	3980
3200ft [3088ft]	3830	3860	3890	3920	3960	3990	4030	4060	4110
3300ft [3188ft]	3950	3980	4010	4050	4080	4120	4150	4190	4240
3400ft [3288ft]	4070	4100	4140	4170	4210	4240	4280	4320	4370
3500ft [3388ft]	4190	4220	4260	4290	4330	4370	4410	4440	4500
3600ft [3488ft]	4310	4340	4380	4420	4460	4490	4530	4570	4630
3700ft [3588ft]	4430	4470	4500	4540	4580	4620	4660	4700	4760
3800ft [3688ft]	4550	4590	4630	4670	4710	4750	4790	4830	4890
3900ft [3788ft]	4670	4710	4750	4790	4830	4870	4910	4960	5020
4000ft [3888ft]	4790	4830	4870	4910	4960	5000	5040	5090	5150
4100ft [3988ft]	4910	4950	4990	5040	5080	5120	5170	5210	5280
4200ft [4088ft]	5030	5070	5120	5160	5200	5250	5300	5340	5410
4300ft [4188ft]	5150	5200	5240	5280	5330	5380	5420	5470	5540
4400ft [4288ft]	5270	5320	5360	5410	5450	5500	5550	5600	5670
4500ft [4388ft]	5390	5440	5490	5530	5580	5630	5680	5730	5800
4600ft [4488ft]	5510	5560	5610	5660	5700	5750	5800	5860	5930
4700ft [4588ft]	5640	5680	5730	5780	5830	5880	5930	5980	6060
4800ft [4688ft]	5760	5800	5850	5900	5950	6010	6060	6110	6200
4900ft [4788ft]	5880	5930	5980	6030	6080	6130	6190	6240	6330
5000ft [4888ft]	6000	6050	6100	6150	6200	6260	6310	6370	6460
5100ft [4988ft]	6120	6170	6220	6280	6330	6380	6440	6500	6590
5112ft [5000ft]	6130	6180	6240	6290	6340	6400	6460	6510	6600

Stefano M. RAPISARDA - flightdeckengineering.com

CYGR - Iles de La Madeleine, QC, CANADA

Station Elevation: 35 feet. ISA Standard Temperature: 14.93°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
35ft [0ft]	40	40	40	40	40	40	40	40	40
100ft [65ft]	100	110	110	110	110	110	110	110	110
200ft [165ft]	200	210	210	210	210	210	210	210	210
300ft [265ft]	300	310	310	310	310	310	320	320	320
400ft [365ft]	400	410	410	410	420	420	420	420	430
500ft [465ft]	500	510	510	510	520	520	530	530	530
600ft [565ft]	600	610	610	620	620	630	630	630	640
700ft [665ft]	700	710	710	720	720	730	730	740	740
800ft [765ft]	800	810	820	820	830	830	840	840	850
900ft [865ft]	900	910	920	920	930	940	940	950	960
1000ft [965ft]	1000	1010	1020	1030	1030	1040	1050	1050	1060
1100ft [1065ft]	1100	1110	1120	1130	1140	1140	1150	1160	1170
1200ft [1165ft]	1200	1210	1220	1230	1240	1250	1260	1260	1270
1300ft [1265ft]	1300	1310	1320	1330	1340	1350	1360	1370	1380
1400ft [1365ft]	1400	1410	1420	1430	1440	1450	1460	1470	1490
1500ft [1465ft]	1500	1510	1530	1540	1550	1560	1570	1580	1590
1600ft [1565ft]	1600	1620	1630	1640	1650	1660	1670	1690	1700
1700ft [1665ft]	1700	1720	1730	1740	1750	1760	1780	1790	1800
1800ft [1765ft]	1800	1820	1830	1840	1860	1870	1880	1900	1910
1900ft [1865ft]	1900	1920	1930	1940	1960	1970	1990	2000	2010
2000ft [1965ft]	2000	2020	2030	2050	2060	2080	2090	2110	2120
2100ft [2065ft]	2100	2120	2130	2150	2160	2180	2190	2210	2230
2200ft [2165ft]	2200	2220	2240	2250	2270	2280	2300	2320	2330
2300ft [2265ft]	2300	2320	2340	2350	2370	2390	2400	2420	2440
2400ft [2365ft]	2400	2420	2440	2460	2470	2490	2510	2530	2540
2500ft [2465ft]	2500	2520	2540	2560	2580	2590	2610	2630	2650
2600ft [2565ft]	2600	2620	2640	2660	2680	2700	2720	2740	2760
2700ft [2665ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2765ft]	2800	2820	2840	2860	2880	2900	2930	2950	2970
2900ft [2865ft]	2900	2920	2950	2970	2990	3010	3030	3050	3070
3000ft [2965ft]	3000	3030	3050	3070	3090	3110	3130	3160	3180
3100ft [3065ft]	3100	3130	3150	3170	3190	3220	3240	3260	3290
3200ft [3165ft]	3200	3230	3250	3270	3300	3320	3340	3370	3390
3300ft [3265ft]	3300	3330	3350	3370	3400	3420	3450	3470	3500
3400ft [3365ft]	3400	3430	3450	3480	3500	3530	3550	3580	3600
3500ft [3465ft]	3500	3530	3550	3580	3600	3630	3660	3680	3710
3600ft [3565ft]	3600	3630	3650	3680	3710	3730	3760	3790	3820
3700ft [3665ft]	3700	3730	3760	3780	3810	3840	3870	3890	3920
3800ft [3765ft]	3800	3830	3860	3890	3910	3940	3970	4000	4030
3900ft [3865ft]	3900	3930	3960	3990	4020	4040	4070	4100	4130
4000ft [3965ft]	4000	4030	4060	4090	4120	4150	4180	4210	4240
4100ft [4065ft]	4100	4130	4160	4190	4220	4250	4280	4310	4350
4200ft [4165ft]	4200	4230	4260	4290	4320	4360	4390	4420	4450
4300ft [4265ft]	4300	4330	4360	4400	4430	4460	4490	4530	4560
4400ft [4365ft]	4400	4430	4470	4500	4530	4560	4600	4630	4660
4500ft [4465ft]	4500	4540	4570	4600	4630	4670	4700	4740	4770
4600ft [4565ft]	4600	4640	4670	4700	4740	4770	4810	4840	4880
4700ft [4665ft]	4700	4740	4770	4800	4840	4870	4910	4950	4980
4800ft [4765ft]	4800	4840	4870	4910	4940	4980	5010	5050	5090
4900ft [4865ft]	4900	4940	4970	5010	5050	5080	5120	5160	5200
5000ft [4965ft]	5000	5040	5070	5110	5150	5190	5220	5260	5300
5035ft [5000ft]	5040	5070	5110	5150	5180	5220	5260	5300	5340

Stefano M. RAPISARDA - flightdeckengineering.com

CYGR - Iles de La Madeleine, QC, CANADA

Station Elevation: 35 feet. ISA Standard Temperature: 14.93°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
35ft [0ft]	40	40	40	40	40	40	40	40	40
100ft [65ft]	110	110	110	110	110	110	110	110	110
200ft [165ft]	210	220	220	220	220	220	220	220	230
300ft [265ft]	320	320	320	330	330	330	330	340	340
400ft [365ft]	430	430	430	440	440	440	440	450	450
500ft [465ft]	530	540	540	540	550	550	560	560	560
600ft [565ft]	640	640	650	650	660	660	670	670	680
700ft [665ft]	740	750	750	760	770	770	780	780	790
800ft [765ft]	850	860	860	870	870	880	890	890	900
900ft [865ft]	960	960	970	980	980	990	1000	1010	1010
1000ft [965ft]	1060	1070	1080	1080	1090	1100	1110	1120	1130
1100ft [1065ft]	1170	1180	1180	1190	1200	1210	1220	1230	1240
1200ft [1165ft]	1270	1280	1290	1300	1310	1320	1330	1340	1350
1300ft [1265ft]	1380	1390	1400	1410	1420	1430	1440	1450	1460
1400ft [1365ft]	1490	1500	1510	1520	1530	1540	1550	1560	1580
1500ft [1465ft]	1590	1600	1610	1630	1640	1650	1660	1680	1690
1600ft [1565ft]	1700	1710	1720	1730	1750	1760	1770	1790	1800
1700ft [1665ft]	1800	1820	1830	1840	1860	1870	1880	1900	1910
1800ft [1765ft]	1910	1920	1940	1950	1970	1980	2000	2010	2030
1900ft [1865ft]	2010	2030	2040	2060	2080	2090	2110	2120	2140
2000ft [1965ft]	2120	2140	2150	2170	2180	2200	2220	2230	2250
2100ft [2065ft]	2230	2240	2260	2280	2290	2310	2330	2350	2360
2200ft [2165ft]	2330	2350	2370	2380	2400	2420	2440	2460	2480
2300ft [2265ft]	2440	2460	2470	2490	2510	2530	2550	2570	2590
2400ft [2365ft]	2540	2560	2580	2600	2620	2640	2660	2680	2700
2500ft [2465ft]	2650	2670	2690	2710	2730	2750	2770	2790	2820
2600ft [2565ft]	2760	2780	2800	2820	2840	2860	2880	2910	2930
2700ft [2665ft]	2860	2880	2910	2930	2950	2970	2990	3020	3040
2800ft [2765ft]	2970	2990	3010	3040	3060	3080	3110	3130	3150
2900ft [2865ft]	3070	3100	3120	3140	3170	3190	3220	3240	3270
3000ft [2965ft]	3180	3200	3230	3250	3280	3300	3330	3350	3380
3100ft [3065ft]	3290	3310	3340	3360	3390	3410	3440	3460	3490
3200ft [3165ft]	3390	3420	3440	3470	3500	3520	3550	3580	3600
3300ft [3265ft]	3500	3520	3550	3580	3600	3630	3660	3690	3720
3400ft [3365ft]	3600	3630	3660	3690	3710	3740	3770	3800	3830
3500ft [3465ft]	3710	3740	3770	3790	3820	3850	3880	3910	3940
3600ft [3565ft]	3820	3840	3870	3900	3930	3960	3990	4020	4060
3700ft [3665ft]	3920	3950	3980	4010	4040	4070	4100	4140	4170
3800ft [3765ft]	4030	4060	4090	4120	4150	4180	4220	4250	4280
3900ft [3865ft]	4130	4170	4200	4230	4260	4290	4330	4360	4390
4000ft [3965ft]	4240	4270	4300	4340	4370	4400	4440	4470	4510
4100ft [4065ft]	4350	4380	4410	4450	4480	4510	4550	4580	4620
4200ft [4165ft]	4450	4490	4520	4550	4590	4620	4660	4700	4730
4300ft [4265ft]	4560	4590	4630	4660	4700	4730	4770	4810	4850
4400ft [4365ft]	4660	4700	4730	4770	4810	4840	4880	4920	4960
4500ft [4465ft]	4770	4810	4840	4880	4920	4950	4990	5030	5070
4600ft [4565ft]	4880	4910	4950	4990	5030	5060	5100	5140	5180
4700ft [4665ft]	4980	5020	5060	5100	5140	5170	5220	5260	5300
4800ft [4765ft]	5090	5130	5170	5200	5240	5290	5330	5370	5410
4900ft [4865ft]	5200	5230	5270	5310	5350	5400	5440	5480	5520
5000ft [4965ft]	5300	5340	5380	5420	5460	5510	5550	5590	5640
5035ft [5000ft]	5340	5380	5420	5460	5500	5540	5590	5630	5680

Stefano M. RAPISARDA - flightdeckengineering.com

CYGR - Iles de La Madeleine, QC, CANADA

Station Elevation: 35 feet. ISA Standard Temperature: 14.93°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
35ft [0ft]	40	40	40	40	40	40	40	40	40
100ft [65ft]	110	110	110	110	120	120	120	120	120
200ft [165ft]	230	230	230	230	230	230	230	240	240
300ft [265ft]	340	340	340	350	350	350	350	360	360
400ft [365ft]	450	450	460	460	460	470	470	470	480
500ft [465ft]	560	570	570	580	580	580	590	590	600
600ft [565ft]	680	680	690	690	700	700	710	710	720
700ft [665ft]	790	790	800	810	810	820	830	830	840
800ft [765ft]	900	910	910	920	930	940	940	950	960
900ft [865ft]	1010	1020	1030	1040	1040	1050	1060	1070	1080
1000ft [965ft]	1130	1130	1140	1150	1160	1170	1180	1190	1200
1100ft [1065ft]	1240	1250	1260	1270	1280	1290	1300	1310	1320
1200ft [1165ft]	1350	1360	1370	1380	1390	1400	1420	1430	1440
1300ft [1265ft]	1460	1470	1490	1500	1510	1520	1530	1550	1560
1400ft [1365ft]	1580	1590	1600	1610	1630	1640	1650	1670	1680
1500ft [1465ft]	1690	1700	1720	1730	1740	1760	1770	1780	1800
1600ft [1565ft]	1800	1820	1830	1840	1860	1870	1890	1900	1920
1700ft [1665ft]	1910	1930	1940	1960	1970	1990	2010	2020	2040
1800ft [1765ft]	2030	2040	2060	2070	2090	2110	2130	2140	2160
1900ft [1865ft]	2140	2160	2170	2190	2210	2230	2240	2260	2280
2000ft [1965ft]	2250	2270	2290	2310	2320	2340	2360	2380	2400
2100ft [2065ft]	2360	2380	2400	2420	2440	2460	2480	2500	2520
2200ft [2165ft]	2480	2500	2520	2540	2560	2580	2600	2620	2640
2300ft [2265ft]	2590	2610	2630	2650	2670	2690	2720	2740	2760
2400ft [2365ft]	2700	2720	2750	2770	2790	2810	2830	2860	2880
2500ft [2465ft]	2820	2840	2860	2880	2910	2930	2950	2980	3000
2600ft [2565ft]	2930	2950	2970	3000	3020	3050	3070	3100	3120
2700ft [2665ft]	3040	3060	3090	3110	3140	3160	3190	3220	3240
2800ft [2765ft]	3150	3180	3200	3230	3260	3280	3310	3340	3360
2900ft [2865ft]	3270	3290	3320	3340	3370	3400	3430	3460	3480
3000ft [2965ft]	3380	3410	3430	3460	3490	3520	3550	3570	3600
3100ft [3065ft]	3490	3520	3550	3580	3600	3630	3660	3690	3720
3200ft [3165ft]	3600	3630	3660	3690	3720	3750	3780	3810	3850
3300ft [3265ft]	3720	3750	3780	3810	3840	3870	3900	3930	3970
3400ft [3365ft]	3830	3860	3890	3920	3950	3990	4020	4050	4090
3500ft [3465ft]	3940	3970	4010	4040	4070	4100	4140	4170	4210
3600ft [3565ft]	4060	4090	4120	4150	4190	4220	4260	4290	4330
3700ft [3665ft]	4170	4200	4240	4270	4300	4340	4370	4410	4450
3800ft [3765ft]	4280	4320	4350	4380	4420	4460	4490	4530	4570
3900ft [3865ft]	4390	4430	4460	4500	4540	4570	4610	4650	4690
4000ft [3965ft]	4510	4540	4580	4620	4650	4690	4730	4770	4810
4100ft [4065ft]	4620	4660	4690	4730	4770	4810	4850	4890	4930
4200ft [4165ft]	4730	4770	4810	4850	4890	4930	4970	5010	5050
4300ft [4265ft]	4850	4880	4920	4960	5000	5040	5090	5130	5170
4400ft [4365ft]	4960	5000	5040	5080	5120	5160	5200	5250	5290
4500ft [4465ft]	5070	5110	5150	5190	5240	5280	5320	5370	5410
4600ft [4565ft]	5180	5230	5270	5310	5350	5400	5440	5490	5530
4700ft [4665ft]	5300	5340	5380	5430	5470	5520	5560	5610	5650
4800ft [4765ft]	5410	5450	5500	5540	5590	5630	5680	5730	5780
4900ft [4865ft]	5520	5570	5610	5660	5700	5750	5800	5850	5900
5000ft [4965ft]	5640	5680	5730	5770	5820	5870	5920	5970	6020
5035ft [5000ft]	5680	5720	5770	5810	5860	5910	5960	6010	6060

Stefano M. RAPISARDA - flightdeckengineering.com

CYGR - Iles de La Madeleine, QC, CANADA

Station Elevation: 35 feet. ISA Standard Temperature: 14.93°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
35ft [0ft]	40	40	40	40	40	40	40	40	40
100ft [65ft]	120	120	120	120	120	120	120	120	120
200ft [165ft]	240	240	240	240	240	250	250	250	250
300ft [265ft]	360	360	360	370	370	370	370	380	380
400ft [365ft]	480	480	490	490	490	500	500	510	510
500ft [465ft]	600	600	610	610	620	620	630	630	640
600ft [565ft]	720	720	730	740	740	750	750	760	770
700ft [665ft]	840	840	850	860	870	870	880	890	900
800ft [765ft]	960	970	970	980	990	1000	1010	1020	1030
900ft [865ft]	1080	1090	1100	1110	1110	1120	1130	1140	1160
1000ft [965ft]	1200	1210	1220	1230	1240	1250	1260	1270	1290
1100ft [1065ft]	1320	1330	1340	1350	1360	1370	1390	1400	1420
1200ft [1165ft]	1440	1450	1460	1470	1490	1500	1510	1530	1550
1300ft [1265ft]	1560	1570	1580	1600	1610	1630	1640	1650	1680
1400ft [1365ft]	1680	1690	1710	1720	1740	1750	1770	1780	1800
1500ft [1465ft]	1800	1810	1830	1840	1860	1880	1890	1910	1930
1600ft [1565ft]	1920	1940	1950	1970	1980	2000	2020	2040	2060
1700ft [1665ft]	2040	2060	2070	2090	2110	2130	2150	2160	2190
1800ft [1765ft]	2160	2180	2200	2210	2230	2250	2270	2290	2320
1900ft [1865ft]	2280	2300	2320	2340	2360	2380	2400	2420	2450
2000ft [1965ft]	2400	2420	2440	2460	2480	2500	2530	2550	2580
2100ft [2065ft]	2520	2540	2560	2590	2610	2630	2650	2680	2710
2200ft [2165ft]	2640	2660	2690	2710	2730	2760	2780	2800	2840
2300ft [2265ft]	2760	2780	2810	2830	2860	2880	2910	2930	2970
2400ft [2365ft]	2880	2910	2930	2960	2980	3010	3030	3060	3100
2500ft [2465ft]	3000	3030	3050	3080	3110	3130	3160	3190	3230
2600ft [2565ft]	3120	3150	3180	3200	3230	3260	3290	3320	3360
2700ft [2665ft]	3240	3270	3300	3330	3350	3380	3410	3440	3490
2800ft [2765ft]	3360	3390	3420	3450	3480	3510	3540	3570	3620
2900ft [2865ft]	3480	3510	3540	3570	3600	3640	3670	3700	3750
3000ft [2965ft]	3600	3630	3670	3700	3730	3760	3790	3830	3880
3100ft [3065ft]	3720	3760	3790	3820	3850	3890	3920	3960	4010
3200ft [3165ft]	3850	3880	3910	3940	3980	4010	4050	4080	4140
3300ft [3265ft]	3970	4000	4030	4070	4100	4140	4180	4210	4270
3400ft [3365ft]	4090	4120	4160	4190	4230	4260	4300	4340	4400
3500ft [3465ft]	4210	4240	4280	4320	4350	4390	4430	4470	4530
3600ft [3565ft]	4330	4360	4400	4440	4480	4520	4560	4600	4660
3700ft [3665ft]	4450	4490	4520	4560	4600	4640	4680	4730	4790
3800ft [3765ft]	4570	4610	4650	4690	4730	4770	4810	4850	4920
3900ft [3865ft]	4690	4730	4770	4810	4850	4890	4940	4980	5050
4000ft [3965ft]	4810	4850	4890	4930	4980	5020	5070	5110	5180
4100ft [4065ft]	4930	4970	5010	5060	5100	5150	5190	5240	5310
4200ft [4165ft]	5050	5090	5140	5180	5230	5270	5320	5370	5440
4300ft [4265ft]	5170	5220	5260	5310	5350	5400	5450	5500	5570
4400ft [4365ft]	5290	5340	5380	5430	5480	5530	5570	5620	5700
4500ft [4465ft]	5410	5460	5510	5550	5600	5650	5700	5750	5830
4600ft [4565ft]	5530	5580	5630	5680	5730	5780	5830	5880	5960
4700ft [4665ft]	5650	5700	5750	5800	5850	5900	5960	6010	6090
4800ft [4765ft]	5780	5820	5870	5930	5980	6030	6080	6140	6220
4900ft [4865ft]	5900	5950	6000	6050	6100	6160	6210	6270	6350
5000ft [4965ft]	6020	6070	6120	6170	6230	6280	6340	6400	6480
5035ft [5000ft]	6060	6110	6160	6220	6270	6330	6380	6440	6530

Stefano M. RAPISARDA - flightdeckengineering.com

CYQB - Quebec, QC, CANADA

Station Elevation: 244 feet. ISA Standard Temperature: 14.52°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
244ft [0ft]	250	250	250	250	250	250	250	250	250
300ft [56ft]	300	310	310	310	310	310	310	310	310
400ft [156ft]	400	410	410	410	410	410	410	410	410
500ft [256ft]	500	510	510	510	510	510	520	520	520
600ft [356ft]	600	610	610	610	610	620	620	620	630
700ft [456ft]	700	710	710	710	720	720	720	730	730
800ft [556ft]	800	810	810	820	820	820	830	830	840
900ft [656ft]	900	910	910	920	920	930	930	940	940
1000ft [756ft]	1000	1010	1010	1020	1030	1030	1040	1040	1050
1100ft [856ft]	1100	1110	1120	1120	1130	1130	1140	1150	1150
1200ft [956ft]	1200	1210	1220	1220	1230	1240	1240	1250	1260
1300ft [1056ft]	1300	1310	1320	1330	1330	1340	1350	1360	1370
1400ft [1156ft]	1400	1410	1420	1430	1440	1440	1450	1460	1470
1500ft [1256ft]	1500	1510	1520	1530	1540	1550	1560	1570	1580
1600ft [1356ft]	1600	1610	1620	1630	1640	1650	1660	1670	1680
1700ft [1456ft]	1700	1710	1720	1730	1740	1760	1770	1780	1790
1800ft [1556ft]	1800	1810	1820	1840	1850	1860	1870	1880	1890
1900ft [1656ft]	1900	1910	1930	1940	1950	1960	1970	1990	2000
2000ft [1756ft]	2000	2010	2030	2040	2050	2070	2080	2090	2110
2100ft [1856ft]	2100	2110	2130	2140	2160	2170	2180	2200	2210
2200ft [1956ft]	2200	2220	2230	2240	2260	2270	2290	2300	2320
2300ft [2056ft]	2300	2320	2330	2350	2360	2380	2390	2410	2420
2400ft [2156ft]	2400	2420	2430	2450	2460	2480	2500	2510	2530
2500ft [2256ft]	2500	2520	2530	2550	2570	2580	2600	2620	2630
2600ft [2356ft]	2600	2620	2630	2650	2670	2690	2700	2720	2740
2700ft [2456ft]	2700	2720	2740	2750	2770	2790	2810	2830	2850
2800ft [2556ft]	2800	2820	2840	2860	2870	2890	2910	2930	2950
2900ft [2656ft]	2900	2920	2940	2960	2980	3000	3020	3040	3060
3000ft [2756ft]	3000	3020	3040	3060	3080	3100	3120	3140	3160
3100ft [2856ft]	3100	3120	3140	3160	3180	3200	3230	3250	3270
3200ft [2956ft]	3200	3220	3240	3260	3290	3310	3330	3350	3380
3300ft [3056ft]	3300	3320	3340	3370	3390	3410	3430	3460	3480
3400ft [3156ft]	3400	3420	3440	3470	3490	3510	3540	3560	3590
3500ft [3256ft]	3500	3520	3550	3570	3590	3620	3640	3670	3690
3600ft [3356ft]	3600	3620	3650	3670	3700	3720	3750	3770	3800
3700ft [3456ft]	3700	3720	3750	3770	3800	3820	3850	3880	3900
3800ft [3556ft]	3800	3820	3850	3880	3900	3930	3960	3980	4010
3900ft [3656ft]	3900	3920	3950	3980	4000	4030	4060	4090	4120
4000ft [3756ft]	4000	4030	4050	4080	4110	4140	4160	4190	4220
4100ft [3856ft]	4100	4130	4150	4180	4210	4240	4270	4300	4330
4200ft [3956ft]	4200	4230	4250	4280	4310	4340	4370	4400	4430
4300ft [4056ft]	4300	4330	4360	4390	4420	4450	4480	4510	4540
4400ft [4156ft]	4400	4430	4460	4490	4520	4550	4580	4610	4650
4500ft [4256ft]	4500	4530	4560	4590	4620	4650	4690	4720	4750
4600ft [4356ft]	4600	4630	4660	4690	4720	4760	4790	4820	4860
4700ft [4456ft]	4700	4730	4760	4790	4830	4860	4890	4930	4960
4800ft [4556ft]	4800	4830	4860	4900	4930	4960	5000	5030	5070
4900ft [4656ft]	4900	4930	4960	5000	5030	5070	5100	5140	5170
5000ft [4756ft]	5000	5030	5060	5100	5130	5170	5210	5240	5280
5100ft [4856ft]	5100	5130	5170	5200	5240	5270	5310	5350	5390
5200ft [4956ft]	5200	5230	5270	5300	5340	5380	5420	5450	5490
5244ft [5000ft]	5244	5280	5310	5350	5390	5420	5460	5500	5540

Stefano M. RAPISARDA - flightdeckengineering.com

CYQB - Quebec, QC, CANADA

Station Elevation: 244 feet. ISA Standard Temperature: 14.52°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
244ft [0ft]	250	250	250	250	250	250	250	250	250
300ft [56ft]	310	310	310	310	310	310	310	310	310
400ft [156ft]	410	420	420	420	420	420	420	420	420
500ft [256ft]	520	520	520	530	530	530	530	530	540
600ft [356ft]	630	630	630	630	640	640	640	650	650
700ft [456ft]	730	730	740	740	750	750	750	760	760
800ft [556ft]	840	840	850	850	850	860	860	870	870
900ft [656ft]	940	950	950	960	960	970	970	980	990
1000ft [756ft]	1050	1050	1060	1070	1070	1080	1090	1090	1100
1100ft [856ft]	1150	1160	1170	1170	1180	1190	1200	1200	1210
1200ft [956ft]	1260	1270	1270	1280	1290	1300	1310	1310	1320
1300ft [1056ft]	1370	1370	1380	1390	1400	1410	1420	1430	1440
1400ft [1156ft]	1470	1480	1490	1500	1510	1520	1530	1540	1550
1500ft [1256ft]	1580	1590	1600	1610	1620	1630	1640	1650	1660
1600ft [1356ft]	1680	1690	1700	1720	1730	1740	1750	1760	1770
1700ft [1456ft]	1790	1800	1810	1820	1840	1850	1860	1870	1890
1800ft [1556ft]	1890	1910	1920	1930	1940	1960	1970	1980	2000
1900ft [1656ft]	2000	2010	2030	2040	2050	2070	2080	2100	2110
2000ft [1756ft]	2110	2120	2130	2150	2160	2180	2190	2210	2220
2100ft [1856ft]	2210	2230	2240	2260	2270	2290	2300	2320	2330
2200ft [1956ft]	2320	2330	2350	2360	2380	2400	2410	2430	2450
2300ft [2056ft]	2420	2440	2460	2470	2490	2510	2520	2540	2560
2400ft [2156ft]	2530	2550	2560	2580	2600	2620	2630	2650	2670
2500ft [2256ft]	2630	2650	2670	2690	2710	2730	2750	2770	2780
2600ft [2356ft]	2740	2760	2780	2800	2820	2840	2860	2880	2900
2700ft [2456ft]	2850	2870	2890	2910	2930	2950	2970	2990	3010
2800ft [2556ft]	2950	2970	2990	3010	3030	3060	3080	3100	3120
2900ft [2656ft]	3060	3080	3100	3120	3140	3170	3190	3210	3240
3000ft [2756ft]	3160	3190	3210	3230	3250	3280	3300	3320	3350
3100ft [2856ft]	3270	3290	3320	3340	3360	3390	3410	3440	3460
3200ft [2956ft]	3380	3400	3420	3450	3470	3500	3520	3550	3570
3300ft [3056ft]	3480	3510	3530	3550	3580	3610	3630	3660	3690
3400ft [3156ft]	3590	3610	3640	3660	3690	3720	3740	3770	3800
3500ft [3256ft]	3690	3720	3740	3770	3800	3830	3850	3880	3910
3600ft [3356ft]	3800	3830	3850	3880	3910	3940	3960	3990	4020
3700ft [3456ft]	3900	3930	3960	3990	4020	4050	4080	4110	4140
3800ft [3556ft]	4010	4040	4070	4100	4130	4160	4190	4220	4250
3900ft [3656ft]	4120	4150	4170	4200	4230	4270	4300	4330	4360
4000ft [3756ft]	4220	4250	4280	4310	4340	4380	4410	4440	4470
4100ft [3856ft]	4330	4360	4390	4420	4450	4490	4520	4550	4590
4200ft [3956ft]	4430	4470	4500	4530	4560	4600	4630	4660	4700
4300ft [4056ft]	4540	4570	4600	4640	4670	4710	4740	4780	4810
4400ft [4156ft]	4650	4680	4710	4750	4780	4820	4850	4890	4920
4500ft [4256ft]	4750	4790	4820	4850	4890	4930	4960	5000	5040
4600ft [4356ft]	4860	4890	4930	4960	5000	5040	5070	5110	5150
4700ft [4456ft]	4960	5000	5030	5070	5110	5150	5180	5220	5260
4800ft [4556ft]	5070	5110	5140	5180	5220	5260	5300	5330	5380
4900ft [4656ft]	5170	5210	5250	5290	5330	5370	5410	5450	5490
5000ft [4756ft]	5280	5320	5360	5400	5440	5480	5520	5560	5600
5100ft [4856ft]	5390	5430	5460	5500	5550	5590	5630	5670	5710
5200ft [4956ft]	5490	5530	5570	5610	5650	5700	5740	5780	5830
5244ft [5000ft]	5540	5580	5620	5660	5700	5740	5790	5830	5880

Stefano M. RAPISARDA - flightdeckengineering.com

CYQB - Quebec, QC, CANADA

Station Elevation: 244 feet. ISA Standard Temperature: 14.52°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
244ft [0ft]	250	250	250	250	250	250	250	250	250
300ft [56ft]	310	310	310	310	310	310	310	320	320
400ft [156ft]	420	430	430	430	430	430	430	430	440
500ft [256ft]	540	540	540	540	550	550	550	550	560
600ft [356ft]	650	650	660	660	660	670	670	670	680
700ft [456ft]	760	770	770	770	780	780	790	790	800
800ft [556ft]	870	880	880	890	890	900	900	910	920
900ft [656ft]	990	990	1000	1000	1010	1020	1020	1030	1040
1000ft [756ft]	1100	1100	1110	1120	1130	1130	1140	1150	1150
1100ft [856ft]	1210	1220	1230	1230	1240	1250	1260	1270	1270
1200ft [956ft]	1320	1330	1340	1350	1360	1370	1380	1390	1390
1300ft [1056ft]	1440	1440	1450	1460	1470	1480	1490	1500	1510
1400ft [1156ft]	1550	1560	1570	1580	1590	1600	1610	1620	1630
1500ft [1256ft]	1660	1670	1680	1690	1710	1720	1730	1740	1750
1600ft [1356ft]	1770	1780	1800	1810	1820	1830	1850	1860	1870
1700ft [1456ft]	1890	1900	1910	1920	1940	1950	1970	1980	1990
1800ft [1556ft]	2000	2010	2030	2040	2050	2070	2080	2100	2110
1900ft [1656ft]	2110	2120	2140	2150	2170	2190	2200	2220	2230
2000ft [1756ft]	2220	2240	2250	2270	2290	2300	2320	2340	2350
2100ft [1856ft]	2330	2350	2370	2390	2400	2420	2440	2460	2470
2200ft [1956ft]	2450	2460	2480	2500	2520	2540	2560	2580	2600
2300ft [2056ft]	2560	2580	2600	2620	2630	2650	2670	2690	2720
2400ft [2156ft]	2670	2690	2710	2730	2750	2770	2790	2810	2840
2500ft [2256ft]	2780	2810	2830	2850	2870	2890	2910	2930	2960
2600ft [2356ft]	2900	2920	2940	2960	2980	3010	3030	3050	3080
2700ft [2456ft]	3010	3030	3050	3080	3100	3120	3150	3170	3200
2800ft [2556ft]	3120	3150	3170	3190	3220	3240	3270	3290	3320
2900ft [2656ft]	3240	3260	3280	3310	3330	3360	3380	3410	3440
3000ft [2756ft]	3350	3370	3400	3420	3450	3470	3500	3530	3560
3100ft [2856ft]	3460	3490	3510	3540	3560	3590	3620	3650	3680
3200ft [2956ft]	3570	3600	3630	3650	3680	3710	3740	3770	3800
3300ft [3056ft]	3690	3710	3740	3770	3800	3830	3860	3890	3920
3400ft [3156ft]	3800	3830	3850	3880	3910	3940	3970	4010	4040
3500ft [3256ft]	3910	3940	3970	4000	4030	4060	4090	4130	4160
3600ft [3356ft]	4020	4050	4080	4110	4150	4180	4210	4240	4280
3700ft [3456ft]	4140	4170	4200	4230	4260	4300	4330	4360	4400
3800ft [3556ft]	4250	4280	4310	4350	4380	4410	4450	4480	4520
3900ft [3656ft]	4360	4390	4430	4460	4500	4530	4570	4600	4640
4000ft [3756ft]	4470	4510	4540	4580	4610	4650	4680	4720	4760
4100ft [3856ft]	4590	4620	4660	4690	4730	4770	4800	4840	4880
4200ft [3956ft]	4700	4730	4770	4810	4840	4880	4920	4960	5000
4300ft [4056ft]	4810	4850	4890	4920	4960	5000	5040	5080	5120
4400ft [4156ft]	4920	4960	5000	5040	5080	5120	5160	5200	5240
4500ft [4256ft]	5040	5080	5110	5150	5190	5240	5280	5320	5360
4600ft [4356ft]	5150	5190	5230	5270	5310	5350	5400	5440	5480
4700ft [4456ft]	5260	5300	5340	5390	5430	5470	5510	5560	5600
4800ft [4556ft]	5380	5420	5460	5500	5540	5590	5630	5680	5720
4900ft [4656ft]	5490	5530	5570	5620	5660	5700	5750	5800	5840
5000ft [4756ft]	5600	5640	5690	5730	5780	5820	5870	5920	5960
5100ft [4856ft]	5710	5760	5800	5850	5890	5940	5990	6040	6090
5200ft [4956ft]	5830	5870	5920	5960	6010	6060	6110	6160	6210
5244ft [5000ft]	5880	5920	5970	6010	6060	6110	6160	6210	6260

Stefano M. RAPISARDA - flightdeckengineering.com

CYQB - Quebec, QC, CANADA

Station Elevation: 244 feet. ISA Standard Temperature: 14.52°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
244ft [0ft]	250	250	250	250	250	250	250	250	250
300ft [56ft]	320	320	320	320	320	320	320	320	320
400ft [156ft]	440	440	440	440	440	440	450	450	450
500ft [256ft]	560	560	560	560	570	570	570	570	580
600ft [356ft]	680	680	680	690	690	690	700	700	710
700ft [456ft]	800	800	800	810	810	820	820	830	840
800ft [556ft]	920	920	930	930	940	940	950	960	970
900ft [656ft]	1040	1040	1050	1060	1060	1070	1080	1080	1100
1000ft [756ft]	1150	1160	1170	1180	1190	1190	1200	1210	1220
1100ft [856ft]	1270	1280	1290	1300	1310	1320	1330	1340	1350
1200ft [956ft]	1390	1400	1410	1420	1430	1440	1460	1470	1480
1300ft [1056ft]	1510	1530	1540	1550	1560	1570	1580	1590	1610
1400ft [1156ft]	1630	1650	1660	1670	1680	1700	1710	1720	1740
1500ft [1256ft]	1750	1770	1780	1790	1810	1820	1830	1850	1870
1600ft [1356ft]	1870	1890	1900	1920	1930	1950	1960	1980	2000
1700ft [1456ft]	1990	2010	2020	2040	2060	2070	2090	2100	2130
1800ft [1556ft]	2110	2130	2150	2160	2180	2200	2210	2230	2260
1900ft [1656ft]	2230	2250	2270	2290	2300	2320	2340	2360	2390
2000ft [1756ft]	2350	2370	2390	2410	2430	2450	2470	2490	2520
2100ft [1856ft]	2470	2490	2510	2530	2550	2570	2590	2610	2650
2200ft [1956ft]	2600	2610	2640	2660	2680	2700	2720	2740	2780
2300ft [2056ft]	2720	2740	2760	2780	2800	2820	2850	2870	2900
2400ft [2156ft]	2840	2860	2880	2900	2930	2950	2970	3000	3030
2500ft [2256ft]	2960	2980	3000	3030	3050	3070	3100	3120	3160
2600ft [2356ft]	3080	3100	3120	3150	3170	3200	3230	3250	3290
2700ft [2456ft]	3200	3220	3250	3270	3300	3330	3350	3380	3420
2800ft [2556ft]	3320	3340	3370	3400	3420	3450	3480	3510	3550
2900ft [2656ft]	3440	3460	3490	3520	3550	3580	3610	3640	3680
3000ft [2756ft]	3560	3580	3610	3640	3670	3700	3730	3760	3810
3100ft [2856ft]	3680	3710	3740	3770	3800	3830	3860	3890	3940
3200ft [2956ft]	3800	3830	3860	3890	3920	3950	3990	4020	4070
3300ft [3056ft]	3920	3950	3980	4010	4050	4080	4110	4150	4200
3400ft [3156ft]	4040	4070	4100	4140	4170	4200	4240	4280	4330
3500ft [3256ft]	4160	4190	4220	4260	4290	4330	4370	4400	4460
3600ft [3356ft]	4280	4310	4350	4380	4420	4460	4490	4530	4590
3700ft [3456ft]	4400	4430	4470	4510	4540	4580	4620	4660	4720
3800ft [3556ft]	4520	4560	4590	4630	4670	4710	4750	4790	4850
3900ft [3656ft]	4640	4680	4710	4750	4790	4830	4870	4920	4980
4000ft [3756ft]	4760	4800	4840	4880	4920	4960	5000	5040	5110
4100ft [3856ft]	4880	4920	4960	5000	5040	5080	5130	5170	5240
4200ft [3956ft]	5000	5040	5080	5120	5170	5210	5250	5300	5370
4300ft [4056ft]	5120	5160	5200	5250	5290	5340	5380	5430	5500
4400ft [4156ft]	5240	5280	5330	5370	5420	5460	5510	5560	5630
4500ft [4256ft]	5360	5410	5450	5500	5540	5590	5640	5680	5760
4600ft [4356ft]	5480	5530	5570	5620	5670	5710	5760	5810	5890
4700ft [4456ft]	5600	5650	5700	5740	5790	5840	5890	5940	6020
4800ft [4556ft]	5720	5770	5820	5870	5920	5970	6020	6070	6150
4900ft [4656ft]	5840	5890	5940	5990	6040	6090	6140	6200	6280
5000ft [4756ft]	5960	6010	6060	6110	6170	6220	6270	6330	6410
5100ft [4856ft]	6090	6140	6190	6240	6290	6340	6400	6450	6540
5200ft [4956ft]	6210	6260	6310	6360	6420	6470	6530	6580	6670
5244ft [5000ft]	6260	6310	6360	6420	6470	6530	6580	6640	6730

Stefano M. RAPISARDA - flightdeckengineering.com

CYUL - Montreal, QC, CANADA

Station Elevation: 118 feet. ISA Standard Temperature: 14.77°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
118ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [82ft]	200	210	210	210	210	210	210	210	210
300ft [182ft]	300	310	310	310	310	310	310	310	320
400ft [282ft]	400	410	410	410	410	410	420	420	420
500ft [382ft]	500	510	510	510	520	520	520	520	530
600ft [482ft]	600	610	610	610	620	620	630	630	630
700ft [582ft]	700	710	710	720	720	730	730	730	740
800ft [682ft]	800	810	810	820	820	830	830	840	840
900ft [782ft]	900	910	920	920	930	930	940	940	950
1000ft [882ft]	1000	1010	1020	1020	1030	1040	1040	1050	1060
1100ft [982ft]	1100	1110	1120	1130	1130	1140	1150	1150	1160
1200ft [1082ft]	1200	1210	1220	1230	1240	1240	1250	1260	1270
1300ft [1182ft]	1300	1310	1320	1330	1340	1350	1360	1360	1370
1400ft [1282ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1382ft]	1500	1510	1520	1530	1540	1550	1560	1570	1590
1600ft [1482ft]	1600	1610	1620	1640	1650	1660	1670	1680	1690
1700ft [1582ft]	1700	1710	1730	1740	1750	1760	1770	1780	1800
1800ft [1682ft]	1800	1820	1830	1840	1850	1860	1880	1890	1900
1900ft [1782ft]	1900	1920	1930	1940	1950	1970	1980	2000	2010
2000ft [1882ft]	2000	2020	2030	2040	2060	2070	2090	2100	2110
2100ft [1982ft]	2100	2120	2130	2150	2160	2180	2190	2210	2220
2200ft [2082ft]	2200	2220	2230	2250	2260	2280	2290	2310	2330
2300ft [2182ft]	2300	2320	2330	2350	2370	2380	2400	2420	2430
2400ft [2282ft]	2400	2420	2440	2450	2470	2490	2500	2520	2540
2500ft [2382ft]	2500	2520	2540	2550	2570	2590	2610	2630	2640
2600ft [2482ft]	2600	2620	2640	2660	2670	2690	2710	2730	2750
2700ft [2582ft]	2700	2720	2740	2760	2780	2800	2820	2840	2860
2800ft [2682ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2782ft]	2900	2920	2940	2960	2980	3000	3020	3050	3070
3000ft [2882ft]	3000	3020	3040	3060	3090	3110	3130	3150	3170
3100ft [2982ft]	3100	3120	3140	3170	3190	3210	3230	3260	3280
3200ft [3082ft]	3200	3220	3250	3270	3290	3310	3340	3360	3390
3300ft [3182ft]	3300	3320	3350	3370	3390	3420	3440	3470	3490
3400ft [3282ft]	3400	3430	3450	3470	3500	3520	3550	3570	3600
3500ft [3382ft]	3500	3530	3550	3570	3600	3630	3650	3680	3700
3600ft [3482ft]	3600	3630	3650	3680	3700	3730	3760	3780	3810
3700ft [3582ft]	3700	3730	3750	3780	3810	3830	3860	3890	3920
3800ft [3682ft]	3800	3830	3850	3880	3910	3940	3960	3990	4020
3900ft [3782ft]	3900	3930	3960	3980	4010	4040	4070	4100	4130
4000ft [3882ft]	4000	4030	4060	4090	4110	4140	4170	4200	4230
4100ft [3982ft]	4100	4130	4160	4190	4220	4250	4280	4310	4340
4200ft [4082ft]	4200	4230	4260	4290	4320	4350	4380	4410	4450
4300ft [4182ft]	4300	4330	4360	4390	4420	4450	4490	4520	4550
4400ft [4282ft]	4400	4430	4460	4490	4530	4560	4590	4620	4660
4500ft [4382ft]	4500	4530	4560	4600	4630	4660	4690	4730	4760
4600ft [4482ft]	4600	4630	4670	4700	4730	4760	4800	4830	4870
4700ft [4582ft]	4700	4730	4770	4800	4830	4870	4900	4940	4970
4800ft [4682ft]	4800	4830	4870	4900	4940	4970	5010	5040	5080
4900ft [4782ft]	4900	4940	4970	5000	5040	5080	5110	5150	5190
5000ft [4882ft]	5000	5040	5070	5110	5140	5180	5220	5250	5290
5100ft [4982ft]	5100	5140	5170	5210	5250	5280	5320	5360	5400
5118ft [5000ft]	5120	5150	5190	5230	5260	5300	5340	5380	5420

Stefano M. RAPISARDA - flightdeckengineering.com

CYUL - Montreal, QC, CANADA

Station Elevation: 118 feet. ISA Standard Temperature: 14.77°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
118ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [82ft]	210	210	210	210	210	210	210	210	220
300ft [182ft]	320	320	320	320	320	320	320	330	330
400ft [282ft]	420	420	430	430	430	430	440	440	440
500ft [382ft]	530	530	530	540	540	540	550	550	550
600ft [482ft]	630	640	640	640	650	650	660	660	660
700ft [582ft]	740	740	750	750	760	760	770	770	780
800ft [682ft]	840	850	860	860	870	870	880	880	890
900ft [782ft]	950	960	960	970	980	980	990	1000	1000
1000ft [882ft]	1060	1060	1070	1080	1080	1090	1100	1110	1110
1100ft [982ft]	1160	1170	1180	1190	1190	1200	1210	1220	1230
1200ft [1082ft]	1270	1280	1290	1290	1300	1310	1320	1330	1340
1300ft [1182ft]	1370	1380	1390	1400	1410	1420	1430	1440	1450
1400ft [1282ft]	1480	1490	1500	1510	1520	1530	1540	1550	1560
1500ft [1382ft]	1590	1600	1610	1620	1630	1640	1650	1670	1680
1600ft [1482ft]	1690	1700	1710	1730	1740	1750	1760	1780	1790
1700ft [1582ft]	1800	1810	1820	1840	1850	1860	1870	1890	1900
1800ft [1682ft]	1900	1920	1930	1940	1960	1970	1990	2000	2010
1900ft [1782ft]	2010	2020	2040	2050	2070	2080	2100	2110	2130
2000ft [1882ft]	2110	2130	2140	2160	2180	2190	2210	2220	2240
2100ft [1982ft]	2220	2240	2250	2270	2280	2300	2320	2340	2350
2200ft [2082ft]	2330	2340	2360	2380	2390	2410	2430	2450	2470
2300ft [2182ft]	2430	2450	2470	2480	2500	2520	2540	2560	2580
2400ft [2282ft]	2540	2560	2570	2590	2610	2630	2650	2670	2690
2500ft [2382ft]	2640	2660	2680	2700	2720	2740	2760	2780	2800
2600ft [2482ft]	2750	2770	2790	2810	2830	2850	2870	2890	2920
2700ft [2582ft]	2860	2880	2900	2920	2940	2960	2980	3010	3030
2800ft [2682ft]	2960	2980	3000	3030	3050	3070	3090	3120	3140
2900ft [2782ft]	3070	3090	3110	3130	3160	3180	3210	3230	3250
3000ft [2882ft]	3170	3200	3220	3240	3270	3290	3320	3340	3370
3100ft [2982ft]	3280	3300	3330	3350	3380	3400	3430	3450	3480
3200ft [3082ft]	3390	3410	3430	3460	3490	3510	3540	3560	3590
3300ft [3182ft]	3490	3520	3540	3570	3590	3620	3650	3680	3700
3400ft [3282ft]	3600	3620	3650	3680	3700	3730	3760	3790	3820
3500ft [3382ft]	3700	3730	3760	3790	3810	3840	3870	3900	3930
3600ft [3482ft]	3810	3840	3870	3890	3920	3950	3980	4010	4040
3700ft [3582ft]	3920	3940	3970	4000	4030	4060	4090	4120	4160
3800ft [3682ft]	4020	4050	4080	4110	4140	4170	4200	4240	4270
3900ft [3782ft]	4130	4160	4190	4220	4250	4280	4310	4350	4380
4000ft [3882ft]	4230	4260	4300	4330	4360	4390	4430	4460	4490
4100ft [3982ft]	4340	4370	4400	4440	4470	4500	4540	4570	4610
4200ft [4082ft]	4450	4480	4510	4540	4580	4610	4650	4680	4720
4300ft [4182ft]	4550	4580	4620	4650	4690	4720	4760	4800	4830
4400ft [4282ft]	4660	4690	4730	4760	4800	4830	4870	4910	4950
4500ft [4382ft]	4760	4800	4830	4870	4910	4940	4980	5020	5060
4600ft [4482ft]	4870	4900	4940	4980	5020	5050	5090	5130	5170
4700ft [4582ft]	4970	5010	5050	5090	5120	5160	5200	5240	5280
4800ft [4682ft]	5080	5120	5160	5190	5230	5270	5310	5350	5400
4900ft [4782ft]	5190	5230	5260	5300	5340	5380	5420	5470	5510
5000ft [4882ft]	5290	5330	5370	5410	5450	5490	5540	5580	5620
5100ft [4982ft]	5400	5440	5480	5520	5560	5600	5650	5690	5740
5118ft [5000ft]	5420	5460	5500	5540	5580	5620	5670	5710	5760

Stefano M. RAPISARDA - flightdeckengineering.com

CYUL - Montreal, QC, CANADA

Station Elevation: 118 feet. ISA Standard Temperature: 14.77°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
118ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [82ft]	220	220	220	220	220	220	220	220	220
300ft [182ft]	330	330	330	330	330	340	340	340	340
400ft [282ft]	440	440	450	450	450	450	460	460	460
500ft [382ft]	550	560	560	560	570	570	570	580	580
600ft [482ft]	660	670	670	680	680	690	690	700	700
700ft [582ft]	780	780	790	790	800	800	810	820	820
800ft [682ft]	890	900	900	910	910	920	930	930	940
900ft [782ft]	1000	1010	1020	1020	1030	1040	1050	1050	1060
1000ft [882ft]	1110	1120	1130	1140	1150	1160	1160	1170	1180
1100ft [982ft]	1230	1240	1240	1250	1260	1270	1280	1290	1300
1200ft [1082ft]	1340	1350	1360	1370	1380	1390	1400	1410	1420
1300ft [1182ft]	1450	1460	1470	1480	1500	1510	1520	1530	1540
1400ft [1282ft]	1560	1580	1590	1600	1610	1620	1640	1650	1660
1500ft [1382ft]	1680	1690	1700	1710	1730	1740	1750	1770	1780
1600ft [1482ft]	1790	1800	1820	1830	1840	1860	1870	1890	1900
1700ft [1582ft]	1900	1920	1930	1950	1960	1980	1990	2010	2020
1800ft [1682ft]	2010	2030	2050	2060	2080	2090	2110	2130	2140
1900ft [1782ft]	2130	2140	2160	2180	2190	2210	2230	2240	2260
2000ft [1882ft]	2240	2260	2270	2290	2310	2330	2350	2360	2380
2100ft [1982ft]	2350	2370	2390	2410	2430	2440	2460	2480	2500
2200ft [2082ft]	2470	2480	2500	2520	2540	2560	2580	2600	2620
2300ft [2182ft]	2580	2600	2620	2640	2660	2680	2700	2720	2740
2400ft [2282ft]	2690	2710	2730	2750	2770	2800	2820	2840	2860
2500ft [2382ft]	2800	2820	2850	2870	2890	2910	2940	2960	2980
2600ft [2482ft]	2920	2940	2960	2980	3010	3030	3050	3080	3100
2700ft [2582ft]	3030	3050	3080	3100	3120	3150	3170	3200	3220
2800ft [2682ft]	3140	3170	3190	3210	3240	3270	3290	3320	3340
2900ft [2782ft]	3250	3280	3300	3330	3360	3380	3410	3440	3460
3000ft [2882ft]	3370	3390	3420	3450	3470	3500	3530	3560	3590
3100ft [2982ft]	3480	3510	3530	3560	3590	3620	3650	3680	3710
3200ft [3082ft]	3590	3620	3650	3680	3710	3730	3760	3800	3830
3300ft [3182ft]	3700	3730	3760	3790	3820	3850	3880	3910	3950
3400ft [3282ft]	3820	3850	3880	3910	3940	3970	4000	4030	4070
3500ft [3382ft]	3930	3960	3990	4020	4050	4090	4120	4150	4190
3600ft [3482ft]	4040	4070	4110	4140	4170	4200	4240	4270	4310
3700ft [3582ft]	4160	4190	4220	4250	4290	4320	4360	4390	4430
3800ft [3682ft]	4270	4300	4340	4370	4400	4440	4480	4510	4550
3900ft [3782ft]	4380	4420	4450	4480	4520	4560	4590	4630	4670
4000ft [3882ft]	4490	4530	4560	4600	4640	4670	4710	4750	4790
4100ft [3982ft]	4610	4640	4680	4720	4750	4790	4830	4870	4910
4200ft [4082ft]	4720	4760	4790	4830	4870	4910	4950	4990	5030
4300ft [4182ft]	4830	4870	4910	4950	4990	5030	5070	5110	5150
4400ft [4282ft]	4950	4980	5020	5060	5100	5140	5190	5230	5270
4500ft [4382ft]	5060	5100	5140	5180	5220	5260	5300	5350	5390
4600ft [4482ft]	5170	5210	5250	5290	5340	5380	5420	5470	5510
4700ft [4582ft]	5280	5320	5370	5410	5450	5500	5540	5590	5630
4800ft [4682ft]	5400	5440	5480	5530	5570	5610	5660	5710	5750
4900ft [4782ft]	5510	5550	5600	5640	5690	5730	5780	5830	5880
5000ft [4882ft]	5620	5670	5710	5760	5800	5850	5900	5950	6000
5100ft [4982ft]	5740	5780	5830	5870	5920	5970	6020	6070	6120
5118ft [5000ft]	5760	5800	5850	5890	5940	5990	6040	6090	6140

Stefano M. RAPISARDA - flightdeckengineering.com

CYUL - Montreal, QC, CANADA

Station Elevation: 118 feet. ISA Standard Temperature: 14.77°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
118ft [0ft]	120	120	120	120	120	120	120	120	120
200ft [82ft]	220	220	220	220	220	230	230	230	230
300ft [182ft]	340	340	340	350	350	350	350	350	360
400ft [282ft]	460	460	470	470	470	480	480	480	490
500ft [382ft]	580	580	590	590	600	600	610	610	620
600ft [482ft]	700	710	710	720	720	730	730	740	750
700ft [582ft]	820	830	830	840	850	850	860	860	870
800ft [682ft]	940	950	950	960	970	980	980	990	1000
900ft [782ft]	1060	1070	1080	1090	1090	1100	1110	1120	1130
1000ft [882ft]	1180	1190	1200	1210	1220	1230	1240	1250	1260
1100ft [982ft]	1300	1310	1320	1330	1340	1350	1360	1370	1390
1200ft [1082ft]	1420	1430	1440	1450	1470	1480	1490	1500	1520
1300ft [1182ft]	1540	1550	1570	1580	1590	1600	1620	1630	1650
1400ft [1282ft]	1660	1670	1690	1700	1710	1730	1740	1760	1780
1500ft [1382ft]	1780	1800	1810	1820	1840	1850	1870	1880	1910
1600ft [1482ft]	1900	1920	1930	1950	1960	1980	2000	2010	2040
1700ft [1582ft]	2020	2040	2050	2070	2090	2100	2120	2140	2170
1800ft [1682ft]	2140	2160	2180	2190	2210	2230	2250	2270	2300
1900ft [1782ft]	2260	2280	2300	2320	2340	2360	2380	2400	2430
2000ft [1882ft]	2380	2400	2420	2440	2460	2480	2500	2520	2560
2100ft [1982ft]	2500	2520	2540	2560	2590	2610	2630	2650	2690
2200ft [2082ft]	2620	2640	2670	2690	2710	2730	2760	2780	2810
2300ft [2182ft]	2740	2770	2790	2810	2830	2860	2880	2910	2940
2400ft [2282ft]	2860	2890	2910	2930	2960	2980	3010	3030	3070
2500ft [2382ft]	2980	3010	3030	3060	3080	3110	3140	3160	3200
2600ft [2482ft]	3100	3130	3150	3180	3210	3230	3260	3290	3330
2700ft [2582ft]	3220	3250	3280	3300	3330	3360	3390	3420	3460
2800ft [2682ft]	3340	3370	3400	3430	3460	3490	3520	3550	3590
2900ft [2782ft]	3460	3490	3520	3550	3580	3610	3640	3670	3720
3000ft [2882ft]	3590	3610	3640	3680	3710	3740	3770	3800	3850
3100ft [2982ft]	3710	3740	3770	3800	3830	3860	3900	3930	3980
3200ft [3082ft]	3830	3860	3890	3920	3960	3990	4020	4060	4110
3300ft [3182ft]	3950	3980	4010	4050	4080	4110	4150	4190	4240
3400ft [3282ft]	4070	4100	4130	4170	4200	4240	4280	4310	4370
3500ft [3382ft]	4190	4220	4260	4290	4330	4370	4400	4440	4500
3600ft [3482ft]	4310	4340	4380	4420	4450	4490	4530	4570	4630
3700ft [3582ft]	4430	4460	4500	4540	4580	4620	4660	4700	4760
3800ft [3682ft]	4550	4590	4620	4660	4700	4740	4790	4830	4890
3900ft [3782ft]	4670	4710	4750	4790	4830	4870	4910	4960	5020
4000ft [3882ft]	4790	4830	4870	4910	4950	5000	5040	5080	5150
4100ft [3982ft]	4910	4950	4990	5040	5080	5120	5170	5210	5280
4200ft [4082ft]	5030	5070	5120	5160	5200	5250	5290	5340	5410
4300ft [4182ft]	5150	5190	5240	5280	5330	5370	5420	5470	5540
4400ft [4282ft]	5270	5320	5360	5410	5450	5500	5550	5600	5670
4500ft [4382ft]	5390	5440	5480	5530	5580	5630	5680	5730	5800
4600ft [4482ft]	5510	5560	5610	5650	5700	5750	5800	5850	5930
4700ft [4582ft]	5630	5680	5730	5780	5830	5880	5930	5980	6060
4800ft [4682ft]	5750	5800	5850	5900	5950	6000	6060	6110	6190
4900ft [4782ft]	5880	5920	5970	6030	6080	6130	6180	6240	6320
5000ft [4882ft]	6000	6050	6100	6150	6200	6260	6310	6370	6450
5100ft [4982ft]	6120	6170	6220	6270	6330	6380	6440	6500	6580
5118ft [5000ft]	6140	6190	6240	6300	6350	6410	6460	6520	6610

Stefano M. RAPISARDA - flightdeckengineering.com

CYUY - Rouyn-Noranda, QC, CANADA

Station Elevation: 974 feet. ISA Standard Temperature: 13.07°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+0)	12°C (ISA-2)	10°C (ISA-4)	8°C (ISA-6)	6°C (ISA-8)	4°C (ISA-10)	2°C (ISA-12)	0°C (ISA-14)	-2°C (ISA-16)
974ft [0ft]	980	980	980	980	980	980	980	980	980
1000ft [26ft]	1000	1010	1010	1010	1010	1010	1010	1010	1010
1100ft [126ft]	1100	1110	1110	1110	1110	1110	1110	1110	1110
1200ft [226ft]	1200	1210	1210	1210	1210	1210	1210	1220	1220
1300ft [326ft]	1300	1310	1310	1310	1310	1320	1320	1320	1320
1400ft [426ft]	1400	1410	1410	1410	1420	1420	1420	1430	1430
1500ft [526ft]	1500	1510	1510	1510	1520	1520	1530	1530	1530
1600ft [626ft]	1600	1610	1610	1620	1620	1630	1630	1630	1640
1700ft [726ft]	1700	1710	1710	1720	1720	1730	1730	1740	1750
1800ft [826ft]	1800	1810	1810	1820	1830	1830	1840	1840	1850
1900ft [926ft]	1900	1910	1920	1920	1930	1940	1940	1950	1960
2000ft [1026ft]	2000	2010	2020	2020	2030	2040	2050	2050	2060
2100ft [1126ft]	2100	2110	2120	2130	2130	2140	2150	2160	2170
2200ft [1226ft]	2200	2210	2220	2230	2240	2250	2250	2260	2270
2300ft [1326ft]	2300	2310	2320	2330	2340	2350	2360	2370	2380
2400ft [1426ft]	2400	2410	2420	2430	2440	2450	2460	2470	2480
2500ft [1526ft]	2500	2510	2520	2530	2540	2560	2570	2580	2590
2600ft [1626ft]	2600	2610	2620	2630	2650	2660	2670	2680	2700
2700ft [1726ft]	2700	2710	2720	2740	2750	2760	2770	2790	2800
2800ft [1826ft]	2800	2810	2820	2840	2850	2860	2880	2890	2910
2900ft [1926ft]	2900	2910	2930	2940	2950	2970	2980	3000	3010
3000ft [2026ft]	3000	3010	3030	3040	3060	3070	3090	3100	3120
3100ft [2126ft]	3100	3110	3130	3140	3160	3170	3190	3210	3220
3200ft [2226ft]	3200	3210	3230	3250	3260	3280	3300	3310	3330
3300ft [2326ft]	3300	3310	3330	3350	3360	3380	3400	3420	3430
3400ft [2426ft]	3400	3410	3430	3450	3470	3480	3500	3520	3540
3500ft [2526ft]	3500	3510	3530	3550	3570	3590	3610	3630	3650
3600ft [2626ft]	3600	3610	3630	3650	3670	3690	3710	3730	3750
3700ft [2726ft]	3700	3720	3730	3750	3770	3790	3820	3840	3860
3800ft [2826ft]	3800	3820	3840	3860	3880	3900	3920	3940	3960
3900ft [2926ft]	3900	3920	3940	3960	3980	4000	4020	4050	4070
4000ft [3026ft]	4000	4020	4040	4060	4080	4100	4130	4150	4170
4100ft [3126ft]	4100	4120	4140	4160	4180	4210	4230	4260	4280
4200ft [3226ft]	4200	4220	4240	4260	4290	4310	4340	4360	4390
4300ft [3326ft]	4300	4320	4340	4370	4390	4410	4440	4470	4490
4400ft [3426ft]	4400	4420	4440	4470	4490	4520	4540	4570	4600
4500ft [3526ft]	4500	4520	4540	4570	4600	4620	4650	4680	4700
4600ft [3626ft]	4600	4620	4640	4670	4700	4720	4750	4780	4810
4700ft [3726ft]	4700	4720	4750	4770	4800	4830	4860	4890	4910
4800ft [3826ft]	4800	4820	4850	4870	4900	4930	4960	4990	5020
4900ft [3926ft]	4900	4920	4950	4980	5010	5030	5060	5090	5130
5000ft [4026ft]	5000	5020	5050	5080	5110	5140	5170	5200	5230
5100ft [4126ft]	5100	5120	5150	5180	5210	5240	5270	5300	5340
5200ft [4226ft]	5200	5220	5250	5280	5310	5340	5380	5410	5440
5300ft [4326ft]	5300	5320	5350	5380	5420	5450	5480	5510	5550
5400ft [4426ft]	5400	5420	5450	5490	5520	5550	5590	5620	5650
5500ft [4526ft]	5500	5520	5550	5590	5620	5660	5690	5720	5760
5600ft [4626ft]	5600	5620	5660	5690	5720	5760	5790	5830	5870
5700ft [4726ft]	5700	5720	5760	5790	5830	5860	5900	5930	5970
5800ft [4826ft]	5800	5820	5860	5890	5930	5970	6000	6040	6080
5900ft [4926ft]	5900	5920	5960	6000	6030	6070	6110	6140	6180
5974ft [5000ft]	5974	6000	6030	6070	6110	6150	6180	6220	6260

Stefano M. RAPISARDA - flightdeckengineering.com

CYUY - Rouyn-Noranda, QC, CANADA

Station Elevation: 974 feet. ISA Standard Temperature: 13.07°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-16)	-4°C (ISA-18)	-6°C (ISA-20)	-8°C (ISA-22)	-10°C (ISA-24)	-12°C (ISA-26)	-14°C (ISA-28)	-16°C (ISA-30)	-18°C (ISA-32)
974ft [0ft]	980	980	980	980	980	980	980	980	980
1000ft [26ft]	1010	1010	1010	1010	1010	1010	1010	1010	1010
1100ft [126ft]	1110	1110	1110	1110	1120	1120	1120	1120	1120
1200ft [226ft]	1220	1220	1220	1220	1220	1230	1230	1230	1230
1300ft [326ft]	1320	1330	1330	1330	1330	1340	1340	1340	1340
1400ft [426ft]	1430	1430	1440	1440	1440	1450	1450	1450	1460
1500ft [526ft]	1530	1540	1540	1550	1550	1560	1560	1560	1570
1600ft [626ft]	1640	1640	1650	1650	1660	1670	1670	1680	1680
1700ft [726ft]	1750	1750	1760	1760	1770	1770	1780	1790	1790
1800ft [826ft]	1850	1860	1860	1870	1880	1880	1890	1900	1910
1900ft [926ft]	1960	1960	1970	1980	1990	1990	2000	2010	2020
2000ft [1026ft]	2060	2070	2080	2090	2100	2100	2110	2120	2130
2100ft [1126ft]	2170	2180	2190	2190	2200	2210	2220	2230	2240
2200ft [1226ft]	2270	2280	2290	2300	2310	2320	2330	2340	2350
2300ft [1326ft]	2380	2390	2400	2410	2420	2430	2440	2460	2470
2400ft [1426ft]	2480	2500	2510	2520	2530	2540	2550	2570	2580
2500ft [1526ft]	2590	2600	2610	2630	2640	2650	2660	2680	2690
2600ft [1626ft]	2700	2710	2720	2730	2750	2760	2780	2790	2800
2700ft [1726ft]	2800	2810	2830	2840	2860	2870	2890	2900	2920
2800ft [1826ft]	2910	2920	2940	2950	2970	2980	3000	3010	3030
2900ft [1926ft]	3010	3030	3040	3060	3070	3090	3110	3120	3140
3000ft [2026ft]	3120	3130	3150	3170	3180	3200	3220	3240	3250
3100ft [2126ft]	3220	3240	3260	3270	3290	3310	3330	3350	3370
3200ft [2226ft]	3330	3350	3360	3380	3400	3420	3440	3460	3480
3300ft [2326ft]	3430	3450	3470	3490	3510	3530	3550	3570	3590
3400ft [2426ft]	3540	3560	3580	3600	3620	3640	3660	3680	3700
3500ft [2526ft]	3650	3670	3690	3710	3730	3750	3770	3790	3810
3600ft [2626ft]	3750	3770	3790	3820	3840	3860	3880	3900	3930
3700ft [2726ft]	3860	3880	3900	3920	3950	3970	3990	4020	4040
3800ft [2826ft]	3960	3990	4010	4030	4050	4080	4100	4130	4150
3900ft [2926ft]	4070	4090	4120	4140	4160	4190	4210	4240	4260
4000ft [3026ft]	4170	4200	4220	4250	4270	4300	4320	4350	4380
4100ft [3126ft]	4280	4300	4330	4360	4380	4410	4430	4460	4490
4200ft [3226ft]	4390	4410	4440	4460	4490	4520	4550	4570	4600
4300ft [3326ft]	4490	4520	4540	4570	4600	4630	4660	4680	4710
4400ft [3426ft]	4600	4620	4650	4680	4710	4740	4770	4800	4830
4500ft [3526ft]	4700	4730	4760	4790	4820	4850	4880	4910	4940
4600ft [3626ft]	4810	4840	4870	4900	4930	4960	4990	5020	5050
4700ft [3726ft]	4910	4940	4970	5000	5040	5070	5100	5130	5160
4800ft [3826ft]	5020	5050	5080	5110	5140	5180	5210	5240	5280
4900ft [3926ft]	5130	5160	5190	5220	5250	5290	5320	5350	5390
5000ft [4026ft]	5230	5260	5300	5330	5360	5400	5430	5470	5500
5100ft [4126ft]	5340	5370	5400	5440	5470	5510	5540	5580	5610
5200ft [4226ft]	5440	5480	5510	5550	5580	5620	5650	5690	5730
5300ft [4326ft]	5550	5580	5620	5650	5690	5730	5760	5800	5840
5400ft [4426ft]	5650	5690	5730	5760	5800	5840	5870	5910	5950
5500ft [4526ft]	5760	5800	5830	5870	5910	5950	5980	6020	6060
5600ft [4626ft]	5870	5900	5940	5980	6020	6060	6100	6140	6180
5700ft [4726ft]	5970	6010	6050	6090	6130	6170	6210	6250	6290
5800ft [4826ft]	6080	6120	6150	6190	6230	6280	6320	6360	6400
5900ft [4926ft]	6180	6220	6260	6300	6340	6390	6430	6470	6510
5974ft [5000ft]	6260	6300	6340	6380	6420	6470	6510	6550	6600

Stefano M. RAPISARDA - flightdeckengineering.com

CYUY - Rouyn-Noranda, QC, CANADA

Station Elevation: 974 feet. ISA Standard Temperature: 13.07°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-32)	-20°C (ISA-34)	-22°C (ISA-36)	-24°C (ISA-38)	-26°C (ISA-40)	-28°C (ISA-42)	-30°C (ISA-44)	-32°C (ISA-46)	-34°C (ISA-48)
974ft [0ft]	980	980	980	980	980	980	980	980	980
1000ft [26ft]	1010	1010	1010	1010	1010	1010	1010	1010	1010
1100ft [126ft]	1120	1120	1120	1120	1120	1130	1130	1130	1130
1200ft [226ft]	1230	1230	1240	1240	1240	1240	1240	1250	1250
1300ft [326ft]	1340	1350	1350	1350	1360	1360	1360	1370	1370
1400ft [426ft]	1460	1460	1460	1470	1470	1480	1480	1480	1490
1500ft [526ft]	1570	1570	1580	1580	1590	1590	1600	1600	1610
1600ft [626ft]	1680	1690	1690	1700	1700	1710	1720	1720	1730
1700ft [726ft]	1790	1800	1810	1810	1820	1830	1830	1840	1850
1800ft [826ft]	1910	1910	1920	1930	1940	1940	1950	1960	1970
1900ft [926ft]	2020	2030	2030	2040	2050	2060	2070	2080	2090
2000ft [1026ft]	2130	2140	2150	2160	2170	2180	2190	2200	2210
2100ft [1126ft]	2240	2250	2260	2270	2280	2290	2300	2320	2330
2200ft [1226ft]	2350	2370	2380	2390	2400	2410	2420	2430	2450
2300ft [1326ft]	2470	2480	2490	2500	2520	2530	2540	2550	2570
2400ft [1426ft]	2580	2590	2600	2620	2630	2640	2660	2670	2690
2500ft [1526ft]	2690	2700	2720	2730	2750	2760	2780	2790	2810
2600ft [1626ft]	2800	2820	2830	2850	2860	2880	2890	2910	2930
2700ft [1726ft]	2920	2930	2950	2960	2980	3000	3010	3030	3050
2800ft [1826ft]	3030	3040	3060	3080	3090	3110	3130	3150	3170
2900ft [1926ft]	3140	3160	3180	3190	3210	3230	3250	3270	3290
3000ft [2026ft]	3250	3270	3290	3310	3330	3350	3370	3390	3410
3100ft [2126ft]	3370	3380	3400	3420	3440	3460	3480	3500	3530
3200ft [2226ft]	3480	3500	3520	3540	3560	3580	3600	3620	3650
3300ft [2326ft]	3590	3610	3630	3650	3670	3700	3720	3740	3770
3400ft [2426ft]	3700	3720	3750	3770	3790	3810	3840	3860	3890
3500ft [2526ft]	3810	3840	3860	3880	3910	3930	3960	3980	4010
3600ft [2626ft]	3930	3950	3970	4000	4020	4050	4070	4100	4130
3700ft [2726ft]	4040	4060	4090	4110	4140	4170	4190	4220	4250
3800ft [2826ft]	4150	4180	4200	4230	4260	4280	4310	4340	4370
3900ft [2926ft]	4260	4290	4320	4340	4370	4400	4430	4460	4490
4000ft [3026ft]	4380	4400	4430	4460	4490	4520	4550	4580	4610
4100ft [3126ft]	4490	4520	4550	4570	4600	4630	4660	4690	4730
4200ft [3226ft]	4600	4630	4660	4690	4720	4750	4780	4810	4850
4300ft [3326ft]	4710	4740	4770	4800	4840	4870	4900	4930	4970
4400ft [3426ft]	4830	4860	4890	4920	4950	4990	5020	5050	5090
4500ft [3526ft]	4940	4970	5000	5040	5070	5100	5140	5170	5210
4600ft [3626ft]	5050	5080	5120	5150	5180	5220	5250	5290	5330
4700ft [3726ft]	5160	5200	5230	5270	5300	5340	5370	5410	5450
4800ft [3826ft]	5280	5310	5350	5380	5420	5450	5490	5530	5570
4900ft [3926ft]	5390	5420	5460	5500	5530	5570	5610	5650	5690
5000ft [4026ft]	5500	5540	5570	5610	5650	5690	5730	5770	5810
5100ft [4126ft]	5610	5650	5690	5730	5770	5810	5850	5890	5930
5200ft [4226ft]	5730	5760	5800	5840	5880	5920	5960	6010	6050
5300ft [4326ft]	5840	5880	5920	5960	6000	6040	6080	6130	6170
5400ft [4426ft]	5950	5990	6030	6070	6110	6160	6200	6240	6290
5500ft [4526ft]	6060	6100	6150	6190	6230	6270	6320	6360	6410
5600ft [4626ft]	6180	6220	6260	6300	6350	6390	6440	6480	6530
5700ft [4726ft]	6290	6330	6380	6420	6460	6510	6560	6600	6650
5800ft [4826ft]	6400	6450	6490	6530	6580	6630	6670	6720	6770
5900ft [4926ft]	6510	6560	6600	6650	6700	6740	6790	6840	6890
5974ft [5000ft]	6600	6640	6690	6740	6780	6830	6880	6930	6980

Stefano M. RAPISARDA - flightdeckengineering.com

CYUY - Rouyn-Noranda, QC, CANADA

Station Elevation: 974 feet. ISA Standard Temperature: 13.07°C (rounded to 14°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-48)	-36°C (ISA-50)	-38°C (ISA-52)	-40°C (ISA-54)	-42°C (ISA-56)	-44°C (ISA-58)	-46°C (ISA-60)	-48°C (ISA-62)	-50°C (ISA-64)
974ft [0ft]	980	980	980	980	980	980	980	980	980
1000ft [26ft]	1010	1010	1010	1010	1010	1010	1010	1010	1010
1100ft [126ft]	1130	1130	1130	1130	1130	1140	1140	1140	1140
1200ft [226ft]	1250	1250	1250	1260	1260	1260	1260	1270	1270
1300ft [326ft]	1370	1370	1380	1380	1380	1390	1390	1390	1400
1400ft [426ft]	1490	1490	1500	1500	1510	1510	1520	1520	1530
1500ft [526ft]	1610	1610	1620	1620	1630	1640	1640	1650	1650
1600ft [626ft]	1730	1730	1740	1750	1750	1760	1770	1770	1780
1700ft [726ft]	1850	1860	1860	1870	1880	1890	1890	1900	1910
1800ft [826ft]	1970	1980	1980	1990	2000	2010	2020	2030	2040
1900ft [926ft]	2090	2100	2110	2120	2130	2140	2150	2160	2170
2000ft [1026ft]	2210	2220	2230	2240	2250	2260	2270	2280	2300
2100ft [1126ft]	2330	2340	2350	2360	2370	2390	2400	2410	2420
2200ft [1226ft]	2450	2460	2470	2480	2500	2510	2520	2540	2550
2300ft [1326ft]	2570	2580	2590	2610	2620	2640	2650	2670	2680
2400ft [1426ft]	2690	2700	2720	2730	2750	2760	2780	2790	2810
2500ft [1526ft]	2810	2820	2840	2850	2870	2890	2900	2920	2940
2600ft [1626ft]	2930	2940	2960	2980	2990	3010	3030	3050	3070
2700ft [1726ft]	3050	3060	3080	3100	3120	3140	3160	3180	3190
2800ft [1826ft]	3170	3180	3200	3220	3240	3260	3280	3300	3320
2900ft [1926ft]	3290	3310	3330	3350	3370	3390	3410	3430	3450
3000ft [2026ft]	3410	3430	3450	3470	3490	3510	3530	3560	3580
3100ft [2126ft]	3530	3550	3570	3590	3610	3640	3660	3680	3710
3200ft [2226ft]	3650	3670	3690	3710	3740	3760	3790	3810	3840
3300ft [2326ft]	3770	3790	3810	3840	3860	3890	3910	3940	3970
3400ft [2426ft]	3890	3910	3940	3960	3990	4010	4040	4070	4100
3500ft [2526ft]	4010	4030	4060	4080	4110	4140	4170	4200	4220
3600ft [2626ft]	4130	4150	4180	4210	4240	4260	4290	4320	4350
3700ft [2726ft]	4250	4270	4300	4330	4360	4390	4420	4450	4480
3800ft [2826ft]	4370	4390	4420	4450	4480	4510	4550	4580	4610
3900ft [2926ft]	4490	4520	4550	4580	4610	4640	4670	4710	4740
4000ft [3026ft]	4610	4640	4670	4700	4730	4770	4800	4830	4870
4100ft [3126ft]	4730	4760	4790	4820	4860	4890	4930	4960	5000
4200ft [3226ft]	4850	4880	4910	4950	4980	5020	5050	5090	5130
4300ft [3326ft]	4970	5000	5040	5070	5110	5140	5180	5220	5260
4400ft [3426ft]	5090	5120	5160	5190	5230	5270	5310	5350	5380
4500ft [3526ft]	5210	5240	5280	5320	5350	5390	5430	5470	5510
4600ft [3626ft]	5330	5360	5400	5440	5480	5520	5560	5600	5640
4700ft [3726ft]	5450	5490	5520	5560	5600	5640	5690	5730	5770
4800ft [3826ft]	5570	5610	5650	5690	5730	5770	5810	5860	5900
4900ft [3926ft]	5690	5730	5770	5810	5850	5900	5940	5980	6030
5000ft [4026ft]	5810	5850	5890	5930	5980	6020	6070	6110	6160
5100ft [4126ft]	5930	5970	6010	6060	6100	6150	6190	6240	6290
5200ft [4226ft]	6050	6090	6140	6180	6230	6270	6320	6370	6420
5300ft [4326ft]	6170	6210	6260	6300	6350	6400	6450	6500	6550
5400ft [4426ft]	6290	6330	6380	6430	6480	6520	6570	6620	6680
5500ft [4526ft]	6410	6460	6500	6550	6600	6650	6700	6750	6810
5600ft [4626ft]	6530	6580	6630	6680	6730	6780	6830	6880	6930
5700ft [4726ft]	6650	6700	6750	6800	6850	6900	6960	7010	7060
5800ft [4826ft]	6770	6820	6870	6920	6970	7030	7080	7140	7190
5900ft [4926ft]	6890	6940	6990	7050	7100	7150	7210	7270	7320
5974ft [5000ft]	6980	7030	7080	7140	7190	7250	7300	7360	7420

Stefano M. RAPISARDA - flightdeckengineering.com

CYVO - Val d'Or, QC, CANADA

Station Elevation: 1105 feet. ISA Standard Temperature: 12.81°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+2)	13°C (ISA+0)	11°C (ISA-2)	9°C (ISA-4)	7°C (ISA-6)	5°C (ISA-8)	3°C (ISA-10)	1°C (ISA-12)	-1°C (ISA-14)
1105ft [0ft]	---	1110	1110	1110	1110	1110	1110	1110	1110
1200ft [95ft]	---	1200	1210	1210	1210	1210	1210	1210	1210
1300ft [195ft]	---	1300	1310	1310	1310	1310	1310	1310	1310
1400ft [295ft]	---	1400	1410	1410	1410	1410	1420	1420	1420
1500ft [395ft]	---	1500	1510	1510	1510	1520	1520	1520	1530
1600ft [495ft]	---	1600	1610	1610	1620	1620	1620	1630	1630
1700ft [595ft]	---	1700	1710	1710	1720	1720	1730	1730	1740
1800ft [695ft]	---	1800	1810	1810	1820	1820	1830	1830	1840
1900ft [795ft]	---	1900	1910	1920	1920	1930	1930	1940	1950
2000ft [895ft]	---	2000	2010	2020	2020	2030	2040	2040	2050
2100ft [995ft]	---	2100	2110	2120	2130	2130	2140	2150	2160
2200ft [1095ft]	---	2200	2210	2220	2230	2240	2240	2250	2260
2300ft [1195ft]	---	2300	2310	2320	2330	2340	2350	2360	2370
2400ft [1295ft]	---	2400	2410	2420	2430	2440	2450	2460	2470
2500ft [1395ft]	---	2500	2510	2520	2530	2540	2550	2570	2580
2600ft [1495ft]	---	2600	2610	2630	2640	2650	2660	2670	2680
2700ft [1595ft]	---	2700	2720	2730	2740	2750	2760	2770	2790
2800ft [1695ft]	---	2800	2820	2830	2840	2850	2870	2880	2890
2900ft [1795ft]	---	2900	2920	2930	2940	2960	2970	2980	3000
3000ft [1895ft]	---	3000	3020	3030	3040	3060	3070	3090	3100
3100ft [1995ft]	---	3100	3120	3130	3150	3160	3180	3190	3210
3200ft [2095ft]	---	3200	3220	3230	3250	3260	3280	3300	3310
3300ft [2195ft]	---	3300	3320	3330	3350	3370	3380	3400	3420
3400ft [2295ft]	---	3400	3420	3440	3450	3470	3490	3500	3520
3500ft [2395ft]	---	3500	3520	3540	3550	3570	3590	3610	3630
3600ft [2495ft]	---	3600	3620	3640	3660	3680	3690	3710	3730
3700ft [2595ft]	---	3700	3720	3740	3760	3780	3800	3820	3840
3800ft [2695ft]	---	3800	3820	3840	3860	3880	3900	3920	3940
3900ft [2795ft]	---	3900	3920	3940	3960	3980	4000	4030	4050
4000ft [2895ft]	---	4000	4020	4040	4070	4090	4110	4130	4150
4100ft [2995ft]	---	4100	4120	4150	4170	4190	4210	4230	4260
4200ft [3095ft]	---	4200	4220	4250	4270	4290	4320	4340	4360
4300ft [3195ft]	---	4300	4330	4350	4370	4400	4420	4440	4470
4400ft [3295ft]	---	4400	4430	4450	4470	4500	4520	4550	4570
4500ft [3395ft]	---	4500	4530	4550	4580	4600	4630	4650	4680
4600ft [3495ft]	---	4600	4630	4650	4680	4700	4730	4760	4780
4700ft [3595ft]	---	4700	4730	4750	4780	4810	4830	4860	4890
4800ft [3695ft]	---	4800	4830	4860	4880	4910	4940	4970	4990
4900ft [3795ft]	---	4900	4930	4960	4980	5010	5040	5070	5100
5000ft [3895ft]	---	5000	5030	5060	5090	5120	5140	5170	5200
5100ft [3995ft]	---	5100	5130	5160	5190	5220	5250	5280	5310
5200ft [4095ft]	---	5200	5230	5260	5290	5320	5350	5380	5420
5300ft [4195ft]	---	5300	5330	5360	5390	5420	5460	5490	5520
5400ft [4295ft]	---	5400	5430	5460	5500	5530	5560	5590	5630
5500ft [4395ft]	---	5500	5530	5570	5600	5630	5660	5700	5730
5600ft [4495ft]	---	5600	5630	5670	5700	5730	5770	5800	5840
5700ft [4595ft]	---	5700	5730	5770	5800	5840	5870	5910	5940
5800ft [4695ft]	---	5800	5840	5870	5900	5940	5970	6010	6050
5900ft [4795ft]	---	5900	5940	5970	6010	6040	6080	6110	6150
6000ft [4895ft]	---	6000	6040	6070	6110	6140	6180	6220	6260
6100ft [4995ft]	---	6100	6140	6170	6210	6250	6290	6320	6360
6105ft [5000ft]	---	6110	6140	6180	6220	6250	6290	6330	6370

Stefano M. RAPISARDA - flightdeckengineering.com

CYVO - Val d'Or, QC, CANADA

Station Elevation: 1105 feet. ISA Standard Temperature: 12.81°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-14)	-3°C (ISA-16)	-5°C (ISA-18)	-7°C (ISA-20)	-9°C (ISA-22)	-11°C (ISA-24)	-13°C (ISA-26)	-15°C (ISA-28)	-17°C (ISA-30)
1105ft [0ft]	1110	1110	1110	1110	1110	1110	1110	1110	1110
1200ft [95ft]	1210	1210	1210	1210	1210	1210	1210	1220	1220
1300ft [195ft]	1310	1320	1320	1320	1320	1320	1320	1330	1330
1400ft [295ft]	1420	1420	1420	1430	1430	1430	1430	1440	1440
1500ft [395ft]	1530	1530	1530	1530	1540	1540	1540	1550	1550
1600ft [495ft]	1630	1630	1640	1640	1650	1650	1650	1660	1660
1700ft [595ft]	1740	1740	1740	1750	1750	1760	1760	1770	1770
1800ft [695ft]	1840	1850	1850	1860	1860	1870	1870	1880	1890
1900ft [795ft]	1950	1950	1960	1960	1970	1980	1980	1990	2000
2000ft [895ft]	2050	2060	2060	2070	2080	2090	2090	2100	2110
2100ft [995ft]	2160	2160	2170	2180	2190	2200	2200	2210	2220
2200ft [1095ft]	2260	2270	2280	2290	2300	2300	2310	2320	2330
2300ft [1195ft]	2370	2370	2380	2390	2400	2410	2420	2430	2440
2400ft [1295ft]	2470	2480	2490	2500	2510	2520	2530	2540	2560
2500ft [1395ft]	2580	2590	2600	2610	2620	2630	2640	2660	2670
2600ft [1495ft]	2680	2690	2700	2720	2730	2740	2750	2770	2780
2700ft [1595ft]	2790	2800	2810	2820	2840	2850	2860	2880	2890
2800ft [1695ft]	2890	2900	2920	2930	2950	2960	2970	2990	3000
2900ft [1795ft]	3000	3010	3020	3040	3050	3070	3080	3100	3110
3000ft [1895ft]	3100	3120	3130	3150	3160	3180	3190	3210	3230
3100ft [1995ft]	3210	3220	3240	3250	3270	3290	3300	3320	3340
3200ft [2095ft]	3310	3330	3340	3360	3380	3400	3410	3430	3450
3300ft [2195ft]	3420	3430	3450	3470	3490	3510	3520	3540	3560
3400ft [2295ft]	3520	3540	3560	3580	3600	3610	3630	3650	3670
3500ft [2395ft]	3630	3650	3660	3680	3700	3720	3740	3760	3790
3600ft [2495ft]	3730	3750	3770	3790	3810	3830	3850	3880	3900
3700ft [2595ft]	3840	3860	3880	3900	3920	3940	3960	3990	4010
3800ft [2695ft]	3940	3960	3990	4010	4030	4050	4070	4100	4120
3900ft [2795ft]	4050	4070	4090	4110	4140	4160	4180	4210	4230
4000ft [2895ft]	4150	4180	4200	4220	4250	4270	4290	4320	4340
4100ft [2995ft]	4260	4280	4310	4330	4350	4380	4400	4430	4460
4200ft [3095ft]	4360	4390	4410	4440	4460	4490	4510	4540	4570
4300ft [3195ft]	4470	4490	4520	4540	4570	4600	4620	4650	4680
4400ft [3295ft]	4570	4600	4630	4650	4680	4710	4730	4760	4790
4500ft [3395ft]	4680	4710	4730	4760	4790	4820	4840	4870	4900
4600ft [3495ft]	4780	4810	4840	4870	4900	4930	4960	4990	5020
4700ft [3595ft]	4890	4920	4950	4980	5000	5030	5070	5100	5130
4800ft [3695ft]	4990	5020	5050	5080	5110	5140	5180	5210	5240
4900ft [3795ft]	5100	5130	5160	5190	5220	5250	5290	5320	5350
5000ft [3895ft]	5200	5240	5270	5300	5330	5360	5400	5430	5460
5100ft [3995ft]	5310	5340	5370	5410	5440	5470	5510	5540	5580
5200ft [4095ft]	5420	5450	5480	5510	5550	5580	5620	5650	5690
5300ft [4195ft]	5520	5550	5590	5620	5660	5690	5730	5760	5800
5400ft [4295ft]	5630	5660	5690	5730	5760	5800	5840	5870	5910
5500ft [4395ft]	5730	5770	5800	5840	5870	5910	5950	5980	6020
5600ft [4495ft]	5840	5870	5910	5940	5980	6020	6060	6100	6140
5700ft [4595ft]	5940	5980	6010	6050	6090	6130	6170	6210	6250
5800ft [4695ft]	6050	6080	6120	6160	6200	6240	6280	6320	6360
5900ft [4795ft]	6150	6190	6230	6270	6310	6350	6390	6430	6470
6000ft [4895ft]	6260	6300	6330	6370	6420	6460	6500	6540	6580
6100ft [4995ft]	6360	6400	6440	6480	6520	6570	6610	6650	6700
6105ft [5000ft]	6370	6410	6450	6490	6530	6570	6610	6660	6700

Stefano M. RAPISARDA - flightdeckengineering.com

CYVO - Val d'Or, QC, CANADA

Station Elevation: 1105 feet. ISA Standard Temperature: 12.81°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-30)	-19°C (ISA-32)	-21°C (ISA-34)	-23°C (ISA-36)	-25°C (ISA-38)	-27°C (ISA-40)	-29°C (ISA-42)	-31°C (ISA-44)	-33°C (ISA-46)
1105ft [0ft]	1110	1110	1110	1110	1110	1110	1110	1110	1110
1200ft [95ft]	1220	1220	1220	1220	1220	1220	1220	1220	1220
1300ft [195ft]	1330	1330	1330	1330	1330	1340	1340	1340	1340
1400ft [295ft]	1440	1440	1440	1450	1450	1450	1460	1460	1460
1500ft [395ft]	1550	1550	1560	1560	1570	1570	1570	1580	1580
1600ft [495ft]	1660	1670	1670	1680	1680	1680	1690	1690	1700
1700ft [595ft]	1770	1780	1780	1790	1800	1800	1810	1810	1820
1800ft [695ft]	1890	1890	1900	1900	1910	1920	1920	1930	1940
1900ft [795ft]	2000	2000	2010	2020	2030	2030	2040	2050	2060
2000ft [895ft]	2110	2120	2120	2130	2140	2150	2160	2170	2180
2100ft [995ft]	2220	2230	2240	2250	2260	2270	2280	2290	2290
2200ft [1095ft]	2330	2340	2350	2360	2370	2380	2390	2400	2410
2300ft [1195ft]	2440	2450	2470	2480	2490	2500	2510	2520	2530
2400ft [1295ft]	2560	2570	2580	2590	2600	2610	2630	2640	2650
2500ft [1395ft]	2670	2680	2690	2710	2720	2730	2740	2760	2770
2600ft [1495ft]	2780	2790	2810	2820	2830	2850	2860	2880	2890
2700ft [1595ft]	2890	2910	2920	2930	2950	2960	2980	2990	3010
2800ft [1695ft]	3000	3020	3030	3050	3060	3080	3100	3110	3130
2900ft [1795ft]	3110	3130	3150	3160	3180	3200	3210	3230	3250
3000ft [1895ft]	3230	3240	3260	3280	3290	3310	3330	3350	3370
3100ft [1995ft]	3340	3360	3370	3390	3410	3430	3450	3470	3490
3200ft [2095ft]	3450	3470	3490	3510	3530	3550	3570	3590	3610
3300ft [2195ft]	3560	3580	3600	3620	3640	3660	3680	3700	3730
3400ft [2295ft]	3670	3690	3710	3740	3760	3780	3800	3820	3850
3500ft [2395ft]	3790	3810	3830	3850	3870	3890	3920	3940	3960
3600ft [2495ft]	3900	3920	3940	3960	3990	4010	4030	4060	4080
3700ft [2595ft]	4010	4030	4060	4080	4100	4130	4150	4180	4200
3800ft [2695ft]	4120	4140	4170	4190	4220	4240	4270	4300	4320
3900ft [2795ft]	4230	4260	4280	4310	4330	4360	4390	4410	4440
4000ft [2895ft]	4340	4370	4400	4420	4450	4480	4500	4530	4560
4100ft [2995ft]	4460	4480	4510	4540	4570	4590	4620	4650	4680
4200ft [3095ft]	4570	4600	4620	4650	4680	4710	4740	4770	4800
4300ft [3195ft]	4680	4710	4740	4770	4800	4830	4860	4890	4920
4400ft [3295ft]	4790	4820	4850	4880	4910	4940	4970	5010	5040
4500ft [3395ft]	4900	4930	4960	5000	5030	5060	5090	5130	5160
4600ft [3495ft]	5020	5050	5080	5110	5140	5180	5210	5240	5280
4700ft [3595ft]	5130	5160	5190	5230	5260	5290	5330	5360	5400
4800ft [3695ft]	5240	5270	5310	5340	5370	5410	5440	5480	5520
4900ft [3795ft]	5350	5390	5420	5450	5490	5530	5560	5600	5640
5000ft [3895ft]	5460	5500	5530	5570	5610	5640	5680	5720	5760
5100ft [3995ft]	5580	5610	5650	5680	5720	5760	5800	5840	5880
5200ft [4095ft]	5690	5720	5760	5800	5840	5880	5920	5960	6000
5300ft [4195ft]	5800	5840	5870	5910	5950	5990	6030	6070	6120
5400ft [4295ft]	5910	5950	5990	6030	6070	6110	6150	6190	6240
5500ft [4395ft]	6020	6060	6100	6140	6180	6230	6270	6310	6360
5600ft [4495ft]	6140	6180	6220	6260	6300	6340	6390	6430	6480
5700ft [4595ft]	6250	6290	6330	6370	6420	6460	6500	6550	6590
5800ft [4695ft]	6360	6400	6440	6490	6530	6580	6620	6670	6710
5900ft [4795ft]	6470	6510	6560	6600	6650	6690	6740	6790	6830
6000ft [4895ft]	6580	6630	6670	6720	6760	6810	6860	6910	6950
6100ft [4995ft]	6700	6740	6790	6830	6880	6930	6970	7020	7070
6105ft [5000ft]	6700	6750	6790	6840	6880	6930	6980	7030	7080

Stefano M. RAPISARDA - flightdeckengineering.com

CYVO - Val d'Or, QC, CANADA

Station Elevation: 1105 feet. ISA Standard Temperature: 12.81°C (rounded to 13°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-46)	-35°C (ISA-48)	-37°C (ISA-50)	-39°C (ISA-52)	-41°C (ISA-54)	-43°C (ISA-56)	-45°C (ISA-58)	-47°C (ISA-60)	-50°C (ISA-63)
1105ft [0ft]	1110	1110	1110	1110	1110	1110	1110	1110	1110
1200ft [95ft]	1220	1220	1220	1230	1230	1230	1230	1230	1230
1300ft [195ft]	1340	1340	1350	1350	1350	1350	1350	1360	1360
1400ft [295ft]	1460	1460	1470	1470	1470	1480	1480	1480	1490
1500ft [395ft]	1580	1580	1590	1590	1600	1600	1600	1610	1620
1600ft [495ft]	1700	1700	1710	1710	1720	1720	1730	1740	1740
1700ft [595ft]	1820	1820	1830	1840	1840	1850	1860	1860	1870
1800ft [695ft]	1940	1940	1950	1960	1970	1970	1980	1990	2000
1900ft [795ft]	2060	2060	2070	2080	2090	2100	2110	2120	2130
2000ft [895ft]	2180	2180	2190	2200	2210	2220	2230	2240	2260
2100ft [995ft]	2290	2300	2310	2330	2340	2350	2360	2370	2390
2200ft [1095ft]	2410	2420	2440	2450	2460	2470	2480	2490	2510
2300ft [1195ft]	2530	2550	2560	2570	2580	2600	2610	2620	2640
2400ft [1295ft]	2650	2670	2680	2690	2710	2720	2730	2750	2770
2500ft [1395ft]	2770	2790	2800	2810	2830	2840	2860	2870	2900
2600ft [1495ft]	2890	2910	2920	2940	2950	2970	2980	3000	3030
2700ft [1595ft]	3010	3030	3040	3060	3080	3090	3110	3130	3160
2800ft [1695ft]	3130	3150	3160	3180	3200	3220	3240	3250	3280
2900ft [1795ft]	3250	3270	3280	3300	3320	3340	3360	3380	3410
3000ft [1895ft]	3370	3390	3410	3430	3450	3470	3490	3510	3540
3100ft [1995ft]	3490	3510	3530	3550	3570	3590	3610	3640	3670
3200ft [2095ft]	3610	3630	3650	3670	3690	3720	3740	3760	3800
3300ft [2195ft]	3730	3750	3770	3790	3820	3840	3860	3890	3930
3400ft [2295ft]	3850	3870	3890	3920	3940	3960	3990	4020	4050
3500ft [2395ft]	3960	3990	4010	4040	4060	4090	4120	4140	4180
3600ft [2495ft]	4080	4110	4130	4160	4190	4210	4240	4270	4310
3700ft [2595ft]	4200	4230	4260	4280	4310	4340	4370	4400	4440
3800ft [2695ft]	4320	4350	4380	4410	4430	4460	4490	4520	4570
3900ft [2795ft]	4440	4470	4500	4530	4560	4590	4620	4650	4700
4000ft [2895ft]	4560	4590	4620	4650	4680	4710	4740	4780	4830
4100ft [2995ft]	4680	4710	4740	4770	4810	4840	4870	4900	4960
4200ft [3095ft]	4800	4830	4860	4900	4930	4960	5000	5030	5080
4300ft [3195ft]	4920	4950	4990	5020	5050	5090	5120	5160	5210
4400ft [3295ft]	5040	5070	5110	5140	5180	5210	5250	5290	5340
4500ft [3395ft]	5160	5190	5230	5260	5300	5340	5370	5410	5470
4600ft [3495ft]	5280	5310	5350	5390	5420	5460	5500	5540	5600
4700ft [3595ft]	5400	5430	5470	5510	5550	5590	5630	5670	5730
4800ft [3695ft]	5520	5560	5590	5630	5670	5710	5750	5790	5860
4900ft [3795ft]	5640	5680	5720	5750	5800	5840	5880	5920	5990
5000ft [3895ft]	5760	5800	5840	5880	5920	5960	6000	6050	6120
5100ft [3995ft]	5880	5920	5960	6000	6040	6090	6130	6180	6240
5200ft [4095ft]	6000	6040	6080	6120	6170	6210	6260	6300	6370
5300ft [4195ft]	6120	6160	6200	6250	6290	6340	6380	6430	6500
5400ft [4295ft]	6240	6280	6320	6370	6410	6460	6510	6560	6630
5500ft [4395ft]	6360	6400	6450	6490	6540	6590	6640	6690	6760
5600ft [4495ft]	6480	6520	6570	6610	6660	6710	6760	6810	6890
5700ft [4595ft]	6590	6640	6690	6740	6790	6840	6890	6940	7020
5800ft [4695ft]	6710	6760	6810	6860	6910	6960	7010	7070	7150
5900ft [4795ft]	6830	6880	6930	6980	7030	7090	7140	7190	7280
6000ft [4895ft]	6950	7000	7050	7110	7160	7210	7270	7320	7410
6100ft [4995ft]	7070	7120	7180	7230	7280	7340	7390	7450	7540
6105ft [5000ft]	7080	7130	7180	7240	7290	7340	7400	7460	7540

Stefano M. RAPISARDA - flightdeckengineering.com

CYYY - Mont Joli, QC, CANADA

Station Elevation: 172 feet. ISA Standard Temperature: 14.66°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
172ft [0ft]	180	180	180	180	180	180	180	180	180
200ft [28ft]	200	210	210	210	210	210	210	210	210
300ft [128ft]	300	310	310	310	310	310	310	310	310
400ft [228ft]	400	410	410	410	410	410	410	420	420
500ft [328ft]	500	510	510	510	510	520	520	520	520
600ft [428ft]	600	610	610	610	620	620	620	630	630
700ft [528ft]	700	710	710	720	720	720	730	730	740
800ft [628ft]	800	810	810	820	820	830	830	840	840
900ft [728ft]	900	910	910	920	920	930	940	940	950
1000ft [828ft]	1000	1010	1020	1020	1030	1030	1040	1050	1050
1100ft [928ft]	1100	1110	1120	1120	1130	1140	1140	1150	1160
1200ft [1028ft]	1200	1210	1220	1230	1230	1240	1250	1260	1260
1300ft [1128ft]	1300	1310	1320	1330	1340	1340	1350	1360	1370
1400ft [1228ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1328ft]	1500	1510	1520	1530	1540	1550	1560	1570	1580
1600ft [1428ft]	1600	1610	1620	1630	1640	1650	1670	1680	1690
1700ft [1528ft]	1700	1710	1720	1740	1750	1760	1770	1780	1790
1800ft [1628ft]	1800	1810	1830	1840	1850	1860	1870	1890	1900
1900ft [1728ft]	1900	1920	1930	1940	1950	1970	1980	1990	2010
2000ft [1828ft]	2000	2020	2030	2040	2060	2070	2080	2100	2110
2100ft [1928ft]	2100	2120	2130	2140	2160	2170	2190	2200	2220
2200ft [2028ft]	2200	2220	2230	2250	2260	2280	2290	2310	2320
2300ft [2128ft]	2300	2320	2330	2350	2360	2380	2400	2410	2430
2400ft [2228ft]	2400	2420	2430	2450	2470	2480	2500	2520	2530
2500ft [2328ft]	2500	2520	2540	2550	2570	2590	2600	2620	2640
2600ft [2428ft]	2600	2620	2640	2650	2670	2690	2710	2730	2750
2700ft [2528ft]	2700	2720	2740	2760	2770	2790	2810	2830	2850
2800ft [2628ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2728ft]	2900	2920	2940	2960	2980	3000	3020	3040	3060
3000ft [2828ft]	3000	3020	3040	3060	3080	3100	3130	3150	3170
3100ft [2928ft]	3100	3120	3140	3160	3190	3210	3230	3250	3280
3200ft [3028ft]	3200	3220	3240	3270	3290	3310	3330	3360	3380
3300ft [3128ft]	3300	3320	3350	3370	3390	3410	3440	3460	3490
3400ft [3228ft]	3400	3420	3450	3470	3490	3520	3540	3570	3590
3500ft [3328ft]	3500	3520	3550	3570	3600	3620	3650	3670	3700
3600ft [3428ft]	3600	3630	3650	3670	3700	3730	3750	3780	3800
3700ft [3528ft]	3700	3730	3750	3780	3800	3830	3860	3880	3910
3800ft [3628ft]	3800	3830	3850	3880	3910	3930	3960	3990	4020
3900ft [3728ft]	3900	3930	3950	3980	4010	4040	4060	4090	4120
4000ft [3828ft]	4000	4030	4050	4080	4110	4140	4170	4200	4230
4100ft [3928ft]	4100	4130	4160	4180	4210	4240	4270	4300	4330
4200ft [4028ft]	4200	4230	4260	4290	4320	4350	4380	4410	4440
4300ft [4128ft]	4300	4330	4360	4390	4420	4450	4480	4510	4550
4400ft [4228ft]	4400	4430	4460	4490	4520	4550	4590	4620	4650
4500ft [4328ft]	4500	4530	4560	4590	4630	4660	4690	4720	4760
4600ft [4428ft]	4600	4630	4660	4700	4730	4760	4790	4830	4860
4700ft [4528ft]	4700	4730	4760	4800	4830	4860	4900	4930	4970
4800ft [4628ft]	4800	4830	4870	4900	4930	4970	5000	5040	5080
4900ft [4728ft]	4900	4930	4970	5000	5040	5070	5110	5140	5180
5000ft [4828ft]	5000	5030	5070	5100	5140	5180	5210	5250	5290
5100ft [4928ft]	5100	5130	5170	5210	5240	5280	5320	5350	5390
5172ft [5000ft]	5172	5210	5240	5280	5320	5350	5390	5430	5470

Stefano M. RAPISARDA - flightdeckengineering.com

CYYY - Mont Joli, QC, CANADA

Station Elevation: 172 feet. ISA Standard Temperature: 14.66°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
172ft [0ft]	180	180	180	180	180	180	180	180	180
200ft [28ft]	210	210	210	210	210	210	210	210	210
300ft [128ft]	310	310	310	320	320	320	320	320	320
400ft [228ft]	420	420	420	420	430	430	430	430	430
500ft [328ft]	520	530	530	530	530	540	540	540	550
600ft [428ft]	630	630	640	640	640	650	650	650	660
700ft [528ft]	740	740	740	750	750	760	760	770	770
800ft [628ft]	840	850	850	860	860	870	870	880	880
900ft [728ft]	950	950	960	960	970	980	980	990	1000
1000ft [828ft]	1050	1060	1070	1070	1080	1090	1090	1100	1110
1100ft [928ft]	1160	1170	1170	1180	1190	1200	1200	1210	1220
1200ft [1028ft]	1260	1270	1280	1290	1300	1310	1310	1320	1330
1300ft [1128ft]	1370	1380	1390	1400	1410	1420	1430	1440	1450
1400ft [1228ft]	1480	1490	1500	1510	1520	1530	1540	1550	1560
1500ft [1328ft]	1580	1590	1600	1610	1620	1640	1650	1660	1670
1600ft [1428ft]	1690	1700	1710	1720	1730	1750	1760	1770	1780
1700ft [1528ft]	1790	1810	1820	1830	1840	1860	1870	1880	1890
1800ft [1628ft]	1900	1910	1930	1940	1950	1970	1980	1990	2010
1900ft [1728ft]	2010	2020	2030	2050	2060	2080	2090	2100	2120
2000ft [1828ft]	2110	2130	2140	2150	2170	2190	2200	2220	2230
2100ft [1928ft]	2220	2230	2250	2260	2280	2300	2310	2330	2350
2200ft [2028ft]	2320	2340	2350	2370	2390	2410	2420	2440	2460
2300ft [2128ft]	2430	2450	2460	2480	2500	2510	2530	2550	2570
2400ft [2228ft]	2530	2550	2570	2590	2610	2620	2640	2660	2680
2500ft [2328ft]	2640	2660	2680	2700	2720	2730	2750	2770	2800
2600ft [2428ft]	2750	2770	2780	2800	2820	2840	2870	2890	2910
2700ft [2528ft]	2850	2870	2890	2910	2930	2950	2980	3000	3020
2800ft [2628ft]	2960	2980	3000	3020	3040	3060	3090	3110	3130
2900ft [2728ft]	3060	3090	3110	3130	3150	3170	3200	3220	3250
3000ft [2828ft]	3170	3190	3210	3240	3260	3280	3310	3330	3360
3100ft [2928ft]	3280	3300	3320	3350	3370	3390	3420	3450	3470
3200ft [3028ft]	3380	3410	3430	3450	3480	3500	3530	3560	3580
3300ft [3128ft]	3490	3510	3540	3560	3590	3610	3640	3670	3700
3400ft [3228ft]	3590	3620	3640	3670	3700	3720	3750	3780	3810
3500ft [3328ft]	3700	3730	3750	3780	3810	3830	3860	3890	3920
3600ft [3428ft]	3800	3830	3860	3890	3920	3940	3970	4000	4030
3700ft [3528ft]	3910	3940	3970	4000	4030	4050	4090	4120	4150
3800ft [3628ft]	4020	4050	4070	4100	4130	4170	4200	4230	4260
3900ft [3728ft]	4120	4150	4180	4210	4240	4280	4310	4340	4370
4000ft [3828ft]	4230	4260	4290	4320	4350	4390	4420	4450	4490
4100ft [3928ft]	4330	4370	4400	4430	4460	4500	4530	4560	4600
4200ft [4028ft]	4440	4470	4500	4540	4570	4610	4640	4680	4710
4300ft [4128ft]	4550	4580	4610	4650	4680	4720	4750	4790	4820
4400ft [4228ft]	4650	4690	4720	4750	4790	4830	4860	4900	4940
4500ft [4328ft]	4760	4790	4830	4860	4900	4940	4970	5010	5050
4600ft [4428ft]	4860	4900	4940	4970	5010	5050	5080	5120	5160
4700ft [4528ft]	4970	5010	5040	5080	5120	5160	5190	5230	5270
4800ft [4628ft]	5080	5110	5150	5190	5230	5270	5310	5350	5390
4900ft [4728ft]	5180	5220	5260	5300	5340	5380	5420	5460	5500
5000ft [4828ft]	5290	5330	5370	5410	5450	5490	5530	5570	5610
5100ft [4928ft]	5390	5430	5470	5510	5550	5600	5640	5680	5730
5172ft [5000ft]	5470	5510	5550	5590	5630	5680	5720	5760	5810

Stefano M. RAPISARDA - flightdeckengineering.com

CYYY - Mont Joli, QC, CANADA

Station Elevation: 172 feet. ISA Standard Temperature: 14.66°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
172ft [0ft]	180	180	180	180	180	180	180	180	180
200ft [28ft]	210	210	210	210	210	210	210	210	210
300ft [128ft]	320	320	320	320	330	330	330	330	330
400ft [228ft]	430	440	440	440	440	440	450	450	450
500ft [328ft]	550	550	550	550	560	560	560	570	570
600ft [428ft]	660	660	670	670	670	680	680	690	690
700ft [528ft]	770	780	780	780	790	790	800	800	810
800ft [628ft]	880	890	890	900	910	910	920	920	930
900ft [728ft]	1000	1000	1010	1010	1020	1030	1040	1040	1050
1000ft [828ft]	1110	1120	1120	1130	1140	1150	1150	1160	1170
1100ft [928ft]	1220	1230	1240	1250	1250	1260	1270	1280	1290
1200ft [1028ft]	1330	1340	1350	1360	1370	1380	1390	1400	1410
1300ft [1128ft]	1450	1460	1470	1480	1490	1500	1510	1520	1530
1400ft [1228ft]	1560	1570	1580	1590	1600	1610	1630	1640	1650
1500ft [1328ft]	1670	1680	1690	1710	1720	1730	1740	1760	1770
1600ft [1428ft]	1780	1800	1810	1820	1830	1850	1860	1880	1890
1700ft [1528ft]	1890	1910	1920	1940	1950	1970	1980	1990	2010
1800ft [1628ft]	2010	2020	2040	2050	2070	2080	2100	2110	2130
1900ft [1728ft]	2120	2140	2150	2170	2180	2200	2220	2230	2250
2000ft [1828ft]	2230	2250	2270	2280	2300	2320	2330	2350	2370
2100ft [1928ft]	2350	2360	2380	2400	2420	2430	2450	2470	2490
2200ft [2028ft]	2460	2480	2490	2510	2530	2550	2570	2590	2610
2300ft [2128ft]	2570	2590	2610	2630	2650	2670	2690	2710	2730
2400ft [2228ft]	2680	2700	2720	2740	2760	2790	2810	2830	2850
2500ft [2328ft]	2800	2820	2840	2860	2880	2900	2930	2950	2970
2600ft [2428ft]	2910	2930	2950	2970	3000	3020	3040	3070	3090
2700ft [2528ft]	3020	3040	3070	3090	3110	3140	3160	3190	3210
2800ft [2628ft]	3130	3160	3180	3200	3230	3250	3280	3310	3330
2900ft [2728ft]	3250	3270	3290	3320	3350	3370	3400	3430	3450
3000ft [2828ft]	3360	3380	3410	3440	3460	3490	3520	3540	3570
3100ft [2928ft]	3470	3500	3520	3550	3580	3610	3630	3660	3690
3200ft [3028ft]	3580	3610	3640	3670	3690	3720	3750	3780	3810
3300ft [3128ft]	3700	3720	3750	3780	3810	3840	3870	3900	3930
3400ft [3228ft]	3810	3840	3870	3900	3930	3960	3990	4020	4050
3500ft [3328ft]	3920	3950	3980	4010	4040	4080	4110	4140	4170
3600ft [3428ft]	4030	4070	4100	4130	4160	4190	4230	4260	4290
3700ft [3528ft]	4150	4180	4210	4240	4280	4310	4340	4380	4420
3800ft [3628ft]	4260	4290	4330	4360	4390	4430	4460	4500	4540
3900ft [3728ft]	4370	4410	4440	4470	4510	4550	4580	4620	4660
4000ft [3828ft]	4490	4520	4550	4590	4630	4660	4700	4740	4780
4100ft [3928ft]	4600	4630	4670	4710	4740	4780	4820	4860	4900
4200ft [4028ft]	4710	4750	4780	4820	4860	4900	4940	4980	5020
4300ft [4128ft]	4820	4860	4900	4940	4980	5020	5060	5100	5140
4400ft [4228ft]	4940	4970	5010	5050	5090	5130	5170	5220	5260
4500ft [4328ft]	5050	5090	5130	5170	5210	5250	5290	5340	5380
4600ft [4428ft]	5160	5200	5240	5280	5330	5370	5410	5460	5500
4700ft [4528ft]	5270	5320	5360	5400	5440	5490	5530	5570	5620
4800ft [4628ft]	5390	5430	5470	5510	5560	5600	5650	5690	5740
4900ft [4728ft]	5500	5540	5590	5630	5680	5720	5770	5810	5860
5000ft [4828ft]	5610	5660	5700	5750	5790	5840	5890	5930	5980
5100ft [4928ft]	5730	5770	5820	5860	5910	5960	6000	6050	6100
5172ft [5000ft]	5810	5850	5900	5940	5990	6040	6090	6140	6190

Stefano M. RAPISARDA - flightdeckengineering.com

CYYY - Mont Joli, QC, CANADA

Station Elevation: 172 feet. ISA Standard Temperature: 14.66°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
172ft [0ft]	180	180	180	180	180	180	180	180	180
200ft [28ft]	210	210	210	210	210	210	210	210	210
300ft [128ft]	330	330	330	330	340	340	340	340	340
400ft [228ft]	450	450	450	460	460	460	460	470	470
500ft [328ft]	570	570	580	580	580	590	590	590	600
600ft [428ft]	690	690	700	700	710	710	720	720	730
700ft [528ft]	810	820	820	830	830	840	840	850	860
800ft [628ft]	930	940	940	950	960	960	970	980	990
900ft [728ft]	1050	1060	1060	1070	1080	1090	1100	1100	1120
1000ft [828ft]	1170	1180	1190	1200	1200	1210	1220	1230	1250
1100ft [928ft]	1290	1300	1310	1320	1330	1340	1350	1360	1370
1200ft [1028ft]	1410	1420	1430	1440	1450	1460	1470	1490	1500
1300ft [1128ft]	1530	1540	1550	1560	1580	1590	1600	1610	1630
1400ft [1228ft]	1650	1660	1670	1690	1700	1710	1730	1740	1760
1500ft [1328ft]	1770	1780	1800	1810	1830	1840	1850	1870	1890
1600ft [1428ft]	1890	1900	1920	1930	1950	1960	1980	2000	2020
1700ft [1528ft]	2010	2030	2040	2060	2070	2090	2110	2120	2150
1800ft [1628ft]	2130	2150	2160	2180	2200	2220	2230	2250	2280
1900ft [1728ft]	2250	2270	2290	2300	2320	2340	2360	2380	2410
2000ft [1828ft]	2370	2390	2410	2430	2450	2470	2490	2510	2540
2100ft [1928ft]	2490	2510	2530	2550	2570	2590	2610	2640	2670
2200ft [2028ft]	2610	2630	2650	2670	2700	2720	2740	2760	2800
2300ft [2128ft]	2730	2750	2770	2800	2820	2840	2870	2890	2930
2400ft [2228ft]	2850	2870	2900	2920	2940	2970	2990	3020	3060
2500ft [2328ft]	2970	3000	3020	3040	3070	3090	3120	3150	3190
2600ft [2428ft]	3090	3120	3140	3170	3190	3220	3250	3270	3320
2700ft [2528ft]	3210	3240	3260	3290	3320	3350	3370	3400	3450
2800ft [2628ft]	3330	3360	3390	3410	3440	3470	3500	3530	3580
2900ft [2728ft]	3450	3480	3510	3540	3570	3600	3630	3660	3710
3000ft [2828ft]	3570	3600	3630	3660	3690	3720	3750	3790	3830
3100ft [2928ft]	3690	3720	3750	3780	3820	3850	3880	3910	3960
3200ft [3028ft]	3810	3840	3880	3910	3940	3970	4010	4040	4090
3300ft [3128ft]	3930	3970	4000	4030	4070	4100	4130	4170	4220
3400ft [3228ft]	4050	4090	4120	4150	4190	4230	4260	4300	4350
3500ft [3328ft]	4170	4210	4240	4280	4310	4350	4390	4430	4480
3600ft [3428ft]	4290	4330	4370	4400	4440	4480	4510	4550	4610
3700ft [3528ft]	4420	4450	4490	4530	4560	4600	4640	4680	4740
3800ft [3628ft]	4540	4570	4610	4650	4690	4730	4770	4810	4870
3900ft [3728ft]	4660	4690	4730	4770	4810	4850	4900	4940	5000
4000ft [3828ft]	4780	4820	4860	4900	4940	4980	5020	5070	5130
4100ft [3928ft]	4900	4940	4980	5020	5060	5110	5150	5190	5260
4200ft [4028ft]	5020	5060	5100	5140	5190	5230	5280	5320	5390
4300ft [4128ft]	5140	5180	5220	5270	5310	5360	5400	5450	5520
4400ft [4228ft]	5260	5300	5350	5390	5440	5480	5530	5580	5650
4500ft [4328ft]	5380	5420	5470	5520	5560	5610	5660	5710	5780
4600ft [4428ft]	5500	5550	5590	5640	5690	5740	5790	5840	5910
4700ft [4528ft]	5620	5670	5710	5760	5810	5860	5910	5960	6040
4800ft [4628ft]	5740	5790	5840	5890	5940	5990	6040	6090	6170
4900ft [4728ft]	5860	5910	5960	6010	6060	6110	6170	6220	6300
5000ft [4828ft]	5980	6030	6080	6130	6190	6240	6290	6350	6430
5100ft [4928ft]	6100	6150	6210	6260	6310	6370	6420	6480	6560
5172ft [5000ft]	6190	6240	6290	6350	6400	6460	6510	6570	6660

Stefano M. RAPISARDA - flightdeckengineering.com

CYZV - Sept-Iles, QC, CANADA

Station Elevation: 180 feet. ISA Standard Temperature: 14.64°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+0)	13°C (ISA-2)	11°C (ISA-4)	9°C (ISA-6)	7°C (ISA-8)	5°C (ISA-10)	3°C (ISA-12)	1°C (ISA-14)	-1°C (ISA-16)
180ft [0ft]	180	180	180	180	180	180	180	180	180
200ft [20ft]	200	210	210	210	210	210	210	210	210
300ft [120ft]	300	310	310	310	310	310	310	310	310
400ft [220ft]	400	410	410	410	410	410	410	420	420
500ft [320ft]	500	510	510	510	510	520	520	520	520
600ft [420ft]	600	610	610	610	620	620	620	630	630
700ft [520ft]	700	710	710	720	720	720	730	730	730
800ft [620ft]	800	810	810	820	820	830	830	840	840
900ft [720ft]	900	910	910	920	920	930	940	940	950
1000ft [820ft]	1000	1010	1020	1020	1030	1030	1040	1050	1050
1100ft [920ft]	1100	1110	1120	1120	1130	1140	1140	1150	1160
1200ft [1020ft]	1200	1210	1220	1230	1230	1240	1250	1260	1260
1300ft [1120ft]	1300	1310	1320	1330	1340	1340	1350	1360	1370
1400ft [1220ft]	1400	1410	1420	1430	1440	1450	1460	1470	1480
1500ft [1320ft]	1500	1510	1520	1530	1540	1550	1560	1570	1580
1600ft [1420ft]	1600	1610	1620	1630	1640	1650	1670	1680	1690
1700ft [1520ft]	1700	1710	1720	1740	1750	1760	1770	1780	1790
1800ft [1620ft]	1800	1810	1830	1840	1850	1860	1870	1890	1900
1900ft [1720ft]	1900	1910	1930	1940	1950	1960	1980	1990	2000
2000ft [1820ft]	2000	2020	2030	2040	2050	2070	2080	2100	2110
2100ft [1920ft]	2100	2120	2130	2140	2160	2170	2190	2200	2220
2200ft [2020ft]	2200	2220	2230	2250	2260	2280	2290	2310	2320
2300ft [2120ft]	2300	2320	2330	2350	2360	2380	2400	2410	2430
2400ft [2220ft]	2400	2420	2430	2450	2470	2480	2500	2520	2530
2500ft [2320ft]	2500	2520	2530	2550	2570	2590	2600	2620	2640
2600ft [2420ft]	2600	2620	2640	2650	2670	2690	2710	2730	2750
2700ft [2520ft]	2700	2720	2740	2760	2770	2790	2810	2830	2850
2800ft [2620ft]	2800	2820	2840	2860	2880	2900	2920	2940	2960
2900ft [2720ft]	2900	2920	2940	2960	2980	3000	3020	3040	3060
3000ft [2820ft]	3000	3020	3040	3060	3080	3100	3130	3150	3170
3100ft [2920ft]	3100	3120	3140	3160	3190	3210	3230	3250	3270
3200ft [3020ft]	3200	3220	3240	3270	3290	3310	3330	3360	3380
3300ft [3120ft]	3300	3320	3350	3370	3390	3410	3440	3460	3490
3400ft [3220ft]	3400	3420	3450	3470	3490	3520	3540	3570	3590
3500ft [3320ft]	3500	3520	3550	3570	3600	3620	3650	3670	3700
3600ft [3420ft]	3600	3620	3650	3670	3700	3730	3750	3780	3800
3700ft [3520ft]	3700	3730	3750	3780	3800	3830	3860	3880	3910
3800ft [3620ft]	3800	3830	3850	3880	3910	3930	3960	3990	4020
3900ft [3720ft]	3900	3930	3950	3980	4010	4040	4060	4090	4120
4000ft [3820ft]	4000	4030	4050	4080	4110	4140	4170	4200	4230
4100ft [3920ft]	4100	4130	4160	4180	4210	4240	4270	4300	4330
4200ft [4020ft]	4200	4230	4260	4290	4320	4350	4380	4410	4440
4300ft [4120ft]	4300	4330	4360	4390	4420	4450	4480	4510	4550
4400ft [4220ft]	4400	4430	4460	4490	4520	4550	4590	4620	4650
4500ft [4320ft]	4500	4530	4560	4590	4620	4660	4690	4720	4760
4600ft [4420ft]	4600	4630	4660	4690	4730	4760	4790	4830	4860
4700ft [4520ft]	4700	4730	4760	4800	4830	4860	4900	4930	4970
4800ft [4620ft]	4800	4830	4870	4900	4930	4970	5000	5040	5080
4900ft [4720ft]	4900	4930	4970	5000	5040	5070	5110	5140	5180
5000ft [4820ft]	5000	5030	5070	5100	5140	5180	5210	5250	5290
5100ft [4920ft]	5100	5130	5170	5210	5240	5280	5320	5350	5390
5180ft [5000ft]	5180	5210	5250	5290	5320	5360	5400	5440	5480

Stefano M. RAPISARDA - flightdeckengineering.com

CYZV - Sept-Iles, QC, CANADA

Station Elevation: 180 feet. ISA Standard Temperature: 14.64°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-16)	-3°C (ISA-18)	-5°C (ISA-20)	-7°C (ISA-22)	-9°C (ISA-24)	-11°C (ISA-26)	-13°C (ISA-28)	-15°C (ISA-30)	-17°C (ISA-32)
180ft [0ft]	180	180	180	180	180	180	180	180	180
200ft [20ft]	210	210	210	210	210	210	210	210	210
300ft [120ft]	310	310	310	310	320	320	320	320	320
400ft [220ft]	420	420	420	420	420	430	430	430	430
500ft [320ft]	520	530	530	530	530	540	540	540	540
600ft [420ft]	630	630	640	640	640	650	650	650	660
700ft [520ft]	730	740	740	750	750	760	760	760	770
800ft [620ft]	840	850	850	860	860	870	870	880	880
900ft [720ft]	950	950	960	960	970	980	980	990	990
1000ft [820ft]	1050	1060	1070	1070	1080	1090	1090	1100	1110
1100ft [920ft]	1160	1170	1170	1180	1190	1200	1200	1210	1220
1200ft [1020ft]	1260	1270	1280	1290	1300	1310	1310	1320	1330
1300ft [1120ft]	1370	1380	1390	1400	1410	1420	1420	1430	1440
1400ft [1220ft]	1480	1490	1490	1500	1510	1520	1540	1550	1560
1500ft [1320ft]	1580	1590	1600	1610	1620	1630	1650	1660	1670
1600ft [1420ft]	1690	1700	1710	1720	1730	1740	1760	1770	1780
1700ft [1520ft]	1790	1800	1820	1830	1840	1850	1870	1880	1890
1800ft [1620ft]	1900	1910	1920	1940	1950	1960	1980	1990	2010
1900ft [1720ft]	2000	2020	2030	2050	2060	2070	2090	2100	2120
2000ft [1820ft]	2110	2120	2140	2150	2170	2180	2200	2220	2230
2100ft [1920ft]	2220	2230	2250	2260	2280	2290	2310	2330	2340
2200ft [2020ft]	2320	2340	2350	2370	2390	2400	2420	2440	2460
2300ft [2120ft]	2430	2440	2460	2480	2500	2510	2530	2550	2570
2400ft [2220ft]	2530	2550	2570	2590	2610	2620	2640	2660	2680
2500ft [2320ft]	2640	2660	2680	2700	2710	2730	2750	2770	2790
2600ft [2420ft]	2750	2760	2780	2800	2820	2840	2860	2890	2910
2700ft [2520ft]	2850	2870	2890	2910	2930	2950	2980	3000	3020
2800ft [2620ft]	2960	2980	3000	3020	3040	3060	3090	3110	3130
2900ft [2720ft]	3060	3080	3110	3130	3150	3170	3200	3220	3240
3000ft [2820ft]	3170	3190	3210	3240	3260	3280	3310	3330	3360
3100ft [2920ft]	3270	3300	3320	3350	3370	3390	3420	3440	3470
3200ft [3020ft]	3380	3400	3430	3450	3480	3500	3530	3560	3580
3300ft [3120ft]	3490	3510	3540	3560	3590	3610	3640	3670	3700
3400ft [3220ft]	3590	3620	3640	3670	3700	3720	3750	3780	3810
3500ft [3320ft]	3700	3720	3750	3780	3810	3830	3860	3890	3920
3600ft [3420ft]	3800	3830	3860	3890	3920	3940	3970	4000	4030
3700ft [3520ft]	3910	3940	3970	4000	4020	4050	4080	4110	4150
3800ft [3620ft]	4020	4040	4070	4100	4130	4160	4190	4230	4260
3900ft [3720ft]	4120	4150	4180	4210	4240	4270	4310	4340	4370
4000ft [3820ft]	4230	4260	4290	4320	4350	4380	4420	4450	4480
4100ft [3920ft]	4330	4360	4400	4430	4460	4490	4530	4560	4600
4200ft [4020ft]	4440	4470	4500	4540	4570	4600	4640	4670	4710
4300ft [4120ft]	4550	4580	4610	4650	4680	4710	4750	4790	4820
4400ft [4220ft]	4650	4680	4720	4750	4790	4820	4860	4900	4930
4500ft [4320ft]	4760	4790	4830	4860	4900	4930	4970	5010	5050
4600ft [4420ft]	4860	4900	4930	4970	5010	5040	5080	5120	5160
4700ft [4520ft]	4970	5010	5040	5080	5120	5150	5190	5230	5270
4800ft [4620ft]	5080	5110	5150	5190	5230	5260	5300	5350	5390
4900ft [4720ft]	5180	5220	5260	5300	5340	5380	5420	5460	5500
5000ft [4820ft]	5290	5330	5360	5400	5440	5490	5530	5570	5610
5100ft [4920ft]	5390	5430	5470	5510	5550	5600	5640	5680	5720
5180ft [5000ft]	5480	5520	5560	5600	5640	5680	5730	5770	5810

Stefano M. RAPISARDA - flightdeckengineering.com

CYZV - Sept-Iles, QC, CANADA

Station Elevation: 180 feet. ISA Standard Temperature: 14.64°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-32)	-19°C (ISA-34)	-21°C (ISA-36)	-23°C (ISA-38)	-25°C (ISA-40)	-27°C (ISA-42)	-29°C (ISA-44)	-31°C (ISA-46)	-33°C (ISA-48)
180ft [0ft]	180	180	180	180	180	180	180	180	180
200ft [20ft]	210	210	210	210	210	210	210	210	210
300ft [120ft]	320	320	320	320	320	330	330	330	330
400ft [220ft]	430	430	440	440	440	440	440	450	450
500ft [320ft]	540	550	550	550	560	560	560	570	570
600ft [420ft]	660	660	660	670	670	680	680	680	690
700ft [520ft]	770	770	780	780	790	790	800	800	810
800ft [620ft]	880	890	890	900	900	910	920	920	930
900ft [720ft]	990	1000	1010	1010	1020	1030	1030	1040	1050
1000ft [820ft]	1110	1110	1120	1130	1140	1140	1150	1160	1170
1100ft [920ft]	1220	1230	1240	1240	1250	1260	1270	1280	1290
1200ft [1020ft]	1330	1340	1350	1360	1370	1380	1390	1400	1410
1300ft [1120ft]	1440	1450	1460	1470	1480	1500	1510	1520	1530
1400ft [1220ft]	1560	1570	1580	1590	1600	1610	1620	1640	1650
1500ft [1320ft]	1670	1680	1690	1700	1720	1730	1740	1760	1770
1600ft [1420ft]	1780	1790	1810	1820	1830	1850	1860	1870	1890
1700ft [1520ft]	1890	1910	1920	1940	1950	1960	1980	1990	2010
1800ft [1620ft]	2010	2020	2040	2050	2070	2080	2100	2110	2130
1900ft [1720ft]	2120	2130	2150	2170	2180	2200	2210	2230	2250
2000ft [1820ft]	2230	2250	2260	2280	2300	2320	2330	2350	2370
2100ft [1920ft]	2340	2360	2380	2400	2410	2430	2450	2470	2490
2200ft [2020ft]	2460	2470	2490	2510	2530	2550	2570	2590	2610
2300ft [2120ft]	2570	2590	2610	2630	2650	2670	2690	2710	2730
2400ft [2220ft]	2680	2700	2720	2740	2760	2780	2810	2830	2850
2500ft [2320ft]	2790	2810	2840	2860	2880	2900	2920	2950	2970
2600ft [2420ft]	2910	2930	2950	2970	3000	3020	3040	3070	3090
2700ft [2520ft]	3020	3040	3060	3090	3110	3140	3160	3180	3210
2800ft [2620ft]	3130	3160	3180	3200	3230	3250	3280	3300	3330
2900ft [2720ft]	3240	3270	3290	3320	3340	3370	3400	3420	3450
3000ft [2820ft]	3360	3380	3410	3430	3460	3490	3510	3540	3570
3100ft [2920ft]	3470	3500	3520	3550	3580	3600	3630	3660	3690
3200ft [3020ft]	3580	3610	3640	3660	3690	3720	3750	3780	3810
3300ft [3120ft]	3700	3720	3750	3780	3810	3840	3870	3900	3930
3400ft [3220ft]	3810	3840	3870	3900	3930	3960	3990	4020	4050
3500ft [3320ft]	3920	3950	3980	4010	4040	4070	4110	4140	4170
3600ft [3420ft]	4030	4060	4090	4130	4160	4190	4220	4260	4290
3700ft [3520ft]	4150	4180	4210	4240	4280	4310	4340	4380	4410
3800ft [3620ft]	4260	4290	4320	4360	4390	4430	4460	4500	4530
3900ft [3720ft]	4370	4400	4440	4470	4510	4540	4580	4620	4650
4000ft [3820ft]	4480	4520	4550	4590	4620	4660	4700	4740	4770
4100ft [3920ft]	4600	4630	4670	4700	4740	4780	4820	4860	4900
4200ft [4020ft]	4710	4750	4780	4820	4860	4900	4940	4980	5020
4300ft [4120ft]	4820	4860	4900	4940	4970	5010	5050	5090	5140
4400ft [4220ft]	4930	4970	5010	5050	5090	5130	5170	5210	5260
4500ft [4320ft]	5050	5090	5130	5170	5210	5250	5290	5330	5380
4600ft [4420ft]	5160	5200	5240	5280	5320	5370	5410	5450	5500
4700ft [4520ft]	5270	5310	5360	5400	5440	5480	5530	5570	5620
4800ft [4620ft]	5390	5430	5470	5510	5560	5600	5650	5690	5740
4900ft [4720ft]	5500	5540	5580	5630	5670	5720	5770	5810	5860
5000ft [4820ft]	5610	5660	5700	5740	5790	5840	5880	5930	5980
5100ft [4920ft]	5720	5770	5810	5860	5910	5950	6000	6050	6100
5180ft [5000ft]	5810	5860	5910	5950	6000	6050	6100	6150	6200

Stefano M. RAPISARDA - flightdeckengineering.com

CYZV - Sept-Iles, QC, CANADA

Station Elevation: 180 feet. ISA Standard Temperature: 14.64°C (rounded to 15°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-48)	-35°C (ISA-50)	-37°C (ISA-52)	-39°C (ISA-54)	-41°C (ISA-56)	-43°C (ISA-58)	-45°C (ISA-60)	-47°C (ISA-62)	-50°C (ISA-65)
180ft [0ft]	180	180	180	180	180	180	180	180	180
200ft [20ft]	210	210	210	210	210	210	210	210	210
300ft [120ft]	330	330	330	330	330	340	340	340	340
400ft [220ft]	450	450	450	460	460	460	460	470	470
500ft [320ft]	570	570	580	580	580	590	590	590	600
600ft [420ft]	690	690	700	700	710	710	710	720	730
700ft [520ft]	810	810	820	820	830	840	840	850	860
800ft [620ft]	930	930	940	950	950	960	970	970	990
900ft [720ft]	1050	1060	1060	1070	1080	1090	1090	1100	1110
1000ft [820ft]	1170	1180	1180	1190	1200	1210	1220	1230	1240
1100ft [920ft]	1290	1300	1310	1320	1330	1340	1350	1360	1370
1200ft [1020ft]	1410	1420	1430	1440	1450	1460	1470	1480	1500
1300ft [1120ft]	1530	1540	1550	1560	1570	1590	1600	1610	1630
1400ft [1220ft]	1650	1660	1670	1690	1700	1710	1730	1740	1760
1500ft [1320ft]	1770	1780	1800	1810	1820	1840	1850	1870	1890
1600ft [1420ft]	1890	1900	1920	1930	1950	1960	1980	1990	2020
1700ft [1520ft]	2010	2020	2040	2060	2070	2090	2100	2120	2150
1800ft [1620ft]	2130	2140	2160	2180	2200	2210	2230	2250	2280
1900ft [1720ft]	2250	2270	2280	2300	2320	2340	2360	2380	2410
2000ft [1820ft]	2370	2390	2410	2430	2440	2460	2480	2510	2540
2100ft [1920ft]	2490	2510	2530	2550	2570	2590	2610	2630	2670
2200ft [2020ft]	2610	2630	2650	2670	2690	2720	2740	2760	2800
2300ft [2120ft]	2730	2750	2770	2800	2820	2840	2860	2890	2920
2400ft [2220ft]	2850	2870	2890	2920	2940	2970	2990	3020	3050
2500ft [2320ft]	2970	2990	3020	3040	3070	3090	3120	3140	3180
2600ft [2420ft]	3090	3110	3140	3170	3190	3220	3240	3270	3310
2700ft [2520ft]	3210	3240	3260	3290	3320	3340	3370	3400	3440
2800ft [2620ft]	3330	3360	3380	3410	3440	3470	3500	3530	3570
2900ft [2720ft]	3450	3480	3510	3540	3560	3590	3620	3660	3700
3000ft [2820ft]	3570	3600	3630	3660	3690	3720	3750	3780	3830
3100ft [2920ft]	3690	3720	3750	3780	3810	3850	3880	3910	3960
3200ft [3020ft]	3810	3840	3870	3910	3940	3970	4000	4040	4090
3300ft [3120ft]	3930	3960	4000	4030	4060	4100	4130	4170	4220
3400ft [3220ft]	4050	4090	4120	4150	4190	4220	4260	4300	4350
3500ft [3320ft]	4170	4210	4240	4280	4310	4350	4390	4420	4480
3600ft [3420ft]	4290	4330	4360	4400	4440	4470	4510	4550	4610
3700ft [3520ft]	4410	4450	4490	4520	4560	4600	4640	4680	4740
3800ft [3620ft]	4530	4570	4610	4650	4690	4730	4770	4810	4870
3900ft [3720ft]	4650	4690	4730	4770	4810	4850	4890	4940	5000
4000ft [3820ft]	4770	4810	4850	4890	4940	4980	5020	5060	5130
4100ft [3920ft]	4900	4940	4980	5020	5060	5100	5150	5190	5260
4200ft [4020ft]	5020	5060	5100	5140	5190	5230	5270	5320	5390
4300ft [4120ft]	5140	5180	5220	5270	5310	5360	5400	5450	5520
4400ft [4220ft]	5260	5300	5340	5390	5430	5480	5530	5580	5650
4500ft [4320ft]	5380	5420	5470	5510	5560	5610	5660	5710	5780
4600ft [4420ft]	5500	5540	5590	5640	5680	5730	5780	5830	5910
4700ft [4520ft]	5620	5670	5710	5760	5810	5860	5910	5960	6040
4800ft [4620ft]	5740	5790	5840	5880	5930	5990	6040	6090	6170
4900ft [4720ft]	5860	5910	5960	6010	6060	6110	6160	6220	6300
5000ft [4820ft]	5980	6030	6080	6130	6180	6240	6290	6350	6430
5100ft [4920ft]	6100	6150	6200	6260	6310	6360	6420	6480	6560
5180ft [5000ft]	6200	6250	6300	6360	6410	6460	6520	6580	6670

Stefano M. RAPISARDA - flightdeckengineering.com

13 Saskatchewan Airports

13.1 CYQR - REGINA, SK, CANADA 271

13.2 CYXE - SASKATOON, SK, CANADA 275

CYQR - Regina, SK, CANADA

Station Elevation: 1895 feet. ISA Standard Temperature: 11.24°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+2)	12°C (ISA+0)	10°C (ISA-2)	8°C (ISA-4)	6°C (ISA-6)	4°C (ISA-8)	2°C (ISA-10)	0°C (ISA-12)	-2°C (ISA-14)
1895ft [0ft]	---	1900	1900	1900	1900	1900	1900	1900	1900
1900ft [5ft]	---	1900	1910	1910	1910	1910	1910	1910	1910
2000ft [105ft]	---	2000	2010	2010	2010	2010	2010	2010	2010
2100ft [205ft]	---	2100	2110	2110	2110	2110	2110	2110	2110
2200ft [305ft]	---	2200	2210	2210	2210	2210	2220	2220	2220
2300ft [405ft]	---	2300	2310	2310	2310	2320	2320	2320	2320
2400ft [505ft]	---	2400	2410	2410	2410	2420	2420	2430	2430
2500ft [605ft]	---	2500	2510	2510	2520	2520	2530	2530	2530
2600ft [705ft]	---	2600	2610	2610	2620	2620	2630	2630	2640
2700ft [805ft]	---	2700	2710	2710	2720	2730	2730	2740	2740
2800ft [905ft]	---	2800	2810	2820	2820	2830	2840	2840	2850
2900ft [1005ft]	---	2900	2910	2920	2920	2930	2940	2950	2950
3000ft [1105ft]	---	3000	3010	3020	3030	3030	3040	3050	3060
3100ft [1205ft]	---	3100	3110	3120	3130	3140	3150	3150	3160
3200ft [1305ft]	---	3200	3210	3220	3230	3240	3250	3260	3270
3300ft [1405ft]	---	3300	3310	3320	3330	3340	3350	3360	3370
3400ft [1505ft]	---	3400	3410	3420	3430	3440	3460	3470	3480
3500ft [1605ft]	---	3500	3510	3520	3540	3550	3560	3570	3580
3600ft [1705ft]	---	3600	3610	3620	3640	3650	3660	3680	3690
3700ft [1805ft]	---	3700	3710	3730	3740	3750	3770	3780	3790
3800ft [1905ft]	---	3800	3810	3830	3840	3850	3870	3880	3900
3900ft [2005ft]	---	3900	3910	3930	3940	3960	3970	3990	4000
4000ft [2105ft]	---	4000	4010	4030	4040	4060	4080	4090	4110
4100ft [2205ft]	---	4100	4110	4130	4150	4160	4180	4200	4210
4200ft [2305ft]	---	4200	4220	4230	4250	4270	4280	4300	4320
4300ft [2405ft]	---	4300	4320	4330	4350	4370	4390	4400	4420
4400ft [2505ft]	---	4400	4420	4430	4450	4470	4490	4510	4530
4500ft [2605ft]	---	4500	4520	4540	4550	4570	4590	4610	4630
4600ft [2705ft]	---	4600	4620	4640	4660	4680	4700	4720	4740
4700ft [2805ft]	---	4700	4720	4740	4760	4780	4800	4820	4840
4800ft [2905ft]	---	4800	4820	4840	4860	4880	4900	4930	4950
4900ft [3005ft]	---	4900	4920	4940	4960	4980	5010	5030	5050
5000ft [3105ft]	---	5000	5020	5040	5060	5090	5110	5130	5160
5100ft [3205ft]	---	5100	5120	5140	5170	5190	5210	5240	5260
5200ft [3305ft]	---	5200	5220	5240	5270	5290	5320	5340	5370
5300ft [3405ft]	---	5300	5320	5340	5370	5390	5420	5450	5470
5400ft [3505ft]	---	5400	5420	5450	5470	5500	5520	5550	5580
5500ft [3605ft]	---	5500	5520	5550	5570	5600	5630	5650	5680
5600ft [3705ft]	---	5600	5620	5650	5680	5700	5730	5760	5790
5700ft [3805ft]	---	5700	5720	5750	5780	5810	5830	5860	5890
5800ft [3905ft]	---	5800	5820	5850	5880	5910	5940	5970	6000
5900ft [4005ft]	---	5900	5920	5950	5980	6010	6040	6070	6100
6000ft [4105ft]	---	6000	6020	6050	6080	6110	6140	6180	6210
6100ft [4205ft]	---	6100	6120	6150	6180	6220	6250	6280	6310
6200ft [4305ft]	---	6200	6220	6260	6290	6320	6350	6380	6420
6300ft [4405ft]	---	6300	6320	6360	6390	6420	6450	6490	6520
6400ft [4505ft]	---	6400	6420	6460	6490	6520	6560	6590	6630
6500ft [4605ft]	---	6500	6530	6560	6590	6630	6660	6700	6730
6600ft [4705ft]	---	6600	6630	6660	6690	6730	6760	6800	6840
6700ft [4805ft]	---	6700	6730	6760	6800	6830	6870	6910	6940
6800ft [4905ft]	---	6800	6830	6860	6900	6930	6970	7010	7050
6895ft [5000ft]	---	6895	6920	6960	7000	7030	7070	7110	7150

Stefano M. RAPISARDA - flightdeckengineering.com

CYQR - Regina, SK, CANADA

Station Elevation: 1895 feet. ISA Standard Temperature: 11.24°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-14)	-4°C (ISA-16)	-6°C (ISA-18)	-8°C (ISA-20)	-10°C (ISA-22)	-12°C (ISA-24)	-14°C (ISA-26)	-16°C (ISA-28)	-18°C (ISA-30)
1895ft [0ft]	1900	1900	1900	1900	1900	1900	1900	1900	1900
1900ft [5ft]	1910	1910	1910	1910	1910	1910	1910	1910	1910
2000ft [105ft]	2010	2010	2010	2010	2010	2010	2020	2020	2020
2100ft [205ft]	2110	2120	2120	2120	2120	2120	2120	2130	2130
2200ft [305ft]	2220	2220	2220	2230	2230	2230	2230	2240	2240
2300ft [405ft]	2320	2330	2330	2330	2340	2340	2340	2350	2350
2400ft [505ft]	2430	2430	2440	2440	2450	2450	2450	2460	2460
2500ft [605ft]	2530	2540	2540	2550	2550	2560	2560	2570	2570
2600ft [705ft]	2640	2640	2650	2660	2660	2670	2670	2680	2690
2700ft [805ft]	2740	2750	2760	2760	2770	2780	2780	2790	2800
2800ft [905ft]	2850	2860	2860	2870	2880	2890	2890	2900	2910
2900ft [1005ft]	2950	2960	2970	2980	2990	2990	3000	3010	3020
3000ft [1105ft]	3060	3070	3080	3090	3090	3100	3110	3120	3130
3100ft [1205ft]	3160	3170	3180	3190	3200	3210	3220	3230	3240
3200ft [1305ft]	3270	3280	3290	3300	3310	3320	3330	3340	3350
3300ft [1405ft]	3370	3380	3400	3410	3420	3430	3440	3450	3470
3400ft [1505ft]	3480	3490	3500	3510	3530	3540	3550	3560	3580
3500ft [1605ft]	3580	3600	3610	3620	3630	3650	3660	3670	3690
3600ft [1705ft]	3690	3700	3720	3730	3740	3760	3770	3790	3800
3700ft [1805ft]	3790	3810	3820	3840	3850	3870	3880	3900	3910
3800ft [1905ft]	3900	3910	3930	3940	3960	3970	3990	4010	4020
3900ft [2005ft]	4000	4020	4030	4050	4070	4080	4100	4120	4140
4000ft [2105ft]	4110	4120	4140	4160	4180	4190	4210	4230	4250
4100ft [2205ft]	4210	4230	4250	4270	4280	4300	4320	4340	4360
4200ft [2305ft]	4320	4340	4350	4370	4390	4410	4430	4450	4470
4300ft [2405ft]	4420	4440	4460	4480	4500	4520	4540	4560	4580
4400ft [2505ft]	4530	4550	4570	4590	4610	4630	4650	4670	4690
4500ft [2605ft]	4630	4650	4670	4690	4720	4740	4760	4780	4800
4600ft [2705ft]	4740	4760	4780	4800	4820	4850	4870	4890	4920
4700ft [2805ft]	4840	4860	4890	4910	4930	4960	4980	5000	5030
4800ft [2905ft]	4950	4970	4990	5020	5040	5060	5090	5110	5140
4900ft [3005ft]	5050	5080	5100	5120	5150	5170	5200	5220	5250
5000ft [3105ft]	5160	5180	5210	5230	5260	5280	5310	5340	5360
5100ft [3205ft]	5260	5290	5310	5340	5370	5390	5420	5450	5470
5200ft [3305ft]	5370	5390	5420	5450	5470	5500	5530	5560	5590
5300ft [3405ft]	5470	5500	5530	5550	5580	5610	5640	5670	5700
5400ft [3505ft]	5580	5600	5630	5660	5690	5720	5750	5780	5810
5500ft [3605ft]	5680	5710	5740	5770	5800	5830	5860	5890	5920
5600ft [3705ft]	5790	5820	5850	5880	5910	5940	5970	6000	6030
5700ft [3805ft]	5890	5920	5950	5980	6010	6050	6080	6110	6140
5800ft [3905ft]	6000	6030	6060	6090	6120	6160	6190	6220	6260
5900ft [4005ft]	6100	6130	6170	6200	6230	6260	6300	6330	6370
6000ft [4105ft]	6210	6240	6270	6310	6340	6370	6410	6440	6480
6100ft [4205ft]	6310	6350	6380	6410	6450	6480	6520	6550	6590
6200ft [4305ft]	6420	6450	6490	6520	6560	6590	6630	6670	6700
6300ft [4405ft]	6520	6560	6590	6630	6660	6700	6740	6780	6820
6400ft [4505ft]	6630	6660	6700	6740	6770	6810	6850	6890	6930
6500ft [4605ft]	6730	6770	6810	6840	6880	6920	6960	7000	7040
6600ft [4705ft]	6840	6870	6910	6950	6990	7030	7070	7110	7150
6700ft [4805ft]	6940	6980	7020	7060	7100	7140	7180	7220	7260
6800ft [4905ft]	7050	7090	7130	7170	7210	7250	7290	7330	7370
6895ft [5000ft]	7150	7190	7230	7270	7310	7350	7390	7440	7480

Stefano M. RAPISARDA - flightdeckengineering.com

CYQR - Regina, SK, CANADA

Station Elevation: 1895 feet. ISA Standard Temperature: 11.24°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-30)	-20°C (ISA-32)	-22°C (ISA-34)	-24°C (ISA-36)	-26°C (ISA-38)	-28°C (ISA-40)	-30°C (ISA-42)	-32°C (ISA-44)	-34°C (ISA-46)
1895ft [0ft]	1900	1900	1900	1900	1900	1900	1900	1900	1900
1900ft [5ft]	1910	1910	1910	1910	1910	1910	1910	1910	1910
2000ft [105ft]	2020	2020	2020	2020	2020	2020	2020	2020	2020
2100ft [205ft]	2130	2130	2130	2130	2140	2140	2140	2140	2140
2200ft [305ft]	2240	2240	2250	2250	2250	2250	2260	2260	2260
2300ft [405ft]	2350	2350	2360	2360	2370	2370	2370	2380	2380
2400ft [505ft]	2460	2470	2470	2480	2480	2490	2490	2500	2500
2500ft [605ft]	2570	2580	2580	2590	2600	2600	2610	2610	2620
2600ft [705ft]	2690	2690	2700	2700	2710	2720	2720	2730	2740
2700ft [805ft]	2800	2800	2810	2820	2830	2830	2840	2850	2860
2800ft [905ft]	2910	2920	2920	2930	2940	2950	2960	2970	2980
2900ft [1005ft]	3020	3030	3040	3050	3060	3070	3070	3080	3090
3000ft [1105ft]	3130	3140	3150	3160	3170	3180	3190	3200	3210
3100ft [1205ft]	3240	3250	3260	3280	3290	3300	3310	3320	3330
3200ft [1305ft]	3350	3370	3380	3390	3400	3410	3430	3440	3450
3300ft [1405ft]	3470	3480	3490	3500	3520	3530	3540	3560	3570
3400ft [1505ft]	3580	3590	3600	3620	3630	3650	3660	3670	3690
3500ft [1605ft]	3690	3700	3720	3730	3750	3760	3780	3790	3810
3600ft [1705ft]	3800	3820	3830	3850	3860	3880	3890	3910	3930
3700ft [1805ft]	3910	3930	3940	3960	3980	3990	4010	4030	4050
3800ft [1905ft]	4020	4040	4060	4070	4090	4110	4130	4150	4170
3900ft [2005ft]	4140	4150	4170	4190	4210	4230	4250	4260	4280
4000ft [2105ft]	4250	4270	4280	4300	4320	4340	4360	4380	4400
4100ft [2205ft]	4360	4380	4400	4420	4440	4460	4480	4500	4520
4200ft [2305ft]	4470	4490	4510	4530	4550	4570	4600	4620	4640
4300ft [2405ft]	4580	4600	4620	4650	4670	4690	4710	4740	4760
4400ft [2505ft]	4690	4720	4740	4760	4780	4810	4830	4860	4880
4500ft [2605ft]	4800	4830	4850	4870	4900	4920	4950	4970	5000
4600ft [2705ft]	4920	4940	4960	4990	5010	5040	5070	5090	5120
4700ft [2805ft]	5030	5050	5080	5100	5130	5160	5180	5210	5240
4800ft [2905ft]	5140	5170	5190	5220	5240	5270	5300	5330	5360
4900ft [3005ft]	5250	5280	5300	5330	5360	5390	5420	5450	5480
5000ft [3105ft]	5360	5390	5420	5450	5480	5500	5530	5560	5600
5100ft [3205ft]	5470	5500	5530	5560	5590	5620	5650	5680	5720
5200ft [3305ft]	5590	5620	5650	5680	5710	5740	5770	5800	5830
5300ft [3405ft]	5700	5730	5760	5790	5820	5850	5890	5920	5950
5400ft [3505ft]	5810	5840	5870	5900	5940	5970	6000	6040	6070
5500ft [3605ft]	5920	5950	5990	6020	6050	6090	6120	6160	6190
5600ft [3705ft]	6030	6070	6100	6130	6170	6200	6240	6270	6310
5700ft [3805ft]	6140	6180	6210	6250	6280	6320	6360	6390	6430
5800ft [3905ft]	6260	6290	6330	6360	6400	6440	6470	6510	6550
5900ft [4005ft]	6370	6400	6440	6480	6510	6550	6590	6630	6670
6000ft [4105ft]	6480	6520	6550	6590	6630	6670	6710	6750	6790
6100ft [4205ft]	6590	6630	6670	6710	6740	6780	6830	6870	6910
6200ft [4305ft]	6700	6740	6780	6820	6860	6900	6940	6990	7030
6300ft [4405ft]	6820	6850	6890	6930	6980	7020	7060	7100	7150
6400ft [4505ft]	6930	6970	7010	7050	7090	7130	7180	7220	7270
6500ft [4605ft]	7040	7080	7120	7160	7210	7250	7300	7340	7390
6600ft [4705ft]	7150	7190	7240	7280	7320	7370	7410	7460	7510
6700ft [4805ft]	7260	7310	7350	7390	7440	7480	7530	7580	7630
6800ft [4905ft]	7370	7420	7460	7510	7550	7600	7650	7700	7750
6895ft [5000ft]	7480	7530	7570	7620	7660	7710	7760	7810	7860

Stefano M. RAPISARDA - flightdeckengineering.com

CYQR - Regina, SK, CANADA

Station Elevation: 1895 feet. ISA Standard Temperature: 11.24°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-46)	-36°C (ISA-48)	-38°C (ISA-50)	-40°C (ISA-52)	-42°C (ISA-54)	-44°C (ISA-56)	-46°C (ISA-58)	-48°C (ISA-60)	-50°C (ISA-62)
1895ft [0ft]	1900	1900	1900	1900	1900	1900	1900	1900	1900
1900ft [5ft]	1910	1910	1910	1910	1910	1910	1910	1910	1910
2000ft [105ft]	2020	2030	2030	2030	2030	2030	2030	2030	2030
2100ft [205ft]	2140	2150	2150	2150	2150	2150	2160	2160	2160
2200ft [305ft]	2260	2270	2270	2270	2270	2280	2280	2280	2290
2300ft [405ft]	2380	2390	2390	2390	2400	2400	2410	2410	2420
2400ft [505ft]	2500	2510	2510	2520	2520	2530	2530	2540	2540
2500ft [605ft]	2620	2620	2630	2640	2640	2650	2660	2660	2670
2600ft [705ft]	2740	2740	2750	2760	2770	2770	2780	2790	2800
2700ft [805ft]	2860	2860	2870	2880	2890	2900	2910	2920	2930
2800ft [905ft]	2980	2980	2990	3000	3010	3020	3030	3040	3050
2900ft [1005ft]	3090	3100	3110	3130	3140	3150	3160	3170	3180
3000ft [1105ft]	3210	3220	3240	3250	3260	3270	3280	3290	3310
3100ft [1205ft]	3330	3340	3360	3370	3380	3390	3410	3420	3430
3200ft [1305ft]	3450	3460	3480	3490	3510	3520	3530	3550	3560
3300ft [1405ft]	3570	3580	3600	3610	3630	3640	3660	3670	3690
3400ft [1505ft]	3690	3700	3720	3740	3750	3770	3780	3800	3820
3500ft [1605ft]	3810	3820	3840	3860	3870	3890	3910	3930	3950
3600ft [1705ft]	3930	3940	3960	3980	4000	4020	4030	4050	4070
3700ft [1805ft]	4050	4060	4080	4100	4120	4140	4160	4180	4200
3800ft [1905ft]	4170	4180	4200	4220	4240	4260	4290	4310	4330
3900ft [2005ft]	4280	4300	4330	4350	4370	4390	4410	4430	4460
4000ft [2105ft]	4400	4420	4450	4470	4490	4510	4540	4560	4580
4100ft [2205ft]	4520	4550	4570	4590	4610	4640	4660	4690	4710
4200ft [2305ft]	4640	4670	4690	4710	4740	4760	4790	4810	4840
4300ft [2405ft]	4760	4790	4810	4840	4860	4890	4910	4940	4970
4400ft [2505ft]	4880	4910	4930	4960	4980	5010	5040	5070	5090
4500ft [2605ft]	5000	5030	5050	5080	5110	5140	5160	5190	5220
4600ft [2705ft]	5120	5150	5170	5200	5230	5260	5290	5320	5350
4700ft [2805ft]	5240	5270	5300	5320	5350	5380	5420	5450	5480
4800ft [2905ft]	5360	5390	5420	5450	5480	5510	5540	5570	5610
4900ft [3005ft]	5480	5510	5540	5570	5600	5630	5670	5700	5730
5000ft [3105ft]	5600	5630	5660	5690	5720	5760	5790	5830	5860
5100ft [3205ft]	5720	5750	5780	5810	5850	5880	5920	5950	5990
5200ft [3305ft]	5830	5870	5900	5940	5970	6010	6040	6080	6120
5300ft [3405ft]	5950	5990	6020	6060	6090	6130	6170	6210	6250
5400ft [3505ft]	6070	6110	6140	6180	6220	6260	6300	6330	6370
5500ft [3605ft]	6190	6230	6270	6300	6340	6380	6420	6460	6500
5600ft [3705ft]	6310	6350	6390	6430	6470	6510	6550	6590	6630
5700ft [3805ft]	6430	6470	6510	6550	6590	6630	6670	6720	6760
5800ft [3905ft]	6550	6590	6630	6670	6710	6760	6800	6840	6890
5900ft [4005ft]	6670	6710	6750	6790	6840	6880	6920	6970	7020
6000ft [4105ft]	6790	6830	6870	6920	6960	7000	7050	7100	7140
6100ft [4205ft]	6910	6950	6990	7040	7080	7130	7180	7220	7270
6200ft [4305ft]	7030	7070	7120	7160	7210	7250	7300	7350	7400
6300ft [4405ft]	7150	7190	7240	7280	7330	7380	7430	7480	7530
6400ft [4505ft]	7270	7310	7360	7410	7460	7500	7550	7600	7660
6500ft [4605ft]	7390	7430	7480	7530	7580	7630	7680	7730	7790
6600ft [4705ft]	7510	7550	7600	7650	7700	7750	7810	7860	7910
6700ft [4805ft]	7630	7670	7720	7770	7830	7880	7930	7990	8040
6800ft [4905ft]	7750	7800	7850	7900	7950	8000	8060	8110	8170
6895ft [5000ft]	7860	7910	7960	8010	8070	8120	8180	8230	8290

Stefano M. RAPISARDA - flightdeckengineering.com

CYXE - Saskatoon, SK, CANADA

Station Elevation: 1690 feet. ISA Standard Temperature: 11.65°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 14°C to -2°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	14°C (ISA+2)	12°C (ISA+0)	10°C (ISA-2)	8°C (ISA-4)	6°C (ISA-6)	4°C (ISA-8)	2°C (ISA-10)	0°C (ISA-12)	-2°C (ISA-14)
1690ft [0ft]	---	1690	1690	1690	1690	1690	1690	1690	1690
1700ft [10ft]	---	1700	1710	1710	1710	1710	1710	1710	1710
1800ft [110ft]	---	1800	1810	1810	1810	1810	1810	1810	1810
1900ft [210ft]	---	1900	1910	1910	1910	1910	1910	1910	1920
2000ft [310ft]	---	2000	2010	2010	2010	2010	2020	2020	2020
2100ft [410ft]	---	2100	2110	2110	2110	2120	2120	2120	2130
2200ft [510ft]	---	2200	2210	2210	2220	2220	2220	2230	2230
2300ft [610ft]	---	2300	2310	2310	2320	2320	2330	2330	2340
2400ft [710ft]	---	2400	2410	2410	2420	2420	2430	2440	2440
2500ft [810ft]	---	2500	2510	2520	2520	2530	2530	2540	2550
2600ft [910ft]	---	2600	2610	2620	2620	2630	2640	2640	2650
2700ft [1010ft]	---	2700	2710	2720	2730	2730	2740	2750	2760
2800ft [1110ft]	---	2800	2810	2820	2830	2840	2840	2850	2860
2900ft [1210ft]	---	2900	2910	2920	2930	2940	2950	2960	2970
3000ft [1310ft]	---	3000	3010	3020	3030	3040	3050	3060	3070
3100ft [1410ft]	---	3100	3110	3120	3130	3140	3150	3170	3180
3200ft [1510ft]	---	3200	3210	3220	3240	3250	3260	3270	3280
3300ft [1610ft]	---	3300	3310	3330	3340	3350	3360	3370	3390
3400ft [1710ft]	---	3400	3410	3430	3440	3450	3470	3480	3490
3500ft [1810ft]	---	3500	3520	3530	3540	3560	3570	3580	3600
3600ft [1910ft]	---	3600	3620	3630	3640	3660	3670	3690	3700
3700ft [2010ft]	---	3700	3720	3730	3750	3760	3780	3790	3810
3800ft [2110ft]	---	3800	3820	3830	3850	3860	3880	3900	3910
3900ft [2210ft]	---	3900	3920	3930	3950	3970	3980	4000	4020
4000ft [2310ft]	---	4000	4020	4040	4050	4070	4090	4100	4120
4100ft [2410ft]	---	4100	4120	4140	4150	4170	4190	4210	4230
4200ft [2510ft]	---	4200	4220	4240	4260	4270	4290	4310	4330
4300ft [2610ft]	---	4300	4320	4340	4360	4380	4400	4420	4440
4400ft [2710ft]	---	4400	4420	4440	4460	4480	4500	4520	4540
4500ft [2810ft]	---	4500	4520	4540	4560	4580	4600	4630	4650
4600ft [2910ft]	---	4600	4620	4640	4660	4690	4710	4730	4750
4700ft [3010ft]	---	4700	4720	4740	4770	4790	4810	4830	4860
4800ft [3110ft]	---	4800	4820	4850	4870	4890	4910	4940	4960
4900ft [3210ft]	---	4900	4920	4950	4970	4990	5020	5040	5070
5000ft [3310ft]	---	5000	5020	5050	5070	5100	5120	5150	5170
5100ft [3410ft]	---	5100	5130	5150	5170	5200	5230	5250	5280
5200ft [3510ft]	---	5200	5230	5250	5280	5300	5330	5360	5380
5300ft [3610ft]	---	5300	5330	5350	5380	5410	5430	5460	5490
5400ft [3710ft]	---	5400	5430	5450	5480	5510	5540	5560	5590
5500ft [3810ft]	---	5500	5530	5550	5580	5610	5640	5670	5700
5600ft [3910ft]	---	5600	5630	5660	5680	5710	5740	5770	5800
5700ft [4010ft]	---	5700	5730	5760	5790	5820	5850	5880	5910
5800ft [4110ft]	---	5800	5830	5860	5890	5920	5950	5980	6010
5900ft [4210ft]	---	5900	5930	5960	5990	6020	6050	6090	6120
6000ft [4310ft]	---	6000	6030	6060	6090	6130	6160	6190	6220
6100ft [4410ft]	---	6100	6130	6160	6200	6230	6260	6300	6330
6200ft [4510ft]	---	6200	6230	6260	6300	6330	6360	6400	6430
6300ft [4610ft]	---	6300	6330	6370	6400	6430	6470	6500	6540
6400ft [4710ft]	---	6400	6430	6470	6500	6540	6570	6610	6640
6500ft [4810ft]	---	6500	6530	6570	6600	6640	6680	6710	6750
6600ft [4910ft]	---	6600	6630	6670	6710	6740	6780	6820	6860
6690ft [5000ft]	---	6690	6720	6760	6800	6830	6870	6910	6950

Stefano M. RAPISARDA - flightdeckengineering.com

CYXE - Saskatoon, SK, CANADA

Station Elevation: 1690 feet. ISA Standard Temperature: 11.65°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -2°C to -18°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-2°C (ISA-14)	-4°C (ISA-16)	-6°C (ISA-18)	-8°C (ISA-20)	-10°C (ISA-22)	-12°C (ISA-24)	-14°C (ISA-26)	-16°C (ISA-28)	-18°C (ISA-30)
1690ft [0ft]	1690	1690	1690	1690	1690	1690	1690	1690	1690
1700ft [10ft]	1710	1710	1710	1710	1710	1710	1710	1710	1710
1800ft [110ft]	1810	1810	1810	1810	1810	1810	1820	1820	1820
1900ft [210ft]	1920	1920	1920	1920	1920	1920	1930	1930	1930
2000ft [310ft]	2020	2020	2030	2030	2030	2030	2040	2040	2040
2100ft [410ft]	2130	2130	2130	2140	2140	2140	2150	2150	2150
2200ft [510ft]	2230	2230	2240	2240	2250	2250	2260	2260	2260
2300ft [610ft]	2340	2340	2350	2350	2360	2360	2370	2370	2380
2400ft [710ft]	2440	2450	2450	2460	2460	2470	2480	2480	2490
2500ft [810ft]	2550	2550	2560	2560	2570	2580	2580	2590	2600
2600ft [910ft]	2650	2660	2660	2670	2680	2690	2690	2700	2710
2700ft [1010ft]	2760	2760	2770	2780	2790	2800	2800	2810	2820
2800ft [1110ft]	2860	2870	2880	2890	2900	2910	2910	2920	2930
2900ft [1210ft]	2970	2980	2980	2990	3000	3010	3020	3030	3050
3000ft [1310ft]	3070	3080	3090	3100	3110	3120	3130	3150	3160
3100ft [1410ft]	3180	3190	3200	3210	3220	3230	3240	3260	3270
3200ft [1510ft]	3280	3290	3300	3320	3330	3340	3350	3370	3380
3300ft [1610ft]	3390	3400	3410	3420	3440	3450	3460	3480	3490
3400ft [1710ft]	3490	3500	3520	3530	3550	3560	3570	3590	3600
3500ft [1810ft]	3600	3610	3620	3640	3650	3670	3680	3700	3720
3600ft [1910ft]	3700	3720	3730	3750	3760	3780	3790	3810	3830
3700ft [2010ft]	3810	3820	3840	3850	3870	3890	3900	3920	3940
3800ft [2110ft]	3910	3930	3940	3960	3980	4000	4010	4030	4050
3900ft [2210ft]	4020	4030	4050	4070	4090	4110	4120	4140	4160
4000ft [2310ft]	4120	4140	4160	4180	4200	4210	4230	4250	4270
4100ft [2410ft]	4230	4250	4260	4280	4300	4320	4340	4370	4390
4200ft [2510ft]	4330	4350	4370	4390	4410	4430	4450	4480	4500
4300ft [2610ft]	4440	4460	4480	4500	4520	4540	4560	4590	4610
4400ft [2710ft]	4540	4560	4580	4610	4630	4650	4670	4700	4720
4500ft [2810ft]	4650	4670	4690	4710	4740	4760	4780	4810	4830
4600ft [2910ft]	4750	4780	4800	4820	4850	4870	4890	4920	4940
4700ft [3010ft]	4860	4880	4900	4930	4950	4980	5000	5030	5060
4800ft [3110ft]	4960	4990	5010	5040	5060	5090	5110	5140	5170
4900ft [3210ft]	5070	5090	5120	5140	5170	5200	5220	5250	5280
5000ft [3310ft]	5170	5200	5230	5250	5280	5310	5330	5360	5390
5100ft [3410ft]	5280	5300	5330	5360	5390	5420	5440	5470	5500
5200ft [3510ft]	5380	5410	5440	5470	5500	5530	5560	5590	5620
5300ft [3610ft]	5490	5520	5550	5570	5600	5630	5670	5700	5730
5400ft [3710ft]	5590	5620	5650	5680	5710	5740	5780	5810	5840
5500ft [3810ft]	5700	5730	5760	5790	5820	5850	5890	5920	5950
5600ft [3910ft]	5800	5830	5870	5900	5930	5960	6000	6030	6060
5700ft [4010ft]	5910	5940	5970	6000	6040	6070	6110	6140	6180
5800ft [4110ft]	6010	6050	6080	6110	6150	6180	6220	6250	6290
5900ft [4210ft]	6120	6150	6190	6220	6250	6290	6330	6360	6400
6000ft [4310ft]	6220	6260	6290	6330	6360	6400	6440	6470	6510
6100ft [4410ft]	6330	6360	6400	6440	6470	6510	6550	6580	6620
6200ft [4510ft]	6430	6470	6510	6540	6580	6620	6660	6700	6740
6300ft [4610ft]	6540	6580	6610	6650	6690	6730	6770	6810	6850
6400ft [4710ft]	6640	6680	6720	6760	6800	6840	6880	6920	6960
6500ft [4810ft]	6750	6790	6830	6870	6910	6950	6990	7030	7070
6600ft [4910ft]	6860	6890	6930	6970	7010	7060	7100	7140	7180
6690ft [5000ft]	6950	6990	7030	7070	7110	7150	7200	7240	7280

Stefano M. RAPISARDA - flightdeckengineering.com

CYXE - Saskatoon, SK, CANADA

Station Elevation: 1690 feet. ISA Standard Temperature: 11.65°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -18°C to -34°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-18°C (ISA-30)	-20°C (ISA-32)	-22°C (ISA-34)	-24°C (ISA-36)	-26°C (ISA-38)	-28°C (ISA-40)	-30°C (ISA-42)	-32°C (ISA-44)	-34°C (ISA-46)
1690ft [0ft]	1690	1690	1690	1690	1690	1690	1690	1690	1690
1700ft [10ft]	1710	1710	1710	1710	1710	1710	1710	1710	1710
1800ft [110ft]	1820	1820	1820	1820	1820	1820	1820	1820	1830
1900ft [210ft]	1930	1930	1930	1930	1940	1940	1940	1940	1940
2000ft [310ft]	2040	2040	2050	2050	2050	2050	2060	2060	2060
2100ft [410ft]	2150	2160	2160	2160	2170	2170	2170	2180	2180
2200ft [510ft]	2260	2270	2270	2280	2280	2290	2290	2300	2300
2300ft [610ft]	2380	2380	2390	2390	2400	2400	2410	2410	2420
2400ft [710ft]	2490	2490	2500	2510	2510	2520	2530	2530	2540
2500ft [810ft]	2600	2610	2610	2620	2630	2640	2640	2650	2660
2600ft [910ft]	2710	2720	2730	2730	2740	2750	2760	2770	2780
2700ft [1010ft]	2820	2830	2840	2850	2860	2870	2880	2890	2900
2800ft [1110ft]	2930	2940	2950	2960	2970	2980	2990	3010	3020
2900ft [1210ft]	3050	3060	3070	3080	3090	3100	3110	3120	3140
3000ft [1310ft]	3160	3170	3180	3190	3200	3220	3230	3240	3250
3100ft [1410ft]	3270	3280	3290	3310	3320	3330	3350	3360	3370
3200ft [1510ft]	3380	3390	3410	3420	3440	3450	3460	3480	3490
3300ft [1610ft]	3490	3510	3520	3540	3550	3570	3580	3600	3610
3400ft [1710ft]	3600	3620	3630	3650	3670	3680	3700	3710	3730
3500ft [1810ft]	3720	3730	3750	3760	3780	3800	3820	3830	3850
3600ft [1910ft]	3830	3840	3860	3880	3900	3910	3930	3950	3970
3700ft [2010ft]	3940	3960	3970	3990	4010	4030	4050	4070	4090
3800ft [2110ft]	4050	4070	4090	4110	4130	4150	4170	4190	4210
3900ft [2210ft]	4160	4180	4200	4220	4240	4260	4280	4310	4330
4000ft [2310ft]	4270	4290	4320	4340	4360	4380	4400	4420	4450
4100ft [2410ft]	4390	4410	4430	4450	4470	4500	4520	4540	4570
4200ft [2510ft]	4500	4520	4540	4570	4590	4610	4640	4660	4690
4300ft [2610ft]	4610	4630	4660	4680	4700	4730	4750	4780	4810
4400ft [2710ft]	4720	4750	4770	4790	4820	4850	4870	4900	4920
4500ft [2810ft]	4830	4860	4880	4910	4940	4960	4990	5020	5040
4600ft [2910ft]	4940	4970	5000	5020	5050	5080	5110	5130	5160
4700ft [3010ft]	5060	5080	5110	5140	5170	5190	5220	5250	5280
4800ft [3110ft]	5170	5200	5220	5250	5280	5310	5340	5370	5400
4900ft [3210ft]	5280	5310	5340	5370	5400	5430	5460	5490	5520
5000ft [3310ft]	5390	5420	5450	5480	5510	5540	5580	5610	5640
5100ft [3410ft]	5500	5530	5570	5600	5630	5660	5690	5730	5760
5200ft [3510ft]	5620	5650	5680	5710	5740	5780	5810	5850	5880
5300ft [3610ft]	5730	5760	5790	5830	5860	5890	5930	5960	6000
5400ft [3710ft]	5840	5870	5910	5940	5980	6010	6050	6080	6120
5500ft [3810ft]	5950	5990	6020	6060	6090	6130	6160	6200	6240
5600ft [3910ft]	6060	6100	6130	6170	6210	6240	6280	6320	6360
5700ft [4010ft]	6180	6210	6250	6280	6320	6360	6400	6440	6480
5800ft [4110ft]	6290	6320	6360	6400	6440	6480	6520	6560	6600
5900ft [4210ft]	6400	6440	6480	6510	6550	6590	6630	6680	6720
6000ft [4310ft]	6510	6550	6590	6630	6670	6710	6750	6790	6840
6100ft [4410ft]	6620	6660	6700	6740	6780	6830	6870	6910	6960
6200ft [4510ft]	6740	6780	6820	6860	6900	6940	6990	7030	7080
6300ft [4610ft]	6850	6890	6930	6970	7020	7060	7100	7150	7200
6400ft [4710ft]	6960	7000	7040	7090	7130	7180	7220	7270	7320
6500ft [4810ft]	7070	7110	7160	7200	7250	7290	7340	7390	7440
6600ft [4910ft]	7180	7230	7270	7320	7360	7410	7460	7510	7560
6690ft [5000ft]	7280	7330	7370	7420	7470	7520	7560	7610	7660

Stefano M. RAPISARDA - flightdeckengineering.com

CYXE - Saskatoon, SK, CANADA

Station Elevation: 1690 feet. ISA Standard Temperature: 11.65°C (rounded to 12°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -34°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-34°C (ISA-46)	-36°C (ISA-48)	-38°C (ISA-50)	-40°C (ISA-52)	-42°C (ISA-54)	-44°C (ISA-56)	-46°C (ISA-58)	-48°C (ISA-60)	-50°C (ISA-62)
1690ft [0ft]	1690	1690	1690	1690	1690	1690	1690	1690	1690
1700ft [10ft]	1710	1710	1710	1710	1710	1710	1710	1710	1710
1800ft [110ft]	1830	1830	1830	1830	1830	1830	1830	1830	1840
1900ft [210ft]	1940	1950	1950	1950	1950	1960	1960	1960	1960
2000ft [310ft]	2060	2070	2070	2070	2080	2080	2080	2090	2090
2100ft [410ft]	2180	2190	2190	2200	2200	2200	2210	2210	2220
2200ft [510ft]	2300	2310	2310	2320	2320	2330	2330	2340	2350
2300ft [610ft]	2420	2430	2430	2440	2450	2450	2460	2470	2470
2400ft [710ft]	2540	2550	2550	2560	2570	2580	2580	2590	2600
2500ft [810ft]	2660	2670	2680	2680	2690	2700	2710	2720	2730
2600ft [910ft]	2780	2790	2800	2810	2820	2830	2840	2850	2860
2700ft [1010ft]	2900	2910	2920	2930	2940	2950	2960	2970	2980
2800ft [1110ft]	3020	3030	3040	3050	3060	3070	3090	3100	3110
2900ft [1210ft]	3140	3150	3160	3170	3190	3200	3210	3230	3240
3000ft [1310ft]	3250	3270	3280	3290	3310	3320	3340	3350	3370
3100ft [1410ft]	3370	3390	3400	3420	3430	3450	3460	3480	3490
3200ft [1510ft]	3490	3510	3520	3540	3560	3570	3590	3600	3620
3300ft [1610ft]	3610	3630	3650	3660	3680	3700	3710	3730	3750
3400ft [1710ft]	3730	3750	3770	3780	3800	3820	3840	3860	3880
3500ft [1810ft]	3850	3870	3890	3910	3930	3950	3960	3990	4010
3600ft [1910ft]	3970	3990	4010	4030	4050	4070	4090	4110	4130
3700ft [2010ft]	4090	4110	4130	4150	4170	4190	4220	4240	4260
3800ft [2110ft]	4210	4230	4250	4270	4300	4320	4340	4370	4390
3900ft [2210ft]	4330	4350	4370	4400	4420	4440	4470	4490	4520
4000ft [2310ft]	4450	4470	4490	4520	4540	4570	4590	4620	4650
4100ft [2410ft]	4570	4590	4620	4640	4670	4690	4720	4750	4770
4200ft [2510ft]	4690	4710	4740	4760	4790	4820	4840	4870	4900
4300ft [2610ft]	4810	4830	4860	4890	4910	4940	4970	5000	5030
4400ft [2710ft]	4920	4950	4980	5010	5040	5070	5100	5130	5160
4500ft [2810ft]	5040	5070	5100	5130	5160	5190	5220	5250	5290
4600ft [2910ft]	5160	5190	5220	5250	5280	5320	5350	5380	5410
4700ft [3010ft]	5280	5310	5340	5380	5410	5440	5470	5510	5540
4800ft [3110ft]	5400	5430	5470	5500	5530	5570	5600	5630	5670
4900ft [3210ft]	5520	5550	5590	5620	5660	5690	5730	5760	5800
5000ft [3310ft]	5640	5680	5710	5740	5780	5820	5850	5890	5930
5100ft [3410ft]	5760	5800	5830	5870	5900	5940	5980	6020	6050
5200ft [3510ft]	5880	5920	5950	5990	6030	6060	6100	6140	6180
5300ft [3610ft]	6000	6040	6070	6110	6150	6190	6230	6270	6310
5400ft [3710ft]	6120	6160	6200	6230	6270	6310	6360	6400	6440
5500ft [3810ft]	6240	6280	6320	6360	6400	6440	6480	6520	6570
5600ft [3910ft]	6360	6400	6440	6480	6520	6560	6610	6650	6700
5700ft [4010ft]	6480	6520	6560	6600	6650	6690	6730	6780	6830
5800ft [4110ft]	6600	6640	6680	6730	6770	6810	6860	6910	6950
5900ft [4210ft]	6720	6760	6800	6850	6890	6940	6990	7030	7080
6000ft [4310ft]	6840	6880	6930	6970	7020	7060	7110	7160	7210
6100ft [4410ft]	6960	7000	7050	7090	7140	7190	7240	7290	7340
6200ft [4510ft]	7080	7120	7170	7220	7270	7310	7360	7420	7470
6300ft [4610ft]	7200	7240	7290	7340	7390	7440	7490	7540	7600
6400ft [4710ft]	7320	7360	7410	7460	7510	7560	7620	7670	7720
6500ft [4810ft]	7440	7480	7530	7590	7640	7690	7740	7800	7850
6600ft [4910ft]	7560	7610	7660	7710	7760	7820	7870	7930	7980
6690ft [5000ft]	7660	7710	7770	7820	7870	7930	7980	8040	8100

Stefano M. RAPISARDA - flightdeckengineering.com

14 Yukon Airports

14.1 CYXY - WHITEHORSE, YT, CANADA 280

CYXY - Whitehorse, YT, CANADA

Station Elevation: 2317 feet. ISA Standard Temperature: 10.41°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: 15°C to -1°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	15°C (ISA+4)	13°C (ISA+2)	11°C (ISA+0)	9°C (ISA-2)	7°C (ISA-4)	5°C (ISA-6)	3°C (ISA-8)	1°C (ISA-10)	-1°C (ISA-12)
2317ft [0ft]	---	---	2320	2320	2320	2320	2320	2320	2320
2400ft [83ft]	---	---	2400	2410	2410	2410	2410	2410	2410
2500ft [183ft]	---	---	2500	2510	2510	2510	2510	2510	2510
2600ft [283ft]	---	---	2600	2610	2610	2610	2610	2610	2620
2700ft [383ft]	---	---	2700	2710	2710	2710	2720	2720	2720
2800ft [483ft]	---	---	2800	2810	2810	2810	2820	2820	2830
2900ft [583ft]	---	---	2900	2910	2910	2920	2920	2920	2930
3000ft [683ft]	---	---	3000	3010	3010	3020	3020	3030	3030
3100ft [783ft]	---	---	3100	3110	3110	3120	3130	3130	3140
3200ft [883ft]	---	---	3200	3210	3220	3220	3230	3240	3240
3300ft [983ft]	---	---	3300	3310	3320	3320	3330	3340	3350
3400ft [1083ft]	---	---	3400	3410	3420	3430	3430	3440	3450
3500ft [1183ft]	---	---	3500	3510	3520	3530	3540	3550	3550
3600ft [1283ft]	---	---	3600	3610	3620	3630	3640	3650	3660
3700ft [1383ft]	---	---	3700	3710	3720	3730	3740	3750	3760
3800ft [1483ft]	---	---	3800	3810	3820	3830	3840	3860	3870
3900ft [1583ft]	---	---	3900	3910	3920	3940	3950	3960	3970
4000ft [1683ft]	---	---	4000	4010	4030	4040	4050	4060	4080
4100ft [1783ft]	---	---	4100	4110	4130	4140	4150	4170	4180
4200ft [1883ft]	---	---	4200	4210	4230	4240	4260	4270	4280
4300ft [1983ft]	---	---	4300	4310	4330	4340	4360	4370	4390
4400ft [2083ft]	---	---	4400	4420	4430	4450	4460	4480	4490
4500ft [2183ft]	---	---	4500	4520	4530	4550	4560	4580	4600
4600ft [2283ft]	---	---	4600	4620	4630	4650	4670	4680	4700
4700ft [2383ft]	---	---	4700	4720	4730	4750	4770	4790	4800
4800ft [2483ft]	---	---	4800	4820	4840	4850	4870	4890	4910
4900ft [2583ft]	---	---	4900	4920	4940	4960	4970	4990	5010
5000ft [2683ft]	---	---	5000	5020	5040	5060	5080	5100	5120
5100ft [2783ft]	---	---	5100	5120	5140	5160	5180	5200	5220
5200ft [2883ft]	---	---	5200	5220	5240	5260	5280	5300	5330
5300ft [2983ft]	---	---	5300	5320	5340	5360	5390	5410	5430
5400ft [3083ft]	---	---	5400	5420	5440	5470	5490	5510	5530
5500ft [3183ft]	---	---	5500	5520	5540	5570	5590	5610	5640
5600ft [3283ft]	---	---	5600	5620	5650	5670	5690	5720	5740
5700ft [3383ft]	---	---	5700	5720	5750	5770	5800	5820	5850
5800ft [3483ft]	---	---	5800	5820	5850	5870	5900	5930	5950
5900ft [3583ft]	---	---	5900	5920	5950	5980	6000	6030	6060
6000ft [3683ft]	---	---	6000	6020	6050	6080	6100	6130	6160
6100ft [3783ft]	---	---	6100	6120	6150	6180	6210	6240	6260
6200ft [3883ft]	---	---	6200	6220	6250	6280	6310	6340	6370
6300ft [3983ft]	---	---	6300	6320	6350	6380	6410	6440	6470
6400ft [4083ft]	---	---	6400	6430	6460	6480	6520	6550	6580
6500ft [4183ft]	---	---	6500	6530	6560	6590	6620	6650	6680
6600ft [4283ft]	---	---	6600	6630	6660	6690	6720	6750	6790
6700ft [4383ft]	---	---	6700	6730	6760	6790	6820	6860	6890
6800ft [4483ft]	---	---	6800	6830	6860	6890	6930	6960	6990
6900ft [4583ft]	---	---	6900	6930	6960	6990	7030	7060	7100
7000ft [4683ft]	---	---	7000	7030	7060	7100	7130	7170	7200
7100ft [4783ft]	---	---	7100	7130	7160	7200	7230	7270	7310
7200ft [4883ft]	---	---	7200	7230	7260	7300	7340	7370	7410
7300ft [4983ft]	---	---	7300	7330	7370	7400	7440	7480	7520
7317ft [5000ft]	---	---	7317	7350	7380	7420	7460	7500	7530

Stefano M. RAPISARDA - flightdeckengineering.com

CYXY - Whitehorse, YT, CANADA

Station Elevation: 2317 feet. ISA Standard Temperature: 10.41°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -1°C to -17°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-1°C (ISA-12)	-3°C (ISA-14)	-5°C (ISA-16)	-7°C (ISA-18)	-9°C (ISA-20)	-11°C (ISA-22)	-13°C (ISA-24)	-15°C (ISA-26)	-17°C (ISA-28)
2317ft [0ft]	2320	2320	2320	2320	2320	2320	2320	2320	2320
2400ft [83ft]	2410	2410	2410	2410	2410	2410	2410	2410	2410
2500ft [183ft]	2510	2510	2520	2520	2520	2520	2520	2520	2520
2600ft [283ft]	2620	2620	2620	2620	2630	2630	2630	2630	2640
2700ft [383ft]	2720	2720	2730	2730	2730	2740	2740	2740	2750
2800ft [483ft]	2830	2830	2830	2840	2840	2840	2850	2850	2860
2900ft [583ft]	2930	2930	2940	2940	2950	2950	2960	2960	2970
3000ft [683ft]	3030	3040	3040	3050	3050	3060	3070	3070	3080
3100ft [783ft]	3140	3140	3150	3160	3160	3170	3180	3180	3190
3200ft [883ft]	3240	3250	3260	3260	3270	3280	3280	3290	3300
3300ft [983ft]	3350	3350	3360	3370	3380	3380	3390	3400	3410
3400ft [1083ft]	3450	3460	3470	3480	3480	3490	3500	3510	3520
3500ft [1183ft]	3550	3560	3570	3580	3590	3600	3610	3620	3630
3600ft [1283ft]	3660	3670	3680	3690	3700	3710	3720	3730	3740
3700ft [1383ft]	3760	3770	3780	3800	3810	3820	3830	3840	3850
3800ft [1483ft]	3870	3880	3890	3900	3910	3930	3940	3950	3960
3900ft [1583ft]	3970	3980	4000	4010	4020	4030	4050	4060	4070
4000ft [1683ft]	4080	4090	4100	4110	4130	4140	4160	4170	4180
4100ft [1783ft]	4180	4190	4210	4220	4240	4250	4270	4280	4300
4200ft [1883ft]	4280	4300	4310	4330	4340	4360	4370	4390	4410
4300ft [1983ft]	4390	4400	4420	4430	4450	4470	4480	4500	4520
4400ft [2083ft]	4490	4510	4520	4540	4560	4580	4590	4610	4630
4500ft [2183ft]	4600	4610	4630	4650	4670	4680	4700	4720	4740
4600ft [2283ft]	4700	4720	4740	4750	4770	4790	4810	4830	4850
4700ft [2383ft]	4800	4820	4840	4860	4880	4900	4920	4940	4960
4800ft [2483ft]	4910	4930	4950	4970	4990	5010	5030	5050	5070
4900ft [2583ft]	5010	5030	5050	5070	5100	5120	5140	5160	5180
5000ft [2683ft]	5120	5140	5160	5180	5200	5220	5250	5270	5290
5100ft [2783ft]	5220	5240	5270	5290	5310	5330	5360	5380	5400
5200ft [2883ft]	5330	5350	5370	5390	5420	5440	5470	5490	5510
5300ft [2983ft]	5430	5450	5480	5500	5520	5550	5570	5600	5630
5400ft [3083ft]	5530	5560	5580	5610	5630	5660	5680	5710	5740
5500ft [3183ft]	5640	5660	5690	5710	5740	5770	5790	5820	5850
5600ft [3283ft]	5740	5770	5790	5820	5850	5870	5900	5930	5960
5700ft [3383ft]	5850	5870	5900	5930	5950	5980	6010	6040	6070
5800ft [3483ft]	5950	5980	6010	6030	6060	6090	6120	6150	6180
5900ft [3583ft]	6060	6080	6110	6140	6170	6200	6230	6260	6290
6000ft [3683ft]	6160	6190	6220	6250	6280	6310	6340	6370	6400
6100ft [3783ft]	6260	6290	6320	6350	6380	6420	6450	6480	6510
6200ft [3883ft]	6370	6400	6430	6460	6490	6520	6560	6590	6620
6300ft [3983ft]	6470	6500	6540	6570	6600	6630	6670	6700	6730
6400ft [4083ft]	6580	6610	6640	6670	6710	6740	6780	6810	6850
6500ft [4183ft]	6680	6710	6750	6780	6810	6850	6880	6920	6960
6600ft [4283ft]	6790	6820	6850	6890	6920	6960	6990	7030	7070
6700ft [4383ft]	6890	6920	6960	6990	7030	7070	7100	7140	7180
6800ft [4483ft]	6990	7030	7060	7100	7140	7170	7210	7250	7290
6900ft [4583ft]	7100	7130	7170	7210	7240	7280	7320	7360	7400
7000ft [4683ft]	7200	7240	7280	7310	7350	7390	7430	7470	7510
7100ft [4783ft]	7310	7340	7380	7420	7460	7500	7540	7580	7620
7200ft [4883ft]	7410	7450	7490	7530	7570	7610	7650	7690	7730
7300ft [4983ft]	7520	7550	7590	7630	7680	7720	7760	7800	7840
7317ft [5000ft]	7530	7570	7610	7650	7690	7730	7780	7820	7860

Stefano M. RAPISARDA - flightdeckengineering.com

CYXY - Whitehorse, YT, CANADA

Station Elevation: 2317 feet. ISA Standard Temperature: 10.41°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -17°C to -33°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-17°C (ISA-28)	-19°C (ISA-30)	-21°C (ISA-32)	-23°C (ISA-34)	-25°C (ISA-36)	-27°C (ISA-38)	-29°C (ISA-40)	-31°C (ISA-42)	-33°C (ISA-44)
2317ft [0ft]	2320	2320	2320	2320	2320	2320	2320	2320	2320
2400ft [83ft]	2410	2410	2420	2420	2420	2420	2420	2420	2420
2500ft [183ft]	2520	2530	2530	2530	2530	2530	2530	2540	2540
2600ft [283ft]	2640	2640	2640	2640	2650	2650	2650	2650	2660
2700ft [383ft]	2750	2750	2750	2760	2760	2760	2770	2770	2770
2800ft [483ft]	2860	2860	2860	2870	2870	2880	2880	2890	2890
2900ft [583ft]	2970	2970	2980	2980	2990	2990	3000	3000	3010
3000ft [683ft]	3080	3080	3090	3100	3100	3110	3110	3120	3130
3100ft [783ft]	3190	3200	3200	3210	3220	3220	3230	3240	3250
3200ft [883ft]	3300	3310	3310	3320	3330	3340	3350	3360	3360
3300ft [983ft]	3410	3420	3430	3440	3440	3450	3460	3470	3480
3400ft [1083ft]	3520	3530	3540	3550	3560	3570	3580	3590	3600
3500ft [1183ft]	3630	3640	3650	3660	3670	3680	3700	3710	3720
3600ft [1283ft]	3740	3750	3760	3780	3790	3800	3810	3820	3840
3700ft [1383ft]	3850	3860	3880	3890	3900	3910	3930	3940	3950
3800ft [1483ft]	3960	3980	3990	4000	4020	4030	4040	4060	4070
3900ft [1583ft]	4070	4090	4100	4120	4130	4150	4160	4180	4190
4000ft [1683ft]	4180	4200	4210	4230	4240	4260	4280	4290	4310
4100ft [1783ft]	4300	4310	4330	4340	4360	4380	4390	4410	4430
4200ft [1883ft]	4410	4420	4440	4460	4470	4490	4510	4530	4540
4300ft [1983ft]	4520	4530	4550	4570	4590	4610	4620	4640	4660
4400ft [2083ft]	4630	4650	4660	4680	4700	4720	4740	4760	4780
4500ft [2183ft]	4740	4760	4780	4800	4820	4840	4860	4880	4900
4600ft [2283ft]	4850	4870	4890	4910	4930	4950	4970	5000	5020
4700ft [2383ft]	4960	4980	5000	5020	5050	5070	5090	5110	5140
4800ft [2483ft]	5070	5090	5110	5140	5160	5180	5210	5230	5250
4900ft [2583ft]	5180	5200	5230	5250	5270	5300	5320	5350	5370
5000ft [2683ft]	5290	5320	5340	5360	5390	5410	5440	5460	5490
5100ft [2783ft]	5400	5430	5450	5480	5500	5530	5560	5580	5610
5200ft [2883ft]	5510	5540	5570	5590	5620	5640	5670	5700	5730
5300ft [2983ft]	5630	5650	5680	5700	5730	5760	5790	5820	5850
5400ft [3083ft]	5740	5760	5790	5820	5850	5880	5900	5930	5960
5500ft [3183ft]	5850	5870	5900	5930	5960	5990	6020	6050	6080
5600ft [3283ft]	5960	5990	6020	6050	6080	6110	6140	6170	6200
5700ft [3383ft]	6070	6100	6130	6160	6190	6220	6250	6290	6320
5800ft [3483ft]	6180	6210	6240	6270	6300	6340	6370	6400	6440
5900ft [3583ft]	6290	6320	6350	6390	6420	6450	6490	6520	6560
6000ft [3683ft]	6400	6430	6470	6500	6530	6570	6600	6640	6670
6100ft [3783ft]	6510	6550	6580	6610	6650	6680	6720	6760	6790
6200ft [3883ft]	6620	6660	6690	6730	6760	6800	6840	6870	6910
6300ft [3983ft]	6730	6770	6800	6840	6880	6910	6950	6990	7030
6400ft [4083ft]	6850	6880	6920	6950	6990	7030	7070	7110	7150
6500ft [4183ft]	6960	6990	7030	7070	7110	7150	7190	7230	7270
6600ft [4283ft]	7070	7100	7140	7180	7220	7260	7300	7340	7390
6700ft [4383ft]	7180	7220	7260	7300	7340	7380	7420	7460	7500
6800ft [4483ft]	7290	7330	7370	7410	7450	7490	7540	7580	7620
6900ft [4583ft]	7400	7440	7480	7520	7570	7610	7650	7700	7740
7000ft [4683ft]	7510	7550	7590	7640	7680	7720	7770	7810	7860
7100ft [4783ft]	7620	7660	7710	7750	7790	7840	7890	7930	7980
7200ft [4883ft]	7730	7780	7820	7860	7910	7960	8000	8050	8100
7300ft [4983ft]	7840	7890	7930	7980	8020	8070	8120	8170	8220
7317ft [5000ft]	7860	7910	7950	8000	8040	8090	8140	8190	8240

Stefano M. RAPISARDA - flightdeckengineering.com

CYXY - Whitehorse, YT, CANADA

Station Elevation: 2317 feet. ISA Standard Temperature: 10.41°C (rounded to 11°C in table)
Altitude (MSL) Corrected for Cold Temperature - Temperature range: -33°C to -50°C

	STATION TEMPERATURE								
Minumum MSL Altitude [HAA]	-33°C (ISA-44)	-35°C (ISA-46)	-37°C (ISA-48)	-39°C (ISA-50)	-41°C (ISA-52)	-43°C (ISA-54)	-45°C (ISA-56)	-47°C (ISA-58)	-50°C (ISA-61)
2317ft [0ft]	2320	2320	2320	2320	2320	2320	2320	2320	2320
2400ft [83ft]	2420	2420	2420	2420	2420	2420	2420	2430	2430
2500ft [183ft]	2540	2540	2540	2540	2550	2550	2550	2550	2550
2600ft [283ft]	2660	2660	2660	2660	2670	2670	2670	2680	2680
2700ft [383ft]	2770	2780	2780	2790	2790	2790	2800	2800	2810
2800ft [483ft]	2890	2900	2900	2910	2910	2920	2920	2930	2930
2900ft [583ft]	3010	3020	3020	3030	3030	3040	3050	3050	3060
3000ft [683ft]	3130	3130	3140	3150	3160	3160	3170	3180	3190
3100ft [783ft]	3250	3250	3260	3270	3280	3290	3290	3300	3320
3200ft [883ft]	3360	3370	3380	3390	3400	3410	3420	3430	3440
3300ft [983ft]	3480	3490	3500	3510	3520	3530	3540	3550	3570
3400ft [1083ft]	3600	3610	3620	3630	3640	3660	3670	3680	3700
3500ft [1183ft]	3720	3730	3740	3750	3770	3780	3790	3800	3820
3600ft [1283ft]	3840	3850	3860	3870	3890	3900	3920	3930	3950
3700ft [1383ft]	3950	3970	3980	4000	4010	4020	4040	4050	4080
3800ft [1483ft]	4070	4090	4100	4120	4130	4150	4160	4180	4210
3900ft [1583ft]	4190	4210	4220	4240	4250	4270	4290	4310	4330
4000ft [1683ft]	4310	4330	4340	4360	4380	4390	4410	4430	4460
4100ft [1783ft]	4430	4440	4460	4480	4500	4520	4540	4560	4590
4200ft [1883ft]	4540	4560	4580	4600	4620	4640	4660	4680	4710
4300ft [1983ft]	4660	4680	4700	4720	4740	4760	4790	4810	4840
4400ft [2083ft]	4780	4800	4820	4840	4870	4890	4910	4930	4970
4500ft [2183ft]	4900	4920	4940	4970	4990	5010	5040	5060	5100
4600ft [2283ft]	5020	5040	5060	5090	5110	5140	5160	5180	5220
4700ft [2383ft]	5140	5160	5180	5210	5230	5260	5280	5310	5350
4800ft [2483ft]	5250	5280	5300	5330	5360	5380	5410	5440	5480
4900ft [2583ft]	5370	5400	5420	5450	5480	5510	5530	5560	5610
5000ft [2683ft]	5490	5520	5540	5570	5600	5630	5660	5690	5730
5100ft [2783ft]	5610	5640	5670	5690	5720	5750	5780	5810	5860
5200ft [2883ft]	5730	5760	5790	5820	5850	5880	5910	5940	5990
5300ft [2983ft]	5850	5880	5910	5940	5970	6000	6030	6060	6120
5400ft [3083ft]	5960	6000	6030	6060	6090	6120	6160	6190	6240
5500ft [3183ft]	6080	6110	6150	6180	6210	6250	6280	6320	6370
5600ft [3283ft]	6200	6230	6270	6300	6340	6370	6410	6440	6500
5700ft [3383ft]	6320	6350	6390	6420	6460	6490	6530	6570	6630
5800ft [3483ft]	6440	6470	6510	6540	6580	6620	6660	6690	6750
5900ft [3583ft]	6560	6590	6630	6670	6700	6740	6780	6820	6880
6000ft [3683ft]	6670	6710	6750	6790	6830	6870	6910	6950	7010
6100ft [3783ft]	6790	6830	6870	6910	6950	6990	7030	7070	7140
6200ft [3883ft]	6910	6950	6990	7030	7070	7110	7160	7200	7260
6300ft [3983ft]	7030	7070	7110	7150	7190	7240	7280	7320	7390
6400ft [4083ft]	7150	7190	7230	7270	7320	7360	7400	7450	7520
6500ft [4183ft]	7270	7310	7350	7400	7440	7480	7530	7580	7650
6600ft [4283ft]	7390	7430	7470	7520	7560	7610	7650	7700	7780
6700ft [4383ft]	7500	7550	7590	7640	7680	7730	7780	7830	7900
6800ft [4483ft]	7620	7670	7710	7760	7810	7860	7900	7950	8030
6900ft [4583ft]	7740	7790	7830	7880	7930	7980	8030	8080	8160
7000ft [4683ft]	7860	7910	7960	8000	8050	8100	8150	8210	8290
7100ft [4783ft]	7980	8030	8080	8130	8180	8230	8280	8330	8410
7200ft [4883ft]	8100	8150	8200	8250	8300	8350	8400	8460	8540
7300ft [4983ft]	8220	8270	8320	8370	8420	8480	8530	8590	8670
7317ft [5000ft]	8240	8290	8340	8390	8440	8500	8550	8610	8690

Stefano M. RAPISARDA - flightdeckengineering.com

15 Bibliography

[1] International Civil Aviation Organization (ICAO), "ICAO PANS OPS Doc 8168 - Procedures for Air Navigation Services," [Online]. Available: www.icao.int.

[2] Transport Canada, "Aeronautical Information Manual," [Online]. Available: http://www.tc.gc.ca.

[3] Transport Canada, "Advisory Circular (AC) No.500-020. Flight Management System (FMS) Barometric Vertical Navigation (VNAV) Temperature Compensation," [Online]. Available: http://www.tc.gc.ca.

[4] Federal Aviation Administration, "Aeronautical Information Manual," [Online]. Available: http://ww.faa.gov.

[5] Federal Aviation Administration, "FAA-H-8083-15A - Instrument Flying Handbook," [Online]. Available: http://www.faa.gov.

[6] Federal Aviation Administration, "FAA-H-8261-1A - Instrument Procedures Handbook," [Online]. Available: http://www.faa.gov.

[7] Federal Aviation Administration, "Order JO 7210.3W - Facility Operation and Administration," [Online]. Available: http://www.faa.gov.

[8] Federal Aviation Administration, "Order 8260.3 - United States Standard for Terminal Instrument Procedures (TERPS)," [Online]. Available: http://www.faa.gov.

[9] Federal Aviation Administration, "Order 7910.5B - Aeronautical Charting Forums," [Online]. Available: http://www.faa.gov.

[10] Federal Aviation Administration, "FAA Notams," [Online]. Available: http://www.faa.gov.

[11] Federal Aviation Administration, "Digital Terminal Procedures Publication (d-TPP)/Airport Diagrams," [Online]. Available: http://www.faa.gov.

[12] U.S. Air Force Flight Standards Advanced Instrument School (AIS), "Training Material, Cold Weather Altimeter Settings," 6500 S. MacArthur Blvd, Oklahoma City, OK 73169.

[13] C. H. A. Long, "The Chilling Results of Cold Temperatures on Barometric Altimeters," Flight Safety Foundation ALAR Steering Committee Meeting, 19 March 1998.

[14] IHS Engineering Sciences Data Unit, "ESDU 77022. Equations for calculation of International Standard Atmosphere and associated off-standard atmospheres.," 133 Houndsditch, London EC3A 7BX, UK.